



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
100100	Air-termination rod D 16mm L 1000mm	St/tZn with locking screw - KIT -	ST	26,00	FSS 16 1000 KS STTZN
100150	Air-termination rod D 16mm L 1500mm	St/tZn with locking screw - SET -	ST	36,30	FSS 16 1500 KS STTZN
101000	Air-termination rod D 10mm L 1000mm Al	chamfered on both ends	ST	7,30	FS 10 1000 AL
101001	Air-termination rod D 10mm L 1000mm	StSt w. lock nut f. HVI Conductor	ST	22,90	FS 10 1000 M10 V2A
101007	Air-termination rod D 10mm L 1000mm Cu	chamfered on both ends	ST	48,70	FS 10 1000 CU
101009	Air-termination rod D 10mm L 1000mm StSt	chamfered on both ends	ST	22,20	FS 10 1000 V2A
101010	Air-termination rod D 10mm L 1000mm Al	55° angled, chamfered on both sides	ST	9,50	FSP 10 1000 W55 AL
101110	Air-termination tip D 10mm L 1000mm Al	-SET- 55° angled w. 2 saddle clamps Al	ST	17,90	FSPS 10 1000 W55 FK AL
101150	Erdeinführungsstange D 16mm L 1500mm	St/tZn	ST	28,60	EES 16 1500 2XB11 STTZN
102002	Concrete base C45/55 17kg w. grip recess	a. threaded adapter M16 D 337mm H 90mm -KIT-	ST	22,30	BES 17KG M16 D337
102003	Concrete base C45/55 8.5kg w. threaded	adapter M16 D 240mm H 90mm -KIT-	ST	16,00	BES 8.5KG M16 D240
102010	Concrete base C45/55 17 kg f. wedge mount.	D337mm H90mm f.air-term. rod D16mm -KIT-	ST	20,90	BES 17KG KT16 D337 SET
102012	Concrete base C45/55, 17kg D 337mm	with recessed grip	ST	18,60	BES 17KG KT16 D337
102050	Plastic base plate D 370mm black		ST	7,30	ULP KS D370 SW
102060	Plastic flat washer D 280mm black		ST	5,70	ULP KS D280 SW
102075	Concrete base C45/55 8.5kg f. wedge mount.	D 240mm H 90mm air-term. rods 10/16mm -KIT-	ST	14,60	BES 8.5KG KT10 16 D240 SET
102340	Concr. base C45/55 17kg f. wedge mount.	a. adapt. supp. plate D 377mm H 90mm -KIT-	ST	26,00	BES 17KG KT16 ULP D337 SET
103013	Telesc. lightning protection mast height	13.35m St/tZn w. flange plate 400x400mm	ST	5182,10	TBM 13.35M FP400 STTZN
103016	Telesc. lightning protection mast height	16.35m St/tZn w. flange plate 400x400mm	ST	5386,60	TBM 16.35M FP400 STTZN
103019	Telesc. lightning protection mast height	19.35m St/tZn w. flange plate 400x400mm	ST	6613,90	TBM 19.35M FP565 STTZN
103022	Telesc. lightning protection mast height	22.35m St/tZn w. flange plate 565x565mm	ST	8260,90	TBM 22.35M FP565 STTZN
103025	Telesc. lightning protection mast height	24.85m St/tZn w. flange plate 565x565mm	ST	11455,10	TBM 24.85M FP565 STTZN
103030	Bucket foundation C50/60 f. telescopic	lightn. prot. masts H 13.35/16.35/19.35m	ST	7781,50	KÖFU I TBM FP400
103031	Bucket foundation C50/60 f. telescopic	lightning protect. masts H 22.35/24.85m	ST	11004,00	KÖFU II TBM FP565
103040	Anchor basket f. site concr. w. 4xM24 f.	lightn. prot. mast H 13.35/16.35/19.35m	ST	1195,90	AKO TBM FP400
103041	Anchor basket f. site concr. w. 8xM24 f.	lightn. prot. masts L 22,35/24,85m	ST	3084,10	AKO TBM FP565
103121	Telesc. lightn. prot. mast 6000mm above	ground St/tZn-Al, screw-in found. -KIT-	ST	1606,00	TBM 6M SCFU STTZN AL
103122	Telesc. lightn. prot. mast 7000mm above	ground St/tZn-Al, screw-in found. -KIT-	ST	1639,60	TBM 7M SCFU STTZN AL
103123	Telesc. lightn. prot. mast 8000mm above	ground St/tZn-Al, screw-in found. -SET-	ST	1824,20	TBM 8M SCFU STTZN AL
103124	Telesc. lightn. prot. mast 9000mm above	ground St/tZn-Al, screw-in found. -KIT-	ST	1857,80	TBM 9M SCFU STTZN AL
103125	Telesc. lightn. prot. mast 10000mm above	ground St/tZn-Al, screw-in found. -KIT-	ST	2043,50	TBM 10M SCFU STTZN AL
103126	Telesc. lightn. prot. mast 11000mm above	ground St/tZn-Al, screw-in found. -KIT-	ST	2077,00	TBM 11M SCFU STTZN AL
103210	Air-termination rod D 16/10mm L 1500mm	AlMgSi both ends chamfered	ST	20,70	FS 16 10 1500 AL
103211	Air-termination rod D 16/10mm L 1500mm	AlMgSi with thread M16	ST	22,20	FS M16 10 1500 AL
103220	Air-termination rod D 16mm/10mm L 2000mm	AlMgSi both ends chamfered	ST	27,30	FS 16 10 2000 AL
103221	Air-termination rod D 16/10mm L 2000mm	AlMgSi with thread M16	ST	29,40	FS M16 10 2000 AL
103230	Air-termination rod D 16/10mm L 2500mm	AlMgSi both ends chamfered	ST	33,50	FS 16 10 2500 AL
103231	Air-termination rod D 16/10mm L 2500mm	AlMgSi with thread M16	ST	38,50	FS M16 10 2500 AL
103240	Air-termination rod D 16mm L 3000mm	AlMgSi F22 tapered to 10mm	ST	41,20	FS 16 10 3000 AL
103241	Air-termination rod D 16/10mm L 3000mm	AlMgSi with thread M16	ST	44,60	FS M16 10 3000 AL
103250	Air-termination rod D 16/10mm L 3500mm	AlMgSi both ends chamfered	ST	47,90	FS 16 10 3500 AL
103251	Air-termination rod D 16/10mm L 3500mm	AlMgSi with thread M16	ST	50,10	FS M16 10 3500 AL
103260	Air-termination rod D 16/10mm L 4000mm	AlMgSi both ends chamfered	ST	56,00	FS 16 10 4000 AL
103261	Air-termination rod M 16mm L 4000mm	AlMgSi F22 tapered to 10mm	ST	57,90	FS M16 10 4000 AL
103280	Air-termination rod D 16/10mm L 5000mm	AlMgSi both ends chamfered	ST	72,90	FS 16 10 5000 AL
103410	Tubular air-term. rod D 16mm L 1500mm	AlMgSi F22 tapered to 10mm	ST	16,60	RFS 16 10 1500 AL
103417	Tubular air-termination rod	D 16/10mm L1500mm Cu	ST	87,30	RFS 16 10 1500 CU
103419	Tubular air-termination rod D 16mm	L 1500mm StSt tapered to 10mm	ST	79,10	RFS 16 10 1500 V2A
103420	Tubular air-term. rod D 16mm L 2000mm	AlMgSi F22 tapered to 10mm	ST	21,60	RFS 16 10 2000 AL
103429	Tubular air-termination rod D 16mm	L 2000mm StSt tapered to 10mm	ST	128,60	RFS 16 10 2000 V2A
103430	Tubular air-term. rod D 16mm L 2500mm	AlMgSi F22 tapered to 10mm	ST	25,90	RFS 16 10 2500 AL
103439	Tubular air-termination rod D 16/10mm	L 2500mm StSt	ST	180,40	RFS 16 10 2500 V2A
103440	Tubular air-term. rod D 16mm L 3000mm	AlMgSi F22 tapered to 10mm	ST	31,70	RFS 16 10 3000 AL
103449	Tubular air-termination rod D 16mm	L 3000mm StSt tapered to 10mm	ST	229,70	RFS 16 10 3000 V2A
103450	Tubular air-term. rod D 16mm L 3500mm	AlMgSi F22 tapered to 10mm	ST	37,70	RFS 16 10 3500 AL
103460	Tubular air-term. rod D 16mm L 4000mm	AlMgSi F22 tapered to 10mm	ST	42,70	RFS 16 10 4000 AL
103480	Tubular air-term. rod D 16mm L 5000mm	AlMgSi F22 tapered to 10mm	ST	52,90	RFS 16 10 5000 AL
104150	Air-termination rod D 16mm L 1500mm	AlMgSi chamfered on both ends	ST	27,50	FS 16 1500 AL
104200	Air-termination rod D 16mm L 2000mm	AlMgSi chamfered on both ends	ST	34,60	FS 16 2000 AL
104250	Air-termination rod D 16mm L 2500mm	AlMgSi chamfered on both ends	ST	44,30	FS 16 2500 AL
104300	Air-termination rod D 16mm L 3000mm	AlMgSi chamfered on both ends	ST	50,10	FS 16 3000 AL
104600	Air-termination rod D 16mm	L 6000mm Al, f. cutting to length	ST	70,00	FS 16 6000 AL
104903	Earth entry rod D 16mm L 1000mm	chamfered on both ends StSt (316/Ti/L)	ST	84,70	EES 16 1000 V4A
104905	Earth entry rod D 16mm L 1500mm	chamfered on both ends StSt (316/Ti/L)	ST	117,40	EES 16 1500 V4A
104906	Earth entry rod D 16mm L 2000mm	chamfered on both ends StSt (V4A)	ST	171,70	EES 16 2000 V4A
105071	Air-termination rod StSt L 1000mm	w. MV clamp StSt f. Rd 8-10mm	ST	25,90	FSP 10 1000 MVK 8.10 V2A
105079	MV clamp StSt f. Rd 8-10mm to support	spanning of conductors for DEHNiso-Combi	ST	7,30	MVK 8.10 M10 V2A
105140	Mounting bracket StSt with cleat f.	pipes D 40mm for DEHNiso-Combi	ST	42,20	WB D40 WA V2A
105160	Fixing clamp for pipes D 40-50mm	with tensioning strap D-300mm StSt	ST	36,50	BSC D40.50 SB50.300 V2A
105161	Fixing clamp for pipes D 40mm w. spacer	35mm for supp. tubes D 45-65mm StSt	ST	43,30	BSC D40 D45.65 V2A
105162	Fixing clamp for tubes D 40mm /	D 45-65mm w. spacer L 95mm StSt	ST	66,80	BSC D40 DS95 D45.65 V2A
105163	Fixing clamp w. spacer bar 95mm f. pipes	D 40-50mm on sector antennas D 50-300mm	ST	49,80	BS D40.50 DS95 SB50.300 V2A
105170	Air-term. rod D 40/16/10mm Al L 4000 mm	with earthing clamp and KS connector	ST	242,30	FS D40 16 10 4000 KSV AL
105171	Air-term. rod D 40/16/10mm Al L 5000 mm	with earthing clamp and KS connector	ST	300,00	FS D40 16 10 5000 KSV AL
105172	Air-term. rod D 40/16/10mm Al L 6000 mm	with earthing clamp and KS connector	ST	357,70	FS D40 16 10 6000 KSV AL
105173	Air-term. rod D 40/16/10mm Al L 7000 mm	with earthing clamp and KS connector	ST	415,40	FS D40 16 10 7000 KSV AL
105174	Air-term. rod D 40/16/10mm Al L 8000 mm	with earthing clamp and KS connector	ST	457,40	FS D40 16 10 8000 KSV AL
105175	Air-term. rod D 40/22/16/10mm Al L 4500 mm	with earthing clamp and KS connector	ST	279,00	FS D40 22 16 10 4500 KSV AL
105176	Air-term. rod D 40/22/16/10mm Al L 5500 mm	with earthing clamp and KS connector	ST	334,60	FS D40 22 16 10 5500 KSV AL
105177	Air-term. rod D 40/22/16/10mm Al L 6500 mm	with earthing clamp and KS connector	ST	391,30	FS D40 22 16 10 6500 KSV AL
105178	Air-term. rod D 40/22/16/10mm Al L 7500 mm	with earthing clamp and KS connector	ST	449,00	FS D40 22 16 10 7500 KSV AL
105179	Air-term. rod D 40/22/16/10mm Al L 8500 mm	with earthing clamp and KS connector	ST	490,90	FS D40 22 16 10 8500 KSV AL
105190	Air-term. rod D 40/16/10mm StSt L 4000mm	w. earthing bracket and KS connector	ST	359,80	FS D40 16 10 4000 KSV V2A
105191	Air-term. rod D 40/16/10mm StSt L 5000mm	w. earthing bracket and KS connector	ST	430,10	FS D40 16 10 5000 KSV V2A
105192	Air-term. rod D 40/16/10mm StSt L 6000mm	with earthing bracket and KS connector	ST	530,80	FS D40 16 10 6000 KSV V2A
105193	Air-term. rod D 40/16/10mm StSt L 7000mm	with earthing bracket and KS connector	ST	690,20	FS D40 16 10 7000 KSV V2A
105194	Air-term. rod D 40/16/10mm StSt L 8000mm	with earthing bracket and KS connector	ST	832,90	FS D40 16 10 8000 KSV V2A
105195	Air-term. rod D 40/22/16/10mm StSt L 4500mm	with earthing bracket and KS connector	ST	413,30	FS D40 22 16 10 4500 KSV V2A
105196	Air-term. rod D 40/22/16/10mm StSt L 5500mm	with earthing bracket and KS connector	ST	488,80	FS D40 22 16 10 5500 KSV V2A
105197	Air-term. rod D 40/22/16/10mm StSt L 6500mm	with earthing bracket and KS connector	ST	617,90	FS D40 22 16 10 6500 KSV V2A
105198	Air-term. rod D 40/22/16/10mm StSt L 7500mm	with earthing bracket and KS connector	ST	762,60	FS D40 22 16 10 7500 KSV V2A
105199	Air-term. rod D 40/22/16/10mm StSt L 8500mm	with earthing bracket and KS connector	ST	905,30	FS D40 22 16 10 8500 KSV V2A
105200	Hinged tripod f. air-term. rods D40mm	L 4-5.5m inclin. angle 10° St/tZn	ST	415,40	DBS KB D40.50 RA560 STTZN
105201	Hinged tripod f. air-ter. rods D 40-50mm	L 6-8.5m inclination angle 10° St/tZn	ST	565,40	DBS KB D40.50 RA1435 STTZN
105229	Fixing bolt Alu with 1 bore each	11mm and 23mm and threaded screws	ST	17,00	BB 1XB11GSM8 1XB23GSM12 AL
105240	Conduct. holder f. rafters f. distance	600-750mm w. tube 48mm f. HVI Cond.	ST	269,60	DASH D48 AS600.750 STTZN
105241	Holder f. metal roofs f. spacing 550-900mm	w. tube 48mm f. DEHNcon-H systems	ST	617,90	MDH D48 VB550.900 V2A
105245	Roof bushing set (black) w. aluminium	roof tile f. D 10/16/48mm	ST	85,70	DADS D10 16 48 AL SCH
105246	Roof bushing set (red) w. aluminium	roof tile f. D 10/16/48mm	ST	85,70	DADS D10 16 48 AL ROT
105272	Supp. tube D 30 mm L 1990 mm GRP/Al/StSt	w. air-termination rod D 10 mm L 500 mm	ST	232,90	SR D30 1990 FSP10 500 GFK AL V2A
105273	Supp. tube D 30 mm L 1990 mm GRP/Al/StSt	w. air-termination rod D 10 mm L 1000 mm	ST	243,40	SR D30 1990 FSP10 1000 GFK AL V2A
105274	Supp. tube D 30 mm L 2640 mm GRP/Al/StSt	w. air-termination rod D 10 mm L 500 mm	ST	253,90	SR D30 2840 FSP10 500 GFK AL V2A
105280	Supp. tube D 30 mm L 2640 mm GRP/Al/StSt	w. air-termination rod D 10 mm L 1000 mm	ST	264,30	SR D30 2640 FSP10 1000 GFK AL V2A
105281	Supp. tube D 50mm L 1950mm GRP/Al	w. air-ter. rod D 22/16/10mm L 2500mm	ST	388,10	SR D50 1950 FS22 16 10 2500 DSH GFK AL
105288	Supp. tube D 30 mm L 2875 mm GRP/Al/StSt	w. air-ter. rod D10 L1000mm f. raft.brack.	ST	377,60	SR D30 2875 FSP10 1000 DSH GFK AL V2A
105290	Hinged tripod for pipes D 40-50mm	L 4.0-5.5m inclination angle 10° StSt	ST	692,30	DBS KB D40.50 RA590 V2A
105291	Tripod f. air-term. rods a. pipes D 40-50	mm H 6.0-8.0 m inclin. angle 10° StSt	ST	1247,30	DBS KB D40.50 RA1100 V2A
105300	Supporting tube D 50mm M10 L 3200mm	GRP/Al	ST	346,20	SR D50 M10 3200 GFK AL



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
105301	Supporting tube D 50mm M10 L 4700mm	GRP/Al	ST	431,10	SR D50 M10 4700 GFK AL
105302	Separable supporting tube D 50mm M10	L 6200mm GRP/Al -KIT-	ST	544,60	SR D50 M10 6200 TB GFK AL
105306	Support. tube D 50 mm L 3200mm GRP/Al	w. air-term. rod D 16/10 L2.5m Al	ST	379,70	SR D50 3200 FS16.10 2500 GFK AL
105314	Support. tube D 50mm L 3200mm GRP/StSt	w. air-termination rod D 10mm L 1000mm	ST	578,00	SR D50 3200 FSP1000 IP HVI GFK V2A
105315	Support. tube D 50mm L 3200mm GRP/StSt	w. air-termin. rod D 22/16/10mm L 2.5m	ST	832,90	SR D50 3200 FS22 2500 IP HVI GFK V2A
105316	Support. tube D 50mm L 4700mm GRP/StSt	w. air-termination rod D 10mm L 1000mm	ST	867,50	SR D50 4700 FSP1000 IP HVI GFK V2A
105317	Supporting tube D 50mm L 4700mm GRP/StSt	w. air-termin.rod D 22/16/10mm L 2.5m	ST	1123,50	SR D50 4700 FS22 2500 IP HVI GFK V2A
105320	Supporting tube D 50mm L 3500mm GRP/StSt	w. air-term. rod D 10mm L 1000mm	ST	714,40	SR D50 3500 FSP1000 IP HVIP GFK V2A
105321	Supportin tube D 50mm L 3500mm GRP/StSt	w. air-term. rod D 22/16/10mm L 2.5 m	ST	943,10	SR D50 3500 FS22 10 2500 IP HVIP GFK V2A
105322	Supporting tube D 50mm L 5000mm GRP/StSt	w. air-term. rod D 10mm L 1000mm	ST	977,70	SR D50 5000 FSP1000 IP HVIP GFK V2A
105323	Supporting tube D 50mm L 5000mm GRP/StSt	w. air-term. rod D 22/16/10mm L 2.5m	ST	1223,10	SR D50 5000 FS22 10 2500 IP HVIP GFK V2A
105325	Supp.tube D 50mm L 3200mm GRP/Al w. air-	term.rod D 10mm L 1000mm, lateral outlet	ST	503,50	SR D50 3200 FS1000 IP SA HVI GFK AL
105326	Supp.tube D 50mm L 3200mm GRP/Al w. air-	ter.rod D 22/16/10mm L 2.5m, lat. outlet	ST	552,80	SR D50 3200 FS2500 IP SA HVI GFK AL
105327	Supp.tube D 50mm L 4700mm GRP/Al w. air-	term.rod D 10mm L 1000mm, lateral outlet	ST	589,50	SR D50 4700 FS1000 IP SA HVI GFK AL
105328	Supp.tube D 50mm L 4700mm GRP/Al w. air-	ter.rod D 22/16/10mm L 2.5m, lat. outlet	ST	637,80	SR D50 4700 FS2500 IP SA HVI GFK AL
105330	Supporting Tube D 50mm L 3200mm GRP/Al	w. air-term. rod D 10mm L 1000mm	ST	433,20	SR D50 3200 FSP1000 IP HVI GFK AL
105331	Supporting Tube D 50mm L 3200mm GRP/Al	w. air-termin.rod D 22/16/10mm L2.5m	ST	481,50	SR D50 3200 FS22 2500 IP HVI GFK AL
105332	Supporting Tube D 50mm L 4700mm GRP/Al	w. air-termin. rod D 10mm L 1000mm	ST	518,20	SR D50 4700 FSP1000 IP HVI GFK AL
105333	Supporting Tube D 50mm L 4700mm GRP/Al	w. air-termin. rod D 22/16/10mm L2.5m	ST	568,60	SR D50 4700 FS22 2500 IP HVI GFK AL
105336	Supp.tube D 50mm L 3200mm GRP/StSt, air-	ter.rod D 10mm L 1000mm, lat. outlet	ST	783,60	SR D50 3200 FS1000 IP SA HVI GFK V2A
105337	Supp.tube D 50mm L 3200mm GRP/StSt, air-	ter.rod D 22/16/10mm L 2.5m, lat. outlet	ST	1035,40	SR D50 3200 FS2500 IP SA HVI GFK V2A
105338	Supp.tube D 50mm L 4700mm GRP/StSt, air-	ter.rod D 10mm L 1000mm, lateral outlet	ST	1071,00	SR D50 4700 FSP1000 IP SA HVI GFK V2A
105339	Supp.tube D 50mm L 4700mm GRP/StSt, air-	ter.rod D 22/16/10mm L 2.5m, lat. outlet	ST	1321,70	SR D50 4700 FS2500 IP SA HVI GFK V2A
105340	Mounting bracket StSt with cleat	for pipes D 50mm for DEHNiso-Combi	ST	34,20	WB D50 WA V2A
105341	Fixing bracket StSt with cleat	f. pipes D 50mm f. DEHNiso-Combi	ST	34,20	EB D50 WA V2A
105342	Wall mounting bracket StSt with cleat	for pipes D 40-50mm for DEHNiso-Combi	ST	34,90	WB D40.50 SE WA46 V2A
105343	Wall mount. bracket St/tZn-StSt f. pipes	D 40-50mm adjustable range 400-700mm	ST	187,40	WB D40.50 V400.700 STTZN V2A
105344	Wall mounting bracket StSt for pipes	D 40-50mm adjustable range 150-200mm	ST	202,90	WB D40.50 V150.200 V2A
105345	Mounting bracket St/tZn for pipes	D 60mm adjustable range 250-350mm	ST	201,60	WB D60 V250.350 STTZN
105347	Wall mount. bracket St/tZn-StSt f. pipes	D 40-50mm adjustable range 230-400mm	ST	161,10	WB D40.50 V230.400 STTZN V2A
105348	Wall mounting bracket StSt f. vertical	mounting w. cleat f. pipes D 40-50mm	ST	38,10	WB D40.50 SE WA110 V2A
105349	Wall mount. bracket St/tZn-StSt f. pipes	D 40-50mm adjust. wall dist. 700-1300mm	ST	223,40	WB D40.50 V700.1300 STTZN V2A
105351	Tripod adjustable in height and hinged	f. tubes D 50mm inclin. angle 10° St/tZn	ST	429,00	DBS KB D50 RA620 STTZN
105354	Railing clamp D 48-60mm f. pipes	D -50mm f. DEHNiso Combi	ST	36,40	BS D40.50 D48.60 V2A
105355	Railing clamp D 70-90mm for pipes	D -50mm f. DEHNiso Combi	ST	41,20	BS D40.50 D70.90 V2A
105356	Rail. clamp StSt f. pipes D - 50mm a.	square prof. D -50x50mm f.DEHNiso-Combi	ST	35,60	BS D40.50 4K20.50 V2A
105360	Fixing clamp f. pipes D50mm, tensioning	strap D 90-300mm f. DEHNiso Combi	ST	33,50	BS D50 SB50.300 V2A
105361	Fixing clamp for fixing pipes D 50mm at	sector antennas spacer 30mm D 90-300mm	ST	38,60	BS D50 D530 SB50.300 V2A
105362	Fixing clamp for fixing pipes D 50mm at	sector antennas spacer 95mm D 50-300mm	ST	47,50	BS D50 D590 SB50.300 V2A
105363	Spacer L 1000mm f. DEHNiso Combi support.	tubes D 50/masts D 55-100mm St/tZn	ST	323,10	AH D50 1000 D55.100 STTZN
105364	Spacer L 1000mm f. DEHNiso Combi support.	tubes D 50/masts D 100-150mm St/tZn	ST	350,40	AH D50 1000 D100.150 STTZN
105365	Spacer L 1000mm f. DEHNiso Combi support.	tubes D 50/masts D 150-190mm St/tZn	ST	414,40	AH D50 1000 D150.190 STTZN
105376	Fixing clamp f. DEHNiso-Combi	1 1/2-2 f. constructions -60x120mm	ST	71,50	BS D40.50 4K60.120 V2A
105390	Dreibeinstativ klappbar mit Halbschale	für Rohre D50mm Radius 600mm NW 5° NIRO	ST	601,10	DBS KB D50 HS RA600 V2A
105391	Tripod hinged with half shell	for tubes D50mm radius 1450mm IA 5° StSt	ST	1128,70	DBS KB D50 HS RA1450 V2A
105392	Supp.tube D 50mm L 3500mm GRP/StSt, air-	term.rod D 10mm L 1000mm, lateral outlet	ST	783,60	SR D50 3500 FS1000 IP SA HVIP GFK V2A
105394	Supp.tube D 50mm L 5000mm GRP/StSt, air-	term.rod D 10mm L 1000mm, lateral outlet	ST	1062,60	SR D50 5000 FS1000 IP SA HVIP GFK V2A
105395	Supp.tube D 50mm L 5000mm GRP/StSt, air-	term.rod D 22/16/10mm L 2.5m, lat. outlet	ST	1307,10	SR D50 5000 FS2500 IP SA HVIP GFK V2A
105396	Set of threaded rods 3x M16x340mm	with nuts, spring washers and wedges StSt	ST	89,60	GSS 3 M16x340 V2A
105397	Set of threaded rods 3x M16x520mm	with nuts, spring washers and wedges StSt	ST	127,30	GSS 3 M16x520 V2A
105398	Set of threaded rods 3x M16x650mm	with nuts, spring washers and wedges StSt	ST	140,40	GSS 3 M16x650 V2A
105400	Air-term. rod D 40/16/10mm Al L 4000mm	w. hinged tripod St/tZn -KIT-	ST	671,40	FS D40 16 10 4000 AL DBS KB STTZN
105440	DEHNiso Combi air-termination rod -KIT-	with mounting bracket D 50mm L 4200mm	ST	480,70	DICS WB D50.10 4.2M GFK AL V2A
105450	Air-term. rod D 40/22/16/10mm Al L 4500mm	w. hinged tripod St/tZn -KIT-	ST	677,70	FS D40 22 16 10 4500 AL DBS KB STTZN
105455	DEHNiso-Combi air-termination rod -SET-	with mounting bracket D 50mm L 5700mm	ST	677,40	DICS WB D50 10 5700 GFK AL V2A
105460	Spacer D 16mm L 750mm Al w. EB element	D 17mm incl. MV clamp f. HVI light	ST	34,70	DIDH PAE 17 D16 750 AL V2A
105461	Spacer D 16mm L 1270mm Al w. EB element	D 20mm incl. MV clamp f. HVI	ST	44,20	DIDH PAE 20 D16 1270 AL V2A
105462	Spacer D 16mm L 1270mm Al w. EB element	D 27mm incl. MV clamp f. HVI power	ST	47,40	DIDH PAE 27 D16 1270 AL V2A
105467	Variable tripod gr. with EB element	f. HVI power Conductor D 27mm -KIT-	ST	356,70	V DBS RA320 PAE 27 V 750 1510 V2A
105468	Variable tripod, small, w. EB element	f. HVI power Conductor D 27mm -KIT-	ST	346,20	V DBS RA320 PAE 27 V 600 1180 V2A
105469	Variable tripod with EB element	for HVI Conductor D 20mm -KIT-	ST	342,00	V DBS RA320 PAE 20 V 600 1180 V2A
105470	DEHNiso Combi air-termination rod	L 7200mm -KIT-	ST	792,60	DICS WB D50 10 7200 GFK AL V2A
105490	Four-legged stand hinged with half shell	for tubes D50mm radius 600mm IA 5° StSt	ST	716,50	VBS KB D50 HS RA600 V2A
105491	Four-legged stand hinged with half shell	for tubes D50mm radius 1450mm IA 5° StSt	ST	1308,10	VBS KB D50 HS RA1450 V2A
105496	Set of threaded rods 4x M16x340mm	with nuts, spring washers and wedges StSt	ST	119,20	GSS 4 M16x340 V2A
105497	Set of threaded rods 4x M16x520mm	with nuts, spring washers and wedges StSt	ST	171,00	GSS 4 M16x520 V2A
105498	Set of threaded rods 4x M16x650mm with nuts,	spring washers and wedges StSt	ST	188,60	GSS 4 M16x650 V2A
105500	Air-term. rod D 40/16/10mm Al	L 5000mm w. hinged tripod St/tZn -KIT-	ST	700,70	FS D40 16 10 5000 AL DBS KB STTZN
105513	Supp. tube D 50mm L 3500mm GRP/Al, air-	term.rod D 10mm L 1000mm, lateral outlet	ST	632,50	SR D50 3500 FSP1000 IA SA HVIP GFK AL
105515	Supp. tube D 50mm L 5000mm GRP/Al, air-	term.rod D 10mm L 1000mm, lateral outlet	ST	721,70	SR D50 5000 FSP1000 IA SA HVIP GFK AL
105525	Air-term. rod D 22/16/10mm L 2500mm Al	with tripod R 320mm St/tZn	ST	176,90	FS 22 16 10 2500 AL DBS R320 STTZN
105530	Air-term. rod D 22/16/10mm L 3000mm Al	with tripod R 320mm St/tZn	ST	191,20	FS 22 16 10 3000 AL DBS R320 STTZN
105535	Air-term. rod D 22/16/10mm L 3500mm Al	with tripod R 320mm St/tZn	ST	206,90	FS 22 16 10 3500 AL DBS R320 STTZN
105543	Supp. tube D 50mm L 3500mm GRP/Al, air-	term.rod D 22/16/10mm L 2500mm, lat. outlet	ST	682,90	SR D50 3500 FS2500 IA SA HVIP GFK AL
105545	Supp. tube D 50mm L 5000mm GRP/Al, air-	term.rod D 22/16/10mm L 2500mm, lat. outlet	ST	804,60	SR D50 5000 FS2500 IA SA HVIP GFK AL
105550	Air-term. rod D 40/22/16/10mm Al	L 5500mm with hinged tripod St/tZn -KIT-	ST	714,40	FS D40 22 16 10 5500 AL DBS KB STTZN
105563	Supp. tube D 50mm L 3500mm GRP/Al	w. air-term. rod D 10mm L 1000mm	ST	566,50	SR D50 3500 FSP1000 IA HVIP GFK AL
105565	Supp. tube D 50mm L 5000mm GRP/Al	w. air-term. rod D 10mm L 1000mm	ST	650,40	SR D50 5000 FSP1000 IA HVIP GFK AL
105573	Supp. tube D 50mm L 3500mm GRP/Al	w. air-term. rod D 22/16/10mm L 2500mm	ST	612,60	SR D50 3500 FS2500 IA HVIP GFK AL
105575	Supp. tube D 50mm L 5000mm GRP/Al	w. air-term. rod D 22/16/10mm L 2500mm	ST	735,30	SR D50 5000 FS2500 IA HVIP GFK AL
105600	Air-term. rod D 40/16/10mm Al	L 5500mm w. hinged tripod St/tZn -KIT-	ST	1271,40	FS D40 16 10 5500 AL DBS KB STTZN
105601	Brace with clamp for pipes	D 50mm L 2910mm StSt	ST	374,50	ABST 3F D50 2900 V2A
105650	Air-term. rod D 40/22/16/10mm Al	L 6500mm w. hinged tripod St/tZn -KIT-	ST	1292,40	FS D40 22 16 10 6500 AL DBS KB STTZN
105700	Air-term. rod D 40/16/10mm Al	L 7000mm w. hinged tripod St/tZn -KIT-	ST	1334,30	FS D40 16 10 7000 AL DBS KB STTZN
105750	Air-term. rod D 40/22/16/10mm Al	L 7500mm w. hinged tripod St/tZn -KIT-	ST	1360,60	FS D40 22 16 10 7500 AL DBS KB STTZN
105800	Air-term. rod D 40/16/10mm Al	L 8000mm w. hinged tripod St/tZn -KIT-	ST	1399,40	FS D40 16 10 8000 AL DBS KB STTZN
105850	Air-term. rod D 40/22/16/10mm Al	L 8500mm w. hinged tripod St/tZn -KIT-	ST	1420,30	FS D40 22 16 10 8500 AL DBS KB STTZN
105900	Air-term. rod D 40/22/16/10 mm L 9 m Al	with tripod R 1435 mm St/tZn	ST	1477,00	FS D40 22 16 10 9000 AL DBS KB STTZN
105910	Self-supp. air-term.rod D 60/10mm L 10M Al	w. six-legged supp. R 1200mm St/tZn -KIT-	ST	2142,10	FS D60 10 10M AL SBS STTZN
105911	Self-supp. air-term.rod D 60/10mm L 11M Al	w. six-legged sup. R 1200mm St/tZn -KIT-	ST	2253,30	FS D60 10 11M AL SBS STTZN
105922	Air-termination rod L 12m w. fixing kit	and hinged tripod R 3000mm	ST	4003,00	FS D100 10 12M AL DBS STTZN
105923	Air-termination rod L 13m w. fixing kit	and hinged tripod R 3000mm	ST	4084,80	FS D100 10 13M AL DBS STTZN
105924	Air-termination rod L 14m w. fixing kit	and hinged tripod R 3000mm	ST	4284,10	FS D100 10 14M AL DBS STTZN
106008	Adapter for vertical positioning	of rods D 16mm St/tZn / StSt	ST	29,70	FSA KT16 B16 95 STTZN V2A
106090	DEHNiso spacer f. Rd 7-10mm	L 530mm with fixing plate	ST	44,60	DIDH 7.10 530 BP V2A GFK
106100	DEHNiso spacer f. Rd 7-10mm	L 690mm with fixing plate	ST	50,40	DIDH 7.10 690 BP V2A GFK
106105	DEHNiso spacer f. Rd 7-10mm	L 1030mm w. fixing plate	ST	61,10	DIDH 7.10 1030 BP V2A GFK
106115	DEHNiso spacer f. Rd 16mm	L 530mm with fixing plate	ST	44,60	DIDH 16 530 BP V2A GFK
106120	DEHNiso spacer f. Rd 16mm	L 690mm w. fixing plate	ST	49,10	DIDH 16 690 BP V2A GFK
106123	DEHNiso spacer f. Rd 16mm	L 1030mm with fixing plate	ST	60,50	DIDH 16 1030 BP V2A GFK
106125	Spacer bar GRP light grey	D 16mm L 3000mm f. DEHNiso	ST	76,20	DIST 16 3000 GFK
106126	Mounting bushing w. locking screw	hole 16.2mm ZDC f. DEHNiso	ST	12,50	BB16 IGM8 ZG
106127	Fixing plate StSt with socket	ZDC D 16 mm f. DEHNiso	ST	17,60	BP BB16 V2A ZG
106128	Conductor holder StSt for Rd 7-10 mm	with fixing bush ZDC D 16 mm	ST	16,50	LH 7.10 BB16 V2A ZG
106129	Rod holder StSt for Rd 16 mm	with fixing bush ZDC D 16 mm	ST	17,20	SH 16 BB16 V2A ZG
106150	DEHNiso spacer with MMV clamp f.	Rd 6-10mm L 675mm without fixing element	ST	28,70	DIDH 6.10 675 MMV KT V2A GFK
106160	DEHNiso spacer f. Rd 8mm	DEHNisrip L 675mm without fixing element	ST	28,60	DIDH 8 675 KT V2A GFK
106165	DEHNiso spacer f. Rd 7-10mm L 515mm	without fixing element	ST	25,90	DIDH 7.10 515 V2A GFK16



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.	Unit	List price valid from 01.10.2021 in EUR NL	Type
106170	DEHNiso spacer f. Rd 7-10mm	L 675mm without fixing element	ST		28,80	DIDH 7.10 675 V2A GFK16
106175	DEHNiso spacer f. Rd 7-10mm	L 1015mm without fixing element	ST		40,10	DIDH 7.10 1015 V2A GFK16
106178	DEHNiso spacer f. Rd 16mm	L 515mm without fixing element	ST		25,20	DIDH 16 515 V2A GFK16
106180	DEHNiso spacer f. Rd 16mm	L 675mm without fixing element	ST		29,40	DIDH 16 675 V2A GFK16
106185	DEHNiso spacer f. Rd 16mm	L 1015mm without fixing element	ST		40,10	DIDH 16 1015 V2A GFK16
106207	Air-termination rod GRP/Al	D 16/10mm L 1660mm	ST		33,30	FS 16 10 1660 GFK AL
106210	Air-termination rod GRP/Al	D 16/10mm L 2000mm	ST		46,70	FS 16 10 2000 GFK AL
106217	Light grey GRP spacer bar D 16mm with	Al socket M10 L 675mm f. DEHNiso	ST		25,30	DIST 16 M10 675 GFK
106220	Light grey GRP spacer bar D 16mm with	Al socket M10 L 1015mm f. DEHNiso	ST		36,80	DIST 16 M10 1015 GFK
106225	DEHNiso spacer f. Rd 16m	L 515mm with pipe clamp D 40-60mm	ST		49,00	DIDH 16 530 RS40.60 V2A
106226	DEHNiso spacer f. Rd 16m	L 675mm with pipe clamp D 40-60mm	ST		53,30	DIDH 16 690 RS40.60 V2A
106228	DEHNiso spacer f. Rd 16mm	L 1015mm with pipe clamp D 40-60mm	ST		66,30	DIDH 16 1030 RS40.60 V2A
106245	DEHNiso spacer f. Rd 16mm L 530mm	with fixing for tens. straps D 50-300mm	ST		49,10	DIDH 16 530 SB50.300 V2A
106246	Spacer f. Rd 16mm L 690mm, fixing	f. tens. straps D 50-300mm f. DEHNiso	ST		52,80	DIDH 16 690 SB50.300 V2A
106248	DEHNiso spacer f. Rd 16mm L 1015mm	with fixing f. tens. straps D 50-300mm	ST		67,20	DIDH 16 1030 SB50.300 V2A
106301	Clamping bolt D 16mm Al with screw,	nut and lock washer f. DEHNiso	ST		8,70	BB16 GSM10 AL
106309	Clamping bolt D 16mm StSt with screw,	nut and toothed lock washer f. DEHNiso	ST		17,30	BB16 GSM10 V2A
106310	Mounting bracket 90° StSt	110x60x30mm f. DEHNiso	ST		6,00	BW90 B11 B5.1 6.5 11 V2A
106311	Mounting bracket 90° StSt with	clamping bolt Al D 16mm f. DEHNiso	ST		14,80	BW90 BB16 B5.1 6.5 11 V2A
106312	Railing clamp f. DEHNiso Combi w. bush	D 16 mm f. square profiles -50x50mm	ST		28,20	BS 4K 20.50 BB16 ZG V2A
106314	90° angled fixing plate StSt	110x60x30mm f. DEHNgate	ST		7,70	BW90 B16 B5.1 6.5 11 V2A
106315	Mounting bracket 45° StSt	f. DEHNiso	ST		6,20	BW45 B11 B5.1 6.5 11 V2A
106316	Y-shaped mounting bracket 90° StSt w.	clamping bolt Al W 16.2mm f. DEHNiso	ST		22,20	EBW90 BB16 B5.1 6.5 11 V2A
106319	Terminal StSt for profiles 3-18mm with	clamping bolt Al f. D 16mm	ST		22,70	AK 3.18 BB16 V2A AL
106320	Bracket StSt f. fix. tension. strap 25mm	w. square hole 9mm f. pipes D 50-300mm	ST		3,80	BUE SPB25 V2A
106321	Clip f. tensioning straps W 30mm StSt	with clamping bolt Al D 16mm f. DEHNiso	ST		13,60	BB SPB30 BB16 V2A AL
106322	Clip f. tensioning straps W 25mm StSt	with socket ZDC D 16mm f. DEHNiso	ST		14,20	AS SPB25 BB16 V2A
106323	Pipe clamp W 25mm StSt	f. pipes D -300mm f. DEHNiso	ST		11,90	BRS SPB25 50.300 V2A
106324	Grip head f. tensioning strap	25x0.3mm StSt f. DEHNiso	ST		4,40	SPK 25X0.3 V2A
106325	Adapter for angled support StSt f.	air-termination rods D 16mm f. DEHNiso	ST		28,20	AD WAS 16 BB16 V2A
106326	Adapter for angled support StSt f. pipes	D 50mm with 2 bolts Al D 16mm f. DEHNiso	ST		34,60	AD WAS 50 BB16 V2A
106328	Spacer f. Rd 7-10mm L 675mm	with clamp D 50mm StSt f. DEHNiso	ST		62,00	DIDH 7.10 690 D50 V2A
106329	Angle bracket StSt with connection	bolt M8 and bores D 13/21/17mm	ST		40,20	BW90 B17 21 16 V2A
106331	Spacer f. Rd 7-10mm L 1015mm	with clamp D 50mm StSt f. DEHNiso	ST		84,80	DIDH 7.10 1030 D50 V2A
106340	Fixing adapter D 16mm	straight ZDC/StSt f. DEHNiso	ST		11,60	BA RD8 BB16 V2A ZG
106341	Fixing adapter 90° StSt	with socket ZDC D 16mm f. DEHNiso	ST		11,60	BA90 RD8 BB16 V2A ZG
106342	Fixing adapter 130° StSt	with socket ZDC D 16mm f. DEHNiso	ST		11,60	BA130 RD8 BB16 V2A ZG
106352	Pipe clamp D 40-60mm StSt	with socket ZDC D 16mm f. DEHNiso	ST		24,40	RS D40.60 BB16 V2A ZG
106353	Pipe clamp D 70-90mm StSt	with socket ZDC D 16mm f. DEHNiso	ST		28,20	RS D70.90 BB16 V2A ZG
106812	Spacer GRP L 1000mm grey with plastic	cond. holder D 20mm HVI conductor	ST		46,40	DH ZS 20 D16 1000 GFK PA
106814	Spacer PA/GFK L 1500mm grey with	conductor holder D 27mm f. HVI power	ST		75,90	DH ZS 27 D16 1500 GFK PA
106815	Spacer PA/GRP L 1270mm grey	w. conductor holder D 20mm f. HVI	ST		49,30	DH ZS 20 D16 1270 GFK PA
106852	Spacer PA/GRP L 500mm grey with	conductor holder D 20mm f. HVI conductor	ST		21,70	DH ZS 20 D16 500 GFK PA
108009	Air-termination stud for drivable flat	roofs f. Rd 8-10mm StSt	ST		34,20	FP D80 ET70 8.10 V2A
110000	Air-termination rod D 15mm L 29mm ZDC		ST		2,70	FS 7.10 ZG
110017	Air-termin. rod D 14mm L 29mm Ms/galCu		ST		6,10	FS 8 MSGALCU
123021	Air-termin. rod f. metal roofs Al/StSt	D 16/10mm L 2000mm	ST		86,90	FS 16 10 2000 MD AL V2A
123032	Air-termination rod Al w. base frame f.	trapez. roofs D 16/10mm L 2000mm -KIT-	ST		293,70	FS 16 10 2000 TD AL V2A K
123040	Holder f. metal roof w. round standing	seam KAL-ZIP conn. bead Rd 20-25mm StSt	ST		8,80	HA M8 RSF20.25 V2A
123041	Holder f. metal roof w. clamping seam	(Zambelli RIB-ROOF) 18/22mm StSt	ST		8,80	HA M8 KF18.22 V2A
123042	Holder f. metal roofs w. standing seam	clamping range Fl 0.7-8mm StSt	ST		8,40	HA M8 SF0.7 8 V2A
123043	Holder for metal roofs Z-shaped	f. riveting or screwing StSt	ST		5,20	HA M8 AL ZF B5.2 6.5 V2A
123050	C-rails L 1000mm StSt (V4A)	including retaining clips, screws and nuts	ST		292,70	MSC MDH V4A L1000 MZ V2A
123051	C-rails L 1500mm StSt (V4A)	including retaining clips, screws and nuts	ST		397,60	MSC MDH V4A L1500 MZ V2A
123052	C-rails L 2000mm StSt (V4A)	including retaining clips, screws and nuts	ST		465,80	MSC MDH V4A L2000 MZ V2A
123109	Air-ter. sys. StSt/Al f. ridge/hip tiles	D 120-240mm, air-term. rod D10mm L1000mm	ST		26,50	FS 10 1000 FG AL V2A
123110	Holder f. air-termin. systems D 10mm at	ridge a. hip tiles w. tens. strap StSt	ST		36,50	HA 10 1F FG120.300 V2A
123116	Holder double w. tensioning strap StSt f.	ridge a. hip tiles w. socket D 16/10mm	ST		92,50	HA 16 2F FG120.300 V2A
123425	Air-term. rod f. metal roofs Al/StSt -KIT-	D 22/16/10mm L 2500mm Al w. braces	ST		201,30	FS 22 16 10 2500 SK AL V2A
123430	Air-term. rod f. metal roofs Al/StSt -KIT-	D 22/16/10mm L 3000mm Al with braces	ST		215,70	FS 22 16 10 3000 SK AL V2A
123435	Air-term. rod f. metal roofs Al/StSt -KIT-	D 22/16/10mm L 3500mm Al with braces	ST		264,30	FS 22 16 10 3500 SK AL V2A
145241	Wooden stake 90x90mm, oak wood,	with rain cover, rain cover incl. 45°	ST		452,10	HP 90X90 2400 EHI
146309	Clamping cap, air-term. tip L 300mm StSt	for wooden pile 90x90mm, M10 screw -SET-	ST		138,90	SPK 100X100 FSP10 300 7.10 V2A
200027	Conductor holder for Rd 6-8mm Cu/bronze	for downpipes D 50-120mm	ST		5,50	LH 6.8 SB50.120 SPSM8 CU
200029	Conductor holder for Rd 6-8mm StSt	for downpipes D 50-120mm	ST		4,40	LH 6.8 SB50.120 SPSM8 V2A
200039	Conductor holder f. Rd 6-8mm StSt	f. downpipes D 50-150mm	ST		5,00	LH 6.8 SB50.150 SPSM8 V2A
200057	Conductor holder for Rd 8mm Cu	for downpipes D 100mm	ST		3,10	LH 8 SB100 SCL CU
200059	Conductor holder for Rd 8mm StSt	for downpipes D 100mm	ST		1,60	LH 8 SB100 SCL V2A
200067	Conductor holder for Rd 8mm Cu	for downpipes D 80-120mm	ST		3,80	LH 8 SB80.120 SCL CU
200069	Conductor holder for Rd 8mm StSt	for downpipes D 80-120mm	ST		1,90	LH 8 SB80.120 SCL V2A
200077	Conductor holder f. Rd 8mm StSt/gal Cu	f. downpipes D 80-100mm	ST		7,20	LH 8 SB80.100 SCG GALCU
200079	Conductor holder f. Rd 8mm StSt	f. downpipes D 80-100mm	ST		4,10	LH 8 SB80.100 SCG V2A
200087	Conductor holder f. Rd 8mm StSt/gal Cu	f. downpipes D 100-120mm	ST		8,50	LH 8 SB100.120 SCG GALCU
200089	Conductor holder f. Rd 8mm StSt	f. downpipes D 100-120mm	ST		4,40	LH 8 SB100.120 SCG V2A
200600	Dowel for rigid foam plates L 50mm, PA	for screws D 4.5mm	ST		2,40	HSPD HS4.5 L50 PA
200601	Dowel for rigid foam plates L 85mm, PA	for screws D 4.5mm	ST		2,90	HSPD HS4.5 L85 PA
202000	One-screw cleat DEHNQUICK St/tzn	f. Rd 6-10mm bore 8.5mm	ST		0,70	UEL DQ 6.10 B8.5 STTZN
202001	One-screw cleat DEHNQUICK StSt	f. Rd 6-10mm bore 8.5mm	ST		0,90	UEL DQ 6.10 B8.5 V2A
202005	Roof cond. holder DEHNQUICK f. corrug.	sheet roofing prof. 5 Rd 6-10mm St/tzn	ST		3,50	DLH DQ 6.10 WPRO5 STTZN
202010	Roof conductor holder DEHNQUICK St/tzn f.	Rd 6-10mm, brace L 260mm St/tzn cranked	ST		4,50	DLH DQ 6.10 H55 L260 GS STTZN
202015	Roof cond. holder DEHNQUICK f. corrug.	sheet roof prof. 5/8 f. Rd 6-10mm St/tzn	ST		2,60	DLH DQ 6.10 WPRO5 8 STTZN
202017	Roof conductor holder DEHNQUICK Cu for	Rd 6-10mm with brace L 260mm cranked	ST		12,10	DLH DQ 6.10 H55 L260 GS CU
202020	Roof conductor holder DEHNQUICK St/tzn	f. Rd 6-10mm adjustable 120-240mm	ST		8,90	DLH DQ 6.10 FG120.240 STTZN
202021	Roof conductor holder DEHNQUICK St/tzn	f. Rd 6-10mm adjustable 200-280mm	ST		9,10	DLH DQ 6.10 FG200.280 STTZN
202027	Roof conductor holder DEHNQUICK Cu	f. Rd 6-10mm adjustable 120-240mm	ST		21,70	DLH DQ 6.10 FG120.240 CU
202030	Roof conductor holder DEHNQUICK St/tzn	f. Rd 6-10mm w. fixing plate 50x60mm	ST		4,90	DLH DQ 6.10 GP50X60 STTZN
202037	Roof conductor holder DEHNQUICK Cu	f. Rd 6-10mm w. brace L 260mm	ST		11,70	DLH DQ 6.10 H55 L260 CU
202040	Roof conductor holder DEHNQUICK St/tzn	f. Rd 6-10mm with brace L 260mm	ST		4,60	DLH DQ 6.10 H55 L260 STTZN
202050	Roof conductor holder DEHNQUICK St/tzn	f. Rd 6-10mm with brace L 115mm angled	ST		5,30	DLH DQ 6.10 H55 L115 WS STTZN
202060	Roof conductor holder DEHNQUICK St/tzn	f. Rd 6-10mm w. fixing plate 100x100mm	ST		5,20	DLH DQ 6.10 GP100X100 STTZN
202080	Roof conductor holder DEHNQUICK St/tzn	f. Rd 6-10mm with brace L 410mm angled	ST		7,20	DLH DQ 6.10 H55 L410 WS STTZN
202169	One-screw cleat DEHNQUICK StSt	f. Rd 6-10mm hole 6.5mm	ST		0,90	UEL DQ 6.10 B6.5 V2A
202227	Roof cond. holder DEHNQUICK Cu for	Rd 6-10mm adjustable 200-280mm	ST		21,00	DLH DQ 6.10 FG200.280 CU
202829	Roof conductor holder for HVI Conductor	D 20-23mm w. brace L 205mm StSt	ST		12,20	DLH ZS 20 23 H55 L205 V2A
202850	Roof cond. holder StSt f. metal roofs w.	round stand. seam f. HVI cond. D 20-23mm	ST		14,40	DLH RSF ZS 20 23 V2A
202851	Roof cond. holder StSt f. metal roofs	w. clamping seam f. HVI cond. D 20-23mm	ST		15,50	DLH KF ZS 20 23 V2A
202852	Roof cond. holder StSt f. metal roofs	w. standing seam, f. D 20-23 mm	ST		14,20	DLH SF ZS 20 23 V2A
202853	Roof cond. holder StSt f. metal roofs	w. conn. lug f. HVI conductor D 20-23mm	ST		10,60	DLH AL ZS 20 23 V2A
202857	Roof conductor holder f. HVI power Cond.	D 27/30mm w. brace L 205mm StSt	ST		12,60	DLH ZS 27 30 H55 L205 V2A
202860	Roof cond. holder StSt f. metal roofs w.	round stand. seam f. HVI cond. D 27-30mm	ST		14,70	DLH RSF ZS 27 V2A
202861	Roof cond. holder StSt f. metal roofs	w. clamping seam f. HVI cond. D 27-30mm	ST		15,80	DLH KF ZS 27 V2A
202862	Roof cond. holder StSt f. metal roofs	w. standing seam f. HVI cond. D 27-30mm	ST		14,50	DLH SF ZS 27 V2A
202863	Roof cond. holder StSt f. metal roofs	w. conn. lug f. HVI conductor D 27-30mm	ST		12,90	DLH AL ZS 27 V2A
202900	Roof cond. holder DEHNQUICK StSt for	Rd 6-10mm adjustable 120-240mm	ST		12,70	DLH DQ 6.10 FG120.240 V2A
202901	Roof conductor holder DEHNQUICK StSt	f. Rd 6-10mm w. brace L 260mm cranked	ST		6,00	DLH DQ 6.10 H55 L260 GS V2A
202902	Roof conductor holder DEHNQUICK StSt	f. Rd 6-10mm with brace L 260mm	ST		6,00	DLH DQ 6.10 H55 L260 V2A
202906	Roof cond. holder DEHNQUICK StSt f. Rd	6-10mm, corrug. sheet roof profile 5/8	ST		3,50	DLH DQ 6.10 WPRO5 8 V2A
204001	Conductor holder DEHNsnap plastic grey	H 16mm f. Rd 8mm with M6 thread	ST		1,00	LH DS 8 H16 IGM6 GR



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
204002	Conductor holder DEHNSnap plastic grey	H 16mm f. Rd 8mm with M8 thread	ST	1,00	LH DS 8 H16 IGM8 GR
204003	Conductor holder DEHNSnap plastic grey	H 36mm f. Rd 8mm with M6 thread	ST	1,20	LH DS 8 H36 IGM6 GR
204004	Conductor holder DEHNSnap plastic grey	H 36mm f. Rd 8mm with M8 thread	ST	1,20	LH DS 8 H36 IGM8 GR
204006	Conductor holder DEHNSnap plastic grey	H 16mm f. Rd 8mm w. threaded wood screw	ST	1,40	LH DS 8 H16 H55X50 GR
204007	Conductor holder DEHNSnap plastic brown	H 16mm f. Rd 8mm with M6 thread	ST	1,00	LH DS 8 H16 IGM6 BR
204017	Conductor holder DEHNSnap plastic brown	H 16mm f. Rd 8mm with M8 thread	ST	1,00	LH DS 8 H16 IGM8 BR
204027	Conductor holder DEHNSnap plastic brown	H 36mm f. Rd 8mm with M6 thread	ST	1,20	LH DS 8 H36 IGM6 BR
204029	Roof cond. holder FIRSTsnap StSt with	DEHNSnap plastic grey H 16mm f. Rd 8mm	ST	4,60	LH FS 8 H16 GR V2A
204037	Conductor holder DEHNSnap plastic brown	H 36mm f. Rd 8mm with M8 thread	ST	1,20	LH DS 8 H36 IGM8 BR
204039	Roof cond. holder FIRSTsnap StSt with	DEHNSnap plastic brown H 16mm f. Rd 8mm	ST	4,60	LH FS 8 H16 K BR V2A
204049	Roof cond. hol. ZIEGELsnap StSt 4-16mm	DEHNSnap H 16mm plastic grey f. Rd 8mm	ST	5,20	LH ZS 8 H16 KB4.16 GR V2A
204059	Roof cond. hol. ZIEGELsnap StSt 4-16mm,	DEHNSnap H 16mm plastic brown f. Rd 8mm	ST	5,20	LH ZS 8 H16 KB4.16 BR V2A
204069	Roof cond. hol. PLATTENsnap StSt 4-6mm,	DEHNSnap H 16mm plastic grey f. Rd 8mm	ST	4,70	LH PS 8 H16 KB4.6 GR V2A
204079	Roof cond. hol. PLATTENsnap StSt 4-6mm,	DEHNSnap H 16mm plastic brown f. Rd 8mm	ST	4,90	LH PS 8 H16 KB4.6 BR V2A
204089	Roof cond. holder UNISnap StSt/plastic	H 16mm f. Rd 8mm w. brace L 205mm	ST	4,50	LH US 8 H16 L205 KT GR V2A
204107	Roof cond. holder adjust. StSt/galCu w.	DEHNSnap H 16mm plastic brown f. Rd 8mm	ST	9,10	DLH DS 8 H16 FG180.280BR GALCU
204109	Roof cond. holder adjustable StSt w.	DEHNSnap H 16mm plastic grey f. Rd 8mm	ST	8,10	DLH DS 8 H16 FG180.280 GR V2A
204120	Conductor holder DEHNSnap H 16mm grey f.	Rd 8mm w. wood screw and dowel 8mm	ST	1,90	LH DS 8 H16 H55X50 KD8 GR
204127	Roof conductor holder adj. StSt/galCu w.	DEHNSnap H 36mm plastic brown f. Rd 8mm	ST	8,80	DLH DS 8 H36 FG180.280BR GALCU
204129	Roof conductor holder adj. StSt w.	DEHNSnap H 36mm plastic grey f. Rd 8mm	ST	8,10	DLH DS 8 H36 FG180.280 GR V2A
204147	Roof cond. hol. UNISnap Cu/plastic brown	H 16mm Rd 8mm with embossed brace L 205mm	ST	4,50	DLH US 8 H16 L205 BR GALCU
204149	Roof cond. hol. UNISnap StSt/plast. grey	H 16mm Rd 8mm w. embossed brace L 205mm	ST	3,90	DLH US 8 H16 L205 GR V2A
204157	Roof cond. hold. UNISnap Cu/plastic brown	H 16mm Rd 8mm, embossed brace L 335mm	ST	5,00	DLH US 8 H16 L335 BR GALCU
204159	Roof cond. hol. UNISnap StSt/plast. grey	H 16mm Rd 8mm, embossed brace L 335mm	ST	4,10	DLH US 8 H16 L335 GR V2A
204169	Roof cond. hol. UNISnap StSt/plast. grey	H 16mm Rd 8mm, embossed brace L 475mm	ST	5,00	DLH US 8 H16 L475 GR V2A
204170	Roof cond. holder DEHNSnap Al/plastic	grey H 36mm Rd 8mm, brace L 205mm	ST	3,10	DLH DS 8 H36 L205 GR AL
204171	Roof cond. holder DEHNSnap Al/plastic	brown H 36mm Rd 8mm, brace L 205mm	ST	3,10	DLH DS 8 H36 L205 BR AL
204177	Roof cond. holder UNISnap Cu/plast. brown	H 36mm Rd 8mm, embossed brace L 205mm	ST	4,30	DLH US 8 H36 L205 BR GALCU
204179	Roof cond. hol. UNISnap StSt/plast. grey	H 36mm Rd 8mm, embossed brace L 205mm	ST	3,90	DLH US 8 H36 L205 GR V2A
204187	Roof cond. hol. UNISnap Cu/plastic brown	H 36mm Rd 8mm, embossed brace L 335mm	ST	5,00	DLH US 8 H36 L335 BR GALCU
204189	Roof cond. hol. UNISnap StSt/plastic grey	H 36mm Rd 8mm, embossed brace L 335mm	ST	4,30	DLH US 8 H36 L335 GR V2A
204197	Roof cond. hol. UNISnap Cu/plastic brown	H 36mm Rd 8mm, embossed brace L 475mm	ST	6,10	DLH US 8 H36 L475 BR GALCU
204199	Roof cond. hol. UNISnap StSt/plastic grey	H 36mm Rd 8mm, embossed brace L 475mm	ST	5,30	DLH US 8 H36 L475 GR V2A
204229	Roof cond. holder DEHNSnap StSt/plastic	grey H 36mm Rd 8mm, brace f. tile grooves	ST	3,30	DLH DS 8 H36 L90 EH GR V2A
204239	Roof cond. holder DEHNSnap StSt/plastic	brown H 36mm Rd 8mm, brace f. tile grooves	ST	3,30	DLH DS 8 H36 L90 EH BR V2A
204247	Roof con. hol. SPANNsnap Cu/plast. brown	H36mm f. Rd8mm, clamping range 180-280mm	ST	8,70	DLH SS 8 H36 FG180.280 BR CU
204249	Roof con. hol. SPANNsnap StSt/plas. grey	H36mm f. Rd8mm, clamping range 180-280mm	ST	7,90	DLH SS 8 H36 FG180.280 GR V2A
204267	Roof con. hol. SPANNsnap Cu/plast. brown	H 16mm f. Rd 8mm, clamp. range 180-280mm	ST	8,60	DLH SS 8 H16 FG180.280 BR CU
204269	Roof con. hol. SPANNsnap StSt/plast. grey	H 16mm f. Rd 8mm, clamp. range 180-280mm	ST	7,90	DLH SS 8 H16 FG180.280 GR V2A
204359	Roof con. hol. DEHNSnap StSt/plast. grey	H 16mm f. Rd 8mm, angled brace 169mm	ST	4,90	DLH DS 8 H16 L169 WS V2A
204449	Roof cond. hol. SPANNsnap light StSt/pl.	grey H 36mm Rd 8mm cl. range 180-280mm	ST	6,30	DLH SSL 8 H36 FG180.280 GR V2A
204469	Roof cond. hol. SPANNsnap light StSt/pl.	grey H 16mm Rd 8mm cl. range 180-280mm	ST	6,20	DLH SSL 8 H16 FG180.280 GR V2A
204906	Roof cond. holder f. corrug. sheet roofs	prof. 5/8 w. DEHNSnap 8mm StSt/pl. grey	ST	3,00	DLH DS 8 H16 WPRO5 8 GR V2A
204911	Roof cond. holder adjustable StSt w.	DEHNSnap H 16mm plastic brown f. Rd 8mm	ST	8,30	DLH DS 8 H16 FG180.280 BR V2A
204913	Roof conductor holder adj. StSt w.	DEHNSnap H 36mm plastic brown f. Rd 8mm	ST	8,60	DLH DS 8 H36 FG180.280 BR V2A
204916	Roof cond. holder f. corrug. sheet roofs	prof. 5/8 w. DEHNSnap 8mm StSt/pl. brown	ST	3,00	DLH DS 8 H16 WPRO5 8 BR V2A
204921	Roof con. hol. UNISnap StSt/plast. brown	H 16mm Rd 8mm w. embossed brace L 205mm	ST	3,90	DLH US 8 H16 L205 BR V2A
204924	Roof cond. hol. UNISnap StSt/plast. brown	H 36mm Rd 8mm w. embossed brace L 205mm	ST	3,90	DLH US 8 H36 L205 BR V2A
204925	Roof cond. hol. UNISnap StSt/plast. brown	H 36mm Rd 8mm w. embossed brace L 335mm	ST	4,10	DLH US 8 H36 L335 BR V2A
204935	Roof con. hol. FLEXIsnap StSt/pl. grey	H 16mm Rd 8mm w. brace f. interlock. tiles	ST	4,40	DLH FS 8 H16 L170 GR V2A
204936	Roof con. hol. FLEXIsnap StSt/pla. brown	H 16mm Rd 8mm w. brace f. interlock. tiles	ST	4,40	DLH FS 8 H16 L170 BR V2A
204937	Roof con. hol. FLEXIsnap StSt/pl. grey	H 36mm Rd 8mm w. brace f. interlock. tiles	ST	4,40	DLH FS 8 H36 L170 GR V2A
204938	Roof con. hol. FLEXIsnap StSt/pl. brown	H 36mm Rd 8mm w. brace f. interlock. tiles	ST	4,40	DLH FS 8 H36 L170 BR V2A
204949	Roof conductor holder FLEXIgrip StSt	H 32mm Rd 8mm w. brace f. interlock. tiles	ST	5,10	DLH FG 8 H32 L170 V2A
204957	Roof conductor holder FLEXIgrip StSt/Cu	H 32mm Rd 8mm w. brace f. interlock. tiles	ST	6,20	DLH FG 8 H32 L170 V2A GALCU
206049	Roof cond. holder ZIEGELgrip StSt 4-16	mm w. DEHNgrip H 20mm StSt f. Rd 8mm	ST	5,60	LH ZG 8 H20 KB4.16 V2A
206105	Roof cond. holder f. corrug. sheet roof.	profile 5 w. DEHNgrip Rd 8mm St/tzn	ST	4,20	DLH DQ 8 WPRO5 V2A STTZN
206109	Roof cond. holder DEHNgrip StSt H 20mm	for Rd 8mm clamping range 180-280mm	ST	10,00	DLH DG 8 H20 FG180.280 V2A
206170	Roof conductor holder DEHNgrip Al/StSt	H 20mm Rd 8mm w. brace L 205mm	ST	4,20	DLH DG 8 H20 L205 V2A AL
206171	Roof conductor holder DEHNgrip Al/StSt	H 32mm Rd 8mm w. brace L 205mm	ST	4,30	DLH DG 8 H32 L205 V2A AL
206207	Roof conductor holder UNIGrip Cu	H 20mm Rd 8mm w. embossed brace L 205mm	ST	5,60	DLH UG 8 H20 L205 CU
206209	Roof conductor holder UNIGrip StSt	H 20mm Rd 8mm w. embossed brace L 205mm	ST	4,60	DLH UG 8 H20 L205 V2A
206217	Roof conductor holder UNIGrip Cu	H 20mm Rd 8mm w. embossed brace L 335mm	ST	6,40	DLH UG 8 H20 L335 CU
206219	Roof conductor holder UNIGrip StSt	H 20mm Rd 8mm w. embossed brace L 335mm	ST	5,30	DLH UG 8 H20 L335 V2A
206227	Roof conductor holder UNIGrip Cu	H 20mm Rd 8mm w. embossed brace L 475mm	ST	7,90	DLH UG 8 H20 L475 CU
206229	Roof conductor holder UNIGrip StSt	H 20mm Rd 8mm w. embossed brace L 475mm	ST	6,40	DLH UG 8 H20 L475 V2A
206237	Roof conductor holder SPANNgrip Cu	H 20mm f. Rd 8mm clamp. range 180-280mm	ST	10,70	DLH SG 8 H20 FG180.280 CU
206239	Roof conductor holder SPANNgrip StSt	H 20mm f. Rd 8mm clamp. range 180-280mm	ST	8,60	DLH SG 8 H20 FG180.280 V2A
206247	Roof conductor holder SPANNgrip Cu	H 32mm f. Rd 8mm clamp. range 180-280mm	ST	10,40	DLH SG 8 H32 FG180.280 CU
206249	Roof conductor holder SPANNgrip StSt	H 32mm f. Rd 8mm clamp. range 180-280mm	ST	9,10	DLH SG 8 H32 FG180.280 V2A
206289	Roof conductor holder UNIGrip StSt H 20mm	f. Rd 8mm w. clamp. part a. brace L 205mm	ST	5,30	DLH UG 8 H20 L205 KT V2A
206309	Roof conductor holder UNIGrip StSt	H 32mm f. Rd 8mm embossed brace L 205mm	ST	5,00	DLH UG 8 H32 L205 V2A
206319	Roof conductor holder UNIGrip StSt	H 32mm Rd 8mm embossed brace L 335mm	ST	5,30	DLH UG 8 H32 L335 V2A
206329	Roof conductor holder UNIGrip StSt	H 32mm Rd 8mm embossed brace L 475mm	ST	6,60	DLH UG 8 H32 L475 V2A
206339	Roof cond. holder f. corrug. sheet roofs	profile 5/8 w. DEHNgrip Rd 8mm StSt	ST	4,90	DLH DG 8 H20 WPRO5 8 V2A
206349	Roof conductor holder DEHNgrip StSt	H 20mm Rd 8mm w. brace f. grooved tiles	ST	5,10	DLH DG 8 H20 L103 EH V2A
206359	Roof conductor holder DEHNgrip StSt	H 20mm f. Rd 8mm w. angled brace 169mm	ST	5,30	DLH DG 8 H20 L169 WS V2A
206369	Roof conductor holder DEHNgrip StSt	H 20mm Rd 8mm w. brace f. tile slots	ST	4,40	DLH DG 8 H20 L87 EH V2A
206379	Roof cond. holder f. roof/wall slabs	Clamping range 2-8mm for Rd 8mm StSt	ST	6,40	DLH DG 8 H20 KB2.8 KU V2A
206389	Roof conductor holder f. roof and wall	plates clamp. range 2-8mm f. Rd 8mm StSt	ST	5,10	DLH DG H20 UK8 V2A
206399	Roof cond. holder f. roof/wall plates	clamping range 8-18mm f. Rd 8mm StSt	ST	5,20	DLH DG 8 H20 KB8.18 V2A
206439	Roof cond. holder SPANNgrip light StSt	H 20mm Rd 8mm clamping range 180-280mm	ST	7,60	DLH SGL 8 H20 FG180.280 V2A
206449	Roof cond. holder SPANNgrip light StSt	H 32mm Rd 8mm clamping range 180-280mm	ST	7,40	DLH SGL 8 H32 FG180.280 V2A
206807	Roof cond. holder DEHNgrip StSt/galCu	H 20mm f. Rd 8mm adjustable 180-280mm	ST	12,90	DLH DG 8 H20 FG180.280 KK GALCU
206809	Roof cond. holder DEHNgrip StSt H 20mm	f. Rd 8mm adjustable 180-280mm	ST	10,20	DLH DG 8 H20 FG180.280 KK V2A
206817	Roof cond. holder DEHNgrip StSt/galCu	H 32mm f. Rd 8mm clamp. range 180-280mm	ST	13,00	DLH DG 8 H32 FG180.280 KK GALCU
206819	Roof cond. holder DEHNgrip StSt H 32mm	f. Rd 8mm clamping range 180-280mm	ST	10,30	DLH DG 8 H32 FG180.280 KK V2A
207007	Conductor holder DEHNgrip Cu f. Rd 8mm	H 20mm with fixing bore 7.8mm	ST	2,00	LH DG 8 H20 B7.8 CU
207009	Conductor holder DEHNgrip StSt f. Rd 8mm	H 20mm with fixing bore 7.8mm	ST	1,70	LH DG 8 H20 B7.8 V2A
207017	Conductor holder DEHNgrip Cu f. Rd 8mm	H 20mm with thread M6	ST	2,00	LH DG 8 H20 IGM6 CU
207019	DEHNgrip conductor holder StSt f. Rd 8mm	H 20mm with M6 thread	ST	1,80	LH DG 8 H20 IGM6 V2A
207027	Conductor holder DEHNgrip Cu for	Rd 8mm H 32mm with fixing bore 7.8mm	ST	2,30	LH DG 8 H32 B7.8 CU
207029	Conductor holder DEHNgrip StSt for	Rd 8mm H 32mm with fixing bore 7.8mm	ST	1,90	LH DG 8 H32 B7.8 V2A
207037	Conductor holder DEHNgrip Cu for	Rd 8mm H 32mm with thread M6	ST	2,30	LH DG 8 H32 IGM6 CU
207039	Conductor holder DEHNgrip StSt for	Rd 8mm H 32mm with M6 thread	ST	2,00	LH DG 8 H32 IGM6 V2A
207107	Conductor holder DEHNgrip Cu f. Rd 8mm	H 20mm w. dowel 8x40mm a. wood screw	ST	3,40	LH DG 8 H20 H55X50 KD8 CU BR
207109	DEHNgrip conductor holder StSt f. Rd 8mm	H 20mm with dowel 8x40mm and wood screw	ST	2,90	LH DG 8 H20 H55X50 KD8 V2A GR
216000	Roof cond. hold. w. two-screw cleat f. Rd	7-10mm St/tzn w. spacer a. seal. D 12mm	ST	5,30	DLH ZS 7.10 FL20 KT12 STTZN
223005	Rod holder with brace L 475mm St/tzn	for pitched roof with StSt bolt Rd 16mm	ST	21,20	SH BB16 L475 WS V2A STTZN
223010	Roof conductor holder StSt f. metal	roofs, bead Rd 20-25mm f. Rd 6-10mm	ST	8,90	DLH KB 6.10 RSF20.25 V2A
223011	Roof conductor holder StSt f. metal	roofs, bead Rd 20-25mm f. Rd 8mm	ST	9,00	DLH DG 8 RSF20.25 V2A
223020	Roof conductor holder StSt f. trapezoid.	tin roofs, clamping frame f. Rd 6-10mm	ST	6,50	DLH KB 6.10 TD B8.5 V2A
223021	Roof conductor holder StSt f. trapezoid.	tin roofs with DEHNgrip f. Rd 8mm	ST	6,90	DLH DG 8 TD B8.5 V2A
223031	Roof cond. holder StSt f. tin roofs w.	parallel seam DEHNgrip f. Rd 8mm	ST	9,90	DLH DG 8 SF0.7 8 V2A
223040	Roof conductor holder Al f. metal roofs	bead Rd 20-25mm f. Rd 6-10mm	ST	6,10	DLH KB 6.10 RSF20.25 AL
223041	Roof conductor holder Al/StSt f. tin	roofs bead Rd 20mm with DEHNgrip 8mm	ST	6,80	DLH DG 8 RSF20.25 AL
223070	Roof conductor holder Al for Rd 6-10mm	f. tin roofs with rectang. standing seam	ST	7,10	DLH KB 6.10 KF18.22 AL
223071	Roof cond. holder Al for Rd 8mm f.	sheet metal roofs w. rect. stand. seam	ST	7,90	DLH DG 8 KF18.22 AL



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
239000	Eaves support for Rd 7-10mm St/tZn	adjustable 1.05-1.20m	ST	152,90	TS 7.10 V1.0 1.15M STTZN
239001	Eaves support for Rd 7-10mm St/tZn	adjustable 1.40-1.55m	ST	173,70	TS 7.10 V1.25 1.40M STTZN
239009	Eaves support for Rd 7-10mm StSt	adjustable 1.25-1.55m	ST	313,70	TS 7.10 V1.25 1.55M V2A
239019	Eaves support for Rd 7-10mm StSt	adjustable 1.45-1.75m	ST	317,80	TS 7.10 V1.45 1.75M V2A
240000	Support for roof conductors H 600mm	oaken for Rd 7-10mm	ST	313,70	DLS 6.10 134X300X598 EHI
241009	Tensioning block for Rd 8mm StSt	with 2 fixing holes D 10.5mm	ST	48,80	ASK 8 150 40 2XB10.5 V2A
250000	DEHNfix cond. holder St/tZn plastic grey	f. Rd 6-10mm H 30mm w. impact dowel 8x45	ST	2,50	LH DFI DQ 6.10 STTZN H30 GR
250001	DEHNfix cond. holder StSt plastic grey	f. Rd 6-10mm H 30mm w. impact dowel 8x45	ST	2,80	LH DFI DQ 6.10 V2A H30 GR
250007	DEHNfix cond. holder Cu plastic brown	f. Rd 6-10mm H 30mm w. impact dowel 8x45	ST	2,90	LH DFI DQ 6.10 CU H30 BR
251002	Saddle clamp St/tZn f. Rd 7-10mm,	clamping range 0.7-5mm	ST	5,00	FK ZS 7.10 KF0.7 8 STTZN
251027	Saddle clamp Cu f. Rd 7-10mm,	clamping range 0.7-5mm	ST	12,50	FK ZS 7.10 KF0.7 8 CU
252000	DEHNfix rod holder St/tZn plastic grey	f. Rd 16mm w. impact dowel D 8mm L60mm	ST	3,60	SH DFI 16 STTZN H42 GR
253015	Roof cond. holder FB f. flat roofs w.	block C35/45, single holder Rd 8mm	ST	2,70	DLH FB 8 LO 100X100X70
253021	Adapter for roof conductor holder FB	for FI 30mm plastic	ST	1,20	FLA30 FB KF K SW
253023	Adapter for roof conductor holders	for Rd 10mm	ST	1,20	RLA 10 FB KF K SW
253025	Plastic clip f. fixing roof conductor	holders FB on pitched roofs	ST	0,70	KLA 8 FB KF K SW
253026	Adapter D 20mm f. HVI conductor for	snapping on roof cond. holder type FB	ST	1,80	RLA 20 FB K SW
253027	Adapter D 23mm for HVI conductor f.	snapping on roof cond. holder type FB	ST	2,10	RLA 23 FB K SW
253030	Roof cond. holder KF f. roofing sheet	stripes -2.5mm thick, single holder 8 mm	ST	2,50	DLH KF 8 LO DBS 110X100X70 SW
253050	Roof cond. holder FB2 f. flat roofs with	block C35/45, double holder Rd 8mm	ST	2,50	DLH FB2 8 LO 141X86X70
253051	Roof cond. holder KF2 f. roofing sheet	stripes -5mm thick, double holder 8 mm	ST	1,20	DLH KF2 8 LO 141X86X70
253060	Roof cond. holder FB2 f. flat roofs with	block C35/45, double holder Rd 8mm fixed	ST	2,50	DLH FB2 8 FE 141X86X70
253115	DEHNiso-DLH -SET- w. base plate,	concrete block and spacer bar s=15cm	ST	20,90	DIDLH 8 H295 D300 BS
253125	DEHNiso-DLH -SET- w. base plate,	concrete block and spacer bar s=25cm	ST	22,70	DIDLH 8 H435 D300 BS
253229	Roof conductor holder w. support plate a.	concr. block f. HVI Cond. 20-23mm -KIT-	ST	32,10	DLH ZS 20 23 V2A 4.7KG BES180 GP300 K
253239	Roof conductor holder w. support plate a.	concrete block f. HVI Cond. 20-23mm -KIT-	ST	44,20	DLH ZS 20 23 V2A 8.5KG KT D240 ULP
253279	Conductor holder f. HVI Cond. D 20-23mm	with bar D 16mm L 85mm StSt	ST	23,90	LH ZS 20 23 KT D16 L85 V2A
253289	Conductor holder f. HVI Cond. D 20-23mm	with bar D 10mm L 75mm StSt	ST	16,90	LH ZS 20 23 DS10 L75 V2A
253300	DEHNiso RCH base plate D 300mm	with socket D 10mm PE	ST	5,50	GP B10 H60 D300 KS GR
253301	DEHNiso-DLH concrete block C35/45	180x180x70mm, recess f. base plate	ST	9,80	BES 4.6KG SB10 180X180X70
253302	DEHNiso-DLH conductor holder f. Rd 8mm	with bushing D 10mm PE	ST	2,30	DILH 8 SB10 K GR
253310	DEHNiso DLH profiled bar	GRP light grey D 10mm L 3000mm	ST	39,20	DIST 10 3000 GFK
253315	DEHNiso DLH spacer D 10mm	f. Rd 8mm L 280mm GRP/PE	ST	5,70	DILH 8 DS10 L280 K GR GFK
253325	DEHNiso DLH spacer D 10mm	f. Rd 8mm L 420mm GRP/PE	ST	7,40	DILH 8 DS10 L420 K GR GFK
253330	Conductor holder for HVI power conductor	D 27-30mm w. bar D 10mm L 75mm StSt	ST	17,50	LH ZS 27 DS10 L75 V2A
253331	Conductor holder for HVI power conductor	D 27-30mm w. bar D 16mm L 85mm StSt	ST	24,50	LH ZS 27 KT D16 L85 V2A
253333	Roof cond. hold. w. base plate a. concrete	block f. HVI power conduc. 27-30mm -KIT-	ST	32,70	DLH ZS 27 V2A BES180 GP300 K
253334	Roof cond. hold. w. supp. plate a.concr.	block f.HVI power Conductor 27-30mm-KIT-	ST	44,80	DLH ZS 27 V2A 8.5KG KT D240 ULP
260106	Rod holder with cleat St/tZn	for Rd 16mm with square pin L 100mm	ST	3,70	SH ZS 16 VKS100 STTZN
260108	Conductor holder for Rd 7-10/FI 20mm	St/tZn with square pin L 100mm	ST	3,60	LH ZS 7.10 FL20 VKS100 STTZN
260118	Conductor holder w. clamp. plate St/tZn	for Rd 6-10mm with square pin L 70mm	ST	2,40	LH KP 6.10 VKS70 STTZN
260158	Conductor holder for Rd 7-10/FI 20mm	St/tZn with square pin L 150mm	ST	3,70	LH ZS 7.10 FL20 VKS150 STTZN
260187	Conductor holder f. Rd 7-10/FI 20mm Cu	w. square pin Cu L 100mm	ST	10,90	LH ZS 7.10 FL20 VKS100 CU
260708	Conductor holder for Rd 7-10/FI 20mm	St/tZn with square pin L 70mm	ST	3,50	LH ZS 7.10 FL20 VKS70 STTZN
273019	Conductor holder with claw f. Rd 6-10mm	StSt with fixing bore D 6.5mm	ST	3,90	LH KR 6.10 H22 B6.5 V2A
273731	Rod holder with flange ZDC for Rd 16mm	St/tZn with frame dowel 180mm	ST	8,60	SH ZS 16 AB D10X180 STTZN ZG
273740	Conductor holder with flange ZDC for	Rd 7-10mm St/tZn with frame dowel 140mm	ST	6,70	LH ZS 7.10 AB D10X140 STTZN ZG
273741	Conductor holder with flange ZDC for	Rd 7-10mm St/tZn with frame dowel 180mm	ST	8,20	LH ZS 7.10 AB D10X180 STTZN ZG
273742	Conductor holder with flange ZDC for	Rd 7-10mm St/tZn with frame dowel 230mm	ST	11,70	LH ZS 7.10 AB D10X240 STTZN ZG
274030	Conductor holder StSt with M8 thread	f. FI 30mm and Rd 6-10mm	ST	3,90	FBH ZS 30 M8 V2A
274110	Conductor holder StSt with M8 thread	f. Rd 8-10mm	ST	3,10	LH ZS 8.10 FL20 M8 V2A
274113	Conductor holder StSt with M8 thread	f. Rd 13mm	ST	3,40	LH ZS 13 M8 V2A
274116	Rod holder StSt with M8 thread	f. Rd 16mm	ST	3,90	LH ZS 16 M8 V2A
274117	Conductor holder StSt/galCu w. M8 thread	f. Rd 8-10mm	ST	3,90	LH ZS 8.10 FL20 M8 CU
274150	Conductor holder StSt f. Rd 8-10mm	with grey plastic base	ST	3,70	LH ZS 8.10 FL20 M8 KS CU
274160	Conductor holder StSt f. Rd 8-10mm	with cover plate and fixing material	ST	4,30	LH ZS 8.10 FL20 KS KD8X40 V2A
274167	Conductor holder StSt/galCu f. Rd 8-10mm	with plastic base and fixing material	ST	5,00	LH ZS 8.10 FL20 KS KD8X40 CU
274230	Conductor holder StSt f. FI 30mm/Rd6-10mm	with wood screw and plastic dowel D 8mm	ST	4,80	FBH ZS 30 KS KD8X40 V2A
274260	Rod holder StSt f. Rd 16mm	with wood screw and plastic dowel D 8mm	ST	4,80	SH ZS 16 KS KD8X40 V2A
275019	Rod holder with claw StSt for Rd 13-16mm	for wall mounting, hole 6.5mm	ST	4,30	SH KR 13.16 H28 B6.5 V2A
275030	Conductor holder with flange ZDC for	FI -30mm St/tZn with M8 female thread	ST	4,20	FBH ZS 30 IGM8 STTZN ZG
275110	Conductor holder with flange ZDC	f. Rd 7-10mm St/tZn w. M8 female thread	ST	3,90	LH ZS 7.10 IGM8 STTZN ZG
275113	Conductor holder with flange ZDC for	Rd 11-13mm St/tZn with M8 female thread	ST	4,30	LH ZS 13 IGM8 STTZN ZG
275116	Rod holder with flange ZDC with M8	female thread for Rd 16mm St	ST	4,60	SH ZS 16 M8 V2A
275129	Two-screw cleat for CUI conductor	D 20mm with fixing hole 6.5x8.0mm, StSt	ST	1,90	LH ZSUEL 20 2XB6.5 V2A
275160	Conductor holder with flange ZDC f.	Rd 7-10mm St/tZn w. mounting material	ST	5,20	LH ZS 7.10 KD8X40 STTZN ZG
275220	Cond. holder PA, grey for HVI/CUI cond.	D 20mm, flange D 30mm, M8 female thread	ST	3,80	LH ZS 20 H19 IGM8 GR PA
275225	Conductor holder PA, grey for HVI cond.	D 23mm, flange D 30mm, M8 female thread	ST	3,80	LH ZS 23 H19 IGM8 GR PA
275229	Conductor holder for HVI Conductor	D 20mm w. slotted hole 16x6.5mm, StSt	ST	7,20	LH ZS 20 H10 B6.5X16 V2A
275230	Conductor holder with flange ZDC for	FI -30mm St/tZn with screw and dowel	ST	5,60	FBH ZS 30 IGM8 KD8X40STTZN ZG
275239	Conductor holder for HVI conductor	D 23mm with slot 16x6.5mm StSt	ST	7,30	LH ZS 23 H10 B6.5X16 V2A
275240	Conductor holder for HVI power Conductor	D 27-30mm with thread M8 StSt	ST	8,00	LH ZS 27 GM8 V2A
275241	Conductor holder StSt for HVI power	Conductor D 27-30mm with thread M6	ST	8,00	LH ZS 27 GM6 V2A
275242	Conductor holder StSt for HVI power	Conductor D 27-30mm with slot 10x5.5mm	ST	7,30	LH ZS 27 B5.5X10 V2A
275249	Conductor holder StSt for HVI power	Conductor D 27-30mm with plastic base	ST	8,80	LH ZS 27 KS H10 V2A
275250	Conductor holder for HVI/CUI Conductors	D 20-23mm with thread M8 StSt	ST	7,70	LH ZS 20 23 GM8 V2A
275251	Conductor holder for HVI/CUI Conductors	D 20-23mm with thread M6 StSt	ST	7,70	LH ZS 20 23 GM6 V2A
275252	Conductor holder for HVI/CUI Conductors	D 20-23mm with slot 10x5.5mm StSt	ST	6,90	LH ZS 20 23 B5.5X10 V2A
275259	Conductor holder for HVI/CUI Conductors	D 20-23mm with plastic base StSt	ST	8,30	LH ZS 20 23 KS H10 V2A
275260	Rod holder with cover plate	for Rd 16mm St-ZDC with mounting mat.	ST	5,30	SH ZS 16 KD8X40 STTZN ZG
275319	Conductor holder f. HVI Conductor StSt	D 20-23mm without tensioning strap	ST	12,00	LH ZS 20 23 SBH 25X0.3 V2A
275320	Conductor holder f. HVI Conductor StSt	D 20-23mm w. tension. strap D 50-300mm	ST	21,60	LH ZS 20 23 SB50.300 V2A
275330	Conductor holder for HVI cond., P/StSt	D 20mm with clamping range D 50-300mm	ST	19,40	LH ZS 20 SB50.300 PA V2A
275333	Conductor holder for HVI cond., P/StSt	D 23mm w. tensioning strap f. D 50-300mm	ST	19,80	LH ZS 23 SB50.300 PA V2A
275339	Conductor holder f. HVI cond. D 27-30mm	w. tens. strap fastener D 50-300mm StSt	ST	23,00	LH ZS 27 SB50.300 V2A
275359	Conductor holder f. HVI cond. D 27-30mm	f. tens. strap fastener 25x0.3mm StSt	ST	14,30	LH ZS 27 30 SBH 25X0.3 V2A
275440	HVI Ex W70 holder f. Conductor D 20mm	distance 70mm w. fixing plate StSt	ST	32,90	LH ZS 20 EX W70 BP V2A
275441	HVI Ex W200 holder f. Conductor D 20mm	distance 200mm w. fixing plate StSt	ST	49,00	LH ZS 20 EX W200 BP V2A
275442	HVI Ex P200 holder StSt f. Conduc. D20mm	dist. 200mm w. bracket f. tubes 50-300mm	ST	49,30	LH ZS 20 EX P200 SBB V2A
275444	HVI Ex P70 holder StSt f. Conduc. D 20mm	dist. 70mm w. bracket f. tubes 50-300mm	ST	32,80	LH ZS 20 EX P70 SBB V2A
275450	HVI Ex W85 holder f. Conductor D 27mm	distance 85mm w. fixing plate StSt	ST	39,20	LH ZS 27 EX W85 BP V2A
275451	HVI Ex W240 holder f. Conductor D 27mm	distance 240mm w. fixing plate StSt	ST	56,50	LH ZS 27 EX W240 BP V2A
275454	HVI Ex P85 holder StSt f. Conduc. D 27mm	dist. 85mm w. bracket f. tubes 50-300mm	ST	38,90	LH ZS 27 EX P85 SBB V2A
275455	HVI Ex P240 holder StSt f. Conduc. D27mm	dist. 240mm w bracket f. tubes 50-300mm	ST	56,30	LH ZS 27 EX P240 SBB V2A
275498	HVI Ex busbar 500 connecting brace f.	conductor holder spacings of 500mm StSt	ST	37,70	VS EX 500 V2A
275711	Cond. holder PA f. Rd 6-11mm, fixing	part StSt f. tensioning strap 14x0.3mm	ST	5,50	LH ZS 6.11 SBB PA V2A
275716	Rod holder PA f. Rd 16mm w. fixing part	StSt f. tensioning strap 14x0.3mm	ST	5,80	LH ZS 16 SBB PA V2A
275730	Cond. holder PA FI 30mm Rd 6-11mm	fixing part StSt f. tens. strap 14x0.3mm	ST	5,60	LH ZS 6.11 FL30 SBB PA V2A
276006	Cover disc plastic, grey H 5mm, D 37mm	for conductor and rod holders	ST	0,50	AS 37 5 B7.5 UVS K GR
276007	Cover disc plastic, brown H 5mm, D 37mm	for conductor and rod holders	ST	0,50	AS 37 5 B7.5 UVS K BR
276009	Cover plate, StSt, H 5mm, D 37mm	for conductor and rod holders	ST	1,00	AS 37 5 B8.5 V2A
276016	Plastic base grey H 10mm D 35mm	f. conductor and rod holders	ST	0,50	KS 35 14 B8.5 UVS GR
276017	Plastic base brown H 10mm D 35mm	f. conductor and rod holders	ST	0,50	KS 35 14 B8.5 UVS BR
276056	Dripping water protective collar plastic	grey w. slot D 37mm H 4.7mm bore 7.5mm	ST	1,00	MS 37 4.7 B7.5 K GR
276057	Dripping water protective collar plastic	brown w. slot D 37mm H 4.7mm bore 7.5mm	ST	1,00	MS 37 4.7 B7.5 K BR
277130	Conductor holder plastic/grey for	Rd 6-13/FI 30mm	ST	3,60	LH 6.13 FL30 B10 K GR
277230	Flat strip a. round cond. holder St/tZn	f. Fl...11mm Rd 6.10mm wall dist. 11mm	ST	6,20	FRH 11 6.10 WA11 B7 STTZN
277237	Flat strip a. round conductor holder Cu	f. Fl...11mm Rd 6.10mm wall dist. 11mm	ST	13,70	FRH 11 6.10 WA11 B7 CU



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
277239	Flat strip a. round conductor hold. StSt	f. Fl...11mm Rd 6.10mm wall dist. 11mm	ST	10,90	FRH 11 6.10 WA11 B7 V2A
277240	Flat strip a. round cond. hold. St/tZn	f. Fl...11mm Rd 6.10mm wall dist. 15mm	ST	8,00	FRH 11 6.10 WA15 B7 STTZN
284030	Strip holder for FI 30mm St/tZn	with slot 6.5x16mm	ST	3,60	FBH ZS 30 B6.5X16 STTZN
284040	Strip holder for FI 40mm St/tZn	with slot 6.5x16mm	ST	4,00	FBH ZS 40 B6.5X16 STTZN
286030	Strip holder for FI 30mm St/tZn	with wood screw 5x50mm	ST	4,00	FBH ZS 30 B6.5X16 HS5X50 STTZN
286139	Strip holder for FI 30mm StSt	with wood screw 5x45mm	ST	7,30	FBH ZS 30 B6.5X16 HS5X50 V2A
286819	Conductor holder with StSt cleat, for	Rd 7-10/FI 30mm w. wood screw and dowel	ST	7,70	LH ZS 7.10 FL30 AS KD8X40 V2A
290001	Spacer, St/tZn, angled type	L 300mm f. Rd 8-10mm, FI -40mm	ST	7,40	AH FE RF V G
290002	Spacer, St/tZn, straight type	L 280mm for Rd 8-10mm, FI -40mm	ST	3,30	AH FE RF
297015	Fixing plate D 100mm St/tZn with	M8 threaded bolt w. 4 fixing bores	ST	6,40	BP D100 GBM8 4XB10 4XB4 STTZN
297025	Fixing plate D 40mm plastic with	M8 threaded bolt w. 4 fixing holes	ST	3,40	BP D40 GBM8 4XB4 K GR
297110	Roof conductor holder DEHNSnap H 36mm grey	with adhesive pad D 67mm f. Rd 8mm	ST	7,40	DLH DS 8 H36 KP67 K GR
297120	Roof cond. holder DEHNgrip 32mm StSt	with adhesive pad D 67mm f. Rd 8mm	ST	9,00	DLH DG 8 H32 KP67 V2A K GR
297199	Special detergent f. roof cond.	holder with self-adhesive pad 1000ml	LTR	29,50	SR IPA 1L
300002	KS connector M12 St/tZn f. Rd 8-12.5mm	one-piece	ST	10,00	KSV 8.12.5 STTZN
300017	KS connector M12 Cu-RCB f. Rd 8-12.5mm	one-piece	ST	29,50	KSV 8.12.5 CU
301000	KS connector St/tZn-ZDC f. Rd 7-10mm	one-piece	ST	4,70	KSV 7.10 STTZN
301007	KS connector Cu-RCB f. Rd 6-10mm	one-piece	ST	13,10	KSV 6.10 CU
301009	KS connector StSt f. Rd 6-10mm	single-part unit	ST	9,10	KSV 6.10 V2A
301010	KS connector St/tZn-ZDC f. Rd 7-10mm	one-piece with spring washer	ST	5,20	KSV 7.10 FER STTZN
301017	KS connector Cu-RCB f. Rd 6-10mm	one-piece with spring washer	ST	13,50	KSV 6.10 FER CU
301019	KS connector StSt f. Rd 6-10mm single-	part unit with spring washer	ST	9,80	KSV 6.10 FER V2A
301089	KS (clamping screw) connector StSt(V4A)	f. Rd 6-10mm one-piece	ST	14,10	KSV 6.10 V4A
301099	KS (clamping screw) connector StSt (V4A)	one-piece w. spring washer f. Rd 6-10 mm	ST	14,70	KSV 6.10 FER V4A
301209	KS connector StSt 200kA f. Rd 10mm	single-part with spring washer	ST	18,80	KSV 200 10 FER V2A
301229	Connection plate for HVI conductor head	piece with 2 KS connectors StSt	ST	26,40	AP 2X6.10 V2A
302010	KS connector Zamak-steel/tZn	f. Rd 7-10mm, two-part distance 30mm	ST	10,60	KSV 2X7.10 STTZN
305000	Parallel connector St/tZn for	different diameters Rd 4-10mm	ST	6,40	PV 4.10 SKM8X30 STTZN
305007	Parallel connector Cu for	different diameters Rd 4-10mm	ST	17,80	PV 4.10 SKM8X30 CU
306020	Parallel connector St/tZn for	Rd 7-10mm	ST	4,50	PV 7.10 FRM10X35 STTZN
306029	Parallel connector StSt (V4A)	f. Rd 7-10mm	ST	10,30	PV 7.10 FRM10X35 V4A
306100	Parallel connector Cu for different	diameters Rd 5-12.5mm / 16-95mm ²	ST	29,80	PV 5.12.5 SKM8X45 CU
306101	Parallel connector Cu for different	diameters Rd 5-16mm / 16-150mm ²	ST	56,00	PV 5.16 SKM10X50 CU
306105	Parall. connect. Cu/gal Sn f. diff. cond.	Rd 5-12.5mm / 16-95mm ² w. spring washer	ST	63,00	PV 5.12.5 SKM8X45 GSG CUGALSN
306106	Parall. connect. Cu/gal Sn f. diff. cond.	Rd 5-16mm / 16-150mm ² w. spring washer	ST	88,20	PV 5.16 SKM10X50 GSG CUGALSN
306121	Parallel connector St/bare	for Rd 6-22mm	ST	5,30	PV 6.22 FRM10X40 STBLANK
306122	Parallel connector St/tZn	for Rd 6-22mm	ST	6,30	PV 6.22 FRM10X40 STTZN
306200	EB clamp 35 mm ² for cable trays	Stainless steel: 1.4301/AISI304 M8	ST	20,20	PAK 35 M8 EX KB ER
306201	EB clamp 50 mm ² for cable trays	Stainless steel: 1.4301/AISI304 M8	ST	20,40	PAK 50 M8 EX KB ER
306202	EB clamp 70 mm ² for cable trays	Stainless steel: 1.4301/AISI304 M8	ST	20,60	PAK 70 M8 EX KB ER
306203	EB clamp 35 mm ² for wire trays	Stainless steel: 1.4301/AISI304 M8	ST	21,90	PAK 35 M8 EX GI ER
306204	EB clamp 35 mm ² for cable trays	Stainless steel: 1.4301/AISI304 M6	ST	19,60	PAK 35 M6 EX KB ER
306205	EB clamp 50 mm ² for cable trays	Stainless steel: 1.4301/AISI304 M6	ST	19,80	PAK 50 M6 EX KB ER
306206	EB clamp 70 mm ² for cable trays	Stainless steel: 1.4301/AISI304 M6	ST	19,90	PAK 70 M6 EX KB ER
306210	Equipot. bonding plate f. cable trays	Stainless steel 1.4301 - AISI 304	ST	45,10	PAP 1 EX KB ER
306211	Equipot. bonding plate f. cable trays	Stainless steel 1.4301 - AISI 304	ST	52,90	PAP 2 EX KB ER
306212	Equipot. bonding plate for wire trays	Stainless steel 1.4301 - AISI 304	ST	66,80	PAP 1 EX GI ER
306213	Equipot. bonding plate f. wire trays	Stainless steel 1.4301 - AISI 304	ST	71,80	PAP 2 EX GI ER
306220	EB pipe clamp DN50	Stainless steel 1.4301 - AISI 304	ST	52,30	SBD 60 PAK 35 EX ER
306230	Cable clamp 35 mm ² M6	Stainless steel 1,4301 - AISI 304	ST	5,60	MPE S 35 ER
306231	Cable clamp 50-70 mm ² M6	Stainless steel 1,4301 AISI 304	ST	5,80	MPE S 50/70 ER
306240	Locknut M6	Stainless steel 1.4301 - AISI 304	ST	0,70	SM SS M6 ER
307000	Parallel connector St/tZn for Rd 7-10mm		ST	4,20	PV 7.10 SKM8X20 STTZN
307007	Parallel connector Cu f. Rd 7-10mm		ST	10,20	PV 7.10 SKM8X20 CU
308001	Wedge connector, St/tZn for concrete	foundation for Rd 10mm / FI -40x4mm	ST	5,30	KV FE UNI
308025	Connecting clamp, St/tZn for building	reinforcements f. Rd 6-10/6-10mm/FI 30mm	ST	3,80	VK A UNI ST
308026	Connecting clamp, St/tZn for building	reinforcements for Rd 6-10mm/FI 30mm	ST	3,80	VK 6.10 FL30 FL30 BSB STTZN
308030	Connecting clamp, St/bare for building	reinforcements for Rd 6-22mm/FI 30-40mm	ST	3,80	VK A R22 F40 STBL
308031	U-clamp St/bare	f. D 6-20mm or FI 30x3-4mm	ST	4,50	VK DB 6.20 8.10 FL30 BSB STBL
308032	Connecting clamp St/bare f. D 6-20mm	f. Rd 6-10mm o. FI 30x3-4mm	ST	4,10	VK 6.20 FL30 BSB STBL
308035	Connecting clamp f. Rd 6-22/FI 40mm	St/bare with clamp, frame f. Rd 6-10mm	ST	5,60	VK 6.22 FL40 KB6.10 BSB STBL
308036	U-clamp MAXI St/bare	for D 20-32mm or FI 40x4-5mm	ST	6,00	VK DB 20.32 8.10 FL40 BSB STBL
308037	Connecting clamp St/bare f. D 20-32mm	f. Rd 6-10mm o. FI 40x4-5mm no press.clip	ST	4,30	VK 20.32 FL40 BSB STBL
308040	MAXI MV clamp St/bare, Rd 8-16/15-25mm	with screw M12x65mm	ST	7,40	MAMVK 8.16 15.25 STBL
308041	MAXI MV clamp St/tZn f. Rd 8-16 /	15-25mm with screw M12x65mm	ST	8,80	MAMVK 8.16 15.25 STTZN
308045	U-bolt clamp St/bare f. D 16-48mm	f. Rd 10mm a. FI 30-40mm	ST	21,90	BVK 16.48 6.10 FL40 BSB STBL
308046	U-clamp St/bare f. D 16-48mm f. Rd 10mm	FI 30-40mm, 2 clamp. frames R10mm	ST	23,90	BVK 16.48 FL40 KB6.10 BSB STBL
308060	SVP clamp St/tZn f. Rd 8-10/8-10mm -	Rd 8-10/FI 30mm-FI 30/30mm w/o int. pl.	ST	4,40	SVPK 8.10 8.10 FL30 STTZN
308062	SV clamp St/bare for Rd 6-28/FI 30mm		ST	3,80	SVK 6.28 FL30 STBL
308070	SVP clamp St/tZn f. Rd 8-10/8-10mm -	Rd 8-10/FI 30mm-FI 30/30mm, interm. pl.	ST	5,60	SVPK 8.10 8.10 FL30 ZP STTZN
308120	Connecting clamp, St/tZn f. FI 30/Rd	10mm f. cross and parallel connections	ST	3,30	VK EH R10 F30 ST
308129	Connecting clamp, StSt f. FI 30/Rd	10mm f. cross and parallel connections	ST	6,70	VK EH R10 F30 V2A
308130	DEHNclip reinforcement clamp St/bare	f. Rd 6mm / Rd 10mm	ST	2,80	DC BK 6 RD10 STBLANK
308131	DEHNclip reinforcement clamp St/bare	f. Rd 8mm / Rd 10mm	ST	2,80	DC BK 8 RD10 STBLANK
308132	DEHNclip reinforcement clamp St/bare	f. Rd 10mm / Rd 10mm	ST	2,80	DC BK 10 RD10 STBLANK
308133	DEHNclip reinforcement clamp St/bare	f. Rd 12mm / Rd 10mm	ST	2,80	DC BK 12 RD10 STBLANK
308134	DEHNclip rebar clamp St/bare	for Rd 6 mm / Rd 6 mm	ST	2,80	DC BK 6 RD6 STBLANK
308135	DEHNclip rebar clamp St/bare	for Rd 8 mm / Rd 8 mm	ST	2,80	DC BK 8 RD8 STBLANK
308136	DEHNclip Bewehrungsklemme St/blank	für Rd 12 mm / Rd 12 mm	ST	2,80	DC BK 12 RD12 STBLANK
308137	DEHNclip rebar clamp St/bare	for Rd 8 mm / Rd 12 mm	ST	2,80	DC BK 8 RD12 STBLANK
308140	DEHNclip reinforcement clamp St/bare	f. Rd 6mm / FI 30mm	ST	2,90	DC BK 6 FL30 STBLANK
308141	DEHNclip reinforcement clamp St/bare	f. Rd 8mm / Rd 10mm	ST	2,90	DC BK 8 FL30 STBLANK
308142	DEHNclip reinforcement clamp St/bare	f. Rd 10mm / Rd 10mm	ST	2,90	DC BK 10 FL30 STBLANK
308143	DEHNclip reinforcement clamp St/bare	f. Rd 12mm / Rd 10mm	ST	2,90	DC BK 12 FL30 STBLANK
308150	Expansion strap 4x30x1mm L 700mm StSt	for bridging of expansion joints	ST	26,70	DB 700X30X4 V2A
308220	SV clamp St/tZn f. Rd 7-10/7-10mm -	Rd 7-10/FI 30mm-FI 30/30mm	ST	5,30	SVK 7.10 7.10 FL30 STTZN
308229	SV clamp StSt (V4A) f. FI 30/30mm	Rd 7-10/7-10mm - Rd 7-10/FI 30mm	ST	12,50	SVK 7.10 7.10 FL30 V4A
308230	SV clamp St/tZn for FI 30/FI 30mm		ST	5,20	SVK FL30 STTZN
308239	SV clamp StSt(V4A) f. FI 30/FI 30mm	with screws and nuts (M10)	ST	12,20	SVK FL30 V4A
308249	SV clamp StSt (V4A) f. FI 30/Rd 7-10mm		ST	12,30	SVK 7.10 FL30 V4A
308320	SV clamp St/tZn f. Rd 7-10/7-10mm -	Rd 7-10/FI 40mm - FI 40/40mm	ST	5,50	SVK 7.10 7.10 FL40 STTZN
308329	SV clamp StSt (V4A) f. FI 40/40mm	Rd 7-10/7-10mm - Rd 7-10/FI 40mm	ST	13,40	SVK 7.10 7.10 FL40 V4A
308330	SV clamp St/tZn f. Rd 7-10/16mm -	Rd 16/FI 40mm	ST	5,80	SVK 7.10 16 FL40 STTZN
308403	Shield terminal StSt for anchor bar	clamping range 5-10mm	ST	12,80	SAK 10 AS V4A
308404	Shield terminal StSt for anchor bar	clamping range 8-14mm	ST	13,70	SAK 14 AS V4A
308405	Shield terminal StSt for anchor bar	clamping range 13-18mm	ST	14,40	SAK 18 AS V4A
308406	Shield terminal StSt for anchor bar	clamping range 17-21mm	ST	15,50	SAK 21 AS V4A
308407	Shield terminal StSt for anchor bar	clamping range 19-26mm	ST	18,00	SAK 26 AS V4A
308408	Shield terminal StSt for anchor bar	clamping range	ST	19,10	SAK 33 AS V4A
308411	Terminal 16mm ² for anchor bar		ST	20,10	AK 16 AS SAK M5
308421	Anchor bar for shield terminals	L 1000mm StSt	ST	93,50	AS SAK 1000 V2A
308425	Busbar support for insulated fixing	of anchor bars	ST	13,10	ST AS SAK K
309008	ES connector ZDC f. Rd 8mm	with truss head screw	ST	6,70	ESV 8 ZG
309087	ES connector RCB f. Rd 8mm	with truss head screw	ST	10,80	ESV 8 RG
310008	EST connector ZDC for Rd 8mm	with truss head screw	ST	6,20	ESTV 8 RG
314300	Cross unit St/tZn f. Rd 8-10/8-10mm	Rd 8-10/FI 30mm without interm. plate	ST	4,00	KS 8.10 8.10 FL30 OV STTZN
314307	Cross unit Cu f. Rd 8-10/8-10mm Rd 8-	10/FI 30mm FI 30/30mm w/o interm. plate	ST	11,10	KS 8.10 8.10 FL30 OV CU
314310	Cross unit St/tZn f. Rd 8-10/8-10mm	Rd 8-10/FI 30mm FI 30/30mm, interm. pl.	ST	5,00	KS 8.10 8.10 FL30 OV ZP STTZN



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
315119	Universal connector StSt f. Rd 8-10mm	f. cross, T a. parallel connections	ST	7,80	UV 8.10 KTP V2A
316163	Cross unit St/tZn f. Rd 16/8-10mm -	Rd 16/Fl 30mm w. intermediate plate	ST	5,30	KS 16 8.10 FL30 OV ZP STTZN
316167	Cross unit Cu f. Rd 16/8-10mm - Rd 16/	Fl 30mm with intermediate plate	ST	15,60	KS 16 8.10 FL30 OV ZP CU
318033	Cross unit St/tZn f. Fl 30/30mm	without intermediate plate	ST	6,50	KS FL30 STTZN
318201	Cross unit St/tZn f. Rd 8-10/Fl 30mm	Fl 30/30mm without intermediate plate	ST	6,70	KS 8.10 FL30 STTZN
318203	Cross unit St/tZn f. Rd 8-10/8-10mm -	Rd 8-10/Fl 30mm-Fl 30/30mm w. interm. pl.	ST	8,80	KS 8.10 8.10 FL30 ZP FRSM8 STTZN
318205	Cross unit St/tZn f. Rd 8-10/Fl 30mm	Fl 30/30mm without intermediate plate	ST	7,70	KS 8.10 FL30 FRSM8 STTZN
318207	Cross unit Cu f. Rd 8-10/Fl 30mm	Fl 30/30mm without intermediate plate	ST	21,80	KS 8.10 FL30 CU
318209	Cross unit StSt (V4A) f. Fl 30/30mm	Rd 8-10/Fl 30mm w/o intermediate plate	ST	14,90	KS 8.10 FL30 V4A
318219	Cross unit StSt(V4A) f.2x Rd 8-10mm	Dim. 60x60mm without intermediate plate	ST	14,90	KS 8.10 8.10 FL30 V4A
318229	Cross unit StSt (V4A) f. Rd 8-10/8-10mm	Rd 8-10/Fl 30mm-Fl 30/30mm w. interm. pl.	ST	19,30	KS 8.10 8.10 FL30 ZP FRSM8 V4A
318233	Cross unit StSt (V4A) f. Fl 30/30mm	Dim. 60x60mm w/o intermediate plate	ST	14,90	KS FL30 V4A
318239	Cross unit StSt (V4A) f. Rd 8-10/Fl 30mm	Fl 30/30mm without intermediate plate	ST	15,50	KS 8.10 FL30 FRSM8 V4A
318251	Cross unit St/tZn f. Rd 8-10/8-10mm - Rd	8-10/Fl 30mm Fl 30/30mm w/o interm. pl.	ST	7,20	KS 8.10 8.10 FL30 STTZN
318252	Cross unit St/tZn f. Rd 8-10/16mm - Rd	16/Fl 30mm without intermediate plate	ST	7,40	KS 8.10 16 FL30 STTZN
319201	Cross unit St/tZn f. Rd 8-10/8-10mm - Rd	8-10/Fl 30mm-Fl 30/30mm, intermed. plate	ST	8,40	KS 8.10 8.10 FL30 ZP STTZN
319202	Cross unit St/tZn f. Rd 8-10/16mm -	Rd 16/Fl 30mm, intermediate plate	ST	8,90	KS 8.10 16 FL30 ZP STTZN
319207	Cross unit Cu f. Rd 8-10/8-10mm - Rd 8-	10/Fl 30mm-Fl 30/30mm, intermediate pl.	ST	28,70	KS 8.10 8.10 FL30 ZP CU
319209	Cross unit StSt(V4A) Rd 8-10/8-10mm	Rd 8-10/Fl 30mm-Fl 30/30mm, interm. pl.	ST	18,90	KS 8.10 8.10 FL30 ZP V4A
319219	Cross unit StSt(316/Ti/L) f.Rd 8-10/16mm	Rd 16/Fl 30mm, intermediate plate	ST	20,60	KS 8.10 16 FL30 ZP V4A
319229	Cross unit StSt f. Rd 7-10/7-10mm -	Rd 7-10/Fl 40mm-Fl 40/40mm, inter. plate	ST	22,30	KS 7.10 7.10 FL40 ZP V4A
320044	Cross unit St/tZn f. Fl 30-40/30-40mm	without intermediate plate	ST	8,60	KS FL40 STTZN
321045	Cross unit St/tZn f. Rd 8-10/Fl 30-40mm	Fl 30-40/30-40mm w. intermediate plate	ST	11,20	KS 8.10 FL40 STTZN
321047	Cross unit Cu f. Rd 8-10/Fl 30-40mm	Fl 30-40/30-40mm, intermediate plate	ST	37,70	KS 8.10 FL40 CU
336020	Welding-type connector, with M12	female thread St/galZn - KIT -	ST	11,30	AS SCHW M12
336025	Welding-type connector, with M16	female thread St/galZn - KIT -	ST	16,30	AS SCHW M16
338000	Gutter clamp St/tZn f. bead 13-25mm	with two-screw cleat for Rd 7-10mm	ST	5,10	DRK ZS 7.10 W13.25 STTZN
338001	Gutter clamp Al f. bead 13-25mm	with two-screw cleat for Rd 7-10mm	ST	4,40	DRK ZS 7.10 W13.25 AL
338007	Gutter clamp Cu f. bead 13-25mm	with two-screw cleat for Rd 7-10mm	ST	14,30	DRK ZS 7.10 W13.25 CU
338009	Gutter clamp StSt f. bead 13-25mm	with two-screw cleat for Rd 7-10mm	ST	8,40	DRK ZS 7.10 W13.25 V2A
339010	Gutter clamp St/tZn f. bead 13-25mm	width 60mm with cleat for Rd 7-10mm	ST	5,10	DRK ZS 7.10 W13.25 B60 STTZN
339050	Gutter clamp St/tZn f. bead 16-22mm	with double cleat for Rd 8-10mm	ST	4,20	DRK DUL 8.10 W16.22 STTZN
339051	Gutter clamp Al f. bead 16-22mm	with double cleat f. Rd 8-10mm	ST	5,20	DRK DUL 8.10 W16.22 AL
339057	Gutter clamp Cu f. bead 16-22mm	with double cleat for Rd 8-10mm	ST	11,70	DRK DUL 8.10 W16.22 CU
339059	Gutter clamp StSt f. bead 16-22mm	with double cleat for Rd 8-10mm	ST	7,40	DRK DUL 8.10 W16.22 V2A
339060	Gutter clamp St/tZn f. bead 16-22mm	with clamping frame f. Rd 6-10mm	ST	4,20	DRK KB 6.10 W16.22 STTZN
339061	Gutter clamp Al f. bead 16-22mm	with clamping frame f. Rd 8-10mm	ST	4,90	DRK KB 6.10 W16.22 AL
339067	Gutter clamp Cu f. bead 16-22mm	with clamping frame for Rd 6-10mm	ST	10,30	DRK KB 6.10 W16.22 CU
339069	Gutter clamp StSt f. bead 16-22mm	with clamping frame for Rd 6-10mm	ST	7,60	DRK KB 6.10 W16.22 V2A
339100	Gutter clamp St/tZn f. bead 16-22mm	with clamping frame for Rd 8-10mm	ST	4,40	DRK KB 8.10 W16.22 STTZN
339101	Gutter clamp Al for bead 16-22mm	with clamping frame for Rd 8-10mm	ST	5,20	DRK KB 8.10 W16.22 AL
339110	Gutter clamp St/tZn for bead 16-22mm	with double cleat for Rd 8-10mm	ST	4,30	DRK DUL 8.10 W16.22 EST STTZN
339111	Gutter clamp Al for bead 16-22mm	with double cleat for Rd 8-10mm	ST	5,30	DRK DUL 8.10 W16.22 EST AL
339157	Bimetallic gutter clamp, Cu-St/tZn	with double cleat for Rd 8-10mm	ST	11,50	ZMDRK DUL 8.10 W16.22 CU STTZN
339167	Bimetallic gutter clamp, Cu-St/tZn	with double cleat for Rd 6-10mm	ST	11,70	ZMDRK KB 6.10 W16.22 CU STTZN
343000	Snow guard clamp St/tZn, clamping	range 3-13mm with cleat for Rd 7-10mm	ST	5,70	SGK ZS 7.10 KB3.13 STTZN
343007	Snow guard clamp Cu, clamping range	3-13mm with cleat for Rd 7-10mm	ST	13,20	SGK ZS 7.10 KB3.13 CU
345008	Clamping shoe St/tZn with bore	D 11mm for Rd 8mm	ST	1,40	KS 8 B11 STTZN
345010	Clamping shoe St/tZn with bore	D 11mm for Rd 10mm	ST	1,50	KS 10 B11 STTZN
347205	Clamping shoe Al with bore	D 10.5mm for Rd 10mm	ST	4,60	KS 7.10 B10.5 AL
363000	End piece Z-shaped St/tZn	with 3 bores D 11mm	ST	2,00	ES ZF 3XB11 STTZN
363010	Z-shaped end piece St/tZn with 3	boreholes D 11mm with 1 KS connector	ST	6,60	ES ZF 2XB11 KSV 7.10 STTZN
365000	Saddle clamp ZDC clamping range 0.7-6mm	w. two-screw cleat for Rd 7-10mm	ST	6,80	FK ZS 7.10 KBF0.7 6 ZG
365007	Saddle clamp RCB clamp. range 0.7-6mm	with double cleat for Rd 7-10mm	ST	15,80	FK ZS 7.10 KBF0.7 6 RG
365010	Saddle clamp St/tZn clamping range	0.7-8mm with double cleat for Rd 8-10mm	ST	4,20	FK DUL 8.10 KBF0.7 8 STTZN
365017	Saddle clamp Cu clamping range 0.7-8mm	with double cleat for Rd 8-10mm	ST	10,20	FK DUL 8.10 KBF0.7 8 CU
365019	Saddle clamp StSt clamping range 0.7-8mm	with double cleat for Rd 8-10mm	ST	8,70	FK DUL 6.10 KBF0.7 8 V2A
365020	Saddle clamp St/tZn clamping range	0.7-10mm with clamping frame f. Rd 6-10mm	ST	3,80	FK KB 6.10 KBF0.7 10 STTZN
365027	Saddle clamp Cu clamping range 0.7-10mm	with clamping frame for Rd 6-10mm	ST	10,10	FK KB 6.10 KBF0.7 10 CU
365030	Saddle clamp St/tZn clamping range	0.7-8mm with clamping frame for Rd 6-10mm	ST	4,10	FK KB 6.10 KBF0.7 8 STTZN
365031	Saddle clamp Al clamping range 0.7-8mm	with clamping frame for Rd 6-10mm	ST	4,20	FK KB 6.10 KBF0.7 8 AL
365037	Saddle clamp Cu clamping range 0.7-8mm	with clamping frame for Rd 6-10mm	ST	10,30	FK KB 6.10 KBF0.7 8 CU
365039	Saddle clamp StSt clamping range 0.7-8mm	with clamping frame for Rd 6-10mm	ST	8,40	FK KB 6.10 KBF0.7 8 V2A
365040	Saddle clamp St/tZn clamping range	0.7-10mm with cleat for Rd 7-10mm	ST	3,80	FK ZS 7.10 KBF0.7 10 STTZN
365047	Saddle clamp Cu clamping range 0.7-10mm	with cleat for Rd 7-10mm	ST	9,80	FK ZS 7.10 KBF0.7 10 CU
365050	Saddle clamp St/tZn clamping range 0.7-	8mm, angled, w. cl. frame f. Rd 6-10mm	ST	6,30	FK KB 6.10 KBF0.7 8 W STTZN
365051	Saddle clamp Al clamping range 0.7-8mm,	angled, w. clamping frame for Rd 6-10mm	ST	6,20	FK KB 6.10 KBF0.7 8 W AL
365057	Saddle clamp Cu clamping range 0.7-8mm,	angled, w. clamping frame for Rd 6-10mm	ST	14,60	FK KB 6.10 KBF0.7 8 W CU
365059	Saddle clamp StSt clamping range 0.7-8mm	angled, w. clamping frame for Rd 6-10mm	ST	8,60	FK KB 6.10 KBF0.7 8 W V2A
365117	Bimetallic saddle clamp St/tZn-Cu	clamping range 0.7-8mm for Rd 6-10mm	ST	10,00	ZMFK KB 6.10 KBF0.7 8 STTZN CU
365127	Bimetallic saddle clamp Cu-St/tZn	clamping range 0.7-8mm for Rd 6-10mm	ST	8,00	ZMFK KB 6.10 KBF0.7 8 CU STTZN
365220	Saddle clamp St/tZn clamping range	0.7-10mm f. Rd 8-10mm	ST	4,50	FK MV 8.10 KBF0.7 10 STTZN
365221	Saddle clamp Al clamping range 0.7-10mm	for Rd 8-10mm	ST	4,50	FK MV 8.10 KBF0.7 10 AL
365227	Saddle clamp Cu clamping range 0.7-10mm	for Rd 8-10mm	ST	15,50	FK MV 8.10 KBF0.7 10 CU
365229	Saddle clamp StSt clamping range	0.7-10mm for Rd 8-10mm	ST	8,90	FK MV 8.10 KBF0.7 10 V2A
365250	UNI saddle clamp StSt/Al f. Rd 8-10mm	conductor 4-50mm ² f. saddles 0.7-8mm	ST	6,20	UNI FK 8.10 KBF0.7 8 AL V2A
365419	Bridging cable Cu 16mm ² L 400mm	with 2 saddle clamps 0.7-10mm StSt	ST	27,10	UEBS 16 L400 CU FK0.7 10 V2A
365509	Conn. set f. safety rope systems 16mm ²	L 1000mm Cu, lug D 6mm StSt f. Rd 6-10mm	ST	46,50	ASSA D6 L1000 6.10 CU V2A
365519	Conn. set f. safety rope systems 16mm ²	L 1000mm Cu, lug D 8mm StSt f. Rd 6-10mm	ST	46,50	ASSA D8 L1000 6.10 CU V2A
370014	Terminal MCI/tZn clamping range	Fl 1-12mm with KS screw for Rd 7-10mm	ST	11,90	AK 7.10 KSV KBF1 12 TGTZN
370018	Connection clamp MCI/tZn clamping range	Fl 8-18mm with KS screw for Rd 7-10mm	ST	15,00	AK 7.10 KSV KBF8 18 TGTZN
371007	Connection clamp RCB clamping range	Fl 0.4-12mm f. Rd 7-10mm	ST	21,00	AK 7.10 FRM10X45 KBF0.4 12 RG
371008	Connection clamp MCI/tZn clamping range	Fl 0.4-12mm f. Rd 4-10mm longitudinal	ST	9,30	AK 4.10 FRM10X45 KBF0.4 12 TGTZN
371009	Connection clamp MCI/tZn clamping range	Fl 0.4-12mm f. Rd 7-10mm	ST	10,00	AK 7.10 FRM10X45 KBF0.4 12 TGTZN
372018	Connection clamp St/tZn	clamping range Fl 5-18mm for Rd 6-10mm	ST	6,30	AK 6.10 DS KBF5 18 STTZN
372019	Connection clamp StSt	clamping range Fl 5-18mm for Rd 6-10mm	ST	10,60	AK 6.10 DS KBF5 18 V2A
372035	Connection clamp St/tZn	clamping range Fl 18-35mm f. Rd 6-10mm	ST	7,40	AK 6.10 DS KBF18 35 STTZN
372110	Connection clamp St/tZn, vertical type	f. profiles 3-18mm with clamping frame	ST	7,20	AK 6.10 KB S KBF3 18 STTZN
372119	Clamp StSt, vertical type, for	profiles 3-18mm with clamping frame	ST	15,50	AK 6.10 KB S KBF3 18 V2A
372120	Terminal St/tZn, vertical type, for	profiles 3-18mm with KS connector	ST	8,60	AK 7.10 KSV S KBF3 18 STTZN
372129	Clamp StSt, vertical type, for	profiles 3-18mm with KS connector	ST	18,50	AK 6.10 KSV S KBF3 18 V2A
372140	Terminal St/tZn, vertical type, for	profiles 18-35mm with clamping frame	ST	8,40	AK 6.10 KB S KBF18 35 STTZN
372149	Clamp StSt, vertical type, for	profiles 18-35mm with clamping frame	ST	17,10	AK 6.10 KB S KBF18 35 V2A
372150	Terminal St/tZn, vertical type, for	profiles 18-35mm with KS connector	ST	10,00	AK 7.10 KSV S KBF18 35 STTZN
372159	Clamp StSt, vertical type, for	profiles 18-35mm with KS connector	ST	18,60	AK 6.10 KSV S KBF18 35 V2A
372210	Terminal St/tZn, horizontal type<>>	f. profiles 3-18mm with clamping frame	ST	7,10	AK 6.10 KB W KBF3 18 STTZN
372219	Clamp StSt, horizontal type,	f. profiles 3-18mm with clamping frame	ST	15,40	AK 6.10 KB W KBF3 18 V2A
372220	Terminal St/tZn, horizontal type<>>	f. profiles 3-18mm with KS connector	ST	8,20	AK 7.10 KSV W KBF3 18 STTZN
372229	Clamp StSt, horizontal type,	f. profiles 3-18mm with KS connector	ST	18,40	AK 6.10 KSV W KBF3 18 V2A
372240	Terminal St/tZn, horizontal type<>>	f. profiles 18-35mm with clamping frame	ST	8,00	AK 6.10 KB W KBF18 35 STTZN
372249	Clamp StSt, horizontal type,	f. profiles 18-35mm with clamping frame	ST	17,10	AK 6.10 KB W KBF18 35 V2A
372250	Terminal St/tZn, horizontal type<>>	f. profiles 18-35mm with KS connector	ST	9,90	AK 7.10 KSV W KBF18 35 STTZN
372259	Clamp StSt, horizontal type,	f. profiles 18-35mm with KS connector	ST	18,80	AK 6.10 KSV W KBF18 35 V2A
374011	Expansion piece round Al 8mm		ST	4,90	DS 8 L395 AL
374020	Expansion piece flat Al 30x2mm		ST	2,40	DS 30X2 L170 3XB11 AL
377005	Connection lug Z-shaped Al	holes for riveting or screwing	ST	1,40	AL ZF B11.11 B5.2 6.5 L81 AL
377006	Bridging bracket L 170mm Al with	central bore	ST	2,40	UEBL L170 B11 B5.2 6.5 AL
377007	Bridging braid Cu, 50mm ² L 180mm		ST	13,30	UEBB L180 B10.5 B5.2 CU



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
377009	Z-shaped connection lug, StSt,	holes for riveting or screwing	ST	4,00	AL ZF B11.11 B5.2 6.5 L81 V2A
377015	Bridging braid Al, 50mm ² L 180mm		ST	8,30	UEBB L180 B10.5 B5.2 AL
377016	Bridging bracket L 170mm, Al	without central bore	ST	2,40	UEBL L170 B5.2 6.5 AL
377017	Connnection lug Z-shaped Cu,	holes for riveting or screwing	ST	4,30	AL ZF B11.11 B5.2 6.5 L81 CU
377026	Bridging bracket L 220mm, Al		ST	2,50	UEBL L220 B11 B5.2 6.5 AL
377027	Bridging bracket L 170mm, Cu	with central bore 11mm	ST	8,70	UEBL L170 B11 B5.2 6.5 CU
377045	Bridging braid Al 50mm ² L 180mm	with fixing bores 1x10.5 2x6.5mm	ST	8,30	UEBB L180 B10.5 B6.5 AL
377100	Connection lug Z-shaped Al with	clamping frame for Rd 6-10mm St/tZn	ST	3,80	AL ZF KB 6.10STTTZN B5.2 6.5 L81 AL
377107	Bridging braid Cu 50mm ² L 300mm	with fixing bores 8x5.2 3x10.5mm	ST	19,90	UEBB L300 3XB10.5 B5.2 CU
377115	Bridging braid Al 50mm ² L 300mm	with fixing bores 3x10.5 8x5.2mm	ST	12,30	"UEBB L300 3XB10.5 B5,2 AL"
377200	Connection lug Z-shaped Al	with double cleat f. Rd 8-10mm Al	ST	3,80	AL ZF DUL 6.10 B5.2 6.5 L81 AL
377210	Bridging cable Cu 16mm ² L 200mm with	2 cable lugs, bore 10.5, and 2x6.5mm	ST	8,40	UEBS 16 L200 B10.5 B6.5 AL CU
377310	Bridging cable Cu 16mm ² L 300mm with	2 cable lugs, bore 10.5, and 2x6.5mm	ST	8,90	UEBS 16 L300 B10.5 B6.5 AL CU
377410	Bridging cable Cu 16mm ² L 400mm with	2 cable lugs, bore 10.5, and 2x6.5mm	ST	9,80	UEBS 16 L400 B10.5 B6.5 AL CU
377510	Bridging cable Cu 16mm ² L 500mm with	2 cable lugs, bore 10.5, and 2x6.5mm	ST	10,10	UEBS 16 L500 B10.5 B6.5 AL CU
380020	Rod clamp St/tZn for Rd 8-10/Rd 16mm		ST	2,90	FSK 8.10 16 SKM10X25 STTZN
380029	Rod clamp StSt for Rd 8-10/Rd 16mm		ST	5,20	FSK 8.10 16 SKM10X25 V2A
380110	FS clamp (air-term. rod clamp) D 10mm	Al f. 2-fold connection f. Rd 8-10mm	ST	4,40	FSK 3X8.10 FRM10X50 AL
380116	FS clamp (air-term. rod clamp) D 16mm	Al f. 2-fold connection f. Rd 8-10mm	ST	5,20	FSK 2X8.10 16 FRM10X50 AL
380129	Clamping piece StSt with square hole	D 11mm for FI -30x4mm	ST	14,10	KS B11.11 FL30X4 V2A
380209	Clamping piece StSt 200kA f. FI -30x4mm	w. square hole D 11mm	ST	21,30	KS 200 B11.11 FL30X4 V2A
385202	Connecting sleeve ZDC f. Rd 7-10mm	with 4 screws M6x12mm	ST	5,00	VM 7.10 SKM6X12 ZG
385203	Connecting sleeve ZDC f. Rd 8mm	with 4 screws M6x10mm	ST	4,70	VM 8 SKM6X10 ZG
385207	Connecting sleeve Cu f. Rd 8mm	with 4 screws M6x8mm	ST	8,30	VM 8 SKM6X8 CU
385213	Connecting sleeve Al f. Rd 8mm	with 4 screws M6x8mm	ST	3,80	VM 8 SKM6X8 AL
385216	Connecting sleeve Al f. Rd 16/16mm	with 4 screws M8x12mm	ST	12,80	VM 16 SKM8X12 AL
390050	MV clamp St/tZn f. Rd 8-10mm	with hexagon screw	ST	2,90	MVK 8.10 SKM10X30 STTZN
390051	MV clamp Al f. Rd 8-10mm	with hexagon screw	ST	3,40	MVK 8.10 SKM10X30 AL
390057	MV clamp Cu f. Rd 8mm	with hexagon screw	ST	10,00	MVK 8 SKM10X30 CU
390059	MV clamp StSt f. Rd 8-10mm	with hexagon screw	ST	6,90	MVK 8.10 SKM10X30 V2A
390060	MV clamp St/tZn f. Rd 8-10mm w.	truss head screw M10x35mm and nut	ST	3,40	MVK 8.10 FRM10X35 STTZN
390061	MV clamp Al f. Rd 8-10mm	with truss head screw	ST	5,10	MVK 8.10 FRM10X35 AL
390063	MV clamp St/tZn f. Rd 8-10mm w.	truss head screw M10x35mm a. nut V2A	ST	5,90	MVK 8.10 FRM10X35V2A STTZN
390067	MV clamp Cu f. Rd 8mm	with truss head screw	ST	10,20	MVK 8 FRM10X35 CU
390079	MV clamp StSt (V4A) f. Rd 8-10mm	with hexagon screw	ST	9,50	MVK 8.10 SKM10X35 V4A
390110	Clamping frame Rd 6-10mm St/tZn	with borehole D 9mm	ST	0,90	KB 6.10 B9 STTZN
390119	Clamping frame Rd 6-10mm StSt	with borehole D 9mm	ST	1,50	KB 6.10 B9 V2A
390120	Conductor holder DEHNQUICK StSt	with nail dowel 6x60mm for Rd 6-10mm	ST	2,40	LH DQ 6.10 ND6X60 V2A
390121	Conductor holder DEHNQUICK St/tZn	with nail dowel 8x80mm für Rd 6-10mm	ST	2,30	LH DQ 6.10 ND8X80 STTZN
390122	Conductor holder DEHNQUICK StSt	with nail dowel 8x80mm for Rd 6-10mm	ST	2,90	LH DQ 6.10 ND8X80 V2A
390150	Clamping frame Rd 6-10mm St/tZn	with truss head screw and M10 nut	ST	2,30	KB 6.10 FRM10X35 STTZN
390157	Clamping frame Rd 6-10mm Cu	with truss head screw and M10 nut StSt	ST	5,30	KB 6.10 FRM10X35 CU
390159	Clamping frame Rd 6-10mm StSt	with truss head screw and M10 nut	ST	4,40	KB 6.10 FRM10X35 V2A
390209	MV clamp StSt 200kA f. Rd 8-10mm	w. hexagon screw	ST	14,30	MVK 200 8.10 SKM10X30 V2A
390250	MMV clamp St/tZn f. Rd 6-8mm with	with truss head screw and nut	ST	2,70	MMVK 6.8 FRM10X35 STTZN
390257	MMV clamp Cu f. Rd 6-8mm	with truss head screw and nut	ST	7,70	MMVK 6.8 FRM10X35 CU
390259	MMV clamp StSt f. Rd 6-8mm	with truss head screw	ST	6,40	MMVK 6.8 FRM10X35 V2A
390267	MMV clamp Cu-St/tZn f. Rd 6-8mm	with truss head screw and nut	ST	7,80	ZMMVK 6.8 FRM10X35 CU STTZN
390479	End piece Z-shape with 2 square holes	D 11mm and 1 round hole D 13mm StSt	ST	4,10	ES ZF 2X11.11 1XB13 V2A
390499	Z-shaped end piece with 1 hole each	D 10.5mm a. D 12.5mm StSt	ST	3,80	ES ZF 2XB18 V2A
390550	MV clamp St/tZn f. Rd 8-10mm	with hexagon screw and spring washer	ST	3,10	MVK 8.10 SKM10X30 FSC STTZN
390551	MV clamp Al f. Rd 8-10mm	with hexagon screw and spring washer	ST	3,70	MVK 8.10 SKM10X30 FSC AL
390557	MV clamp Cu f. Rd 8mm	with hexagon screw and spring washer	ST	10,20	MVK 8 SKM10X30 FSC CU
390559	MV clamp StSt f. Rd 8-10mm	with hexagon screw and spring washer	ST	7,20	MVK 8.10 SKM10X30 FSC V2A
390565	MMV clamp St bare f. Rd 3-10mm	with hexagon screw M8x30 mm St	ST	2,40	MMVK 3.5 8.10 SKM8X30 STBLANK
390657	MV clamp Cu-Al f. Rd 8mm / Rd 8-10mm	with hexagon screw	ST	9,10	ZMMVK 8 8.10 SKM10X30 CU AL
391050	MV clamp St/tZn f. Rd 10mm	with hexagon screw	ST	3,00	MVK 10 SKM10X35 STTZN
391058	MV clamp StSt (V4A) f. Rd 10mm	w. hexagon screw	ST	9,50	MVK 10 SKM10X35 V4A
391059	MV clamp StSt f. Rd 10mm	with hexagon screw	ST	6,90	MVK 10 SKM10X35 V2A
391060	MV clamp St/tZn f. Rd 10mm	with truss head screw	ST	3,40	MVK 10 FRM10X35 STTZN
391066	MV clamp StSt f. Rd 10mm	with truss head screw	ST	10,60	MVK 10 FRM10X35 V4A
391068	MV clamp StSt f. Rd 10mm	with truss head screw	ST	10,90	MVK 10 FRM10X45 V4A
391069	MV clamp StSt f. Rd 10mm	with truss head screw	ST	8,00	MVK 10 FRM10X35 V2A
391550	MV clamp St/tZn f. Rd 10mm	with hexagon screw and spring washer	ST	3,40	MVK 10 SKM10X35 FSC STTZN
391559	MV clamp StSt f. Rd 10mm	with hexagon screw and spring washer	ST	7,20	MVK 10 SKM10X35 FSC V2A
392050	MV clamp St/tZn f. Rd 8-10/16mm	with hexagon screw and spring washer	ST	3,70	MVK 8.10 16 SKM10X40 FSC STTZN
392059	MV clamp StSt f. Rd 8-10/16mm with	hexagon screw and spring washer	ST	8,10	MVK 8.10 16 SKM10X40 FSC V2A
392060	MV clamp St/tZn f. Rd 8-10/16mm	with truss head screw and nut	ST	4,00	MVK 8.10 16 FRM10X40 STTZN
392069	MV clamp StSt f. Rd 8-10/16mm	with truss head screw and nut	ST	9,20	MVK 8.10 16 FRM10X40 V2A
392209	MV clamp StSt 200kA f. Rd 8-10/16mm	w. hexagon screw and spring washer	ST	15,30	MVK 200 8.10 16 SKM10X40 FSC V2A
393069	MV clamp StSt f. Rd 16/16 mm with	truss head screw for DEHNiso	ST	10,30	MVK 16 16 FRM10X50 V2A
405020	EB clamp for HVI Cond., St/tZn StSt	D 20mm, cross-sectional area 4-95 mm ²	ST	6,80	PAK 20 AQ4 95 STTZN
407012	Earthing pipe clamp D 21mm w. connect.	clamp Rd 4-10mm MCI / St/tZn	ST	21,50	ERS 21 AS4.10 TG STTZN
407034	Earthing pipe clamp D 27mm w. connect.	clamp Rd 4-10mm MCI / St/tZn	ST	21,70	ERS 27 AS4.10 TG STTZN
407100	Earthing pipe clamp D 34mm w. connect.	clamp Rd 4-10mm MCI / St/tZn	ST	22,10	ERS 34 AS4.10 TG STTZN
407112	Earthing pipe clamp D 48mm w. connect.	clamp Rd 4-10mm MCI / St/tZn	ST	24,00	ERS 48 AS4.10 TG STTZN
407114	Earthing pipe clamp D 42mm w. connect.	clamp Rd 4-10mm MCI / St/tZn	ST	23,50	ERS 42 AS4.10 TG STTZN
407200	Earthing pipe clamp D 60mm w. connect.	clamp Rd 4-10mm MCI / St/tZn	ST	26,70	ERS 60 AS4.10 TG STTZN
410003	Earthing cable 10mm ² / L 0.3m black	w. two open cable lugs (B) M8/M10	ST	29,20	EL10 L0.35M 2KSO 8.10
410005	Earthing cable 10mm ² / L 0.5m black	w. two open cable lugs (B) M8/M10	ST	32,20	EL10 L0.55M 2KSO 8.10
410006	Earthing cable 10mm ² / L 0.6m black	w. two open cable lugs (B) M8/M10	ST	33,50	EL10 L0.65M 2KSO 8.10
410010	Earthing cable 10mm ² / L 1.0m black	w. two open cable lugs (B) M8/M10	ST	39,00	EL10 L1.05M 2KSO 8.10
410012	Earthing pipe clamp D 21mm	with bore D 11mm St/tZn	ST	5,10	ERS 21 AB11 STTZN
410015	Earthing cable 10mm ² / L 1.5m black	w. two open cable lugs (B) M8/M10	ST	56,30	EL10 L1.55M 2KSO 8.10
410020	Earthing cable 10mm ² / L 2.0m black	w. two open cable lugs (B) M8/M10	ST	63,10	EL10 L2.05M 2KSO 8.10
410025	Earthing cable 10mm ² / L 2.5m black	w. two open cable lugs (B) M8/M10	ST	71,90	EL10 L2.55M 2KSO 8.10
410030	Earthing cable 10mm ² / L 3.0m black	w. two open cable lugs (B) M8/M10	ST	79,20	EL10 L3.05M 2KSO 8.10
410034	Earthing pipe clamp D 26.9mm St/tZn	with hole D 11mm	ST	5,60	ERS 27 AB11 STTZN
410035	Earthing cable 10mm ² / L 3.5m black	w. two open cable lugs (B) M8/M10	ST	89,20	EL10 L3.55M 2KSO 8.10
410038	Earthing pipe clamp D 17mm	with bore D 11mm St/tZn	ST	4,90	ERS 17 AB11 STTZN
410040	Earthing cable 10mm ² / L 4.0m black	w. two open cable lugs (B) M8/M10	ST	100,20	EL10 L4.05M 2KSO 8.10
410050	Earthing cable 10mm ² / L 5.0m black	w. two open cable lugs (B) M8/M10	ST	114,40	EL10 L5.05M 2KSO 8.10
410060	Earthing cable 10mm ² / L 6.0m black	w. two open cable lugs (B) M8/M10	ST	127,50	EL10 L6.05M 2KSO 8.10
410070	Earthing cable 10mm ² / L 7.0m black	w. two open cable lugs (B) M8/M10	ST	145,30	EL10 L7.05M 2KSO 8.10
410099	Earthing cable 10mm ² / L 10.0m black	w. two open cable lugs (B) M8/M10	ST	197,80	EL10 L10.0M 2KSO 8.10
410100	Earthing pipe clamp D 34mm	with bore D 11mm St/tZn	ST	5,60	ERS 34 AB11 STTZN
410112	Earthing pipe clamp D 48mm	with bore D 11mm St/tZn	ST	6,00	ERS 48 AB11 STTZN
410114	Earthing pipe clamp D 42mm	with bore D 11mm St/tZn	ST	5,90	ERS 42 AB11 STTZN
410134	Earthing pipe clamp D 54.5mm St/tZn	with hole D 11mm	ST	6,60	ERS 55 AB11 STTZN
410140	Earthing cable 10mm ² / L 14.0m black	w. two open cable lugs (B) M8/M10	ST	270,60	EL10 L14.0M 2KSO 8.10
410150	Earthing cable 10mm ² / L 15.0m black	w. two open cable lugs (B) M8/M10	ST	290,60	EL10 L15.0M 2KSO 8.10
410199	Earthing cable 10mm ² / L 20.0m black	w. two open cable lugs (B) M8/M10	ST	378,70	EL10 L20.0M 2KSO 8.10
410200	Earthing pipe clamp D 60mm	with bore D 11mm St/tZn	ST	6,80	ERS 60 AB11 STTZN
410212	Earthing pipe clamp D 76mm	with bore D 11mm St/tZn	ST	7,20	ERS 76 AB11 STTZN
410219	EB terminal element StSt	f. HVI light Conductor D 20mm grey	ST	23,40	PAE 17 20 AB11 V2A
410229	EB terminal element StSt	f. HVI long Conductor D 20/23mm	ST	24,80	PAE 20 23 AB11 V2A
410239	EB connecting element StSt	for HVI power Conductor D 27mm	ST	29,10	PAE 27 AB11 V2A
410299	Earthing cable 10mm ² / L 30.0m black	w. two open cable lugs (B) M8/M10	ST	549,70	EL10 L30.0M 2KSO 8.10



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
410300	Earthing pipe clamp D 89mm	with bore D 11mm St/tZn	ST	7,70	ERS 89 AB11 STTZN
410309	Earthing pipe clamp D 17mm	with bore D 11mm StSt	ST	8,50	ERS 17 AB11 V2A
410319	Earthing pipe clamp D 21mm	with bore D 11mm StSt	ST	8,80	ERS 21 AB11 V2A
410329	Earthing pipe clamp D 27mm	with bore D 11mm StSt	ST	9,10	ERS 27 AB11 V2A
410339	Earthing pipe clamp D 34mm	with bore D 11mm StSt	ST	9,80	ERS 34 AB11 V2A
410349	Earthing pipe clamp D 42mm	with bore D 11mm StSt	ST	10,70	ERS 42 AB11 V2A
410359	Earthing pipe clamp D 48mm	with bore D 11mm StSt	ST	10,90	ERS 48 AB11 V2A
410369	Earthing pipe clamp D 55mm	with bore D 11mm StSt	ST	11,50	ERS 55 AB11 V2A
410379	Earthing pipe clamp D 60mm	with bore D 11mm StSt	ST	12,20	ERS 60 AB11 V2A
410389	Earthing pipe clamp D 76mm	with bore D 11mm	ST	13,50	ERS 76 AB11 V2A
410399	Earthing pipe clamp D 89mm	with bore D 11mm	ST	15,30	ERS 89 AB11 V2A
410401	Earthing cable 10mm² / L 0.15m black	w. 1 open cable lug (C) M8 a.(B) M8/M10	ST	28,50	EL10 L0.20M 1KSO 8.10 1KSG 8
410403	Earthing cable 10mm² / L 0.3m black	w. 1 open cable lug (C) M8 a.(B) M8/M10	ST	28,50	EL10 L0.35M 1KSO 8.10 1KSG 8
410404	Earthing cable 10mm² / L 0.4m black	w. 1 open cable lug (C) M8 a.(B) M8/M10	ST	30,40	EL10 L0.45M 1KSO 8.10 1KSG 8
410405	Earthing cable 10mm² / L 0.5m black	w. 1 open cable lug (D) M10 a.(B) M8/M10	ST	32,30	EL10 L0.55M 1KSO 8.10 1KSG 10
410406	Earthing cable 10mm² / L 0.6m black	w. 1 open cable lug (C) M8 a.(B) M8/M10	ST	34,10	EL10 L0.65M 1KSO 8.10 1KSG 8
410407	Earthing cable 10mm² / L 0.6m black	w. 1 open cable lug (D) M10 a.(B) M8/M10	ST	33,90	EL10 L0.65M 1KSO 8.10 1KSG 10
410410	Earthing cable 10mm² / L 1.0m black	w. 1 open cable lug (D) M10 a.(B) M8/M10	ST	39,40	EL10 L1.05M 1KSO 8.10 1KSG 10
410411	Earthing cable 10mm² / L 1.0m black	w. 1 open cable lug (C) M8 a.(B) M8/M10	ST	39,40	EL10 L1.05M 1KSO 8.10 1KSG 8
410413	Earthing cable 10mm² / L 0.3m black	w. 1 open cable lug (D) M10 a.(B) M8/M10	ST	28,50	EL10 L0.35M 1KSO 8.10 1KSG 10
410415	Earthing cable 10mm² / L 1.5m black	w. 1 open cable lug (C) M8 a.(B) M8/M10	ST	56,30	EL10 L1.55M 1KSO 8.10 1KSG 8
410416	Earthing cable 10mm² / L 1.5m black	w. 1 open cable lug (D) M10 a.(B) M8/M10	ST	56,30	EL10 L1.55M 1KSO 8.10 1KSG 10
410420	Earthing cable 10mm² / L 2.0m black	w. 1 open cable lug (C) M8 a.(B) M8/M10	ST	62,60	EL10 L2.05M 1KSO 8.10 1KSG 8
410421	Earthing cable 10mm² / L 2.0m black	w. 1 open cable lug (D) M10 a.(B) M8/M10	ST	62,60	EL10 L2.05M 1KSO 8.10 1KSG 10
410425	Earth conductor 10mm² / L 2.5m black	w. 1 open cable lug (C) M8 a.(B) M8/M10	ST	70,00	EL10 L2.55M 1KSO 8.10 1KSG 8
410426	Earthing cable 10mm² / L 2.5m black	with 1 open cable lug (D) M10	ST	70,60	EL10 L2.55M 1KSO 8.10 1KSG 10
410430	Earth conductor 10mm² / L 3.0m black	w. 1 open cable lug (C) M8 a.(B) M8/M10	ST	76,80	EL10 L3.05M 1KSO 8.10 1KSG 8
410431	Earthing cable 10mm² / L 3.0m black	w. 1 cable lug (D) M10 a.(B) M8/M10	ST	76,80	EL10 L3.05M 1KSO 8.10 1KSG 10
410450	Earthing cable 10mm² / L 0.5m black	w. 1 open cable lug (C) M8 a.(B) M8/M10	ST	32,20	EL10 L0.55M 1KSO 8.10 1KSG 8
410503	Earthing cable 10mm² / L 0.3m black w.	1 open cable lug (C) M8 a.(A) M5/M6	ST	28,50	EL10 L0.35M 1KSO 5.6 1KSG 8
410506	Earth conductor 10mm² / L 0.6m black	w. 1 open cable lug (C) M8 a.(A) M5/M6	ST	32,20	EL10 L0.65M 1KSO 5.6 1KSG 8
410510	Earthing cable 10mm² / L 1.0m black w.	1 open cable lug (C) M8 a.(A) M5/M6	ST	39,70	EL10 L1.05M 1KSO 5.6 1KSG 8
410515	Earthing cable 10mm² / L 1.5m black w.	1 open cable lug (C) M8 a.(A) M5/M6	ST	55,10	EL10 L1.55M 1KSO 5.6 1KSG 8
410520	Earthing cable 10mm² / L 2.0m black w.	1 open cable lug (C) M8 a.(A) M5/M6	ST	63,10	EL10 L2.05M 1KSO 5.6 1KSG 8
410525	Earthing cable 10mm² / L 2.5m black w.	1 open cable lug (C) M8 a.(A) M5/M6	ST	68,10	EL10 L2.55M 1KSO 5.6 1KSG 8
410530	Earthing cable 10mm² / L 3.0m black w.	1 open cable lug (C) M8 a.(A) M5/M6	ST	75,50	EL10 L3.05M 1KSO 5.6 1KSG 8
410603	Earthing cable 10mm² / L 0.35m black	Cable lug 2x open, 1x M8/M10, 1x M5/M6	ST	29,20	EL10 L0.35M 1KSO 8.10 1KSO 5.6
410605	Earthing cable 10mm² / L 0.5m black w.	1 open cable lug (B) M8/10 a. (A) M5/6	ST	32,20	EL10 L0.55M 1KSO 8.10 1KSO 5.6
410606	Earthing cable 10mm² / L 0.6m black w.	1 cable lug (B)M8/10 a. 1 pin cable lug	ST	30,40	EL10 L0.65M 1KSG 8 1SKS 10
410610	Earthing cable 10mm² / L 1.0m black w.	1 cable lug (B) M8/M10 a. (A) M5/M6	ST	39,70	EL10 L1.05M 1KSO 8.10 1KSO 5.6
410615	Earth conductor 10mm² / L 1.5m black w.	1 cable lug (B) M8/M10 a. (A) M5/M6	ST	56,30	EL10 L1.55M 1KSO 8.10 1KSO 5.6
410620	Earthing cable 10mm² / L 2.0m black	w. 1 cable lug (B) M8/10 a. (A) M5/6	ST	63,10	EL10 L2.05M 1KSO 8.10 1KSO 5.6
410625	Earthing cable 10mm² / L 2.5m black w.	1 cable lug (B)M8/M10 a. (A)M5/M6	ST	70,60	EL10 L2.55M 1KSO 8.10 1KSO 5.6
410630	Earthing cable 10mm² / L 3.0m black w.	1 cable lug (B)M8/M10 a. (A)M5/M6	ST	77,30	EL10 L3.05M 1KSO 8.10 1KSO 5.6
410720	Earthing cable 10mm² / L 2.0m black w.	1 cable lug (B)M8/M10, 1 pin cable lug	ST	59,50	EL10 L2.05M 1KSO 8.10 1SKS 10
410903	Earth conductor 10mm² / L 0.3m black	w. 2 closed cable lugs (D) M10	ST	28,50	EL10 L0.35M 2KSG 10
410905	Earth conductor 10mm² / L 0.5m black	w. 2 closed cable lugs (D) M10	ST	32,80	EL10 L0.55M 2KSG 10
410906	Earth conductor 10mm² / L 0.6m black	w. 2 closed cable lugs (D) M10	ST	34,10	EL10 L0.65M 2KSG 10
410910	Earth conductor 10mm² / L 1.0m black	w. 2 closed cable lugs (D) M10	ST	39,00	EL10 L1.05M 2KSG 10
410915	Earth conductor 10mm² / L 1.5m black	w. 2 closed cable lugs (D) M10	ST	55,80	EL10 L1.55M 2KSG 10
410920	Earth conductor 10mm² / L 2.0m black	w. 2 closed cable lugs (D) M10	ST	62,60	EL10 L2.05M 2KSG 10
410925	Earth conductor 10mm² / L 2.5m black	w. 2 closed cable lugs (D) M10	ST	70,00	EL10 L2.55M 2KSG 10
410930	Earth conductor 10mm² / L 3.0m black	w. 2 closed cable lugs (D) M10	ST	76,80	EL10 L3.05M 2KSG 10
416003	Earth conductor 16mm² / L 0.3m black	w. 2 open cable lugs (B) M8/M10	ST	30,40	EL16 L0.35M 2KSO 8.10
416005	Earth conductor 16mm² / L 0.5m black	w. 2 open cable lugs (B) M8/M10	ST	34,60	EL16 L0.55M 2KSO 8.10
416006	Earth conductor 16mm² / L 0.6m black	w. 2 open cable lugs (B) M8/M10	ST	36,00	EL16 L0.65M 2KSO 8.10
416010	Earthing cable 16mm² / L 1.0m black	w. 2 open cable lugs (B) M8/M10	ST	46,50	EL16 L1.05M 2KSO 8.10
416015	Earthing cable 16mm² / L 1.5m black	w. 2 open cable lugs (B) M8/M10	ST	65,00	EL16 L1.55M 2KSO 8.10
416016	Earthing cable 16mm² / L 1.5m black w.	1 cable lug (B) M8/M10, 1 pin cable lug	ST	60,60	EL16 L1.55M 2KSO 8.10 1SKS 16
416020	Earthing cable 16mm² / L 2.0m black	w. 2 open cable lugs (B) M8/M10	ST	74,30	EL16 L2.05M 2KSO 8.10
416025	Earthing cable 16mm² / L 2.5m black	w. 2 open cable lugs (B) M8/M10	ST	84,10	EL16 L2.55M 2KSO 8.10
416030	Earthing cable 16mm² / L 3.0m black	w. 2 open cable lugs (B) M8/M10	ST	94,10	EL16 L3.05M 2KSO 8.10
416035	Earthing cable 16mm² / L 3.5m black	w. 2 open cable lugs (B) M8/M10	ST	103,30	EL16 L3.55M 2KSO 8.10
416040	Earthing cable 16mm² / L 4.0m black	w. 2 open cable lugs (B) M8/M10	ST	113,80	EL16 L4.05M 2KSO 8.10
416050	Earthing cable 16mm² / L 5.0m black	w. 2 open cable lugs (B) M8/M10	ST	131,80	EL16 L5.05M 2KSO 8.10
416060	Earthing cable 16mm² / L 6.0m black	w. 2 open cable lugs (B) M8/M10	ST	148,40	EL16 L6.05M 2KSO 8.10
416070	Earthing cable 16mm² / L 7.0m black	w. 2 open cable lugs (B) M8/M10	ST	171,30	EL16 L7.05M 2KSO 8.10
416080	Earthing cable 16mm² / L 8.0m black	w. 2 open cable lugs (B) M8/M10	ST	190,40	EL16 L8.05M 2KSO 8.10
416100	Earthing cable 16mm² / L 10.0m black	w. 2 open cable lugs (B) M8/M10	ST	230,80	EL16 L10.05M 2KSO 8.10
416120	Earthing cable 16mm² / L 12.0m black	w. 2 open cable lugs (B) M8/M10	ST	259,10	EL16 L12.05M 2KSO 8.10
416140	Earthing cable 16mm² / L 14.0m black	w. 2 open cable lugs (B) M8/M10	ST	300,00	EL16 L14.05M 2KSO 8.10
416150	Earthing cable 16mm² / L 15.0m black	w. 2 open cable lugs (B) M8/M10	ST	322,00	EL16 L15.05M 2KSO 8.10
416200	Earthing cable 16mm² / L 20.0m black	w. 2 open cable lugs (B) M8/M10	ST	407,00	EL16 L20.05M 2KSO 8.10
416220	Earthing cable 16mm² / L 22.0m black	w. 2 open cable lugs (B) M8/M10	ST	460,50	EL16 L22.05M 2KSO 8.10
416280	Earthing cable 16mm² / L 28.0m black	w. 2 open cable lugs (B) M8/M10	ST	562,30	EL16 L28.05M 2KSO 8.10
416300	Earthing cable 16mm² / L 30.0m black	w. 2 open cable lugs (B) M8/M10	ST	601,10	EL16 L30.05M 2KSO 8.10
416403	Earthing cable 16mm² / L 0.3m black	w. 1 cable lug (D) M10 a. (B) M8/10	ST	29,80	EL16 L0.35M 1KSO 8.10 1KSG 10
416410	Earthing cable 16mm² / L 1.0m black	w. 1 cable lug (D) M10 a. (B) M8/10	ST	47,10	EL16 L1.05M 1KSO 8.10 1KSG 10
416411	Earthing cable 16mm² / L 1.0m black	w. 1 cable lug (C) M8 a. (B) M8/10	ST	46,50	EL16 L1.05M 1KSO 8.10 1KSG 8
416415	Earthing cable 16mm²/L 1.5m black with	1 cable lug (C)M8 and (B)M8/M10	ST	63,10	EL16 L1.55M KSO 8.10 KSG 8
416416	Earthing cable 16mm² / L 1.5m black	w. 1 cable lug (D) M10 a. (B) M8/M10	ST	63,10	EL16 L1.55M 1KSO 8.10 1KSG 10
416420	Earth conductor 16mm² / L 2.0m black	w. 1 cable lug (C) M8 a. (B) M8/M10	ST	73,10	EL16 L2.05M 1KSO 8.10 1KSG 8
416421	Earthing cable 16mm² / L 2.05m black	Cable lug 1x op. M8/M10, 1x closed M10	ST	74,30	EL16 L2.05M 1KSO 8.10 1KSG 10
416425	Earthing cable 16mm² / L 2.5m black	w. 1 cable lug (C) M8 a. (B) M8/M10	ST	82,90	EL16 L2.55M 1KSO 8.10 1KSG 8
416426	Earthing cable 16mm² / L 2.5m black	w. 1 cable lug (D) M10 a. (B) M8/M10	ST	82,90	EL16 L2.55M 1KSO 8.10 1KSG 10
416430	Earthing cable 16mm² / L 3.0m black	w. 1 cable lug (C) M8 a. (B) M8/M10	ST	91,60	EL16 L3.05M 1KSO 8.10 1KSG 8
416431	Earthing cable 16mm² / L 3.0m black	w. 1 cable lug (D) M10 a. (B) M8/M10	ST	91,60	EL16 L3.05M 1KSO 8.10 1KSG 10
416440	Earthing cable 16mm² / L 4.0m black	w. 1 cable lug (C) M8 a. (B) M8/M10	ST	112,60	EL16 L4.05M 1KSO 8.10 1KSG 8
416441	Earthing cable 16mm² / L 4.0m black	w. 1 cable lug (D) M10 a. (B) M8/M10	ST	111,40	EL16 L4.05M 1KSO 8.10 1KSG 10
416450	Earthing cable 16mm²/L 5.0m black	w. 1 cable lug (C)M8 a. (B)M8/M10	ST	131,80	EL16 L5.05M 1KSO 8.10 1KSG 8
416451	Earthing cable 16mm²/L 5.0m black	w. 1 cable lug (D)M10 a. (B)M8/M10	ST	131,80	EL16 L5.05M 1KSO 8.10 1KSG 10
416505	Earthing cable 16mm² / L 0.5m black w.	1 cable lug (C) M8 a. (A) M5/M6	ST	34,10	EL16 L0.55M 1KSO 5.6 1KSG 8
416516	Earth conductor 16mm² / L 1.5m black	w. 1 cable lug (B) M8/M10 a. (A) M5/M6	ST	57,00	EL16 L1.55M 1KSO 8.10 1KSO 5.6
416903	Erdungsleitung 16mm²/L 0.35m schw.	m.2 Kabelschuhe (D) geschl. M10	ST	29,80	EL16 L0.35M 2KSG 10
416905	Earth conductor 16mm² / L 0.5m black	w. 2 closed cable lugs (D) M10	ST	34,10	EL16 L0.55M 2KSG 10
416906	Earth conductor 16mm² / L 0.6m black	w. 2 closed cable lugs (D) M10	ST	36,00	EL16 L0.65M 2KSG 10
416910	Earth conductor 16mm² / L 1.0m black	w. 2 closed cable lugs (D) M10	ST	46,50	EL16 L1.05M 2KSG 10
416915	Earth conductor 16mm² / L 1.5m black	w. 2 closed cable lugs (D) M10	ST	63,80	EL16 L1.55M 2KSG 10
416920	Earth conductor 16mm² / L 2.0m black	w. 2 closed cable lugs (D) M10	ST	74,30	EL16 L2.05M 2KSG 10
416925	Earth conductor 16mm² / L 2.5m black	w. 2 closed cable lugs (D) M10	ST	82,90	EL16 L2.55M 2KSG 10
416930	Earth conductor 16mm² / L 3.0m black	w. 2 closed cable lugs (D) M10	ST	92,20	EL16 L3.05M 2KSG 10
416940	Connection kit 16mm² L 600mm with	connect. clamp a. fixed earth. terminal	ST	34,50	UES 16 L600 VK RD14 28 EFP
416941	Bridging kit 16mm² L 600mm with two	connecting clamps for Rd 16.5-28mm	ST	24,00	UES 16 L600 2VK RD14 28
416970	Earth conductor 16mm² / L 7.0m black	w. 2 closed cable lugs (D) M10	ST	168,20	EL16 L7.05M 2KSG 10
417005	Earthing cable 16mm² / L 0.5m green/	yellow w. 2 open cable lugs (B) M8/M10	ST	35,40	EL16 L0.55M 2KSO 8.10 GG
417010	Earthing cable 16mm² / L 1.0m green/	yellow w. 2 open cable lugs (B) M8/M10	ST	46,50	EL16 L1.05M 2KSO 8.10 GG
417015	Earthing cable 16mm² / L 1.5m green/	yellow w. 2 open cable lugs (B) M8/M10	ST	57,60	EL16 L1.55M 2KSO 8.10 GG
417020	Earthing cable 16mm² / L 2.0m green/	yellow w. 2 open cable lugs (B) M8/M10	ST	65,60	EL16 L2.05M 2KSO 8.10 GG



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
417030	Earthing cable 16mm ² / L 3.0m green/	yellow w. 2 open cable lugs (B) M8/M10	ST	78,70	EL16 L3.05M 2KSO 8.10 GG
417050	Earthing cable 16mm ² / L 5.0m green/	yellow w. 2 open cable lugs (B) M8/M10	ST	111,90	EL16 L5.05M 2KSO 8.10 GG
417100	Earthing cable 16mm ² / L 10.0m green/	yellow w. 2 open cable lugs (B) M8/M10	ST	197,20	EL16 L10.05M 2KSO 8.10 GG
417115	Earthing cable 16mm ² / L 15.0m green/	yellow w. 2 open cable lugs (B) M8/M10	ST	285,30	EL16 L15.05M 2KSO 8.10 GG
417120	Earthing cable 16mm ² / L 20.0m green/	yellow w. 2 open cable lugs (B) M8/M10	ST	373,40	EL16 L20.05M 2KSO 8.10 GG
417125	Earth conductor 16mm ² / L 25.0m green/	yellow w. 2 open cable lugs (B) M8/M10	ST	461,60	EL16 L25.05M 2KSO 8.10 GG
417130	Earthing cable 16mm ² / L 30.0m green/	yellow w. 2 open cable lugs (B) M8/M10	ST	546,50	EL16 L30.05M 2KSO 8.10 GG
417150	Earthing cable 16mm ² /L 50.05m green/yellow	Cable lug 2x open, 2x M8/M10	ST	892,70	EL16 L50.05M 2KSO 8.10 GG
419000	Stainless steel earthing bridge	with M16 thread D 50mm H 63mm	ST	38,30	D BEB 0 - 63 / EBS 15-03-19
419001	Stainless steel earthing bridge	with M16 thread D 50mm H 70mm	ST	38,90	D BEB 0 - 70 / EBS 15-03-19
419002	Stainless steel earthing bridge	with M16 thread D 50mm H 77mm	ST	39,30	D BEB 0 - 77 / EBS 15-03-19
419010	Flat steel earthing bridge, conn. plate	with M16 thread D 50mm H 58mm L 400mm	ST	17,40	D BEB 1 / EBS 15-03-19
419011	Flat steel earthing bridge, conn. plate	with M16 thread D 50mm h 402mm	ST	20,50	D BEB 1-L / EBS 15-03-19
419012	Flat steel earthing bridge, with conn.	el. + M16 thread D 50mm H 63mm L 400mm	ST	44,30	D BEB 1-NR / EBS 15-03-19
419020	Reinf. steel earthing bridge, angled,	conn. plate with M16 thread D 50mm	ST	18,60	D BEB 2 / EBS 15-03-19
419030	Reinforc. steel earthing bridge, conn.	plate w. M16 thread D 50mm L 400mm	ST	16,60	D BEB 3 / EBS 15-03-19
419040	Copper cable earthing bridge NYY-O,	conn. plate M16, lug 80X30mm L 500mm	ST	39,30	D BEB 4 / EBS 15-03-19
419041	Copper cable earthing bridge H07V-K,	conn. plate M16, lug 80X30mm L 500mm	ST	46,30	D BEB 4-FLEX / EBS 15-03-19
419050	Copper cable earthing bridge NYY-O,	conn. plate M16, lug 80X30mm L 500mm	ST	42,40	D BEB 5 / EBS 15-03-19
419051	Copper cable earthing bridge H07V-K w.	conn. plate M16 and lug 80X30mm L 500mm	ST	49,50	D BEB 5-FLEX / EBS 15-03-19
419060	Copper cable earthing bridge NYY-O,	conn. pl. M16 both ends, D 50mm L 500mm	ST	40,30	D BEB 6 / EBS 15-03-19
419061	Copper cable earthing bridge H07V-K,	conn. pl. M16 both ends, D50mm L500mm	ST	47,10	D BEB 6-FLEX / EBS 15-03-19
419070	Copper cable earthing bridge NYY-O,	conn. pl. M16 both ends, D 50mm L 500mm	ST	42,90	D BEB 7 / EBS 15-03-19
419071	Copper cable earthing bridge H07V-K,	conn. pl. M16 both ends, D 50mm L 500mm	ST	50,40	D BEB 7-FLEX / EBS 15-03-19
419080	Reinf. steel earthing bridge, conn.	plate M16 on both ends D 50mm L 500mm	ST	38,60	D BEB 8 / EBS 15-03-19
419090	Copper cable earthing bridge NYY-O,	lug on both ends 80X30mm L 500mm	ST	36,20	D BEB 9 / EBS 15-03-19
419091	Copper cable earthing bridge H07V-K,	lug on both ends 80X30mm L 500mm	ST	42,30	D BEB 9-FLEX / EBS 15-03-19
419100	Copper cable earthing bridge NYY-O,	lug on both ends 80X30mm L 500mm	ST	39,30	D BEB 10 / EBS 15-03-19
419101	Copper cable earthing bridge H07V-K,	lug on both ends 80X30mm L 500mm	ST	45,90	D BEB 10-FLEX / EBS 15-03-19
419110	E. br. f. earthing large pipes L 500mm<(>,<)>	conn. plate M16 and cable lug B 13mm	ST	41,30	D BEB 11 / EBS 15-03-19
419260	Steel rope earthing connector, cable	lug on both ends D 17mm L 500mm	ST	45,30	D BEB 26 / EBS 15-03-17
419290	CuStAl earthing connector, cable	lug on both ends D 17mm L 500mm	ST	47,60	D BEB 29 / EBS 15-03-17
419291	Steel rope earthing connector, cable	lug on both ends D 17mm L 500mm	ST	55,70	D BEB 29-NF / EBS 15-03-17
419400	Earthing conn. f. earthing large pipes,	cable lug D 17mm, lug 80X30mm L 500mm	ST	46,30	D BEB 40 / EBS 15-03-25
419500	Flat steel earthing bridge, conn. plate	with M16 thread D 50mm H 58mm L 100mm	ST	14,20	D BEB 1 - L100 / EBS 15-03-19
419501	Copper cable earthing bridge NYY-O<(>,<)>	conn. plate M16, lug 80X30mm L 700mm	ST	47,70	D BEB 5 - L700 / EBS 15-03-19
419502	Copper cable earthing bridge NYY-O<(>,<)>	conn. plate M16, lug 80X30mm L 1000mm	ST	55,80	D BEB 5 - L1000 / EBS 15-03-19
419503	Copper cable earthing bridge NYY-O<(>,<)>	conn. plate M16, lug 80X30mm L 1500mm	ST	69,30	D BEB 5 - L1500 / EBS 15-03-19
419504	Copper cable earthing bridge NYY-O<(>,<)>	conn. plate M16, lug 80X30mm L 2000mm	ST	82,80	D BEB 5 - L2000 / EBS 15-03-19
419505	Copper cable earthing bridge NYY-O<(>,<)>	lug on both ends 80X30mm L 800mm	ST	47,50	D BEB 10 - L800 / EBS 15-03-19
419506	E. br. f. earthing large pipes L 1000mm<(>,<)>	conn. plate M16 and cable lug B 13mm	ST	51,30	D BEB 11 - L1000 / EBS 15-03-27
419507	CuScuStAl earthing connector, cable	lug on both ends D 17mm L 350mm	ST	40,40	D BEB 29 - L350 / EBS 15-03-17
419508	CuStAl earthing connector, cable	lug on both ends D 17mm L 800mm	ST	65,70	D BEB 29 - L800 / EBS 15-03-17
419900	Adhesive pad for railway earthing	products D 50mm	ST	1,80	D KLP D50 BEB
419901	Earthing sticker for marking railway	earthing products D 50mm	ST	0,70	D EAK D50 BEB
419902	Hexagon screw M16x30mm	StSt A4-70	ST	2,40	D SKS M16X30 V4A
419903	Hexagon nut M16 StSt A4-70		ST	1,90	D SKM M16 V4A
419904	Washer A17 StSt A4-70		ST	0,50	D SCH A17 V4A
420100	Downpipe clamp D 100mm, St/tZn	with connection bore D 11mm	ST	4,60	RRS 100 B11 STTZN
420107	Downpipe clamp D 100mm, Cu	with connection bore D 11mm	ST	11,50	RRS 100 B11 CU
420120	Downpipe clamp D 120mm, St/tZn	with connection bore D 11mm	ST	4,90	RRS 120 B11 STTZN
420127	Downpipe clamp D 120mm, Cu	with connection bore D 11mm	ST	13,30	RRS 120 B11 CU
420207	Downpipe clamp D 100mm Cu-St/tZn	bimetallic with clamping frame 6-10mm	ST	16,80	ZMRRS 100 KB 6.10 CU STTZN
423010	Downpipe clamp D 60-100mm, St/tZn	with connectin bore D 10.5mm	ST	2,90	RRS V 60.100 B10.5 STTZN
423011	Downpipe clamp 60-100mm, Al	with connection bore D 10.5mm	ST	2,80	RRS V 60.100 B10.5 AL
423017	Downpipe clamp 60-100mm, Cu	with connection bore D 10.5mm	ST	7,60	RRS V 60.100 B10.5 CU
423019	Downpipe clamp 60-100mm, StSt	with connection bore D 10.5mm	ST	4,80	RRS V 60.100 B10.5 V2A
423020	Downpipe clamp 60-150mm, St/tZn	with connection bore D 10.5mm	ST	3,40	RRS V 60.150 B10.5 STTZN
423021	Downpipe clamp 60-150mm, Al	with connection bore D 10.5mm	ST	3,40	RRS V 60.150 B10.5 AL
423027	Downpipe clamp 60-150mm, Cu	with connection bore D 10.5mm	ST	10,40	RRS V 60.150 B10.5 CU
423029	Downpipe clamp 60-150mm, StSt	with connection bore D 10.5mm	ST	6,00	RRS V 60.150 B10.5 V2A
425076	Conduc. holder St/tZn w. spacer a. ela.	seal. f. Rd 8-10mm f. roof poles D 76mm	ST	8,50	LH KD 8.10 D76 STTZN
425089	Conduc. holder St/tZn w. spacer a. ela.	seal. f. Rd 8-10mm f. roof pole D 89mm	ST	9,00	LH KD 8.10 D89 STTZN
435803	Earthing clamp 1/2-2 6-16mm ²	for pipelines D 10-60mm MCl/tZn	ST	75,20	EK 12.60 AQ6 16 TGTZN
435805	Earthing clamp 3/8 -1 1/4 6-16mm ²	for pipelines D 5-45mm MCl/tZn	ST	42,60	EK 4.45 AQ6 16 TGTZN
444006	Earthing cable lug 6-16mm ²	type (A) open M5/M6	ST	6,60	EKSO 5.6 AQ6 16 CUGALZN
444008	Earthing cable lug 6-16mm ²	type (C) closed M8	ST	6,60	EKSG 8 AQ6 16 CUGALZN
444009	Earthing cable lug 6-16mm ²	type (D) closed M10	ST	6,60	EKSG 10 AQ6 16 CUGALZN
444010	Earthing cable lug 6-16mm ²	type (B) open M8/M10	ST	6,60	EKSO 8.10 AQ6 16 CUGALZN
444050	Wire end splice 50mm ² L22mm Cu/galSn		SA	12,20	AEH 50 L22 CUGALSN
450000	Disconnecting sleeve ZDC f. Rd 7-10/16mm	and two hexagon screws M8x16mm	ST	7,00	TM 7.10 16 ZG
450001	Disconnecting sleeve f. Rd 16/8-10mm Al		ST	4,30	TM 7.10 16 AL
450007	Disconnecting sleeve	f. Rd 16/7-10mm RCB	ST	12,80	TM 7.10 16 RG
450011	Disconnecting sleeve f. Rd 16/7-10mm	ZDC closed design	ST	7,60	TM G 7.10 16 ZG
450101	Disconnecting sleeve f. Rd 8/8-10mm Al		ST	4,00	TM 8.10 8 AL
453100	FIX test joint with insulating piece	f. Rd 8-10mm FI 30-40mm	ST	19,60	FTS 8.10 FL30.40 IS STTZN
454000	Connecting/disconnecting clamp St/tZn	intermed. plate f. Rd 5-10/FI 30-40mm	ST	6,20	VTK 5.10 FL30.40 ZP STTZN
454100	Connecting/disconnecting clamp St/tZn	for Rd 7-10/FI 30-40mm	ST	4,50	VTK 7.10 FL30.40 STTZN
454107	Connecting/disconnecting clamp Cu	for Rd 7-10/FI 30-40mm	ST	14,70	VTK 7.10 FL30.40 CU
455000	Connecting/disconnecting clamp	FI 30mm MCl/tZn	ST	13,50	VTK FL30 TGTZN
459000	UNI disconnecting clamp, St/tZn with	intermediate plate for Rd 16/7-10mm	ST	7,80	UTK 7.10 16 S ZP STTZN
459003	UNI disconnecting clamp, St/tZn with	intermediate plate for 2x Rd 7-10mm	ST	7,80	UTK 7.10 7.10 S ZP STTZN
459010	UNI disconnecting clamp, St/tZn	for Rd 16/8-10mm	ST	4,90	UTK 8.10 16 STTZN
459019	UNI disconnecting clamp, StSt	for Rd 16/8-10mm	ST	6,70	UTK 8.10 16 V2A
459020	UNI disconnecting clamp, St/tZn	for 2x Rd 8-10mm	ST	4,60	UTK 8.10 8.10 STTZN
459029	UNI disconnecting clamp, StSt	for 2x Rd 8-10mm	ST	6,40	UTK 8.10 8.10 V2A
459030	UNI disconnecting clamp, St/tZn	for Rd 8-10/FI 30mm	ST	4,60	UTK 8.10 FL30 STTZN
459039	UNI disconnecting clamp, StSt	for Rd 8-10/FI 30mm	ST	5,80	UTK 8.10 FL30 V2A
459119	UNI disconnecting clamp, StSt for	Rd 8-10/16mm with intermediate plate	ST	7,60	UTK 8.10 16 ZP V2A
459127	UNI disconnecting clamp Cu	with intermediate plate f. 2 x Rd 8-10mm	ST	12,30	UTK 8.10 8.10 ZP CU
459129	UNI disconnecting clamp, StSt with	intermediate plate for 2x Rd 8-10mm	ST	7,20	UTK 8.10 8.10 ZP V2A
459139	UNI disconnecting clamp, StSt with	intermediate plate for Rd 8-10/FI 30mm	ST	7,20	UTK 8.10 FL30 ZP V2A
459159	UNI disconnecting clamp StSt	w. intermediate plate f. Rd 16/FI 30mm	ST	7,10	UTK 16 FL30 ZP V2A
459200	UNI disconn. clamp StSt 200kA w. interm.	plate f. 2xRd 10mm or 1xRd 10mm/FI 30mm	ST	13,20	UTK 200 2X10 FL30 ZP V2A
459219	UNI disconnecting clamp StSt 200 kA	f. Rd 8-10/16mm w. intermediate plate	ST	15,00	UTK 200 8.10 16 ZP V2A
460147	Bimetallic discon. clamp Cu-St/tZn w.	KS connector f. 6-10/FI 30-40mm w. shield	ST	35,70	ZMTK 6.10 FL30.40 CU STTZN
460213	Disconnecting clamp - Austrian standard	ZDC for 2 x Rd 7-10mm	ST	11,20	OENTK 7.10 7.10 ZG
460507	Bimetallic UNI disconnecting clamp	Cu-St/tZn for Rd 8-10/16mm	ST	9,70	ZMTK 8.10 16 CU STTZN
460517	Bimetallic UNI disconnecting clamp	Cu-St/tZn for 2x Rd 8-10mm	ST	9,50	ZMTK 8.10 8.10 CU STTZN
460557	Bimetallic UNI disconnecting clamp	Cu-St/tZn for Rd 8-10mm/FI 30mm	ST	9,50	ZMTK 8.10 FL30 CU STTZN
463010	ES disconnecting clamp ZDC f. Rd 8/10mm		ST	11,20	ESTK 8.10 ZG
465801	Earthing busbar St/tZn L 180mm	f. 3 earthing cond., screws M10x35	ST	59,10	ESS 3P M10X35 STTZN
466192	Earthing busbar St/tZn L 290mm	f. 5 earthing cond., screws M10x35	ST	84,10	ESS 5P M10X35 STTZN
466203	Anchoring pole made of TG/tZn	L405mm for bracing rod parts	ST	50,60	AP L405 TGTZN
472021	Earthing busbar St/tZn f. equipotential	bonding with 2 x 6 terminals	ST	23,20	ES 2X6 ASB11 STTZN
472022	Earthing busbar St/tZn f. equipotential	bonding with 2 x 3 terminals	ST	19,50	ES 2X3 ASB11 STTZN
472023	Earthing busbar St/tZn f. equipotential	bonding with 2 x 2 terminals	ST	17,00	ES 2X2 ASB11 STTZN
472024	Earthing busbar St/tZn f. equipotential	bonding with 2 x 4 terminals	ST	20,20	ES 2X4 ASB11 STTZN



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
472109	Earthing busbar StSt f. equipotential	bonding with 2 x 2 terminals	ST	29,70	ES 2X2 ASB11 V2A
472119	Earthing busbar StSt f. equipotential	bonding with 2 x 3 terminals	ST	34,20	ES 2X3 ASB11 V2A
472129	Earthing busbar StSt f. equipotential	bonding with 2 x 4 terminals	ST	36,50	ES 2X4 ASB11 V2A
472139	Earthing busbar StSt f. equipotential	bonding with 2 x 6 terminals	ST	44,80	ES 2X6 ASB11 V2A
472201	Fixing set with 2 rigid screws	M10x20mm and 2 plastic dowels D 12mm	ST	3,50	BFS M10X20 PAS STTZN
472202	Fixing set w. 2 hanger bolts M 10x20mm	StSt and 2 plastic dowels D 12mm	ST	8,70	BFS M10X20 PAS V2A
472207	Equipotential bonding bar without cover	Cu with M10 screws for 6 terminals	ST	71,50	PAS I 6AP M10 CU
472209	Equipotential bonding bar without cover	StSt with M10 screws for 6 connections	ST	64,10	PAS I 6AP M10 V2A
472210	Insulator for equipotential bonding bar	H40 A/F36 M10/M10 UV-resistant	ST	14,50	IS PAS M10
472217	Equipotential bonding bar without cover	Cu with M10 screws for 10 connections	ST	96,00	PAS I 10AP M10 CU
472219	Equipotential bonding bar without cover	StSt with M10 screws for 10 connections	ST	90,90	PAS I 10AP M10 V2A
472227	Equipotential bonding bar without cover	Cu with M10 screws for 8 connections	ST	87,50	PAS I 8AP M10 CU
472229	Equipotential bonding bar without cover	StSt with M10 screws for 8 connections	ST	80,60	PAS I 8AP M10 V2A
472237	Equipotential bonding bar without cover	Cu with M10 screws for 12 connections	ST	108,50	PAS I 12AP M10 CU
472239	Equipotential bonding bar without cover	StSt with M10 screws for 12 connections	ST	107,50	PAS I 12AP M10 V2A
472269	Cover for equipotential bonding bar,	StSt with 8 terminals	ST	28,80	AD PAS 8AP V2A
472279	Cover for equipotential bonding bar,	StSt with 6 connections	ST	26,10	AD PAS 6AP V2A
472289	Cover for equipotential bonding bar,	StSt with 10 connections	ST	31,80	AD PAS 10AP V2A
472299	Cover for equipotential bonding bar,	StSt with 12 terminals	ST	36,20	AD PAS 12AP V2A
472309	Earthing busbar StSt f. equipotential	bonding w. 1 x 4 terminals	ST	26,90	ES 4AP 11X11 V2A
472319	Earthing busbar StSt f. equipotential	bonding w. 1 x 6 terminals	ST	31,90	ES 6AP 11X11 V2A
472329	Earthing busbar StSt f. equipotential	bonding w. 1 x 8 terminals	ST	37,60	ES 8AP 11X11 V2A
472339	Earthing busbar StSt f. equipotential	bonding w. 1 x 10 terminals	ST	43,40	ES 10AP 11X11 V2A
472349	Earthing busbar StSt f. equipotential	bonding w. 1 x 12 terminals	ST	48,90	ES 12AP 11X11 V2A
476001	Inspection door St/tZn with square	spanner 230x180mm	ST	34,90	RTUP 230X180 VKS STTZN
476010	Test joint box 160x160x68mm	with terminal lugs Rd 8/10mm L 200mm	ST	70,30	TSK 140X140 V2A AF8 L0 200 STTZN
476016	Test joint box 160x160x68mm with	2 Cu conductors 16mm² L approx. 230mm	ST	94,10	TSK 140X140 V2A AL16CU
476020	Inspection door StSt with square	spanner 290x230mm	ST	115,20	RTUP 290X230 VKS V2A
476050	Test joint box f. ETIC systems	185x145x90mm plastic - grau	ST	89,40	TSK WDV5 180X140X88 K V2A
476053	Spacer for test joint box for ETIC	systems H 50-200 mm plastic - grey	ST	20,50	AH TSK WDV5 50.200 K
476055	Test joint box f. ETIC systems	185x145x90mm plastic - grey	ST	109,80	TSKS WDV5 185X140X88 AH50.200 K V2A
476100	Inspection door St/tZn with snap lock	external dimension 230x180mm	ST	20,40	RTUP 230X180 SV STTZN
478011	Fixed earthing terminal Type M M10/M12	StSt (V4A) with connection axis	ST	30,70	EFPM M10 12 V4A L230 STTZN
478012	Fixed earthing terminal type M M10/M12	StSt (V4A) without terminal axis	ST	26,10	EFPM M10 12 V4A
478019	Fixed earthing terminal type M M10/M12	StSt(V4A) with terminal axis	ST	36,30	EFPM M10 12 V4A L230 V2A
478027	Fixed earthing terminal M16 StSt(V4A)	w. connect. cable 70mm² L 400mm Cu/galSn	ST	78,80	EFPM M16 V4A SL400
478041	Fixed earthing terminal type M M10/M12	StSt (V4A) with press-fitted axis	ST	30,30	EFPM M10 12 V4A L245 VP STTZN
478049	Fixed earthing terminal type M M10/M12	StSt (V4A) with compressed axis	ST	35,70	EFPM M10 12 V4A L245 VP V2A
478051	Fixed earthing terminal type M M10/M12	StSt(V4A) term. axis St/tZn a. water barr.	ST	39,80	EFPM M10 12 V4A WS L245 VP STTZN
478098	Foam pad one side adhesive	D=90mm d=20mm w. pull-off tab	ST	2,00	SSP D90 H20
478099	Identification PVC for terminal lugs	Rd 10mm/Fl 30x3.5mm green/yellow	ST	3,10	SK RD10 FL30X3.5 GRGE PVC
478112	Fixed earthing terminal type M M10/M12	StSt(V4A) w. MV clamp f. Rd 8-10mm St/tZn	ST	29,10	EFPM M10 12 V4A MVK8.10 STTZN
478129	Terminal for fixed earthing point	M10 f. Rd 8-10/Fl 30mm StSt (V4A)	ST	22,00	AK ZS 8.10 FL30 GBM10X60 V4A
478141	Connect. clamp f. fixed earthing point	M10 for Rd 7-10/Fl30-40mm, St/tZn	ST	15,90	AK 7.10 FL40 GBM10X45 STTZN
478149	Clamp f. fixed earthing terminal	M12 f. Rd 7-10/Fl30-40mm StSt (V4A)	ST	34,90	AK 7.10 FL40 GBM12X55 V4A
478150	Clamp f. fixed earthing terminal	M16 f. Rd 7-10/Fl30-40mm StSt (V4A)	ST	42,80	AK 7.10 FL40 GBM16X65 V4A
478200	Fixed earthing term. type M M10/M12	StSt (V4A) with terminal axis St/tZn	ST	31,10	EFPM M10 12 V4A L230 STTZN
478410	Earth electr. / wall bushing 100-300mm	w. M10 thread L 308mm StSt (V4A)	ST	43,20	EWD MVK8.10 M10 L100 300 V4A
478430	Earth electr. / wall bushing 300-500mm	w. M10 thread L 508mm StSt (V4A)	ST	47,80	EWD MVK8.10 M10 L300 500 V4A
478450	Earth electr. / wall bushing 500-700mm	w. M10 thread L 708mm StSt (V4A)	ST	51,80	EWD MVK8.10 M10 L500 700 V4A
478530	Waterproof wall bushing for thicknesses	200-300mm StSt (316/Ti/L)	ST	94,20	WD M10 12 V4A DWD L200 300 STTZN
478540	Waterproof wall bushing for thicknesses	300-400mm StSt (V4A)	ST	96,80	WD M10 12 V4A DWD L300 400 STTZN
478550	Waterproof wall bushing for thicknesses	400-500mm StSt (V4A)	ST	99,60	WD M10 12 V4A DWD L400 500 STTZN
478598	Sealing collar water pressure-tight	up to 1 bar for Rd 10mm	ST	31,60	DM AF RD10 D105MM TPE
478599	Sealing collar water pressure-tight	up to 1 bar for Fl 30x3.5mm	ST	31,60	DM AF FL30X3.5 D120MM TPE
478699	Threaded adapter M10/10 L 130mm StSt(V4A)	w. nut a. washer f. fixed earth. point	ST	19,00	GAD EFP M10 10 L130 V4A
480003	Number plate without number	Al for Rd 7-10mm Fl 30mm	ST	3,70	NS 7.10 FL30 OZ AL
480004	Number plate without number	Al for Rd 16mm	ST	3,80	NS 16 OZ AL
480018	Earth entry rod St/tZn L 1500mm	tapered D 16/10mm partly insulated	ST	29,60	EES 16.10 1500 STTZN
480019	Earth entry rod St/tZn L 1750mm	tapered D 16/10mm partly insulated	ST	33,00	EES 16.10 1750 STTZN
480020	Earth entry rod St/tZn L 2000mm	tapered D 16/10mm partly insulated	ST	36,30	EES 16.10 2000 STTZN
480021	Earth entry rod St/tZn L 2500mm	tapered D 16/10mm partly insulated	ST	38,70	EES 16.10 2500 STTZN
480113	Support for VDB test badge	StSt for Rd 7-10mm Fl 30mm	ST	3,90	TS 7.10 FL30 PP V2A
480150	Earth entry rod St/tZn -SET-	L 1500 mm, disconn. sleeve, KS screws	ST	40,20	EES5 16 1500 TM 2KS7.10 STTZN
480157	Earth entry rod Cu -KIT-	L 1500 mm, disconn. sleeve, KS screws	ST	196,70	EES5 16 1500 TM 2KS7.10 CU
480291	Two-screw cleat Al f. Rd 7-10mm	bore distance 38mm w. thread M6	ST	1,00	ZSUEL 7.10 2XM6 LA38 AL
480598	Instruction plate ""ATTENTION!Separated Lightning	Protection with HVI conductor system""	ST	14,40	HWS 300X210 AGBS HVI DE EN K
480599	Instruction plate ""ATTENTION!	Equipotential Bonding""	ST	6,00	HWS 70X30 APA DE EN K
480698	Warning sign 210x297x0.7mm GER/ENG	Achtung Blitzsp. / Attention Lightn.	ST	67,10	HWS 297X210 ABS DE EN AL
480699	Warning sign 297x210x0.7mm Al	Bei Gewitter ist der Aufenthalt ...	ST	46,80	HWS 297X210 AGU3MV DE EN AL
481001	Number plate with number 01	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 1 AL
481002	Number plate with number 02	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 2 AL
481003	Number plate with number 03	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 3 AL
481004	Number plate with number 04	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 4 AL
481005	Number plate with number 05	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 5 AL
481006	Number plate with number 06	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 6 AL
481007	Number plate with number 07	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 7 AL
481008	Number plate with number 08	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 8 AL
481009	Number plate with number 09	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 9 AL
481010	Number plate with number 10	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 10 AL
481011	Number plate with number 11	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 11 AL
481012	Number plate with number 12	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 12 AL
481013	Number plate with number 13	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 13 AL
481014	Number plate with number 14	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 14 AL
481015	Number plate with number 15	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 15 AL
481016	Number plate with number 16	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 16 AL
481017	Number plate with number 17	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 17 AL
481018	Number plate with number 18	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 18 AL
481019	Number plate with number 19	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 19 AL
481020	Number plate with number 20	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 20 AL
481021	Number plate with number 21	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 21 AL
481022	Number plate with number 22	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 22 AL
481023	Number plate with number 23	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 23 AL
481024	Number plate with number 24	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 24 AL
481025	Number plate with number 25	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 25 AL
481026	Number plate with number 26	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 26 AL
481027	Number plate with number 27	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 27 AL
481028	Number plate with number 28	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 28 AL
481029	Number plate with number 29	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 29 AL
481030	Number plate with number 30	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 30 AL
481031	Number plate with number 31	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 31 AL
481032	Number plate with number 32	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 32 AL
481033	Number plate with number 33	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 33 AL
481034	Number plate with number 34	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 34 AL
481035	Number plate with number 35	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 35 AL
481036	Number plate with number 36	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 36 AL
481037	Number plate with number 37	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 37 AL
481038	Number plate with number 38	Al for Rd 7-10mm Fl 30mm	ST	3,90	NS 7.10 FL30 MZ 38 AL



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
482048	Number plate with number 48	Al for Rd 16 mm	ST	4,10	NS 16 MZ 48 AL
482049	Number plate with number 49	Al for Rd 16 mm	ST	4,10	NS 16 MZ 49 AL
482050	Number plate with number 50	Al for Rd 16 mm	ST	4,10	NS 16 MZ 50 AL
482051	Number plate with number 51	Al for Rd 16 mm	ST	4,10	NS 16 MZ 51 AL
482052	Number plate with number 52	Al for Rd 16 mm	ST	4,10	NS 16 MZ 52 AL
482053	Number plate with number 53	Al for Rd 16 mm	ST	4,10	NS 16 MZ 53 AL
482054	Number plate with number 54	Al for Rd 16 mm	ST	4,10	NS 16 MZ 54 AL
482055	Number plate with number 55	Al for Rd 16 mm	ST	4,10	NS 16 MZ 55 AL
482056	Number plate with number 56	Al for Rd 16 mm	ST	4,10	NS 16 MZ 56 AL
482057	Number plate with number 57	Al for Rd 16 mm	ST	4,10	NS 16 MZ 57 AL
482058	Number plate with number 58	Al for Rd 16 mm	ST	4,10	NS 16 MZ 58 AL
482059	Number plate with number 59	Al for Rd 16 mm	ST	4,10	NS 16 MZ 59 AL
482060	Number plate with number 60	Al for Rd 16 mm	ST	4,10	NS 16 MZ 60 AL
482061	Number plate with number 61	Al for Rd 16 mm	ST	4,10	NS 16 MZ 61 AL
482062	Number plate with number 62	Al for Rd 16 mm	ST	4,10	NS 16 MZ 62 AL
482063	Number plate with number 63	Al for Rd 16 mm	ST	4,10	NS 16 MZ 63 AL
482064	Number plate with number 64	Al for Rd 16 mm	ST	4,10	NS 16 MZ 64 AL
482065	Number plate with number 65	Al for Rd 16 mm	ST	4,10	NS 16 MZ 65 AL
482066	Number plate with number 66	Al for Rd 16 mm	ST	4,10	NS 16 MZ 66 AL
482067	Number plate with number 67	Al for Rd 16 mm	ST	4,10	NS 16 MZ 67 AL
482068	Number plate with number 68	Al for Rd 16 mm	ST	4,10	NS 16 MZ 68 AL
482069	Number plate with number 69	Al for Rd 16 mm	ST	4,10	NS 16 MZ 69 AL
482070	Number plate with number 70	Al for Rd 16 mm	ST	4,10	NS 16 MZ 70 AL
482071	Number plate with number 71	Al for Rd 16 mm	ST	4,10	NS 16 MZ 71 AL
482072	Number plate with number 72	Al for Rd 16 mm	ST	4,10	NS 16 MZ 72 AL
482073	Number plate with number 73	Al for Rd 16 mm	ST	4,10	NS 16 MZ 73 AL
482074	Number plate with number 74	Al for Rd 16 mm	ST	4,10	NS 16 MZ 74 AL
482075	Number plate with number 75	Al for Rd 16 mm	ST	4,10	NS 16 MZ 75 AL
482076	Number plate with number 76	Al for Rd 16 mm	ST	4,10	NS 16 MZ 76 AL
482077	Number plate with number 77	Al for Rd 16 mm	ST	4,10	NS 16 MZ 77 AL
482078	Number plate with number 78	Al for Rd 16 mm	ST	4,10	NS 16 MZ 78 AL
482079	Number plate with number 79	Al for Rd 16 mm	ST	4,10	NS 16 MZ 79 AL
482080	Number plate with number 80	Al for Rd 16 mm	ST	4,10	NS 16 MZ 80 AL
482081	Number plate with number 81	Al for Rd 16 mm	ST	4,10	NS 16 MZ 81 AL
482082	Number plate with number 82	Al for Rd 16 mm	ST	4,10	NS 16 MZ 82 AL
482083	Number plate with number 83	Al for Rd 16 mm	ST	4,10	NS 16 MZ 83 AL
482084	Number plate with number 84	Al for Rd 16 mm	ST	4,10	NS 16 MZ 84 AL
482085	Number plate with number 85	Al for Rd 16 mm	ST	4,10	NS 16 MZ 85 AL
482086	Number plate with number 86	Al for Rd 16 mm	ST	4,10	NS 16 MZ 86 AL
482087	Number plate with number 87	Al for Rd 16 mm	ST	4,10	NS 16 MZ 87 AL
482088	Number plate with number 88	Al for Rd 16 mm	ST	4,10	NS 16 MZ 88 AL
482089	Number plate with number 89	Al for Rd 16 mm	ST	4,10	NS 16 MZ 89 AL
482090	Number plate with number 90	Al for Rd 16 mm	ST	4,10	NS 16 MZ 90 AL
482091	Number plate with number 91	Al for Rd 16 mm	ST	4,10	NS 16 MZ 91 AL
482092	Number plate with number 92	Al for Rd 16 mm	ST	4,10	NS 16 MZ 92 AL
482093	Number plate with number 93	Al for Rd 16 mm	ST	4,10	NS 16 MZ 93 AL
482094	Number plate with number 94	Al for Rd 16 mm	ST	4,10	NS 16 MZ 94 AL
482095	Number plate with number 95	Al for Rd 16 mm	ST	4,10	NS 16 MZ 95 AL
482096	Number plate with number 96	Al for Rd 16 mm	ST	4,10	NS 16 MZ 96 AL
482097	Number plate with number 97	Al for Rd 16 mm	ST	4,10	NS 16 MZ 97 AL
482098	Number plate with number 98	Al for Rd 16 mm	ST	4,10	NS 16 MZ 98 AL
482099	Number plate with number 01	Al for Rd 16 mm	ST	4,10	NS 16 MZ 99 AL
483100	Air-termination rod D 16mm L 1000mm	St/tZn chamfered on both ends	ST	17,30	FS 16 1000 STTZN
483125	Air-termination rod D 16 mm L 1250mm	St/tZn chamfered on both ends	ST	22,60	FS 16 1250 STTZN
483150	Air-termination rod/earth entry rod	St/tZn D 16mm L 1500mm chamf. on both ends	ST	24,70	FS 16 1500 STTZN
483200	Air-termination rod/earth entry rod	St/tZn D 16mm L 2000mm both ends chamfered	ST	30,10	FS 16 2000 STTZN
490000	Number insert ""0"" ,StSt		ST	0,40	NSE 0 V2A
490001	Number insert ""1""<,> StSt		ST	0,40	NSE 1 V2A
490002	Number insert ""2""<,> StSt		ST	0,40	NSE 2 V2A
490003	Number insert ""3""<,> StSt		ST	0,40	NSE 3 V2A
490004	Number insert ""4""<,> StSt		ST	0,40	NSE 4 V2A
490005	Number insert ""5""<,> StSt		ST	0,40	NSE 5 V2A
490006	Number insert ""6""<,> StSt		ST	0,40	NSE 6 V2A
490007	Number insert ""7""<,> StSt		ST	0,40	NSE 7 V2A
490008	Number insert ""8""<,> StSt		ST	0,40	NSE 8 V2A
490009	Number insert ""9""<,> StSt		ST	0,40	NSE 9 V2A
490020	Combined cross recessed screw	StSt, M6x16	ST	0,50	KSS M6X16 V2A
490021	Support StSt for VDB test badge		ST	2,00	TS 16 FL30 PP V2A
490022	Cleat Al for Rd16	distance of bores 38 mm, 2xM6	ST	1,00	ZSUEL 16 2XM6 LA38 V2A
490099	Assortment case ""Sortimo"" unequipped		ST	229,70	NS SOB L
490100	Number plate with slot		ST	1,80	NST ON AL
490110	Number plate Al, cleat Rd 7-10/Fl 30 KIT		ST	3,90	NST 7.10 FL30 ON AL
490116	Number plate Al, cleat Rd 16 KIT		ST	3,90	NST 16 ON AL
490900	Number insert without embossing StSt		ST	0,40	NSE BLANK AL
490999	Assortment case ""Sortimo"" equipped		ST	1117,20	NS SOB 0.9
505901	Sechskantmutter DIN 934 M6 NIRO		ST	0,20	SKM M6 DIN 934 V2A
524906	Spring washer DIN 128 StSt D 6mm		ST	0,10	FR A6 V2A
524910	Spring washer DIN 128 D 10mm StSt		ST	0,40	FR A10 V2A
524912	Spring washer DIN 128 A12 StSt		ST	0,50	FR A12 V2A
524913	Spring washer DIN 128 A16 StSt		ST	0,70	FR A16 V2A
525001	Pressure plate Al 40x40x6mm with a hole	of 13mm	ST	14,90	DP 40 40 B13 AL
525002	Pressure plate Al 50x50x8mm with a hole	of 17mm	ST	14,90	DP 50 50 B17 AL
525910	Washer DIN 125, A10,5, 1.4571 V4A		ST	0,40	SCH A10.5 V4A
525912	Flat washer DIN 125 A13 StSt		ST	0,50	SCH A13 V4A
525916	Flat washer DIN 125 A17 StSt		ST	0,70	SCH A17 V2A
528610	Blind rivet D 5mm L 10mm Al/V2A	(similar to DIN 7337 (EN 15979))	ST	0,50	BN 5X10 AL V2A
528619	Self-tapping screw with hexagon head	DIN 7504 6.3x19mm StSt	ST	0,50	BSC 6.3X19 SW10 V2A
528820	Hanger bolt A2 for wood	L 8.4x130mm M10x50mm	ST	17,10	STS HUK 8.4X130 PLDI AGM10X50 V2A
528821	Hanger bolt A2 for metal	L 8x125mm M10x50mm	ST	16,90	STS SUK 8X125 PLDI AGM10X50 V2A
528850	Wood screw with threaded head M8x13mm	St/gal Zn L 53mm	ST	1,00	HSC 8X32 AGM8X13 STGALZN
528870	Wood screw with threaded head M8x13mm	St/gal Zn L 73mm	ST	1,30	HSC 8X42 AGM8X13 STGALZN
538010	Staple for Rd -10mm L 40mm St/tZn		ST	0,50	KRA 6.10 STTZN
538030	Staple for Fl -30mm L 40mm St/tZn		ST	0,70	KRA FL30 STTZN
540100	Antenna pipe clamp D 16-168mm StSt	w. connection f. Rd 6-8/10 or 4-50mm ²	ST	10,10	BRS 16.168 AK1X10 2X6.8 V2A
540103	Antenna pipe clamp D 16-89mm StSt	w. connection f. Rd 6-8/10 or 4-50mm ²	ST	9,40	BRS 16.89 AK1X10 2X6.8 V2A
540104	Pipe clamp D 27-89mm StSt	w. connection f. Rd 6-8/10 or 4-50mm ²	ST	11,90	BRS 27.89 AK1X10 2X6.8 GSG V2A
540105	Pipe clamp StSt f. air-termination rods	D 16mm f. square profiles min. 40mm	ST	39,40	BRS 50.300 BB16 8 V2A
540110	Grip holder f. contin. tensioning strap	25x0.3mm w. termial f. Rd 6-8/10 or 4-50mm ²	ST	6,30	SPK 25 BRS AK1X10 2X6.8 V2A
540111	Set for Ericsson	2 x BRS 540100 1 x EV 472349	ST	69,00	BRS 16.168 ES 12AP V2A SET
540120	Gutter clamp StSt f. bead 16-22mm w. double	cleat f. Rd 8-10mm cross-sect. area 4-50mm ²	ST	10,30	DRK 8.10 AQ4 50 W16.22 V2A
540121	Connection clamp StSt(V4A)for earth rods	20-25 mm with double cleat for Rd 8-10 mm	ST	14,00	AK 8.10 AQ4 50 TE20 25 V4A
540122	UNI KS connector StSt(V4A)for Rd. 6-10	or 16-50mm ² stranded	ST	17,60	UKSV 6.10 AQ16 50 V4A
540199	Grip head f. endl. tens. strap 25x0.3mm	w. connection 1x10 or 2x6-8mm	ST	10,80	SPK 27.89 BRS AK1X10 2X6.8 GSG V2A
540200	B5 pipe clamp with tines D 27-168mm	w. connection f. Rd 6-8/10 or 4-50mm ²	ST	20,80	BRS 27.168 Z AK1X10 2X6.8 V2A
540210	Clamp. chuck w. prongs f. strap 25x0.3mm	f. Rd 10mm or 2x Rd 6-8mm or 4-50mm ²	ST	14,50	SPK Z 25 BRS AK1X10 2X6.8 V2A
540250	UNI earthing clamp StSt f. Rd 8-10mm a.	cond. 4-50mm ² w. M8 screw and nut	ST	6,80	UEK 8.10 AQ4 50 HKSM8 V2A
540251	Contact plate 4-50mm ² a. double cleat	Rd 8-10mm with square hole 9x9mm StSt	ST	4,40	KP AQ4 50 DUL 8.10 VKL9 V2A
540260	UNI earthing clamp StSt f. Rd 8-10mm a.	cond. 4-50mm ² w. M10 screw and nut	ST	7,30	UEK 8.10 AQ4 50 HKSM10 V2A



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
540261	Contact plate 4-50mm ² a. double cleat	Rd 8-10mm with square hole 12x12mm StSt	ST	4,40	KP AQ4 50 DUL 8.10 VKL11 V2A
540262	Uni earth clamp w. hammer head screw,	self-locking nut w. serr. bearing M10	ST	10,20	UEK 8.10 AQ4 50 HKSMB10 V2A
540263	Uni earth clamp w. truss head screw,	self-locking nut w. serr. bearing M10	ST	7,30	KP AQ4 50 DUL 8.10 VKL11 FRSM10 V2A
540270	Connecting clamp StSt (V4A)	f. Rd 3-4mm / Rd 8-10 mm	ST	8,50	UEK 8.10 AQ3/4 M8 V4A
540271	MMV clamp StSt (V4A) f. Rd 3-10mm	with hexagon screw M8x30	ST	6,80	MMVK 3.5 8.10 SKM8X30 V4A
540801	Pipe clamp f. hazardous areas D 27-89mm	w. terminal screw M10 Cu/gal Sn StSt	ST	99,00	EX BRS 90
540803	Pipe clamp f. hazardous areas D 90-300mm	w. terminal screw M10 Cu/gal Sn StSt	ST	106,90	EX BRS 300
540805	Pipe clamp f. hazardous areas D300-500mm	w. terminal clamp M10 Cu/gal Sn StSt	ST	116,60	EX BRS 500
540810	Clamp body f. hazardous. areas without	tensioning strap Cu/galSn StSt, screw M10	ST	93,60	SCK EX BRS ASSM10 V2A
540821	Pipe clamp f. hazardous areas D 6-27mm	with terminal screw M8 Ms/gal Sn-StSt	ST	114,70	EX BRS 27
540900	Grip head StSt for tensioning strap	25x0.3mm with terminal 2 x 4-25mm ²	ST	5,80	SPK 25 BRS AQ4 25 V2A
540901	Tensioning strap, StSt, 25x0.3mm L 100m		ST	252,80	SPB 25X0.3 L100M V2A
540905	Tensioning strap, StSt, 14x0.3mm L 100m		ST	137,20	SPB 14X0.3 L100M V2A
540910	Earthing pipe clamp D 27-60mm	with connection clamp 2 x 4-25mm ² StSt	ST	7,70	BRS 27.60 AQ4 25 V2A
540911	Earthing pipe clamp D 27-114mm	with connection clamp 2 x 4-25mm ² StSt	ST	8,50	BRS 27.114 AQ4 25 V2A
540912	Earthing pipe clamp D 27-168mm	with connection clamp 2 x 4-25mm ² StSt	ST	9,20	BRS 27.168 AQ4 25 V2A
540920	Earthing pipe clamp D 10-27mm (1/8-3/4")	w. terminal clamp 2 x 2.5-10mm ² StSt	ST	6,80	BRS 10.27 AQ2.5 10 V2A
540930	Grip head for strap 14x0.3mm, StSt	with screw DIN 933 M8x16	ST	2,70	SPK 14X0.3 V2A
540931	Tensioning strap 14x0.3mm L 50m, StSt	with unreel box	ST	103,10	SPB 14X0.3 L50M V2A
545000	Measuring wire Cu 0.75 mm ² blue		M	1,00	ML 0.75 L100M CU BL
545001	Measuring wire Cu 0.75mm ² red		M	1,00	ML 0.75 L100M CU RT
546000	Earthing tongs L 205mm St/galZn	for Rd -55mm Fl -45 mm	ST	67,90	EZ 55 FL45 ASM10 STGALZN
546001	Earthing tongs L 205mm StSt	for Rd -55mm Fl -45 mm	ST	85,60	EZ 55 FL45 ASM10 V2A
546002	Earthing tongs L 140mm StSt	for Rd -16mm Fl -13 mm	ST	52,60	EZ 16 FL13 ASM6 V2A
546025	Earthing tongs L 140mm St/galZn	for Rd -16mm Fl -13 mm	ST	40,80	EZ 16 FL13 ASM6 STGALZN
549000	UF test joint box without test joint	300x220x120mm, GCl, black lacquered	ST	72,40	UFTSK 300X220X120 GG
549001	UF test joint box with test joint	300x220x120mm, GCl for Rd 7-10/Fl 40mm	ST	105,10	UFTSK 7.10 FL40 300X220X120 GG
549050	UF test joint box, plastic,	197x197x204mm with test joint	ST	175,00	UFTSK 7.10 FL40 197X197X204 K
549051	UF test joint box, plastic,	197x197x204mm without test joint	ST	140,40	UFTSK 197X197X204 K
549090	UF test joint box StSt	200x200x105mm with test joint	ST	332,50	UFTSK 7.10 FL40 200X200X105 V2A
549091	UF test joint box StSt	200x200x105mm without test joint	ST	302,10	UFTSK 200X200X105 V2A
552010	Roof bushing D 34mm borehole 16mm	plastic for Rd 8-10mm	ST	4,40	DDF 8.10 D34 B16 K
552030	Roof bushing D 250mm plastic	for Rd 8-10-16 and Fl 20x2.5-30x3.5mm	ST	14,40	DDF 8 10 16 FL20.30 D250 K
554011	Heat-shrinkable sleeve, black, size 1	for Rd 16/Fl 30mm	M	9,40	SCSC 16 FL30 L...M SW
556125	Anti-corrosion tape W 50mm L 10m		ST	16,40	KSB 50 L10M
556130	Anti-corrosion tape W 100mm L 10m		ST	31,90	KSB 100 L10M
561924	Hexagon screw DIN 933 M10x30mm	1.4303 (1.4301)	ST	1,00	SKS M10X30 V2A
561925	Hexagon bolt DIN 933 M12x25mm StSt		ST	1,70	SKS M12X25 V2A
561930	Hexagon bolt DIN 933 M12x30mm StSt		ST	3,30	SKS M12X30 V2A
561931	Hexagon bolt DIN 933 M16x30mm StSt		ST	5,20	SKS M16X30 V2A
561935	Hexagon screw DIN 933 M12x35mm StSt		ST	1,80	SKS M12X35 V2A
562001	Cupal sleeve Al outside Cu inside	f. Rd 8mm = 50mm ² L 60mm	ST	5,00	CUPAH UGL Q50 L60 AL CU
562035	Cupal sleeve outside Al inside Cu	35mm ² L 32mm	ST	7,30	CUPAH GL Q35 L32 AL CU
562050	Cupal sleeve Al outside Cu inside	f. Rd 8mm = 50mm ² L 40mm	ST	4,30	CUPAH GL Q50 L40 AL CU
562101	Cupal sleeve, exterior material: Cu,	interior mat.: Al f. Rd 8mm=50mm ² L 60mm	ST	5,20	CUPAH UGL Q50 L60 CU AL
562135	Cupal sleeve, exterior material: Cu,	interior material: Al, 35mm ² L 32mm	ST	5,00	CUPAH GL Q35 L32 CU AL
562150	Cupal sleeve Cu outside Al inside	f. Rd 8mm = 50mm ² L 40mm	ST	4,20	CUPAH GL Q50 L40 CU AL
562250	Cupal sleeve outside Al inside Cu	25mm ² L 29mm	ST	3,80	CUPAH GL Q25 L29 AL CU
562440	Cupal sheet 500x40x0.5mm		ST	22,20	CUPAB 500X40X0.5 AL CU
562460	Cupal sheet 500x60x0.5mm		ST	28,20	CUPAB 500X60X0.5 AL CU
563010	Equipotential bonding bar with cover	7x 2.5-25mm ² 2x16-95mm ² 1x Fl 30x4mm	ST	36,10	PAS AH RK 7X25 2X8.10 1XFL30
563011	Terminal block for equipotential bonding	bar 2.5-25mm ² St/galZn	ST	1,80	RK 16 PAS
563012	Terminal block Fl -30x4mm for	equipotential bonding bar St/gal Zn	ST	3,90	RK FL30 PAS
563013	Terminal block 16-95mm ² f. equipotential	bonding bar St/gal Zn	ST	2,60	RK 95 PAS
563014	Bar frame for equipotential bonding	clamping bar 10x10mm, P/grey	ST	2,50	SB PAS RK
563015	Cover P/grey for R15 equipotential	bonding bar	ST	4,60	AH PAS RK
563016	Clamping bar Ms/gal Sn 10x10x198mm	for equipotential bonding bar	ST	8,70	KS 198 PAS
563017	Clamping bar Ms/gal Sn 10x10x398mm	for equipotential bonding bar	ST	17,10	KS 398 PAS
563018	Clamping bar Ms/gal Sn 10x10x798mm for	equipotential bonding bar	ST	31,90	KS 798 PAS
563019	Terminal block Fl -40x5mm for	equipotential bonding bar St/gal Zn	ST	5,30	RK FL40 PAS
563020	Equipotential bonding bar with cover	5x 2.5-25mm ² 3x16-95mm ² 1x Fl 30x4mm	ST	36,00	PAS AH RK 5X25 3X8.10 1XFL30
563030	Equipotential bonding bar with cover	13x 2.5-25mm ² 1x 16-95mm ²	ST	39,70	PAS AH RK 13X25 1X8.10
563040	Equipotential bonding bar with cover	7x 2.5-25mm ² 2x16-95mm ² 1x Fl 40x5mm	ST	38,90	PAS AH RK 7X25 2X8.10 1XFL40
563050	Equipotential bonding bar w. cover	7x 2.5-25mm ² Fl 30x3.5mm Rd 7-10mm	ST	11,40	PAS 9AK
563105	Equipotential bonding bar w/o cover	6x2.5-25mm ² (mini type)	ST	20,40	PAS GRK OH
563169	Terminal clamp f. ring equip. bond. StSt	f. Rd 8-10/Fl 30mm conn. 2.5-95mm ²	ST	6,30	AK RPA V2A
563200	K12 equipotential bonding bar	10x 2.5-95mm ² /Rd 10mm 1x Fl 30x4mm	ST	26,00	PAS 11AK
563201	K12 equipotential bonding bar with	UV-resistant cover	ST	25,60	PAS 11AK UV
572000	Spider wrench size 10 13 17 19	galvanised	ST	34,60	KSS SW10 13 17 19 STGALZN
573000	DEHNIT special clay (in sacks)		KG	2,40	DEHNIT 25KG
578110	GEOHM C earth resistance meter		ST	2190,30	EMG GEOHM C
578351	Earth resistance meter	EMG METREL MI 3123	ST	2148,40	EMG METREL MI 3123
578352	A 1018 clip-on amperemeter 1000 A/1 A w.	conn. cable up to max. current 1000 A	ST	852,80	ZSW METREL A1018
578353	A 1019 generator clamp 1000 A/1 A	with connection sockets	ST	804,60	ZSW METREL A1019
578370	EP4 continuity tester w. digital LCD	indicator 0.01 ohms ... 2000 Kohms	ST	840,20	DGP EP4
578386	Earth resist. clamp meter f. earth loop	measurement range 0.01..1500 Ohm	ST	3661,00	EMZ M312N METRACLIP EARTH
582600	Case w. earth resistance measuring	equipment, w.o. earth res. meter	ST	816,10	EMKO ML EB PK ... KL
582620	Case for EP 4 continuity tester	with measuring accessories	ST	402,80	DGPKO ML PK ... KL
585010	Coiler plastic, grey W 40mm w. socket	empty	ST	42,70	DH K 40 BB ASG L
585025	Coiler plastic, grey W 40mm w. socket a.	25m wire 0.75mm ² blue w. split plug	ST	75,40	DH K 40 BS ML0.75 L25M BL
585051	Coiler plastic, grey W 40mm w. socket a.	50m wire 0.75mm ² red w. split plug	ST	108,90	DH K 40 BS ML0.75 L50M RT
585200	Coiler plastic, grey W 80mm	with socket empty	ST	54,50	DH K 80 BB ASG L
585210	Coiler plastic, grey W 80mm	with 100m wire blue	ST	159,60	DH K 80 BS ML0.75 L100M BL
585211	Coiler plastic, grey W 80mm w. socket a.	100m wire 0.75mm ² red w. split plug	ST	158,40	DH K 80 BS ML0.75 L100M RT
585310	Coiler plastic grey W 40mm w. socket a.	25m wire 0.75mm ² red w. split plug	ST	75,40	DH K 40 BS ML0.75 L25M RT
585320	Coiler plastic grey W 40mm w. socket a.	50m wire 0.75mm ² blue w. split plug	ST	108,90	DH K 40 BS ML0.75 L50M BL
587460	Earth drilling device MCl/gal Zn L 350mm	as auxiliary earth electrode a. probe	ST	72,40	EB ASSM5 L350 TGGALZN
588000	Test clamp clamping range 2-21mm MCl/tZn		ST	23,80	PK 2.21 ASSM5 TGTZN
589000	Test clamp clamping range 4-45mm MCl/tZn		ST	35,70	PK 4.45 ASSM5 TGTZN
595000	Straightening tool cranked St/burnished	f. Rd 8-10mm w. spider wrench SW13	ST	42,40	RE GK 8.10 SW13 STBRUE
596000	Straightening tool St/burnished	f. Rd 8-10mm / Fl -4mm	ST	58,80	RE G 8.10 FL4 STBRUE
597003	Wire straightener St/tZn f. Rd 7-10mm	w. 10 guide pulleys a. derrick	ST	2027,70	DRG 10RO 7.10 DB STTZN
597004	Wire straightener St/gal Zn f. Rd 7-10mm	w. 5 guide pulleys a. handles	ST	805,60	DRG 5RO 7.10 HG STGALZN
597005	Wire straightener St/gal Zn f. Rd 7-10mm	w. 10 guide pulleys a. handles	ST	1358,50	DRG 10RO 7.10 HG STGALZN
597006	Wire straightener, movable, St/tZn	with wire unwinding device	ST	3002,20	DRG 10RO 7.10 FB STTZN
597020	CUI head 20	cutting head for stripping tool	ST	98,30	CUI HEAD 20
597032	HVI cutter cable shears	for HVI/CUI Conductors up to D 32mm	ST	291,60	HVI CUTTER 32
597101	HVI head 20 spare blades for	cutting head (1 kit of 4 blades)	SA	60,20	EK HVI HEAD 20
597102	HVI head 27 spare blades for	cutting head (1 kit of 4 blades)	SA	168,20	EK HVI HEAD 27
597103	Side spare blade for stripping insert	HVI head 27	ST	73,10	EK SEIT HVI HEAD 27
597120	HVI head 20	cutting head for stripping tool	ST	95,60	HVI HEAD 20
597127	HVI head 27	cutting head for stripping tool	ST	1156,00	HVI HEAD 27
597130	DEHNhelix	spare blades for stripping tool	ST	66,30	EK AW DEHNHELIX
597139	HVI head holder adapter w. bayonet coupl.	to attach the HVI head cutting head	ST	400,70	HVI HH
597220	HVI strip 20 stripping tool for	HVI Conductors -KIT-	ST	426,00	HVI STRIP 20
597227	HVI strip 27 stripping tool	for HVI power Conductor -KIT-	ST	1486,40	HVI STRIP 27
597230	DEHNhelix stripping tool	f. HVI Conductors D 20-27mm	ST	108,50	AW DEHNHELIX
597320	CUI strip 20 stripping tool	for CUI conductor -KIT-	ST	428,70	CUI STRIP 20



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
599100	Lightning strike counter 100kA (10/350)	1kA (8/20) for Rd 8-10mm / FI -30mm	ST	465,80	DLSC 100 IP65
600035	Hammer support St/tZn	f. Wacker EH / BH / BHF	ST	935,70	HA VH WA
600050	Hammer support St/tZn	f. Bosch GSH27	ST	501,40	HA VH BO
600055	Hammer support St/tZn	for Bosch GSH 27 VC	ST	522,40	HA VH BO GSH 27 VC
600060	Hammer support St/tZn	for Hilti TE 3000 AVR	ST	510,90	HA VH HI TE 3000 AVR
610010	Earth rod conn. cl. St/tZn f. D 20-30mm	f. Rd 8-12.5mm FI -40mm cables 50-95mm ²	ST	32,80	AK TE 20.30 8.12 FL40 STTZN
610020	Earth rod term. clamp StSt (316/Ti/L) f.	D 20mm Rd 7-10mm FI -40mm cable 35-70mm ²	ST	26,30	AK TE 20 7.10 FL40 V4A
618214	Lattice mat 250 StSt (V4A)	Dimension: 2000 x 1000 mm	ST	113,30	GMA 250 2000X1000X4 V4A
620001	Drive spike MCl/tZn	for earth rods D 20mm	ST	3,80	SSP TE 20 TGTZN
620002	Driving head St/bare D 20mm	for earth rods S / Z / AZ	ST	142,90	SKO TE 20 STBLANK
620005	Hammer insert for earth rods	D 20mm L 200mm for Wacker Neuson	ST	303,20	HE TE 20 R27 VH WN STBLANK
620007	Hammer insert for earth rods	D 20mm L 240mm for Atlas Copco	ST	369,20	HE TE 20 SW22 VH AC STBLANK
620008	Hammer insert for earth rods	D 25mm L 240mm for Atlas Copco	ST	365,10	HE TE 20 SW25 VH AC STBLANK
620009	Hammer insert f. earth rods D 20mm	L 260mm heavy design f. Wacker Neuson	ST	941,00	HE TE 20 R27 LVH WN STBLANK
620010	Hammer insert for earth rods D 20mm	L 350mm for Atlas Copco	ST	743,70	HE TE 20 SW32 VH AC STBLANK
620011	Terminal bracket f. earth rods St/tZn	D 20mm one-sided KS connec. f. Rd 7-10mm	ST	13,00	AS TE 20 KSV 7.10 STTZN
620012	Terminal bracket for earth rods St/tZn	D 20mm both-sided KS connec. f. Rd 7-10mm	ST	19,60	AS TE 20 2XKSV 7.10 STTZN
620015	Terminal bracket for earth rods St/tZn	D 20mm f. Rd 7-10mm FI -40mm	ST	8,70	AS S TE 20 7.10 FL40 STTZN
620017	Terminal bracket f. earth rods Cu	D 20mm for Rd 7-10mm FI -40mm	ST	34,60	AS S TE 20 7.10 FL40 CU
620019	Hammer insert for earth rods	D 20mm L 350mm for Atlas Copco	ST	797,20	HE TE 20 SW28 VH AC STBLANK
620021	Earth rod connect. bracket St/tZn D 20mm	w. connect. screw M10x20mm f. FI -40mm	ST	9,90	AS TE 20 ASSM10 STTZN
620029	Hammer insert for earth rods D 20mm	L 250mm for Bosch/Hilti/Milwaukee	ST	353,50	HE TE 20 SW25 VH AC STBLANK
620030	Hammer insert for earth rods D 20mm	L 260mm for SDS-max	ST	546,50	HE TE 20 SDS MAX VH STBLANK
620031	Hammer insert for earth rods D 20mm	L 280mm for Hilti TE-S	ST	578,00	HE TE 20 TES VH HI STBLANK
620101	Earth rod D 20mm L 1000mm St/tZn	Type Z with triple knurled pin	ST	38,20	TE 20 1000 Z STTZN
620151	Earth rod D 20mm L 1500mm St/tZn	Type Z with triple knurled pin	ST	44,60	TE 20 1500 Z STTZN
620902	DEHN earth rod D 20mm L 1500mm StSt	Type AZ w. recessed knurled pin (V4A)	ST	214,00	TE 20 1500 AZ V4A
620903	Earth rod D 20mm L 1000mm StSt (V4A)	Type AZ w. offset knurled pin	ST	130,00	TE 20 1000 AZ V4A
620915	Terminal bracket f. earth rods StSt (V4A)	D 20mm f. Rd 7-10mm FI -40mm	ST	19,90	AS S TE 20 7.10 FL40 V4A
625001	Drive spike MCl/tZn	for earth rods D 25mm	ST	4,30	SSP TE 25 TGTZN
625002	Driving head D 25mm St/bare	for earth rods types S / Z	ST	144,00	SKO TE 25 STBLANK
625005	Hammer insert for earth rods	D 25mm L 200mm for Wacker Neuson	ST	316,80	HE TE 25 R27 VH WN STBLANK
625007	Hammer insert for earth rods	D 25mm L 240mm for Atlas Copco	ST	393,40	HE TE 25 SW22 VH AC STBLANK
625008	Hammer insert for earth rods	D 25mm L 240mm for Atlas Copco	ST	393,40	HE TE 25 SW25 VH AC STBLANK
625009	Hammer insert f. earth rods D 25mm	L 260mm f. Wacker Neuson	ST	955,60	HE TE 25 R27 LVH WN STBLANK
625010	Hammer insert for earth rods	D25mm L350mm for Atlas Copco	ST	1327,00	HE TE 25 SW32 VH AC STBLANK
625011	Terminal bracket f. earth rods St/tZn	D 25mm one-sided KS connec. Rd 7-10mm	ST	13,20	AS TE 25 KSV 7.10 STTZN
625012	Terminal bracket f. earth rods St/tZn	D 25mm both-sided KS connec. Rd 7-10mm	ST	19,50	AS TE 25 2XKSV 7.10 STTZN
625015	Terminal bracket for earth rods St/tZn	D 25mm for Rd 7-10mm FI -40mm	ST	9,00	AS S TE 25 7.10 FL40 STTZN
625019	Hammer insert for earth rods D 25mm	L 350mm, Atlas Copco hexag. A/F 28x160mm	ST	744,80	HE TE 25 SW28 VH AC STBLANK
625021	Earth rod connect. bracket St/tZn D 25mm	w. connect. screw M10x20mm f. FI -40mm	ST	10,00	AS TE 25 ASSM10 STTZN
625029	Hammer insert for earth rods D 25mm	L 250mm for Bosch/Hilti/Milwaukee	ST	393,40	HE TE 25 SW28 VH BO STBLANK
625030	Hammer insert for earth rods D 25mm	L 260mm for SDS-max	ST	560,20	HE TE 25 SDS MAX VH STBLANK
625031	Hammer insert for earth rods D 25mm	L 280mm for Hilti vibration TE-S	ST	591,60	HE TE 25 TES VH HI STBLANK
625101	Earth rod D 25mm L 1000mm St/tZn	type Z with triple knurled pin	ST	46,10	TE 25 1000 Z STTZN
625151	Earth rod D 25mm L 1500mm St/tZn	type Z with triple knurled pin	ST	54,10	TE 25 1500 Z STTZN
630120	Single-screw term. clamp f. earth rods	St/tZn D 20mm f. Rd 10mm FI -30mm	ST	6,20	AK ES TE 20 RD10 FL30 STTZN
630129	Single-screw term. clamp f. earth rods	StSt D 20mm f. Rd 10mm FI -30mm	ST	12,40	AK ES TE 20 RD10 FL30 V4A
634145	Pointed earth rod sect. steel/tZn L450mm	w. screw and wing nut M8 StSt	ST	82,10	ES 50X50X3 450 V2A
634160	Earthing spike St/tZn L600mm	w. screw and M8 wing nut StSt	ST	88,30	ES 50X50X3 600 V2A
635100	Profiled earth rod 50x50x3mm St/tZn	L 1000mm w. connection bores D 11/13mm	ST	39,90	PSE 50X50X3 1000 STTZN
635150	Profiled earth rod 50x50x3mm St/tZn	L 1500mm w. connection bores D 11/13mm	ST	54,10	PSE 50X50X3 1500 STTZN
635200	Profiled earth rod 50x50x3mm St/tZn	L 2000mm w. connection bores D 11/13mm	ST	73,00	PSE 50X50X3 2000 STTZN
635250	Profiled earth rod 50x50x3mm St/tZn	L 2500mm w. connection bores D 11/13mm	ST	87,80	PSE 50X50X3 2500 STTZN
640015	Connection clamp f. tubular earth rod	St/tZn D 27mm f. Rd 7-10/FI -40mm	ST	9,10	AS S RE 27 7.10 FL40 STTZN
640150	Tubular earth rod St/tZn	D 27x2.3mm L 1500mm	ST	37,70	RE 27 1500 STTZN
644000	Earth. pipe w. drilling spiral L 1000mm	with removable handle M10 connection	ST	397,60	ERO BSP ASSM10 1000 STTZN
646000	Earthing pipe with drive-in spike St/tZn	L 600mm with M8 connection screw	ST	186,70	ERO SSP ASSM8 600 STTZN
648005	Hammer insert for tubular earth	electrodes D 25mm L246mm for	ST	415,40	HE RE 25 R27 VH WN STBLANK
648007	Hammer insert for tubular earth	electrodes D 25mm L246mm	ST	637,80	HE RE 25 SW22 VH AC STBLANK
648009	Hammer insert for tubular earth	electrodes D 25mm L260mm	ST	606,30	HE RE 25 SDS MAX VH STBLANK
648029	Hammer insert for tubular earth	electrodes D25mm L266mm for	ST	552,80	HE RE 25 SW28 VH BO STBLANK
648031	Hammer insert for tubular earth	electrodes D 25mm L280mm	ST	849,70	HE RE 25 TES VH HI STBLANK
649005	Hammer insert f. tubular earth	electrodes D27mm L246mm f.	ST	355,60	HE RE 27 R27 VH WN STBLANK
649007	Hammer insert for tubular earth	electrodes D 27mm L246mm	ST	421,70	HE RE 27 SW22 VH AC STBLANK
649009	Hammer insert for tubular earth	electrodes D 27mm L260mm	ST	600,00	HE RE 27 SDS MAX VH STBLANK
649015	Terminal bracket f. earth rods StSt (V4A)	D 25mm f. Rd 7-10mm/FI -40mm	ST	21,50	AS S TE 25 7.10 FL40 V4A
649029	Hammer insert for tubular earth	electrodes D27mm L266mm for	ST	540,20	HE RE 27 SW28 VH BO STBLANK
649031	Hammer insert for tubular earth	electrodes D 27mm L280mm	ST	708,10	HE RE 27 TES VH HI STBLANK
649150	Tubular earth rod StSt (316Ti/L)	D 25x2mm L 1500mm	ST	118,50	RE 25 1500 V4A
700000	Storage device for earthing and short-	circuiting devices a. sticks D 30mm	ST	52,90	HV EKV ES30
700002	Storage device for earthing and short-	circuiting devices and sticks D 40mm	ST	52,90	HV EKV ES40
700003	Storage device for EaS devices	and sticks D 30/43mm L 1500mm	ST	40,80	HV EKV ES30 1500
700004	Storage device for three h.v.h.b.c.	fuses and fuse tongs - single part	ST	67,50	HV 3HH SZ ET
700005	Storage device for three h.v.h.b.c.	fuses - single part	ST	29,40	HV 3HH ET
700006	Storage device for voltage detectors	and sticks D 24mm	ST	44,10	HV P ST D24
700007	Storage device for voltage detectors	and sticks D 30mm	ST	48,30	HV P ST D30
700008	Storage device for voltage detectors<(>,<)>	fuse tongs and sticks D 40-45mm	ST	48,30	HV P ST D40 45
700014	Storage device for three h.v.h.b.c.	fuses and fuse tongs	ST	94,40	HV 3HH SZ
700015	Storage device for three h.v.h.b.c.	fuses	ST	58,70	HV 3HH
700050	Set of warning signs, german language	plastic, for electrical installations	ST	345,10	WHSS EA K
700051	Sign: German national regulations f. the	operation of electrical installations	ST	113,30	WHS AH VDEB BEA
700052	Sign First Aid -	according to BGI/GUV-I 510	ST	70,30	WHS AH EH
700053	Sign Instr. f. fighting of fires in	electr. install. a. in their proximity	ST	83,30	WHS AH MB BBEA
700054	Sign Nicht schalten. Es wird gearbeitet	Material: magnetic plastic sheet	ST	31,40	WHS NS EWGA M
700055	Sign: Hochspannung - Lebensgefahr	material: plastic	ST	30,90	WHS HS LG
700056	Sign Achtung! Geerdet und kurzge-	schlossen! Material: Magnet. plast. sheet	ST	19,00	WHS A GUKG M
700057	Sign:5 Safety Rules, German language	material: plastic	ST	23,80	WHS 5 SR
700098	Mounting bracket f. tube barrier 32x46	plastic f. wall mounting (1 kit = 2 pcs)	SA	105,90	H AB 32 46 K
700099	Polyester profile tube barrier	32x46mm length: any up to 6000mm	MM	183,60	AB 32 46 RW K L...
705500	Bolted-type connector with M12 threaded	bolt L 55mm and nut	ST	13,60	AS SCHR M12 55
705501	Welding-type connector, threaded	bolt M12x25mm, St/galZn - KIT -	ST	18,90	AS SCHW M12 25
705504	Bolted-type connector, type C, with	M12 female thread and bolt M12x40mm	ST	26,10	AS SCHR M12 M12 40
705510	Bolted-type connector with threaded bolt	M16/M12 L 55mm and nut	ST	26,20	AS SCHR M16 55 M12
706200	Fixed ball point D 20mm angled (45°)	with female thread M12	ST	29,40	KFP 20 W45 M12
706235	Fixed ball point D 20mm angled (45°)	with threaded pin and nut M12x35mm	ST	34,90	KFP 20 W45 M12 35SSM
706239	Fixed ball point D 20mm angled 45°	with threaded bolt and nut M12x30mm	ST	35,10	KFP 20 W45M12 SN7024
706300	Fixed ball point D 20mm angled	with terminal lug 45x30x9mm	ST	42,80	KFP 20 S AL 12
706600	Fixed ball point D 20mm angled (45°)	with M16 female thread	ST	30,60	KFP 20 W45 M16
706645	Fixed ball point D 20mm angled (45°)	with threaded pin and nut M16x45mm	ST	38,80	KFP 20 W45 M16 45SSM
707200	Fixed ball point D 20mm angled (90°)	with M12 female thread	ST	57,50	KFP 20 W90 M12
707235	Fixed ball point D 20mm angled (90°)	with threaded pin and nut M12x35mm	ST	62,90	KFP 20 W90 M12 35SSM
707600	Fixed ball point D 20mm angled (90°)	with M16 female thread	ST	58,70	KFP 20 W90 M16
707645	Fixed ball point D 20mm angled (90°)	with threaded pin und nut M16x45mm	ST	65,10	KFP 20 W90 M16 45SSM
712001	Earthing cable YM2 120mm ²		M	103,90	ES YM2 120
715001	Earthing cable YM2 150mm ²		M	136,40	ES YM2 150
715312	Round bolt clamp D 35mm with T pin	shaft for cables 16-150mm ²	ST	291,60	RBK 35 SQ
715313	Round bolt clamp D 30mm with T pin	shaft for cables 16-150mm ²	ST	329,40	RBK 30 SQ SN7642



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
715314	Round bolt clamp D 25mm with T pin	shaft for cables 16-150mm ²	ST	289,50	RBK 25 SQ SN7151
715315	Clamp f. bolt D 26mm	T pin shaft	ST	321,00	RBK 26 SQ SN7255
716001	Earthing cable YM2 16mm ²		M	24,00	ES YM2 16
723199	Adapter for SDS arrester f. mounting on	overh. contact line masts w. bore 22 mm	ST	223,40	MA SDS M12
725001	Earthing cable YM2 25mm ²		M	29,80	ES YM2 25
725010	Fixed ball point D 25mm, clamp type A	for round conductors 10mm	ST	118,20	KFP 25 RL 10
725012	Fixed ball point D 25mm, clamp type A	for round conductors 12mm	ST	119,60	KFP 25 RL 12
725014	Fixed ball point D 25mm, clamp type A	for round conductors 14mm	ST	119,60	KFP 25 RL 14
725016	Fixed ball point D 25mm, clamp type A	for round conductors 16mm	ST	119,60	KFP 25 RL 16
725018	Fixed ball point D 25mm, clamp type A	for round conductors 18mm	ST	119,60	KFP 25 RL 18
725020	Fixed ball point D 25mm, clamp type A	for round conductors 20mm	ST	119,60	KFP 25 RL 20
728312	2-pole phase connecting plate with hole	13mm and 2 M12 screws with nuts	ST	110,10	PAP 2 M12 SSM B13
728313	Phase connection plate 3-pole w. B 13mm	w. round bolt D 20mm L 305mm	ST	254,90	PAP 3 M12 SSM B13 RB
728501	Earth connecting plate w. ball head cap	w. handle a. 2 fixed ball points D 25mm	ST	338,80	EAP 2 25 KKH HG
728502	Earth connection plate for towers	with two fixed ball points D 25mm	ST	77,60	EAP 2 25 MA US OL
728503	Earth connection plate for fuse holders	with one fixed ball point D 25mm	ST	53,00	EAP 25 SIT US OL
728516	Earth connect. plate w. earth bush. a. 3	fix. earth. points w. ring groove D 16mm	ST	303,20	EAPA 3 RN 16 EAB
728522	Earth connecting plate w. bore 12.5mm	and 3 fixed ball points D 20mm	ST	161,50	EAPA 3 KFP 20 B13
728526	Earth connecting plate with bore 12.5mm	and 3 fixed ball points D 25mm	ST	179,40	EAPA 3 KFP 25 B13
728620	Earth connecting plate with ball head	cap and 3 fixed ball points D 20mm	ST	235,00	EAPA 3 KFP 20 KKH
728625	Earth connecting plate with ball head	cap and 3 fixed ball points D 25mm	ST	303,20	EAPA 3 KFP 25 KKH
735001	Earthing cable YM2 35mm ²		M	38,40	ES YM2 35
740124	Hook for (profile-free) fixing of the	earthing cable at the mast	ST	37,30	EHH BEV OL
745016	Earthing cartridge NH size 4a partly	insulated w. M10 threaded bushing	ST	77,60	EP NH4A TI M10
745017	Earthing cartridge NH size 1...3 partly	insul. w. M10 connection a. grip lugs	ST	66,10	EP NH1 3 TI GL M10
745018	Earthing cartridge NH size 1...3		ST	58,30	EP NH1 3 TI M10
745021	Contact blade for earthing cartridge	NH 1...3 with M10 bolt	ST	160,50	KM AB M10 SN7280
745022	Adapter f. EaS cartridges partly insul.	with M10 connection thread	ST	37,80	AD EP TI M10
745105	Earthing and short-circuiting set for	junction box 2xE14/E27 f. mast lightings	ST	1080,50	EKV ÜGK MB S
745106	Storage case f. earthing a. short-circ.	dev. f. junct. boxes of mast lightings	ST	237,10	KKL EKV ÜGK MB
745107	Earthing and short-circ. device f. junct.	box 3xE14 for street lighting inst.	ST	323,10	EKV ÜGK MB
745108	Reducing insert E27-E14 for junction	boxes of mast lightings	ST	17,20	RED E27 E14 ÜGK MB
745109	Fitting screw wrench DII		ST	39,00	PSS DII
745115	EaS device f. junction boxes E14	f. mast lighting systems, Süwag	ST	424,80	EKV ÜGK MB SN7354
745121	EaS device f. cable junction box 2x E14	2x Elsic E clamp f. mast lights	ST	541,30	EKV ÜGK MB SN7724
745201	Screw-in earthing insert size E27	with insulated thread	ST	45,30	ESE E27 TI M10
745202	Screw-in earthing insert size E33	with thread M10 insulated	ST	48,80	ESE E33 TI M10
745203	Screw-in earthing insert size E27	with conductive thread	ST	69,20	ESE E27 KBI M10
745204	Screw-in earthing insert size E33	w. conductive thread	ST	70,70	ESE E33 KBI M10
745302	Earthing cartridge NH size 00	partly insulated w. M10 connection	ST	39,90	EP NH00 TI M10
745307	Earthing cartridge size 00 partly	insulated w. M10 thread and grip lugs	ST	51,30	EP NH00 TI SN7379
745400	Earthing handle TI f. inserting earthing	cartridges and connecting EaS devices	ST	135,30	EG TI EKV
745414	Earthing handle for T pin shaft with	plug-in coupling Un: - 1000V (LV)	ST	134,30	EG SQ STK 400
745415	Earthing handle for hexagon shaft with	plug-in coupling - 1000V AC / -3000V DC	ST	134,30	EG SK STK 400
745500	Earthing and short-circuiting kit TI f.	cable distr. cabinets w. sheet metal case	ST	2104,50	EKS TI 2F KVS SBK
745502	Earth clamp with wing screw		ST	86,00	EK FL20 FS
745503	Compact clamp with T connection	clamping range: 0-24mm	ST	180,40	KK TA 0 24 SK10
745506	Touch protection BS EP NH1 3 TI		ST	125,90	BS EP NH1 3 TI
745508	Compact clamp with thread M8	clamping range: 0-24mm	ST	141,60	KK M8 0 24 SK 10
745509	Compact clamp w. threaded bolt M8x12mm	clamping range: 0-24mm (small clamp jaws)	ST	161,50	KKS M8 0 24 SK10
745510	Earth clamp, clamp body with T pin		ST	331,50	EK SN7089
745602	Earth clamp w. flex. adjust. handle f.	earth cable connection of EaS devices	ST	149,00	EK I FL20 DGF
745900	Sheet steel case, empty, f. earthing and	short-circuiting kit VI for CDC	ST	424,80	SBKL EKS VI KVS
745901	Earthing and short-circuiting kit VI f.	cable distr. cabinets w. sheet metal case	ST	1814,40	EKS VI 2F KVS SBK
745902	Plastic case, empty, f. earthing and	short-circuiting kit VI for CDC	ST	566,50	KKL EKS VI KVS
745903	Earthing and short-circuiting kit VI f.	cable distr. cabinets w. plastic case	ST	1974,80	EKS VI 2F KVS KK
745905	Earthing cartridge NH size 00		ST	23,80	EP NH00 VI TA
745910	Earthing cartridge NH size 1...3		ST	33,70	EP NH1 3 VI TA
745915	Earthing cartridge NH size 4a		ST	44,90	EP NH4A VI TA
745921	Adjustable handle with flexible shaft f.	earthing and short-circ. devices type VI	ST	61,80	DGF EKV VI
745922	Earthing handle type VI		ST	149,80	EG 00 4A VI
745952	Plastic case (empty) for EaS kit f. cable	distribution cabinets 565x410x170 mm	ST	569,60	KK 56 41 17 EK VI TI
745953	Plastic case (empty) f. E+S kit and	earthing sticks 565x410x170 mm	ST	537,10	KK 56 41 17 EK HK
750001	Earthing cable YM2 50mm ²		M	48,30	ES YM2 50
750041	Earthing and short-circ. device 50 mm ²	L 4m with universal clamps	ST	526,60	EKV UK 50 4000
750042	Earthing and short-circ. device 50 mm ²	L 4m with conductor and universal clamp	ST	649,30	EKV LK 50 4000
750196	Earth. dev. for railways f. overh. lines	f. mot. vehicles (not profile-free) -SET-	ST	4500,20	BEV OL NPF PKW K
750200	Earthing device for railways f. overhead	lines f. cars (profile-free) -SET-	ST	6624,40	BEV OL PF PKW K
750210	Earthing device for railways f. overhead	lines (not profile-free) -SET-	ST	2377,00	BEV OL NPF K
750211	Earthing device for railways f. overhead	lines (profile-free) with hook -SET-	ST	2564,80	BEV OL PF K
750212	Earth. dev. for railways f. transformers	at overhead line masts -SET-	ST	1991,00	BEV US OL ST
750213	Earthing device f. railways f. feeding,	bypass and other types of lines -SET-	ST	1605,00	BEV SVUL
750214	Earthing device for railways f. overhead	lines (profile-free) -SET-	ST	2583,70	BEV OL PF V2 K
750215	Earthing device f. railways f. preheat.	systems of railway points + trains -SET-	ST	1714,10	BEV WHA ZVA
750216	Earth. dev. f. railways f. overh. lines	transp. by car (not profile-free) -KIT-	ST	4651,30	BEV OL NPF PKW R
750217	Earth. dev. f. railways f. overh. lines	(prof.-fr.) transp. by car, ratchet -KIT-	ST	6773,40	BEV OL PF PKW R
750218	Earthing device f. railways f. overhead	lines (not profile-free) w. ratchet -KIT-	ST	2528,10	BEV OL NPF R
750219	Earthing device f. railways f. overhead	lines (profile-free), ratchet, hook -SET-	ST	2713,80	BEV OL PF R
750221	Earthing device f. railways f. overhead	lines (profile-free), ratchet, hook -KIT-	ST	2733,70	BEV OL PF V2 R
750500	Bolted-type connector with threaded bolt	M16x65mm and nut	ST	22,30	AS SCHR M16 65
751040	Earthing cable 50mm ² , L 4m	with connecting part PK2	ST	282,20	EKS 50 BEV 4M
751085	Earthing cable 50mm ² , L 8.5m	with connecting part PK2	ST	496,20	EKS 50 BEV 8.5M
751086	Earthing and short-circ. device 50 mm ²	L 8.5 m with rail terminal, tommy bar	ST	1281,90	EKV K 50 8500
751087	Earthing and short-circ. device 50 mm ²	L 8.5 m with rail terminal, ratchet	ST	1430,80	EKV R 50 8500
751120	Earthing cable 50mm ² , L 12m	with connecting part PK2	ST	634,60	EKS 50 BEV 12M
751121	EaS device 50 mm ² L 12 m with hook and	rail terminal, tommy bar	ST	1471,70	EKV K H 50 12000
751122	EaS device 50 mm ² L 12 m with hook and	rail terminal, ratchet	ST	1622,80	EKV R H 50 12000
751126	Earthing and short-circ. device 50 mm ²	L 12 m with rail terminal, tommy bar	ST	1434,00	EKV K 50 12000
751127	Earthing and short-circ. device 50 mm ²	L 12 m with rail terminal, ratchet	ST	1580,80	EKV R 50 12000
751130	Earthing cable 50mm ² L 13m	w. connecting element PK2	ST	668,20	EKS 50 BEV 13M
751140	Earthing cable 50mm ² L 14 m	with connecting element PK2	ST	715,40	EKS 50 BEV 14M
751150	Two-pole earthing and short-circ. device	50mm ² with ball head caps, rigid, 25mm	ST	741,60	EKV2 50 KKH 600 1800
751191	Earthing device for railways f. earthing	masts or constr. machines near rails	ST	1002,80	BEV MF SE K
751192	Earthing device f. railways f. earthing	constr. machines at dedicated busbars	ST	763,70	BEV MF LTE
751193	Earthing device f. railways f. earthing	constr. machines at rails of adj. tracks	ST	1142,40	BEV BM HZ BDW K
751196	Earthing device f. railways f. masts or	construction machines at rails	ST	1152,90	BEV MF SE R
751197	Earthing device f. railways f. earthing	constr. mach. on rails of adj. tracks	ST	1290,30	BEV BM HZ BDW R
752040	Earthing cable w. 2 crimped cable lugs	W 10.5mm 70mm ² L 4000mm AL	ST	438,50	EKS B10.5 70 4000AL
752041	EaS device 70 mm ² L 4000mm AL	with universal clamps	ST	688,10	EKV UK UKH70 4000AL
752042	EaS device 70 mm ² L 4000mm AL	w. conductor clamp a. universal clamp	ST	824,50	EKV LK UKH 70 4000AL
752085	Earthing cable w. 2 crimped cable lugs	W 10.5mm 70mm ² L 8500mm AL	ST	562,30	EKS B10.5 70 8500AL
752086	EaS device 70 mm ² L 8500mm AL	w. rail clamp w. tommy bar	ST	1413,00	EKV FD K 70 8500AL
752087	EaS device 70 mm ² L 8500mm AL	w. rail clamp w. ratchet	ST	1587,10	EKV FD R 70 8500AL
752120	Earthing cable w. 2 crimped cable lugs	W 10.5mm 70mm ² L 12000mm AL	ST	637,80	EKS B10.5 70 12000AL
752121	EaS device 70 mm ² L 12000mm AL	w. rail clamp w. tommy bar	ST	1513,70	EKV FD K H70 12000AL
752122	EaS device 70 mm ² L 12000mm AL	w. rail clamp w. ratchet	ST	1699,40	EKV FD R H70 12000AL
752126	EaS device 70 mm ² L 12000mm AL	w. rail clamp w. tommy bar	ST	1489,60	EKV FD K 70 12000AL
752127	EaS device 70 mm ² L 12000mm AL	w. rail clamp with ratchet	ST	1662,70	EKV FD R 70 12000AL



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
752191	Earthing device 70 mm² L 8500mm Al	w. rail clamp with tommy bar	ST	1025,90	BEV UKH K 70 8500AL
752192	Earthing device 70 mm² L 8500mm Al	w. 2 universal clamps with handle	ST	825,60	BEV 2XUKH 70 8500AL
752193	Earthing device 70 mm² L 12000mm Al	w. rail clamp with tommy bar	ST	1100,40	BEV UKH K 70 12000AL
752196	Earthing device 70 mm² L 8500mm Al	w. rail clamp with ratchet	ST	1200,10	BEV UKH R 70 8500AL
752197	Earthing device 70 mm² L 12000mm Al	w. rail clamp with ratchet	ST	1276,60	BEV UKH R 70 12000AL
754200	Fixed ball point D 20mm straight	with M12 female thread	ST	20,10	KFP 20 M12
754205	Fixed ball point D=20mm, straight	with M10 female thread	ST	20,10	KFP 20 M10
754235	Fixed ball point D 20mm straight	w. threaded pin and nut M12x35mm	ST	25,40	KFP 20 M12 35 SSM
754238	Fixed ball point D 20mm straight	w. threaded pin and nut M12x45mm	ST	25,30	KFP 20 M12 45 SN7078
754600	Fixed ball point D=20mm, straight	with M16 female thread	ST	20,10	KFP 20 M16
754645	Fixed ball point D=20mm, straight	with threaded bolt and nut M16x45mm	ST	27,90	KFP 20 M16 45 SSM
755200	Fixed ball point D=25mm, straight	with M12 female thread	ST	26,50	KFP 25 M12
755225	Fixed ball point D=25mm, straight	with threaded bolt and nut M12x25mm	ST	32,20	KFP 25 M12 25 SSM
755245	Fixed ball point D=25mm, straight	with threaded bolt and nut M12x45mm	ST	33,50	KFP 25 M12 45 SSM
755501	Welding-type connector, threaded	bolt M16x30mm, St/galZn - KIT -	ST	23,80	AS SCHW M16 30
755600	Fixed ball point D=25mm, straight	with M16 female thread	ST	27,90	KFP 25 M16
755626	Fixed ball point D 25mm straight with	thr. pin, nut, flat washer M16x26mm	ST	37,70	KFP 25 M16 25 SKM
755627	Fixed ball point D=25mm/M12	DB Mat. No. 622014 Z. No. 3 Ebgw 01.63	ST	34,60	KFP 25 M12 35 SKM
755636	Fixed ball point D=25mm/M16	DB Mat.-Nr. 609426 Z.-Nr. 3 Ebgw 01.63	ST	37,70	KFP 25 M16 25
755645	Fixed ball point D=25mm, straight	with threaded bolt and nut M16x45mm	ST	33,50	KFP 25 M16 45 SSM
755646	Fixed ball point D 25mm straight with	thr. pin, nut, flat washer M16x46mm	ST	38,80	KFP 25 M16 45 SKM
756200	Fixed ball point D=25mm, angled (45°)	with M12 female thread	ST	47,90	KFP 25 W45 M12
756245	Fixed ball point D=25mm, angled (45°)	with threaded bolt and nut M12x45mm	ST	54,30	KFP 25 W45 M12 45SSM
756300	Fixed ball point D 25mm, angled	with connection lug 50x30x9mm	ST	54,50	KFP 25 S AL 12
756600	Fixed ball point D=25mm, angled (45°)	with M16 female thread	ST	47,60	KFP 25 W45 M16
756645	Fixed ball point D=25mm, angled (45°)	with threaded bolt and nut M16x45mm	ST	57,40	KFP 25 W45 M16 45SSM
757200	Fixed ball point D=25mm, angled (90°)	with M12 female thread	ST	87,80	KFP 25 W90 M12
757245	Fixed ball point D=25mm, angled (90°)	with threaded bolt and nut M12x45mm	ST	91,70	KFP 25 W90 M12 45SSM
757600	Fixed ball point D=25mm, angled (90°)	with M16 female thread	ST	95,40	KFP 25 W90 M16
757645	Fixed ball point D=25mm, angled (90°)	with threaded bolt and nut M16x45mm	ST	99,10	KFP 25 W90 M16 45SSM
758001	Discharge device w. contact electrode	1-pole L=2000mm w. wing bolt earth clamp	ST	477,30	EV TS 2000 EK
758003	Discharge device w. contact electrode	single-pole L=2000mm w. earth tongs	ST	396,50	EV TS 2000 EZ
758015	Discharge device f. hooking 1-pole	L 1725mm w. earth clamp w. tommy bar	ST	766,80	EV EH 1725 EK
758020	Disch. device, contact/coupling electr.	single-pole, L=465mm w. earthing clamp	ST	334,60	EV TES 465 EK
758021	Disch. device, contact/coupling electr.	single-pole, L=465mm w. earthing tongs	ST	273,80	EV TES 465 EZ
758022	Disch. device, contact/coupling electr.	single-pole, L=465mm w. cable lug 10mm²	ST	256,00	EV TES 465 KS10
758025	Discharge dev., cont. and coupl. electr.	L 1500mm STK cable length 3500mm KS	ST	366,10	EV TES STK 1500 KS
758028	Discharge device w. ring hook L 1600mm	w. plug-in coupl. cable 16mm² L3500mm	ST	492,00	EV EHB 1600 SN7114
758036	Discharge device w. contact a. coupling	electrode 1-pole L 465mm	ST	100,70	EV TES 465 SN7215
758075	Discharge device w. contact electrode	L 1470mm w. plug-in coupling	ST	337,80	EV TS STK 1470
758085	Discharge device w. contact a. coupling	electrode L 1500mm w. plug-in coupling	ST	278,00	EV TES STK 1500
758095	Discharge device w. ring hook	L 1600mm w. plug-in coupling	ST	409,10	EV EHB STK 1600
758099	Equipotential bonding device 3+1 with	pole tongs 3x black 1x red D 5-25mm	ST	756,30	PAV 3+1 16 ZAK
758116	Earthing cable 16mm² for discharge device	cable lug at both ends	ST	101,50	EL 16CU KS12.5 8.5
758125	Earthing cable 25mm² for discharge device	cable lug at both sides	ST	114,30	EL 25CU KS12.5 8.5
758135	Earthing cable 35mm² for discharge device	cable lug at both sides	ST	126,90	EL 35CU KS12.5 8.5
758216	Earthing cable 16mm² for discharge device	1x earthing tongs and 1x cable lug	ST	169,90	EL 16CU EZ KS8.5
759706	Phase comparator PHV1P single-pole	6-12kV 50Hz	ST	1936,50	PHV1P 6 12
759712	Phase comparator PHV1P single-pole	10...20kV 50Hz	ST	1857,80	PHV1P 10 20
759716	Phase comp. PHV1P single-pole 5...36kV	50 Hz switchable: 5...10kV 20... 36kV	ST	2223,90	PHV1P U 5 36
759736	Phase comparator PHV1P single-pole	20...36kV 50Hz	ST	1935,40	PHV1P 20 36
759798	Sealing ring for indicator of	phase comparator	ST	5,20	DR PAG
759799	Threaded ring for indicator	of phase comparator	ST	36,30	GR PAG
761001	Earthing stick f. hexagon shafts	w. plug-in coupling L 1000mm	ST	140,60	ES SK STK 1000
761002	Erdungsstange f. Spindel-Querstift	m. Steckkupplung L 1000mm	ST	140,60	ES SQ STK 1000
761003	Earthing stick for hexagon shafts	w. plug-in coupling L 2000mm	ST	201,40	ES SK STK 2000
761004	Earthing stick for T pin shafts	with plug-in coupling L 2000mm	ST	201,40	ES SQ STK 2000
761010	Earthing rod L 1000mm	hexagon shaft	ST	133,20	ES SK 1000
761011	Earthing rod L 1000mm	T pin shaft	ST	133,20	ES SQ 1000
761015	Earthing stick L 1500mm	hexagon shaft	ST	164,70	ES SK 1500
761016	Earthing rod L 1500mm	T pin shaft	ST	164,70	ES SQ 1500
761070	Earthing stick for hexagon shafts with	plug-in coupling L 920mm	ST	245,50	EST SK STK 920
761075	Earthing stick for T pin shafts with	plug-in coupling L 920mm	ST	245,50	EST SQ STK 920
763100	Switching stick 36kV with plug-in coupling	L 1000mm	ST	160,50	SCS 36 STK 1000
763111	Switching stick 36kV L 1000mm with STK	Also for use in wet weather conditions	ST	247,60	SCSN 36 STK 1000
763211	Insulating protective shutter	type A1, PVC	ST	0,00	ISP 36 PVC A1...
763221	Insulating protective shutter	type A2, PVC	ST	0,00	ISP 36 PVC A2...
763231	Insulating protective shutter	type A3, PVC	ST	0,00	ISP 36 PVC A3...
763241	Insulating protective shutter	type A4, PVC	ST	0,00	ISP 36 PVC A4...
763610	Switching stick 36kV L 1030mm		ST	143,70	SCS 36 1000
763611	Switching stick 36kV L 1500mm		ST	169,90	SCS 36 1500
763612	Switching stick 36kV L 2000mm		ST	231,80	SCS 36 2000
763615	Switching stick 72kV L 1500mm		ST	183,60	SCS 72 1500
763620	Switching stick 72kV L 2000mm		ST	210,80	SCS 72 2000
763630	Switching stick 72kV L 3000mm		ST	334,60	SCS 72 3000
763710	Insul. stick w. hex. socket 12mm w. hand	crank L 1720mm f. motor drives MS -36kV	ST	547,60	IS SK12 HK 1720
763711	Insul. stick extension w. hexag. socket	12mm f. motor drives MS -36kV L 1060mm	ST	462,60	ISV SK12 1060
763712	Operating head w. hexagon 24/12mm	for motor drives	ST	68,20	AK SK24 SK12
765001	Adapter for earthing sticks SQ SK		ST	102,80	AD ES SQ SK
765005	Switching stick head with thread M12		ST	19,60	SSK M12
765006	Adapter f. earthing sticks SQ SQL		ST	117,50	AD ES SQ SQL
765009	Switching stick head with T pin shaft		ST	141,60	SSK SQ
765040	Fuse tong straight Un up to 36kV	D 30...90mm L 1060mm	ST	459,50	SZ HH 1060
765041	Fuse tong straight Un up to 36kV	D 30...90mm L 1250mm	ST	460,50	SZ HH 1250
765042	Fuse tong straight Un up to 36kV	D=30...90mm L=1500mm	ST	497,20	SZ HH 1500
765050	Fuse tong angled Un up to 36kV	D=30...90mm L 1070mm	ST	459,50	SZ HH W20 1070
765051	Fuse tong angled Un up to 36kV	D 30...90mm L 1250mm	ST	461,60	SZ HH W20 1250
765052	Fuse tong angled Un up to 36kV	D=30...90mm L 1500mm	ST	496,20	SZ HH W20 1500
766001	Insulating stick 36kV M12 SK L 1000mm		ST	163,60	IS 36 SK 1000
766002	Insulating stick 36kV L 1500mm		ST	190,90	IS 36 SK 1500
766036	Plastic case empty	395x295x105mm for test head PHE III	ST	244,40	KKL PK PHE3 L
766037	Telesc. insulating rod with ZK support	and measuring scale Un...36kV L 10600mm	ST	3236,20	ISMTC N 36 ZK 10600
766038	Support for telescopic insulating stick		ST	75,50	AH ISMTC
766039	Canvas bag L 1800mm D 200mm		ST	313,70	STT 180 20
766040	Rescue rod Un ... 36kV L 1235mm		ST	378,70	RST 36 1000
766041	Rescue rod Un ... 36kV L 1695		ST	398,60	RST 36 1500
766042	Rescue rod Un ... 36kV L 2195mm		ST	411,20	RST 36 2000
766048	Insulating stick f. electric railways	L 2885mm Un:7.5kV DC/25kV AC vers. GE/GB	ST	897,90	IS 25 ZK 2885
766049	Operating head contacting aid w. gear	coupling f. telescopic insulating stick	ST	162,60	AK AH ZK ISMTC
766055	Adapter with gear coupl. D 25mm L 200mm	f. insul. stick f. cleaning head	ST	46,20	AD ZK 25 200
766056	Cleaning head L 230mm W 100mm	D 25mm	ST	87,10	RK 230 100 AS25
766057	Cleaning pad 250x115x20mm	1 set = 10 pieces	SA	157,40	RP 250 115 20
766059	Adapter w. gear coupling for 3M Animal	Guard L 170mm	ST	241,30	AD ZK 3M 170
766072	Insulating stick with M12 thread	and plug-in coupling D 30mm L 720mm	ST	223,40	IS M12 STK 30 720
766073	Extension handle w. plug-in coupling	D 43mm L 2350mm	ST	297,90	HV STK 43 2350
766075	Insulating rod with M12 thread	and plug-in coupling D 30mm L 1060mm	ST	236,00	IS M12 STK 30 1060
766076	Extension handle with plug-in coupling	D 43mm L 1045mm	ST	207,70	HV STK 43 1045
766077	Extension handle with plug-in coupling	D 43mm L 975mm	ST	167,80	HV STK 43 975



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
766100	Insulating stick 36kV w. plug-in coupling	hexagon shaft L 1000mm	ST	175,20	IS 36 SK STK 1000
766105	Plastic screw with star handle and	flat washer M8	ST	10,50	KS SG BLS 8
766111	Insulating stick 36kV SK L 1000mm w. STK	Also for use in wet weather conditions	ST	257,00	ISN 36 SK STK 1000
766114	Ins. element w. threaded bushing M12	and plug-in coupling D 30mm L 700mm	ST	267,50	IT M12 STK 30 700
766115	Insul. element w. M12 threaded bushing	and plug-in coupling D 30mm L 1150mm	ST	365,10	IT M12 STK 30 1150
766116	Insul. stick upper sect. w. thread. bush	M12 a. plug-in coupl. D 30mm L 783mm	ST	0,00	ISO M12 STK 30SN7563
766117	Insulating stick lower section w. 2x	plug-in coupling D 30mm L 935mm	ST	0,00	ISU STK STK 30SN7564
766120	Handle with plug-in coupling	D 43mm L 800mm	ST	227,60	H STK 43 800
766122	Insulating stick 123kV M12 SK w. plug-in	coupling L 2000 mm	ST	231,80	IS 123 SK STK 2000
766128	Insulating element with plug-in coupling	D 43mm L 1280mm	ST	521,40	IT STK 43 1280
766164	Switching stick head up to 36kV 50Hz	with plug-in coupling L 560 mm	ST	129,00	SSK 36 STK 560
766169	Switching stick head up to 36kV 50Hz	with plug-in coupling L 930 mm	ST	300,00	SSK 36 STK 930SN7689
766298	Sheet steel case, empty, f. earth. and	short-circ. kit type TI f. CDC 2-fold	ST	392,30	SBKL EKS TI KVS 2F
766300	Sheet steel case, empty, f. earthing a.	short-circuiting kit TI for CDC	ST	180,40	SBKL EKS TI KVS
766301	Insulating stick 36kV w. plug-in coupling	T pin shaft L 1000mm	ST	175,20	IS 36 SQ STK 1000
766302	Earthing and short-circ. kit TI f. cable	distribution cabinets w. sheet metal case	ST	929,40	EKS TI KVS SBK
766310	Insulating stick 36kV SQ L 1000mm w. STK	Also for use in wet weather conditions	ST	258,10	ISN 36 SQ STK 1000
766311	Insulating stick 36kV SQ L 1028mm		ST	163,60	IS 36 SQ 1000
766312	Insulating stick 72.5kV SQ L 1300mm		ST	232,90	IS 72.5 SQ SN7743
766313	Adapter f. extension handle with STK	f. shaft / T pin	ST	117,50	AD HV STK SQ
766315	Insulating stick 36kV SQ L 1528mm		ST	194,10	IS 36 SQ 1500
766321	Adapter with flat connector 18x7mm	and STK plug-in coupling	ST	0,00	AD FB18 7 STK SN7007
766322	Insulating stick 123kV SQ with plug-in	coupling L 2000 mm	ST	230,80	IS 123 SQ STK 2000
766328	Insulating stick with M12 thread and	end cap L 635mm	ST	0,00	IS M12 AK 635
766331	Insulating stick with M12 thread and	plug-in coupling L 640 mm	ST	158,40	IS M12 STK 640
766332	Insulating stick 123kV SQ L 2500mm w. STK	Also for use in wet weather conditions	ST	729,10	ISN 123 SQ STK 2500
766335	Handle extension with plug-in coupling	L 710mm	ST	114,30	HV STK 30 710
766340	Insulating stick kit up to 7.5kV DC 25kV	AC with cleaning head L 3160mm	ST	1107,70	IS 25 ZK RK 3160
766352	Adapter w. M12 threaded bushing and	plug-in coupling D 30mm L 350mm	ST	165,70	AD M12 STK 30 350
766356	Insulating rod extension up to 36kV AC	plug-in coupling D 30mm L 910mm	ST	155,30	ISV 36 STK 30 910
766358	Insulat. elem. w. gear coupl. angled 30°	a. plug-in coupling D 30 mm L 360mm	ST	194,10	IT ZK30 STK 30 360
766359	Adapter with gear coupling and plug-in	coupling D 30mm L 360mm	ST	172,00	AD ZK STK 30 360
766362	Insulating stick up to 36kV 50Hz	D 30mm L 930mm w. plug-in coupling	ST	383,90	ISN 36 STK 930SN7688
766363	Insulating rod up to 36kV 50Hz with	plug-in coupling D 30mm L 1280mm	ST	202,50	IS 36 STK 30 1280
766364	Operating head up to 36kV 50Hz hexagon	shaft with plug-in coupling L 330 mm	ST	113,30	AK 36 SK STK 330
766365	Operating head up to 36kV 50Hz T pin	shaft with plug-in coupling L 360 mm	ST	99,70	AK 36 SQ STK 360
766366	Insulating rod extension with plug-in	coupling D 30mm L 1280mm	ST	166,80	ISV 36 STK 30 1280
766367	Insolierstange b. 36kV 50Hz D 30mm	L 1280mm m. Steckkupplung	ST	325,20	ISN 36 STK 30 1280
766368	Insulating stick with gear and plug-in	coupling L 670 mm	ST	190,90	IS ZK STK 670
766369	Insulating stick with gear and plug-in	coupling with hand strap L 670mm	ST	266,40	IS ZK STK HS 670
766371	Insulating stick 25kV 16.7Hz with	plug-in coupling D 30mm L 900mm	ST	0,00	ISN 25 STK 900SN7360
766372	Ice hammer operating head 25kV 16.7Hz	with plug-in coupling D 56mm L 400mm	ST	0,00	AK 25 ESH STK SN7361
766380	Operating stick SET 36kV with plug-in /	gear coupling	ST	2125,30	ASSN 36 STK ZK
766389	Rigid adapter for housing of digital	camera with threaded pin and gear coupling	ST	215,00	ADS ZK 185
766390	Kit w. digital camera f. visual insp.	of electrical installations -123kV	ST	2262,70	SET DIGIK
766393	Plastic handle with gear coupling	L 230mm	ST	222,40	HG ZK 230
766395	LED lighting for digital camera	DIGIK -123 kV	ST	370,30	LED DIGIK ISO
766396	Adapter	with gear coupling and T pin shaft	ST	163,60	AD SQ ZK 165
766456	Extension handle with plug-in coupling	D 43 mm L 910mm	ST	156,30	HV STK 43 910
766466	Extension handle with plug-in coupling	D 43mm L 1280mm	ST	171,00	HV STK 43 1280
766469	Telescopic extension handle w. plug-in	coupling L 4100mm	ST	0,00	HVTC STK 4100 SN7359
766520	Handle with plug-in coupling	D 43mm L 500mm	ST	150,00	H STK 43 500
766525	Operating head for hexagon shafts with	plug-in coupling L 500mm	ST	107,00	AK SK STK 500
766526	Operating head for T pin shafts with	plug-in coupling L 500mm	ST	107,00	AK SQ STK 500
766542	Extension prod for SPN detector	L 500 mm	ST	97,60	VS 500 SPN II
766543	Storage bag for SPN II		ST	48,30	AT SPN II
766601	Artificial leather bag 1200x250x160mm		ST	157,40	KLT 121 25 16
766602	Artificial leather bag 2470x220x100mm	DB Z. No. 3 Ebgw 02.51	ST	257,00	KLT 247 10 22
766605	Small electric bulb 3.5-3.8V 0.2A E10		ST	4,30	GL 3.5V 0.2A E10
766611	Mignon battery 1.5V LR1 FR6 lithium	(blister pack containing 4 batteries)	SA	51,20	MZ 1.5V LR1 FR6 LI 4
766614	Artificial leather bag, L 1600mm D 170mm		ST	256,00	KLT 160 17
766616	PHE voltage detector 15kV 16.7Hz	f. overhead lines with bag -SET-	ST	2106,40	PHE 15 16.7 4T TA
766617	PHE voltage det. 15kV 16.7Hz f. overhead	lines (tr. in motor veh.), bag -SET-	ST	2647,70	PHE 15 16.7 6T TA
766618	Mignon battery 1.5V IEC LR6 alkali		ST	4,30	MZ 1.5 IEC LR6 AL
766619	Test prod f. PHE 15kV 16.7Hz		ST	368,20	PS PHE 15 16.7
766660	Voltage detector 2-pole f. low-voltage	systems 100-500V AC/DC	ST	612,60	SPN 500B
766665	Voltage detector 2-pole f. low-voltage	systems 120-1000V AC/DC	ST	651,40	SPN 1000B
766677	PHE indicator 15kV 16.7 Hz		ST	1248,30	PHE A 15 16.7
766678	Electronic indicator PHE 15kV 16.7 Hz		ST	1453,90	PHE PK 15 16.7
766703	Steel plate case 920x160x100mm	for PHE voltage detector	ST	275,90	SKL 92 16 10
766704	Canvas bag with shoulder strap	1200x300x150mm	ST	322,00	STT 120 30 15
766706	PHG II voltage detector 6kV 50Hz	with LED indication Category S	ST	412,30	PHG2 6
766710	PHG II voltage detector 10kV 50H	with LED indication Category S	ST	414,40	PHG2 10
766720	PHG II voltage detector 20kV 50Hz	with LED indication Category S	ST	453,20	PHG2 20
766888	Sealing unit with plug-in coupling		ST	31,50	A STK
766889	End fitting with plug-in coupling	and aluminium eye	ST	66,10	AR STK
766913	Onion-shaped electrode as of 3kV	with tip a. M8 threaded bolt f. PHE/PHV	ST	15,60	EL M8 SZ PHE PHV
766915	Eaton Holec Magnefix electrode 3-15kV	with M8 threaded bolt for PHE4/PHE/PHV	ST	118,50	EL M8 MAG PHE PHV
766916	Test probe with M8 threaded bolt	for PHE 3-24kV	ST	225,50	PSO M8 PHE
766923	Hook-shaped electrode with M8 thread	for conductor - D 22mm	ST	22,70	EL M8 H PHE
766924	Fork-shaped electrode W 69mm	with M8 threaded bolt f. PHE/PHV	ST	46,50	EL M8 G PHE
766925	Pin-shaped electrode D 4mm	with M8/M6 thread	ST	17,10	EL M8 S PHE PHV
766927	V-shaped electrode W 22mm	with M8 threaded bolt f. PHE/PHV	ST	14,50	EL M8 V PHE PHV
766940	Test probe, angled 25°	with M8 threaded bolt for PHE 3-24kV	ST	438,50	PSO M8 W25 PHE
766941	Test probe, angled 45°	with M8 threaded bolt for PHE 3-24kV	ST	424,80	PSO M8 W45 PHE
766950	Test probe, angled (90°)	with M8 threaded bolt for PHE 3-36kV	ST	343,00	PSO M8 W90 PHE
766960	Test probe for PHE 3-24kV D 14 mm	L 800mm with M8 threaded socket/bolt	ST	290,60	PSO M8 PHE L800
766994	Plastic case empty for voltage	detector 920 x 280 x 120 mm	ST	218,20	KKL 92 28 12
766995	Plastic case empty for voltage	detector 1270 x 280 x 120 mm	ST	274,80	KKL 127 28 12
766996	Black artificial leather bag	1330x345x100mm	ST	716,50	KLT 133 34 10
766997	Plastic case empty for	PHE voltage detector 930x215x140mm	ST	566,50	KKL PHE
766998	Plastic case empty for PHE III	voltage detector 60/110kV 1270x215x140mm	ST	603,20	KKL PHE3 60 110
766999	Plastic case empty for	PHE voltage detector 1270x215x140mm	ST	607,40	KKL PHE L
767101	DEHNcap/P-HR voltage indicator		ST	64,70	SAG DCA P HR GA
767102	DEHNcap/P-LRM voltage indicator		ST	86,20	SAG DCA P LRM GA
767107	Storage case plastic	395x295x105mm for DEHNcap	ST	242,30	KKL DCA
767110	Test unit for DEHNcap/P		ST	138,80	TG DCA
767112	DEHNcap/A-LRM voltage indicator		ST	501,40	SAG DCA A LRM
767122	DEHNcap/IT-LRM interface test unit		ST	506,70	SPG DCA IT LRM
767125	PHE III voltage detector 25kV 50Hz	cat. S	ST	1801,10	PHE3 25 S 50 1P
767129	Indicator PHE III 110-132kV 50/16,7Hz	cat. S f. switchgear/overhead lines	ST	0,00	PHE3 A 110 132 S
767131	PHE III voltage detec. kit 110-132 50 Hz	cat. S f. switchg. inst./overh. lines	ST	3603,30	PHE3S 110 132 S
767132	DEHNcap/PC-LRM phase comparator		ST	1116,10	PV DCA PC LRM
767133	Test adapter for DEHNcap HR-LRM		ST	146,90	MA DCA HR LRM
767136	Test adapter DEHNcap LR-LRM		ST	109,10	MA DCA LR LRM
767139	DEHNcap PC-LRM phase comparator	with bag	ST	1243,10	PV DCA PC LRM T
767150	DEHNcap HR-LRM kit	including plastic case	ST	2683,30	PS DCA HR LRM
767413	Voltage detector PHE 15kV 16.7Hz	f. railway feeder lines	ST	1641,70	PHE 15 16.7 BEL STK



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
767415	PHE voltage detector 6...20kV 16.7Hz	f. switchgear a. point heating systems	ST	1420,30	PHE 6 20 S 16.7 1P
767416	Switchable PHE voltage detector	3..10kV/50Hz 6..20kV/50Hz 6..20kV/16.7Hz	ST	1516,90	PHE 3 20 S FU 1P
767500	Artificial leather bag 235x160x40mm		ST	97,60	KLT 23 16 4
767539	Non-contact voltage detector HSA194	Un 110...420kV 50Hz	ST	0,00	HSA 194 110 420 SN7737
767541	HSA194 non-contact voltage detector	Un 110..420kV 50Hz	ST	1942,70	HSA194 110 420 STK
767542	Non-contact voltage detector type	HSA 194 110...420kV / 16.7Hz	ST	2015,10	HSA194 110 420 16.7
767547	Non-contact voltage detector HSA205	Un 1..420kV 60Hz switchable	ST	2357,10	HSA205 U 1 420SN7608
767552	Non-contact voltage detector HSA205	Un 1..420kV 50Hz switchable	ST	2324,60	HSA205 U 1 420 STK
767559	Insulating cap f. HSA205 non-contact	voltage detector	ST	180,40	IK HSA205
767564	ASP indicator 110-132kV 16.7Hz	Category L with gear coupling	ST	0,00	ASP A 110 132 16.7 L
767565	Non-contact voltage detector kit	110-132kV 16.7Hz cat. L, overhead lines	ST	0,00	ASPS 110 132 16.7 L
767571	Non-contact voltage detector kit	110-420kV 50Hz cat. L f. overhead lines	ST	2053,90	ASPS 110 420 L
767572	Non-contact voltage detector kit	110-420kV 50 Hz cat. S f. overhead lines	ST	2175,60	ASPS 110 420 S
767573	Dist. volt. detec. kit 110-420kV 50Hz	Cat.S/L f. overh.lines a. outd. sw.gear	ST	3144,90	ASPS 110 420 S L
767574	Artificial leather bag 1040x90mm		ST	140,60	KLT 104 9
767576	E-field sensor L 127mm	for overhead lines	ST	509,80	EFS L 127
767577	E-field sensor L 167mm	for outdoor switchgears	ST	632,50	EFS S 167
767591	Indicator ASP 110...420kV 50Hz	cat. L with gear coupling	ST	0,00	ASP A 110 420 L ZK
767592	Indicator ASP 110...420kV 50Hz	cat. S with gear coupling	ST	0,00	ASP A 110 420 S ZK
767593	Indicator ASP 110...420kV 50Hz	cat. S/L with gear coupling	ST	0,00	ASP A 110 420 SL ZK
767610	PHE/G I d.c. voltage detector f. overhead	contact lines w. pos. pole on test prod	ST	2871,10	PHEG1 FD P 3
767614	PHE/G I d.c. voltage detector f. overh.	cont. lines w. neg. pole on test prod	ST	3046,30	PHEG1 FD M SN7223
767636	D.c. voltage detector PHE/G I f. switch-	gear w. positive pole on test prod	ST	2184,00	PHEG1 S P SN7240
767637	D.c. voltage detector PHE/G II w.	positive pole on test prod Un 1.5kV	ST	2394,90	PHEG2 P SN7194
767639	D.c. voltage detector PHE/G II with	positive pole on test prod Un 750V	ST	2348,70	PHEG2 P SN7346
767640	D.c. voltage detector PHE/G II, test	prod with positive pole Un 600..750V	ST	2103,20	PHEG2 P SN7407
767645	D.c. voltage detector PHE/G II w.	positive pole on test prod Un 1.0-12kV	ST	2349,80	PHEG2 P SN7259
767647	D.c. voltage detector PHE/G II with	positive pole on test prod Un 1...4.2kV	ST	2349,80	PHEG2 P SN7552
767666	PHE/G I d.c. voltage detector f. switch-	gears, test prod w. pos. pole 1..24kV	ST	2493,50	PHEG1.S P SN7401
767671	D.c. voltage detector PHE/G II with	positive pole on test prod 1-24kV	ST	2591,00	PHEG2.P SN7517
767701	Steel plate case 950x210x100mm	for PHE III voltage detector	ST	284,30	SKL 95 21 10
767703	PHE III voltage detector 3kV 50Hz	category S	ST	1335,40	PHE3 3 S
767706	PHE III voltage detector 6kV 50Hz	category S	ST	1334,30	PHE3 6 S
767710	PHE III voltage detector 10kV 50Hz	category S	ST	1334,30	PHE3 10 S
767711	PHE III voltage detector 3...10kV 50Hz	category S	ST	1343,80	PHE3 3 10 S
767712	9V E block battery lithium		ST	53,30	EB 9V LI
767713	9V E block battery alkali manganese		ST	17,10	EB 9V AL
767720	PHE III voltage detector 20kV 50Hz	category S	ST	1337,50	PHE3 20 S
767721	PHE III voltage detector 6...20kV 50Hz	category S	ST	1375,20	PHE3 6 20 S
767722	PHE III indicator 20kV 50Hz	Category S/L with gear coupling	ST	0,00	PHE3 A 20 SL ZK
767724	PHE III voltage detector kit 20kV 50Hz	cat. S f. switchgears/overhead lines	ST	2611,00	PHE3S 20 S ZK
767725	PHE III voltage detector kit 20kV 50Hz	cat. L f. overhead lines	ST	5219,80	PHE3S 20 L ZK
767726	Indicator PHE III 60-110kV 50Hz	category L	ST	0,00	PHE3 A 60 110 L
767730	PHE III voltage detector 30kV 50Hz	category S	ST	1343,80	PHE3 30 S
767731	PHE III voltage detector 10...30kV 50Hz	category S	ST	1377,30	PHE3 10 30 S
767732	Indicator PHE III 60-132kV 50Hz	category S/L	ST	0,00	PHE3 A 60 132 SL
767733	PHE III voltage detector 3...30kV 50Hz	cat. S switchable: 3...10kV 10...30kV	ST	1447,60	PHE3 U 3 30 S
767734	Indicator PHE III 60-110kV 50Hz	category S	ST	0,00	PHE3 A 60 110 S
767735	Indicator PHE III 60-132kV 50Hz	category S/L with gear coupling	ST	0,00	PHE3 A 60 132 SL ZK
767740	PHE III voltage detector 6...20kV 50Hz	category S/L	ST	1508,50	PHE3 6 20 SL
767750	PHE III voltage detector 10...20kV 50Hz	category S/L	ST	1515,80	PHE3 10 30 SL
767760	Test prod S60 for PHE III		ST	233,90	S60 PS PHE 285
767761	Test prod S61 for PHE III		ST	246,50	S61 PS PHE 435
767762	Test prod S62 for PHE III		ST	266,40	S62 PS PHE 620
767763	Test prod S63 for PHE III		ST	309,50	S63 PS PHE 780
767764	Test prod S64 for PHE III		ST	336,70	S64 PS PHE 880
767766	Test prod for PHE III Category L		ST	220,30	L71 PS PHE 185
767767	Test prod for PHE III Category S		ST	383,90	S65 M PS PHE 905
767768	Test prod for PHE III for 8CK systems	for mipak switchgear installations	ST	452,10	S63 PS PHE 8CK
767771	Test prod S66 f. PHE III	L 915mm	ST	498,30	S66 PS PHE 880
767772	Test prod for PHE III, Category L		ST	296,90	L72 PS PHE 405
767776	Protective rubber for PHE test device		ST	10,80	FSG PHE
767777	Protective rubber for PHV test device	and PHG II	ST	8,40	FSG PHG2 PHV
767779	Sealing ring for PHE III test prod		ST	5,30	DR PS PHE3
767903	PHE III voltage detector 3kV 50Hz	category S with gear coupling	ST	1388,90	PHE3 3 S ZK
767906	PHE III voltage detector 6kV 50Hz	category S with gear coupling	ST	1388,90	PHE3 6 S ZK
767910	PHE III voltage detector 10kV 50Hz	category S with gear coupling	ST	1388,90	PHE3 10 S ZK
767920	PHE III voltage detector 20kV 50Hz	category S with gear coupling	ST	1391,00	PHE3 20 S ZK
767921	PHE III elec. ind. 6...20kV 50Hz cat. S	w. standby function a. gear coupling	ST	1444,50	PHE3 PK6 20 S SB ZK
767922	PHE III elec. ind. 6...20kV 50Hz cat. L	w. standby function a. gear coupling	ST	1429,80	PHE3 PK6 20 L SB ZK
767930	PHE III voltage detector 30kV 50Hz	category S with gear coupling	ST	1401,50	PHE3 30 S ZK
767931	PHE III elec. ind. 10...30kV 50Hz cat. S	w. standby function a. gear coupling	ST	1443,40	PHE3 PK10 30 S SB ZK
767932	Indic. w. test pr. PHE III 10...30kV 50Hz	cat. L w. standby func. a. gear coupling	ST	1429,80	PHE3 PK10 30 L SB ZK
767940	PHE III voltage detector 6-20kV 50Hz	cat. S/L with gear coupling	ST	1559,90	PHE3 6 20 SL ZK
767941	PHE III voltage detector 3...10kV 50Hz	category S with gear coupling	ST	1400,40	PHE3 3 10 S ZK
767944	Voltage detector PHE III 6...36kV 50Hz	Cat. S switch. 6-20/20-36kV w. gear coup.	ST	0,00	PHE3 U 6 36 S SN7728
767950	PHE III voltage detector 10-30kV 50Hz	cat. S/L w. gear coupl. PHE3 10 30 SL ZK	ST	1575,60	PHE3 10 30 SL ZK
767951	PHE III voltage detector 6...10kV 50Hz	category S with gear coupling	ST	1423,50	PHE3 6 20 S ZK
767960	PHE III voltage detector 3...30kV 50Hz	cat. S switch. 3-10/10-30kV gear coupl.	ST	1494,80	PHE3 U 3 30 S ZK
767961	PHE III voltage detector 10...30kV 50Hz	category S with gear coupling	ST	1429,80	PHE3 10 30 S ZK
767963	Indicator PHE III 60-110kV 50Hz	category S with insulating element	ST	0,00	PHE3 A 60 110 S IT
767965	Indicator PHE III 10-30kV 50Hz	cat. S w. gear coupling angled 30°	ST	0,00	PHE3 A 10 30 S ZK30
767972	Indicator PHE III 30-60kV 50Hz	category S	ST	0,00	PHE3 A 30 60 S
767974	Indicator PHE III 30-60kV 50Hz	category L	ST	0,00	PHE3 A 30 60 L
767980	Voltage detector kit PHE III 60...110kV	cat. S f. switchgear/overhead lines	ST	3264,50	PHE3S2 60 110 S
767990	Voltage detector PHE III 60...110kV	cat. S	ST	2682,30	PHE3 60 110 S
767996	Artificial leather bag 1010x300x100mm		ST	528,70	KLT 101 30 10
767997	Plastic case empty for	PHE III voltage detector 930x215x140mm	ST	566,50	KKL PHE3
767999	Plastic case empty for	PHE III voltage detector 1270x215x140mm	ST	606,30	KKL PHE3 L
769300	Telescopic earthing rod w. plug-in coup.	L 1760-3015mm w. cone coupling SQL	ST	716,50	ESTC SQL STK 3000
769304	Earthing rod T pin shaft (small)	telescopic w. bayonet coupl. 1790-3040mm	ST	755,30	ESTC SQ STK SN7562
769352	Telescopic earthing stick L 1935-3515mm	w. SQL cone coupling	ST	884,30	ESTC SQL RW 3500
769400	Telescopic earthing stick	L 2180-4015mm w. SQL cone coupling	ST	768,90	ESTC SQL 4000
769500	Telescopic earthing stick	L 2680-5015mm w. cone coupling SQL	ST	781,50	ESTC SQL 5000
769502	Telescopic earthing stick L 2685-5015mm	w. cone coupl. SQL a. locking mech.	ST	993,40	ESTC SQL RW 5000
769503	Top section of earthing stick	L 1600mm w. SQL cone coupling	ST	526,60	EST KS SQL 1500
769504	Intermediate section of earthing stick	w. coupling element L 1500mm	ST	547,60	EST ZS 1500
769505	End fitting of earthing stick	w. coupling element L 1500mm	ST	420,60	EST ES 1500
769508	Telescopic earthing stick L 2685-5015mm	with cone coupling SQL and cable entry	ST	1043,80	ESTC SQL H RW 5000
769509	Canvas bag 1100x150mm	DB Z. No. 3 Ebgw 01.67	ST	236,00	STT 110 15
769511	Telescopic earthing stick L 2875-5200mm	w. fixed phase screw clamp	ST	1196,90	ESTC PSK 5000 SN7249
769515	Earthing stick 6-part f. SQL L 4855mm	w. transp. bag f. railway earth. equip.	ST	2035,10	EST SQL RW 4855 TA
769516	Earthing stick with plug-in coupling	a. cone coupling SQL L 1035mm	ST	380,80	ES SQL ALSTK 1035
769517	Handle extension with plug-in coupling	D 43mm L 1035mm	ST	336,70	HV ALSTK 1035
769518	Handle extension with plug-in coupling	red/white D 43mm L 1035mm	ST	416,50	HV ALSTK RW 1035
769519	Handle extension with plug-in coupling	red/white D 43mm L 1035mm w. eye	ST	393,40	HV ALSTK AK RW 1035
769701	Test prod S66 f. PHE III	L 915mm, CODED	ST	654,60	S66PS PHE880 C SN7771
769712	Voltage detector kit PHE III 60...110kV	Cat.S f.switchgear/overhead lines,CODED	ST	4923,00	PHE3S60 110S CSN7774



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
769713	Indicator PHE III 60-110kV 50Hz	category S w. insulat. element, CODED	ST	2206,00	PHE3A60110SITCSN7772
769714	Voltage detector PHE III 66kV 16.7 Hz	cat. S	ST	0,00	PHE3 66 16.75 SN7705
770001	Earthing cable YM2 70mm ²		M	68,10	ES YM2 70
771230	Clamp with insulated handle for	insulated conductor bars	ST	260,20	ZK55 IS
771231	Blue clamp with insulated handle for	insulated conductor bars	ST	265,40	ZK55 IS BL
771232	Clamp with insulated handle for	bare conductor bars	ST	252,80	ZK85 BS
771233	Clamp with insulated handle for bare	conductor bars, blue for PEN	ST	265,40	ZK85 BS BL
771316	Phase connecting element w. T pin shaft	M16x18mm f. cable lug PK1 16-150mm ²	ST	120,60	PAS EK SQ 16
772310	Ball head cap D 20mm, rigid, with	hexagon shaft f. conductors 16-120mm ²	ST	87,10	KKH 20 SK
772311	Ball head cap D 20mm, rigid with	T pin shaft for cables 16-120mm ²	ST	87,10	KKH 20 SQ
772312	Ball head cap D 20mm rigid	with wing bolt for cables 16-120mm ²	ST	94,40	KKH 20 FS
772313	Ball head cap, D 20mm, rigid, w. handle	for cables 16-120mm ²	ST	95,50	KKH 20 HG
772314	Ball head cap, 16-120mm ² , D=20mm		ST	97,60	KKH 20 SQL
772320	Ball head cap D 25mm, rigid, with	hexagon shaft f. conductors 16-150mm ²	ST	118,50	KKH 25 SK
772321	Ball head cap D 25mm, rigid with	T pin shaft for cables 16-150mm ²	ST	118,50	KKH 25 SQ
772322	Ball head cap D 25mm rigid with	wing bolt for cables 16-150mm ²	ST	113,30	KKH 25 FS
772323	Ball head cap, D 25mm, rigid, with	handle for cables 16-150mm ²	ST	116,40	KKH 25 HG
772324	Ball head cap, 16-150mm ² , D=25mm		ST	122,70	KKH 25 SQL
772330	Ball head cap D=20mm, adjustable with	hexagon shaft for cables 16-120mm ²	ST	146,90	KKH 20 D SK
772331	Ball head cap D 20mm, adjustable with	T pin shaft for cables 16-120mm ²	ST	146,90	KKH 20 D SQ
772340	Ball head cap D 25mm, adjustable with	hexagon shaft for cables 16-150mm ²	ST	185,70	KKH 25 D SK
772341	Ball head cap D 25mm, adjustable with	T pin shaft for cables 16-150mm ²	ST	185,70	KKH 25 D SQ
773034	Univ. clamp D 20/25mm T 15mm a. Rd/FI	up to 20mm w. hexagon shaft	ST	116,40	UK 25 SK
773130	Univ. clamp D 25/30mm T 18mm a. round	/flat cond. up to 30mm w. hexagon shaft	ST	117,50	UK 30 SK
773234	Universal clamp D 20/25mm T 15mm a. round	/flat conduc. up to 20mm w. T pin shaft	ST	116,40	UK 25 SQ
773236	Universal clamp D 20/25mm T 15mm Rd/FI	20mm T pin shaft (long)	ST	101,80	UK 25 SQL
773251	Universal clamp with T pin shaft for	FI/Rd -30mm a. fixed ball points D 25mm	ST	124,80	UK K25 FL30 SQL
773330	Universal clamp D 25/30mm T 18mm a. round	/flat conduc. up to 30mm w. T pin shaft	ST	117,50	UK 30 SQ
773331	Univ. clamp D 25/30 T 18mm Rd/FI 30mm	w. T pin shaft (long)	ST	114,30	UK 30 SQL
774034	Universal earthing clamp K 20/25 FI 20	T 15mm with wing screw	ST	109,10	UEK 25 FS
774130	Universal earthing clamp K 30 FI 20	T 18mm with wing screw	ST	116,40	UEK 30 FS
774234	Universal earth clamp D 20/25mm T 15mm	Rd/FI 20mm with handle	ST	116,40	UEK 25 HG
774251	Universal clamp with insulated handle f.	FI/Rd -30mm and fixed ball points D 25mm	ST	131,10	UK K25 FL30 HG
774330	Universal earthing clamp K 30 FI 30	T 18mm with handle	ST	120,60	UEK 30 HG
774434	Universal earthing clamp K 20/25 FI 20	T 15mm with tommy bar	ST	120,60	UEK 25 SKN
774530	Universal earthing clamp K 30 FI 30	T 18mm with tommy bar	ST	123,80	UEK 30 SKN
775621	Earth connector with wing nut M12	for connecting element PK1 16-150mm ²	ST	65,00	EAS EK FM 12
775626	Earth connector with wing bolt M12x15	for connecting element PK1 16-150mm ²	ST	71,30	EAS EK FS 12
775631	Earth connector with wing nut M16	for connecting element PK1 16-150mm ²	ST	66,10	EAS EK FM 16
775636	Earth connector with wing bolt M16x15	for connecting element PK1 16-150mm ²	ST	76,60	EAS EK FS 16
782002	DEHNshort QD II quenching device		ST	0,00	DSRT QD II
782010	DEHNshort fibre optic converter	for short-circuiter unit	ST	0,00	DSRT LWL U
782020	DEHNshort LWL arc fault protect. system	fibre optic cables L 0.75m (1 set=2 pcs)	SA	73,80	DSRT LWL 0.75
782022	DEHNshort LWL arc fault protect. system	fibre optic cables L 2.00m (1 set=2 pcs)	SA	82,10	DSRT LWL 2.00
782024	DEHNshort LWL arc fault protect. system	fibre optic cables L 4.00m (1 set=2 pcs)	SA	96,90	DSRT LWL 4.00
782028	DEHNshort LWL arc fault protect. system	fibre optic cables L 8.00m (1 set=2 pcs)	SA	123,40	DSRT LWL 8.00
782030	DEHNshort DD arc fault protection system	Detect. device (current+light) 18-72V DC	ST	0,00	DSRT DD CPS BACA
782031	DEHNshort DD arc fault protection system	Detect. device(current+light) 92-265 V AC/DC	ST	0,00	DSRT DD CPS AACA
782040	DEHNshort DD arc fault protection system	Detect. device (point sensor) 18-72V DC	ST	0,00	DSRT DD PS BACA
782041	DEHNshort DD arc fault protection system	Detect. device (point sensor) 92-265 V AC/DC	ST	0,00	DSRT DD PS AACA
782050	DEHNshort DD arc fault protection system	Detection device (loop) 18-72V DC	ST	0,00	DSRT DD FS BAAA
782051	DEHNshort DD arc fault protection system	Detection device (loop) 92-265 V AC/DC	ST	0,00	DSRT DD FS AAAA
782060	DEHNshort arc fault protection system	Point sensor for arc detection	ST	0,00	DSRT PS
782077	DEHNshort arc fault protection system	Fibre optic sensor L 8m	ST	0,00	DSRT FS 8 1.5
782081	DEHNshort arc fault protection system	Fibre optic sensor L 10m	ST	0,00	DSRT FS 10 1.5
782085	DEHNshort arc fault protection system	Fibre optic sensor L 12m	ST	0,00	DSRT FS 12 1.5
782091	DEHNshort arc fault protection system	Fibre optic sensor L 15m	ST	0,00	DSRT FS 15 1.5
782092	DEHNshort arc fault protection system	Fibre optic sensor L 17m	ST	0,00	DSRT FS 17 1.5
782097	DEHNshort fixing clip for point	sensors, hole spacing of 25 mm	SA	41,90	SPBCLPS
782098	DEHNshort arc fault protection system	Sponge rubber D 8mm L 20mm (1set = 50pcs)	SA	0,00	DSRT SR D8 L20
782099	DEHNshort arc fault protection system	Fixing clip D 8mm L 20mm (1set=50pcs)	SA	0,00	DSRT FC D8
783003	Voltage detector PHE4 3kV 50Hz	Category S	ST	1070,00	PHE4 3 S
783006	Voltage detector PHE4 6kV 50Hz	Category S	ST	1070,00	PHE4 6 S
783010	Voltage detector PHE4 10kV 50Hz	Category S	ST	976,60	PHE4 10 S
783011	Voltage detector PHE4 11kV 50Hz	Category S	ST	1105,60	PHE4 11 S
783013	Voltage detector PHE4 1...3kV 50Hz	Category S	ST	1375,20	PHE4 1 3 S
783020	Voltage detector PHE4 20kV 50Hz	Category S	ST	994,50	PHE4 20 S
783022	Voltage detector PHE4 22kV 50Hz	Category S	ST	1202,20	PHE4 22 S
783030	Voltage detector PHE4 30kV 50Hz	Category S	ST	1131,90	PHE4 30 S
783033	Voltage detector PHE4 3.3kV 50Hz	Category S	ST	1105,60	PHE4 3.3 S
783045	Voltage detector PHE4 33kV 50Hz	Category S	ST	1350,10	PHE4 33 S
783066	Voltage detector PHE4 6.6kV 50Hz	Category S	ST	1105,60	PHE4 6.6 S
783103	Voltage detector PHE4 3kV 50 Hz	with gear coupling Category S	ST	1116,10	PHE4 3 S ZK
783106	Voltage detector PHE4 6kV 50 Hz	with gear coupling Category S	ST	1116,10	PHE4 6 S ZK
783110	Voltage detector PHE4 10kV 50 Hz	with gear coupling Category S	ST	1095,20	PHE4 10 S ZK
783120	Voltage detector PHE4 20kV 50 Hz	with gear coupling Category S	ST	1117,20	PHE4 20 S ZK
783130	Voltage detector PHE4 30kV 50 Hz	with gear coupling Category S	ST	1350,10	PHE4 30 S ZK
783141	Voltage detector PHE4 3...10kV 50 Hz	with gear coupling Category S	ST	1190,60	PHE4 3 10 S ZK
783151	Voltage detector PHE4 6...20kV 50 Hz	with gear coupling Category S	ST	1216,80	PHE4 6 20 S ZK
783161	Voltage detector PHE4 10...30kV 50 Hz	with gear coupling Category S	ST	1350,10	PHE4 10 30 S ZK
783231	Voltage detector PHE4 3...10kV 50Hz	Category S	ST	1105,60	PHE4 3 10 S
783233	Voltage detector PHE4 3.3...11kV 50Hz	Category S	ST	1190,60	PHE4 3.3 11 S
783235	Voltage detector PHE4 6...20kV 50Hz	Category S	ST	1105,60	PHE4 6 20 S
783240	Voltage detector PHE4 10...20kV 50Hz	Category S	ST	1117,20	PHE4 10 20 S
783243	Voltage detector PHE4 6.6...22kV 50Hz	Category S	ST	1216,80	PHE4 6.6 22 S
783245	Voltage detector PHE4 20...36kV 50Hz	Category S	ST	1350,10	PHE4 20 36 S
783250	Voltage detector PHE4 10...30kV 50Hz	Category S	ST	1130,80	PHE4 10 30 S
783255	Voltage detector PHE4 11...33kV 50Hz	Category S	ST	1167,50	PHE4 11 33 S
783270	Voltage detector PHE4 30...60kV 50 Hz	Category S	ST	2626,70	PHE4 30 60 S
783275	Voltage detector PHE4 60...110kV 50 Hz	Category S	ST	2626,70	PHE4 60 110 S
783280	Voltage detector PHE4 60...132kV 50 Hz	Category S	ST	3193,20	PHE4 60 132 S
783285	Voltage detector PHE4 110...220kV 50 Hz	Category S	ST	0,00	PHE4 110 220 S
783290	Voltage detector PHE4 220...420kV 50 Hz	Category S	ST	0,00	PHE4 220 420 S
783332	Voltage detector PHE4 3...10kV 60Hz	Category S	ST	1350,10	PHE4 3 10 S 60
783335	Voltage detector PHE4 6...20kV 60Hz	Category S	ST	1413,00	PHE4 6 20 S 60
783342	Voltage detector PHE4 20...36kV 60Hz	Category S	ST	1350,10	PHE4 20 36 S 60
783345	Voltage detector PHE4 10...30kV 60Hz	Category S	ST	1473,80	PHE4 10 30 S 60
783395	Voltage detector PHE4 switchable	3...10kV 12...36kV 60Hz Category S	ST	1718,30	PHE4 U 3 36 S 60
783420	Voltage detector PHE4	6...20kV 16.7Hz Category S	ST	1201,10	PHE4 6 20 S 16.7
783430	Voltage detector PHE4 switchable	6...20kV 16,7Hz 6...20kV 50Hz Category S	ST	0,00	PHE4 U 6 20 S 16.7 50
783460	Voltage detector PHE4 110...132kV	16.7 Hz / 50 Hz Category S	ST	2994,90	PHE4 110 132 S 16.7 50
783511	Voltage detector PHE4 switchable	6.6kV 11kV 50Hz Category S	ST	1473,80	PHE4 U 6.6 11 S
783520	Voltage detector PHE4 switchable	2...6kV 6...20kV 50Hz Category S	ST	1662,70	PHE4 U 2 20 S
783530	Voltage detector PHE4 switchable	3...10kV 10...30kV 50Hz Category S	ST	1351,10	PHE4 U 3 30 S
783533	Voltage detector PHE4 switchable	3.3...11kV 11...33kV 50Hz Category S	ST	1599,70	PHE4 U 3.3 33 S
783536	Voltage detector PHE4 switchable	6...15kV 15...36kV 50Hz Category S	ST	1473,80	PHE4 U 6 36 S
783900	Insulating stick f. PHE4 with	plug-in coupling D 30mm L 700mm	ST	0,00	IS PHE4 STK 700
783905	Insulating stick f. PHE4 w. plug-in	coupling D 30mm L 770mm	ST	0,00	IS PHE4 STK 770



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
783906	Insulating stick f. PHE4 w. plug-in	coupling D 30mm L 1110mm	ST	0,00	IS PHE4 STK 1110
783920	Insulating element f. PHE4 w. plug-in	coupling D 30mm L 760mm	ST	0,00	IT PHE4 STK 760
783925	Insulating element f. PHE4 w. plug-in	coupling D 30mm L 1210mm	ST	0,00	IT PHE4 STK 1210
783930	Adapter f. PHE4 w. threaded bushing M12	a. plug-in coupling D 30mm L 410mm	ST	0,00	AD PHE4 STK 410
783945	Insulating stick extension with	plug-in coupling D 43mm L 1100mm	ST	537,10	ISV PHE4 43 1100
784032	Phase screw clamp D 10-32mm T pin shaft	for connecting element PK2 16-95mm ²	ST	433,20	PSK 10 32 SQL
784038	Phase screw clamp with safety bow	D 10-32mm with T pin shaft	ST	478,30	PSK 10 32 SQL SB
784085	Phase screw clamp D 10-85mm T pin shaft	for connecting element PK2 16-150mm ²	ST	261,20	PSK 10 85 SQL
784201	Phase screw clamp D 4-30mm T pin shaft	for cable lug Type PK1 16-70mm ²	ST	225,50	PSK 4 30 SQL
784301	Phase screw clamp D 10-65mm T pin shaft	for connecting element PK1 16-120mm ²	ST	296,90	PSK 10 65 SQL
784352	Conductor clamp with prod	for D 4-40mm with long T pin shaft	ST	249,70	LK 4 40 TS SQL
784401	Phase screw clamp D 4-30mm T-pin shaft	connec. elem. PK1 16-70mm ² w. coupl. aid	ST	252,80	PSK 4 30 SQL EH
784480	Phase screw clamp D 4-30mm T pin shaft	PK1 16-70mm ² w. spring-loaded clamp	ST	169,90	PSK FV 4 30 SQL
784501	Phase screw clamp D 10-65mm T-pin shaft	connec. elem. PK1 16-120mm ² w. coupl. aid	ST	326,20	PSK 10 65 SQL EH
784755	Earth clamp f. overh. contact lines w.	prod f. D 4-15mm w. flex. T pin shaft	ST	453,20	FEK 4 15 TS FSQ
784756	Overhead line earth clamp w. contact	electr. f. D 4-15mm w. flex. T pin shaft	ST	541,30	FEK4 15 TS FSQ AB29
785100	MS dry cleaning set for suction	for medium-voltage systems -36kV	ST	6275,10	TRS MS
785109	Locking rod for live working L=2200mm		ST	102,80	AS MS
785111	Canvas bag	dimensions: 550x270x300mm	ST	258,10	STT 55 27 30
785112	MS V1 dry cleaning set for suction	for medium-voltage systems -36kV	ST	6319,20	TRS MS V1
785119	Intake tube with handle D=40/L=1180mm	insulating part 650mm	ST	319,90	SRH 1180 IS 650 MS
785120	Intake tube with handle D=40/L=1180mm	for MS dry cleaning set -36kV	ST	256,00	SRH 1180 MS
785121	Intake tube extension D=40/L=200mm	for MS dry cleaning set -36kV	ST	116,40	SRV 200 MS
785122	Intake tube extension D=40/L=400mm	for MS dry cleaning set -36kV	ST	145,80	SRV 400 MS
785123	Intake tube extension D=40/L=800mm	for MS dry cleaning set -36kV	ST	165,70	SRV 800 MS
785130	Angled intake tube, adjustable, D=40mm	for MS dry cleaning set -36kV	ST	67,70	SRW V MS
785131	Angled intake tube 90°, D=40/L=120mm	for MS dry cleaning set -36kV	ST	138,50	SRW 90 MS
785132	Angled intake tube 135°, D=40/L=100mm	for MS dry cleaning set -36kV	ST	138,50	SRW 135 MS
785140	Half-round brush for suction D=120mm	for MS dry cleaning set -36kV	ST	470,00	HRB 120 MS
785150	Half-round brush for suction D=190mm	for MS dry cleaning set -36kV	ST	470,00	HRB 190 MS
785151	Arc brush for suction D=40/L=390mm	for MS dry cleaning set -36kV	ST	388,10	BB 245 MS
785159	Tubular brush D 80mm L 250mm w. gear	coupl. f. dry cleaning kit MS -36kV	ST	219,20	STB 80 ZK MS
785160	Rectangular brush for suction 105x90x50	for MS dry cleaning set -36kV	ST	190,90	REB 1095 MS
785169	Rectangular brush 250x55mm w. gear	coupl. f. dry cleaning kit MS -36kV	ST	371,30	REB 25055 ZK MS
785170	Tubular brush for suction D=120/L=250mm	for MS dry cleaning set -36kV	ST	490,90	STB 120 MS
785171	Tubular brush f. suction cleaning D 80mm	L 240mm f. MS dry cleaning kits -36kV	ST	240,20	STB 80 MS
785172	Tubular brush f. suction cleaning D 80mm	f. MS dry cleaning kits -36kV	ST	240,20	STB 80 K MS
785180	Digital hygrometer/thermometer	for verifying the climatic conditions	ST	607,40	DHTM
785181	Digital hygro/thermom. 0...+100 %rel.hum.	f. indoor climate measuring -10...+60°C	ST	832,90	DHTM T 625
785190	Insulating mirror D 135 mm w. gear	coupling f. MS cleaning kits	ST	466,80	ISP 135 ZK MS
785200	Angled intake hose adapter D 40 mm	f. NS/MS dry cleaning kits	ST	209,80	SSA W D
785210	Cleaning brush D 50/L 1430 mm	f. MS dry cleaning kits	ST	177,30	RB 50 MS
785212	Intake tube adapter D 20/40mm	f. MS dry cleaning kits up to 36kV	ST	87,80	SRA MS
785213	Reducing insert f. intake hose adapters	NS/MS f. hose diameters of 32 mm	ST	123,80	RSI 32
785214	Reducing insert f. intake hose adapters	NS/MS f. hose diameters of 34 mm	ST	123,80	RSI 34
785215	Reducing insert f. intake hose adapters	NS/MS f. hose diameters of 35 mm	ST	123,80	RSI 35
785216	Reducing insert f. intake hose adapters	NS/MS f. hose diameters of 38 mm	ST	123,80	RSI 38
785217	Reducing insert f. intake hose adapters	NS/MS f. hose diameters of 45 mm	ST	123,80	RSI 45
785218	Reducing insert f. intake hose adapters	NS/MS f. hose diameters of 51 mm	ST	123,80	RSI 51
785219	Reducing insert f. intake hose adapters	NS/MS f. hose diameters of 58 mm	ST	123,80	RSI 58
785220	Flat cleaning head W 60/L 260 mm	f. MS dry cleaning kits up to 36kV	ST	128,00	FD 60 MS
785221	Flat cleaning head W 110/L 260 mm	f. MS dry cleaning kits up to 36kV	ST	227,60	FD 110 MS
785223	Flat cleaning head W 210/L 255 mm	f. MS dry cleaning kits up to 36kV	ST	294,80	FD 210 MS
785224	Spare brush f. cleaning heads	L 40mm f. MS dry cleaning kits -36kV	SA	51,80	EP 25 L MS
785225	Flat cleaning head W 60/L 260 mm with	scraper f. dry cleaning kit MS -36kV	ST	156,30	FD 60 MS SN7271
785229	Plastic case, empty 850x300x200mm	f. MS damp cleaning kits w. gear coupling	ST	1556,70	KKL FRS ZK MS
785259	Operating head adapter w. gear coupling	for MS dry/damp cleaning set	ST	223,40	AKA TF ZK MS
785260	MS refilling dev. for refilling HT mass	into paper-insul. mass-impregnat. cables	ST	13007,60	NFG MS
785261	Insulated refilling lance	for MS cable ends -36kV	ST	2035,10	INFL MS
785264	Oil reservoir for MS refilling device		ST	409,10	OEB NFG MS
785265	Insulated screw driver set	for MS cable ends	ST	4767,70	SDS KEV MS
785266	Operating rod with handle and STK	for screw driver f. KEV MS/L 1125mm	ST	613,70	BS SD KEV MS 1120
785267	Operating head, straight, for screw	driver for MS cable ends	ST	759,50	AK SD KEV MS
785268	Operating head, angled (30°), for screw	driver for MS cable ends	ST	793,00	AK SD W30 KEV MS
785269	Operating head, angled (70°), for screw	driver for MS cable ends	ST	801,40	AK SD W70 KEV MS
785271	Bit 13mm for use with operating heads f.	screw driver for MS cable ends	ST	95,50	BIT 13 SD KEV MS
785272	Bit 8mm for use with operating heads f.	screw driver for MS cable ends	ST	53,50	BIT 8 SD KEV MS
785273	Extension for operating rod for	screw driver for MS cable ends L=350mm	ST	551,80	VL 350 SD KEV MS
785274	Cleaning sponge 150x40x40mm	for MS damp cleaning set -36kV	SA	20,20	RS 1544 MS
785275	Cleaning sponge 150x70x40mm	for MS damp cleaning set -36kV	SA	22,30	RS 1574 MS
785279	Cleaning sponge 150x100x40mm w. gearing	for MS damp cleaning set -36kV	SA	40,90	RS 15104 Z MS
785280	Cleaning sponge 150x100x40mm w. gearing	Triangular f. MS damp cleaning set -36kV	SA	40,90	RSD 15104 Z MS
785281	Sealing screw made by F&G	for cable sealing ends -36kV	ST	27,30	VS F&G M22 F
785282	Sealing screw made by Köttgen	for cable sealing ends -36kV	ST	26,20	VS KOET M10
785283	Sealing screw made by Raychem	for cable sealing ends -36kV	ST	26,20	VS RAY M14
785284	Sealing screw made by GOW	for cable sealing ends -36kV	ST	26,20	VS GOW M12
785295	Cleaning liquid container	for MS refilling device	ST	289,10	RFB NFG MS
785298	Plastic case with supporting device	for MS screw driver set	ST	1105,60	KKL SDS KEV MS
785299	GRP case, empty for container	for MS refilling device	ST	986,10	KKL B NFG MS
785301	GRP case, empty with supporting device	for MS dry cleaning set	ST	2073,90	KKL TRS MS
785310	Industrial vacuum cleaner 1600 W		ST	1421,40	HISC 1600
785311	Isolierstangenverlängerung L 220mm	mit Zahnkupplung für Inspektionskamera	ST	86,00	ISV 220 ZK 123 SN7739
785312	Isolierstangenverlängerung L 320mm	mit Zahnkupplung für Inspektionskamera	ST	92,70	ISV 320 ZK 123 SN7740
785313	Isolierstangenverlängerung L 420mm	mit Zahnkupplung für Inspektionskamera	ST	94,90	ISV 420 ZK 123 SN7741
785314	Isolierstangenverlängerung L 820mm	mit Zahnkupplung für Inspektionskamera	ST	102,60	ISV 820 ZK 123 SN7742
785315	Insulating stick with handle and gear	coupling f. damp cleaning kit MS-36kV	ST	204,60	IS T 36 ZK STK 1300
785316	Insulating rod extension, L=220mm for	MS dry cleaning set with gear coupling	ST	77,40	ISV 220 ZK MS
785317	Insulating rod extension, L=320mm for	MS dry cleaning set with gear coupling	ST	83,90	ISV 320 ZK MS
785318	Insulating rod extension, L=420mm for	MS dry cleaning set with gear coupling	ST	87,10	ISV 420 ZK MS
785319	Insulating rod extension, L=820mm for	MS dry cleaning set with gear coupling	ST	93,40	ISV 820 ZK MS
785320	Scraper W=30mm with gear coupling	for MS damp cleaning set -36kV	ST	97,60	S 30 ZK MS
785321	Round brush D=15mm with gear coupling	for MS damp cleaning set -36kV	ST	86,00	RP 15 ZK MS
785322	Operating head with gear coupling for	clean. sponge f. MS damp clean.set -36kV	ST	189,90	AK RS ZK MS
785323	Dual operating head for clean. sponge w.	gear coupling f. MS damp clean.set -36kV	ST	309,50	AK RS 2 ZK MS
785324	Rigid operating head f. clean. sponge w.	gear coupling f. MS damp clean.set -36kV	ST	95,50	AK RS 5 ZK MS
785325	Insulating stick with handle and gear	coupling f. damp cleaning kit MS -36kV	ST	215,00	IS 36 ZK STK 1300
785329	Scraper W 100mm L 310mm w. gear coupl.	f. damp cleaning kit MS -36kV	ST	104,90	S 100 ZK MS
785330	Arc-fault-tested protective jacket	""Indoor"", APC 2, size: 46 (XS)	ST	541,30	APJ ID 46
785331	Arc-fault-tested protective jacket	""Indoor"", APC 2, size: 48 (S)	ST	541,30	APJ ID 48
785332	Arc-fault-tested protective jacket	""Indoor"", APC 2, size: 50 (M)	ST	541,30	APJ ID 50
785333	Arc-fault-tested protective jacket	""Indoor"", APC 2, size: 52 (M/L)	ST	541,30	APJ ID 52
785334	Arc-fault-tested protective jacket	""Indoor"", APC 2, size: 54 (L)	ST	541,30	APJ ID 54
785335	Arc-fault-tested protective jacket	""Indoor"", APC 2, size: 56 (XL)	ST	541,30	APJ ID 56
785336	Arc-fault-tested protective jacket	""Indoor"", APC 2, size: 58 (XL/2XL)	ST	541,30	APJ ID 58
785337	Arc-fault-tested protective jacket	""Indoor"", APC 2, size: 60 (2XL)	ST	541,30	APJ ID 60
785338	Arc-fault-tested protective jacket	""Indoor"", APC 2, size: 62 (3XL)	ST	541,30	APJ ID 62
785339	Arc-fault-tested protective jacket	""Indoor"", APC 2, CONFIGURED	ST	0,00	APJ ID KONFI
785340	Arc-fault-tested protective trousers	""Indoor"", APC 2, size: 46 (XS)	ST	489,90	APT ID 46



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
785341	Arc-fault-tested protective trousers	""Indoor"" , APC 2, size: 48 (S)	ST	489,90	APT ID 48
785342	Arc-fault-tested protective trousers	""Indoor"" , APC 2, size: 50 (M)	ST	489,90	APT ID 50
785343	Arc-fault-tested protective trousers	""Indoor"" , APC 2, size: 52 (M/L)	ST	489,90	APT ID 52
785344	Arc-fault-tested protective trousers	""Indoor"" , APC 2, size: 54 (L)	ST	489,90	APT ID 54
785345	Arc-fault-tested protective trousers	""Indoor"" , APC 2, size: 56 (XL)	ST	489,90	APT ID 56
785346	Arc-fault-tested protective trousers	""Indoor"" , APC 2, size: 58 (XL/2XL)	ST	489,90	APT ID 58
785347	Arc-fault-tested protective trousers	""Indoor"" , APC 2, size: 60 (2XL)	ST	489,90	APT ID 60
785348	Arc-fault-tested protective trousers	""Indoor"" , APC 2, size: 62 (3XL)	ST	489,90	APT ID 62
785349	Arc-fault-tested protective trousers	""Indoor"" , APC 2, CONFIGURED	ST	0,00	APT ID KONFI
785350	Arc-fault-tested protective jacket	""Outdoor"" , APC 2, size: 46 (XS)	ST	789,90	APJ OD YE 46
785351	Arc-fault-tested protective jacket	""Outdoor"" , APC 2, size: 48 (S)	ST	789,90	APJ OD YE 48
785352	Arc-fault-tested protective jacket	""Outdoor"" , APC 2, size: 50 (M)	ST	789,90	APJ OD YE 50
785353	Arc-fault-tested protective jacket	""Outdoor"" , APC 2, size: 52 (M/L)	ST	789,90	APJ OD YE 52
785354	Arc-fault-tested protective jacket	""Outdoor"" , APC 2, size: 54 (L)	ST	789,90	APJ OD YE 54
785355	Arc-fault-tested protective jacket	""Outdoor"" , APC 2, size: 56 (XL)	ST	789,90	APJ OD YE 56
785356	Arc-fault-tested protective jacket	""Outdoor"" , APC 2, size: 58 (XL/2XL)	ST	789,90	APJ OD YE 58
785357	Arc-fault-tested protective jacket	""Outdoor"" , APC 2, size: 60 (2XL)	ST	789,90	APJ OD YE 60
785358	Arc-fault-tested protective jacket	""Outdoor"" , APC 2, size: 62 (3XL)	ST	789,90	APJ OD YE 62
785359	Arc-fault-tested protective jacket	""Outdoor"" , APC 2, CONFIGURED	ST	0,00	APJ OD KONFI
785360	Arc-fault-tested protective trousers	""Outdoor"" , APC 2, size: 46 (XS)	ST	675,60	APT OD YE 46
785361	Arc-fault-tested protective trousers	""Outdoor"" , APC 2, size: 48 (S)	ST	675,60	APT OD YE 48
785362	Arc-fault-tested protective trousers	""Outdoor"" , APC 2, size: 50 (M)	ST	675,60	APT OD YE 50
785363	Arc-fault-tested protective trousers	""Outdoor"" , APC 2, size: 52 (M/L)	ST	675,60	APT OD YE 52
785364	Arc-fault-tested protective trousers	""Outdoor"" , APC 2, size: 54 (L)	ST	675,60	APT OD YE 54
785365	Arc-fault-tested protective trousers	""Outdoor"" , APC 2, size: 56 (XL)	ST	675,60	APT OD YE 56
785366	Arc-fault-tested protective trousers	""Outdoor"" , APC 2, size: 58 (XL/2XL)	ST	675,60	APT OD YE 58
785367	Arc-fault-tested protective trousers	""Outdoor"" , APC 2, size: 60 (2XL)	ST	675,60	APT OD YE 60
785368	Arc-fault-tested protective trousers	""Outdoor"" , APC 2, size: 62 (3XL)	ST	675,60	APT OD YE 62
785369	Arc-fault-tested protective trousers	""Outdoor"" , APC 2, CONFIGURED	ST	0,00	APT OD KONFI
785370	Elastic belt	Flame-resistant, length: 90 cm	ST	26,70	APA B 90
785371	Elastic belt	Flame-resistant, length: 100 cm	ST	26,70	APA B 100
785372	Elastic belt	Flame-resistant, length: 110 cm	ST	26,70	APA B 110
785373	Elastic belt	Flame-resistant, length: 120 cm	ST	26,70	APA B 120
785374	Elastic belt	Flame-resistant, length: 130 cm	ST	26,70	APA B 130
785398	Extension for hand oiler	D 20mm L 500mm	ST	258,10	VL HOEL 20 500
785399	Hand oiler f. sw. inst. Un up to 36kV	D 20mm L 1160mm insertion depth: 280mm	ST	737,40	HOEL 36 20 1100
785442	Storage bag for	DEHNcare, ESH, APS and APG	ST	54,50	AT 50 30
785443	Storage rucksack for complete	DEHNcare protective equipment	ST	116,40	ARS 65 40
785455	Insulated rubber mat 3mmx1mx1m	for insulating standing surfaces -1000V	ST	414,90	IMG SI 1M NS
785456	Insul. rubber mat W 1 m T 3 mm L ...-10m	for insulating standing surfaces -1000V	MM	414,90	IMG SI ..M NS
785457	Insulated rubber mat 3mmx1mx10m	for insulating standing surfaces -1000V	ST	4012,40	IMG SI 10M NS
785458	Insulat. mat f. laying out in electrical	switch./test rooms W 1m/L -10m T 4.5mm	MM	259,60	IMG SAN 1M ..M
785459	Insulat. mat f. laying out in electrical	switching and test rooms 1x10mx4.5mm	ST	1921,80	IMG SAN 1M 10M
785465	Covering cloth W=1350mm L=50m f. low-	voltage switchgear installations -1000V	ST	3083,00	ATK 135 50M NS
785466	Covering cloth W 1350mm L ... - 50m f.	low-voltage switchgear inst. -1000V	MM	87,60	ATK 135 ..M NS
785467	Covering cloth W=1200mm L=25m f. low-	voltage switchgear installations -1000V	ST	2600,50	ATK 120 25M NS
785468	Covering cloth W 1200mm L ... - 25m f.	low-voltage switchgear inst. -1000V	MM	108,00	ATK 120 ..M NS
785471	Covering cloth W=1400mm L=10m for LV	switchgear install. -1000V EPDM-elastomer	ST	3345,30	ATN 140 10M NS
785472	Covering cloth W 1400mm L ... -10m f. LV	switchgear inst. -1000V EPDM-elastomer	MM	400,70	ATN 140 ..M NS
785490	Storage bag for insulated gloves -1000V		ST	102,80	AT IHS NS
785491	Insulated gloves class 00 category M f.	live working -500V, size 9	PA	132,20	IHS 00 M 9 NS
785492	Insulated gloves class 00 category M f.	live working -500V, size 10	PA	132,20	IHS 00 M 10 NS
785493	Insulated gloves class 0 category M f.	live working -1000V, size 9	PA	184,60	IHS 0 M 9 NS
785494	Insulated gloves class 0 category M f.	live working -1000V, size 10	PA	184,60	IHS 0 M 10 NS
785495	Insulated gloves class 00 category RC f.	live working -500V, size 9	PA	201,40	IHS 00 RC 9 NS
785496	Insulated gloves class 00 category RC f.	live working -500V, size 10	PA	201,40	IHS 00 RC 10 NS
785497	Pneumatic glove tester for	insulated gloves -1000V	ST	492,00	PHSP NS
785502	NS Dry cleaning set	for low-voltage systems -1000V	ST	2291,00	TRS NS
785506	Plastic case, empty w. supporting device	for NS dry cleaning set -1000V	ST	781,50	KKL TRS NS
785515	Intake tube adap. f brushes/clean. heads	D=40/25mm for NS dry clean. set -1000V	ST	68,70	SRA NS
785520	Intake tube with handle D=40/L=380mm	for NS dry cleaning set -1000V	ST	82,90	SRH 400 NS
785521	Intake tube extension D=40/L=200mm	for NS dry cleaning set -1000V	ST	26,20	SRV 200 NS
785522	Intake tube extension D=40/L=300mm	for NS dry cleaning set -1000V	ST	37,10	SRV 300 NS
785523	Intake tube extension D=40/L=400mm	for NS dry cleaning set -1000V	ST	41,40	SRV 400 NS
785530	Intake tube adjustable angle D=40mm	for NS dry cleaning set -1000V	ST	46,40	SRW V NS
785540	Flat cleaning head D=40mm/W=55mm	for NS dry cleaning set -1000V	ST	66,60	FD 55 NS
785541	Flat cleaning head D=25mm/W=35mm	for NS dry cleaning set -1000V	ST	49,60	FD 35 NS
785542	Chamfered flat cleaning head D=25/W=35mm	for NS dry cleaning set -1000V	ST	55,10	FD 35 S NS
785543	Angled cross cleaning head D=25mm/W=35mm	for NS dry cleaning set -1000V	ST	74,20	QD 35 W NS
785550	Cylindrical tubular brush D=25/85mm	for NS dry cleaning set -1000V	ST	209,80	STB 85 Z NS
785551	Flat cleaning head W=35/L=200mm	for MS dry cleaning set -36kV	ST	83,50	FD 35 S MS
785552	Angled flat cleaning head with brush	W=35/L=250mm for MS dry clean. set -36kV	ST	138,50	FD 35 W P MS
785555	Conical tubular brush D=25/85mm	for NS dry cleaning set -1000V	ST	210,80	STB 85 K NS
785560	Round cleaning head with scraper D=25mm	W=50m for NS dry cleaning set -1000V	ST	83,90	RD 25 S NS
785570	Round cleaning head with brush D=25mm	for NS dry cleaning set -1000V	ST	111,20	RD 25 P NS
785580	Cleaning brush for set parts D=40mm	for NS dry cleaning set -1000V	ST	87,80	RB 40 NS
785585	Cleaning brush for set parts D=20mm	for NS dry cleaning set -1000V	ST	87,80	RB 20 NS
785590	Flat cleaning head w. brush D=25/W=35mm	for NS dry cleaning set -1000V	ST	87,80	FD 35 P NS
785591	Angled flat cleaning head with brush	D=25/W=35mm for NS dry clean. set -1000V	ST	110,10	FD 35 W P NS
785592	Flat cleaning head with brush	D=25/W=35mm for NS dry clean. set -1000V	ST	133,20	FWD 35 P NS
785595	Spare brush for cleaning nozzles 25mm	for NS dry cleaning set -1000V	SA	49,60	EP 25 K NS
785596	Spare brush for cleaning nozzles 40mm	for NS dry cleaning set -1000V	SA	49,60	EP 25 L NS
785637	Locking element for DIN rail mounted	devices H 45mm 3 modules	ST	25,40	SE REG 3TE
785638	Locking element for DIN rail mounted	devices, H=45mm, 1 module	ST	15,80	SE REG 1TE
785639	Locking element for E14 screw insert		ST	38,20	SE E14
785640	Locking element for E27/E33 screw insert		ST	47,50	SE E27 E33
785641	Locking element for NH fuse	holders, size: 00	ST	60,00	SE NH00
785642	Locking element for NH fuse	holders, size: 0	ST	60,00	SE NH0
785643	Locking element for NH fuse	holders, size: 1	ST	60,00	SE NH1
785644	Locking element for NH fuse	holders, size: 2-3	ST	60,00	SE NH2 3
785645	NH fuse puller 00-3 for live	working -1000V with protective sleeve	ST	187,80	NHS AG 00 3 NS
785646	Wrapping tape W=200mm, L=2500mm for	NH insulators -1000V, EPDM-elastomer	ST	169,40	"WBN 200 2,5M NS"
785647	Clip for clamping range up to 35mm	for fixing the covering cloths -1000V	ST	41,40	KK 35 NS
785648	Hook D=8mm, dimensions: 130/72mm	for fixing the covering cloths -1000V	ST	13,10	HK 8 NS
785649	Ring made of plastic, hole 12mm	for attaching to covering cloths -1000V	ST	3,90	OEK 12 NS
785650	Insulating plug for E18 screw insert		ST	40,50	SE E18
785652	Locking element for DIN rail mounted	device H=45mm 2 modules	ST	20,40	SE REG 2TE
785705	Safety helmet for electricians	yellow size 52-61 cm	ST	41,40	ESH U 1000 S SY
785706	Safety helmet for electricians	white size 52-61 cm	ST	41,40	ESH U 1000 S SW
785707	Safety helmet for electricians	orange size 52-61 cm	ST	41,40	ESH U 1000 S SO
785708	Safety helmet for electricians	blue size 52-61 cm	ST	41,40	ESH U 1000 S SB
785709	Safety helmet for electricians	red size 52-61 cm	ST	41,40	ESH U 1000 S SR
785721	Arc-fault-tested face shield	class 1, w. mechanical lever arms	ST	159,40	APS CL1 MEHA
785722	Arc-fault-tested face shield	class 2, with magnetic lever arms	ST	267,50	APS CL2 MAHA
785723	LED head torch f. safety helmet ESH U	4 switch. stages, class of prot. IP67	ST	400,70	LED HL ESH
785724	Microfibre bag	for face shields	ST	23,00	MFB APS
785738	Chin strap f. safety helmet	packed, PU 1 pc.	ST	17,50	KR ESH U 1000
785739	Sweat band replacement f.	safety helmet ESH U 1000	ST	8,40	SB ESH U 1000



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
785746	Arc-fault-tested face shield	with clip and chin protector	ST	225,80	APS CL2 SC
785747	Arc-fault-tested face shield	with clip and chin protector	ST	254,30	APS 12C SC
785748	Arc-fault-tested face shield	with strap and chin protector	ST	234,60	APS CL2 FS
785749	Arc-fault-tested face shield	with strap and chin protector	ST	277,10	APS 12C FS
785753	Face shield bracket w. clip f. arc-fault	tested safety helmet APS...	ST	48,00	VH SC APS
785754	Arc-fault-tested face shield	DEHNcare APS HO	ST	403,70	APS HO
785755	Arc-fault-tested protective coat	size 48/50(M)	ST	1425,60	APC 48 50
785756	Arc-fault-tested protective coat	size 52/54(L)	ST	1425,60	APC 52 54
785757	Arc-fault-tested protective coat	size 56/58(XL)	ST	1425,60	APC 56 58
785758	Arc-fault-tested protective coat	size 60/62(XXL)	ST	1425,60	APC 60 62
785759	Arc-fault-tested protective coat	size 64/66(3XL)	ST	1596,60	APC 64 66
785760	Arc-fault-tested protective hood	DEHNcare APHO	ST	790,90	APHO
785761	Arc-fault-tested face shield with	clip and transparent chin protector	ST	281,60	APS T CL2 SC
785762	Arc-fault-tested face shield with	clip and transparent chin protector	ST	311,60	APS T 12C SC
785763	Arc-fault-tested face shield with	clip and transparent chin protector	ST	360,00	APS T 20C SC
785764	Arc-fault-tested face shield with	strap and transparent chin protector	ST	294,60	APS T CL2 FS
785765	Arc-fault-tested face shield with	strap and transparent chin protector	ST	323,10	APS T 12C FS
785766	Arc-fault-tested face shield with	strap and transparent chin protector	ST	382,50	APS T 20C FS
785769	Arc-fault-tested protective jacket	size 46(XS)	ST	952,00	APJ 46
785770	Arc-fault-tested protective jacket	size 48(S)	ST	952,00	APJ 48
785771	Arc-fault-tested protective jacket	size 50(M)	ST	952,00	APJ 50
785772	Arc-fault-tested protective jacket	size 52(L)	ST	952,00	APJ 52
785773	Arc-fault-tested protective jacket	size 54(XL)	ST	952,00	APJ 54
785774	Arc-fault-tested protective jacket	size 56(XXL)	ST	952,00	APJ 56
785775	Arc-fault-tested protective jacket	size 58(3XL)	ST	952,00	APJ 58
785779	Arc-fault-tested protec.trousers size 46(XS)	pair of braces/knee pads incl., unisex	ST	750,00	APT 46
785780	Arc-fault-tested protec.trousers	size 48(S)pair of braces/knee pads incl.	ST	750,00	APT 48
785781	Arc-fault-tested protec.trousers size 50(M)	pair of braces/knee pads incl., unisex	ST	750,00	APT 50
785782	Arc-fault-tested protec.trousers size 52(L)	pair of braces/knee pads incl.	ST	750,00	APT 52
785783	Arc-fault-tested protec.trousers	size 54(XL)pair of braces/knee pads incl.	ST	750,00	APT 54
785784	Arc-fault-tested protec.trousers	size56(XXL)pair of braces/knee pads incl.	ST	750,00	APT 56
785785	Arc-fault-tested protec.trousers	size58(3XL)pair of braces/knee pads incl.	ST	750,00	APT 58
785788	Pair of braces for arc-fault-tested	protective trousers	ST	47,70	APA B
785789	Pair of knee pads for arc-fault-tested	protective trousers	PA	16,30	APA KP
785796	Arc-fault-tested protective gloves,	size 8, unisex	PA	112,50	APG 8
785797	Arc-fault-tested protective gloves,	size 9, unisex	PA	112,50	APG 9
785798	Arc-fault-tested protective gloves,	size 10, unisex	PA	112,50	APG 10
785799	Arc-fault-tested protective gloves,	size 11, unisex	PA	112,50	APG 11
785800	Arc-fault-tested protective gloves,	size 12, unisex	PA	112,50	APG 12
785808	Arc-fault-tested protective gloves	with long gauntlet, size 8, unisex	PA	147,60	APG 8 L
785809	Arc-fault-tested protective gloves	with long gauntlet, size 9, unisex	PA	147,60	APG 9 L
785810	Arc-fault-tested protective gloves	with long gauntlet, size 10, unisex	PA	147,60	APG 10 L
785811	Arc-fault-tested protective gloves	with long gauntlet, size 11, unisex	PA	147,60	APG 11 L
785812	Arc-fault-tested protective gloves	with long gauntlet, size 12, unisex	PA	147,60	APG 12 L
785820	Visor holder with clip		ST	64,00	VH SC APS T AS
785821	Arc-fault-tested face shield	with clip, class 2	ST	300,50	APS T AS CL2 SC
785822	Arc-fault-tested face shield with	clip, class 2/ATPV: 14 cal/cm ²	ST	330,60	APS T AS 14C SC
785823	Arc-fault-tested face shield with	clip, class 2/ATPV: 25 cal/cm ²	ST	380,40	APS T AS 25C SC
785824	Arc-fault-tested face shield	with strap, class 2	ST	312,40	APS T AS CL2 FS
785825	Arc-fault-tested face shield with	strap, class 2/ATPV: 14 cal/cm ²	ST	341,40	APS T AS 14C FS
785826	Arc-fault-tested face shield with	strap, class 2/ATPV: 25 cal/cm ²	ST	402,10	APS T AS 25C FS
785827	Visor holder with strap		ST	64,00	VH FS APS T AS
785828	Spare part set for VH SC ... visor	holder	SA	59,80	R KIT APS ... SC
785829	LED lamp for APS T AS ...	face shields	ST	144,80	LED APS T AS
785900	PPE against arc faults electrician SET,	size M Indoor	ST	1258,80	PSA ESET M ID
785901	PPE against arc faults electrician SET,	size L Indoor	ST	1258,80	PSA ESET L ID
785902	PPE against arc faults electrician SET,	size XL Indoor	ST	1258,80	PSA ESET XL ID
785903	PPE against arc faults electrician SET,	size M Outdoor	ST	1626,00	PSA ESET M OD
785904	PPE against arc faults electrician SET,	size L Outdoor	ST	1626,00	PSA ESET L OD
785905	PPE against arc faults electrician SET,	size XL Outdoor	ST	1626,00	PSA ESET XL OD
785906	PPE against arc faults electrician SET,	size S Indoor	ST	1258,80	PSA ESET S ID
785907	PPE against arc faults electrician SET,	size 2XL Indoor	ST	1258,80	PSA ESET 2XL ID
785908	PPE against arc faults electrician SET,	size S Outdoor	ST	1626,00	PSA ESET S OD
785909	PPE against arc faults electrician SET,	size 2XL Outdoor	ST	1626,00	PSA ESET 2XL OD
785940	MS damp cleaning set -36kV	with gear coupling	ST	3138,60	FRS 2K MS
785950	MS combined cleaning set -36kV		ST	12174,70	TFRS MS
785951	GRP case, empty 850x410x400mm	for MS combined cleaning set	ST	3279,20	KKL TFRS MS
785952	Artificial leather bag 1400x280mm		ST	471,00	KLT 140 28
785953	Spray bottle for MS cleaning liquid		ST	42,80	SF FRF MS
786711	Overall against high-pressure water jets	<= 750 bar (flat jet nozzle) size: S	ST	0,00	WJP O B S
786712	Overall against high-pressure water jets	<= 750 bar (flat jet nozzle) size: M	ST	0,00	WJP O B M
786713	Overall against high-pressure water jets	<= 750 bar (flat jet nozzle) size: L	ST	0,00	WJP O B L
786714	Overall against high-pressure water jets	<= 750 bar (flat jet nozzle) size: XL	ST	0,00	WJP O B XL
786715	Overall against high-pressure water jets	<= 750 bar (flat jet nozzle) size: XXL	ST	0,00	WJP O B XXL
786716	Overall against high-pressure water jets	<= 750 bar (flat jet nozzle) size: 3XL	ST	0,00	WJP O B 3XL
786717	Gloves against high-pressure water jets	<= 1000 bar (flat jet nozzle) size: 9	PA	0,00	WJP HP 9
786718	Gloves against high-pressure water jets	<= 1000 bar (flat jet nozzle) size: 10	PA	0,00	WJP HP 10
786719	Gloves against high-pressure water jets	<= 1000 bar (flat jet nozzle) size: 11	PA	0,00	WJP HP 11
786720	Gloves against high-pressure water jets	<= 1000 bar (flat jet nozzle) size: 12	PA	0,00	WJP HP 12
786721	Gloves against high-pressure water jets	<= 1000 bar (flat jet nozzle) size: 13	PA	0,00	WJP HP 13
786722	Socks against high-pressure water jets	<= 1000 bar(flat jet nozzle) size:39-40	PA	0,00	WJP FP 39 40
786723	Socks against high-pressure water jets	<= 1000 bar(flat jet nozzle) size:41-42	PA	0,00	WJP FP 41 42
786724	Socks against high-pressure water jets	<= 1000 bar(flat jet nozzle) size:43-44	PA	0,00	WJP FP 43 44
786725	Socks against high-pressure water jets	<= 1000 bar(flat jet nozzle) size:45-46	PA	0,00	WJP FP 45 46
786726	Head protection set WJP HFP SET for	working with high-pressure water jets	ST	0,00	WJP HFP SET
786741	Overall against high-pressure water jet	<= 1000 bars (flat-jet nozzle). size: S	ST	0,00	WJP OC S
786742	Overall against high-pressure water jet	<= 1000 bars (flat-jet nozzle). size: M	ST	0,00	WJP OC M
786743	Overall against high-pressure water jet	<= 1000 bars (flat-jet nozzle). size: L	ST	0,00	WJP OC L
786744	Overall against high-pressure water jet	<= 1000 bars (flat-jet nozzle). size: XL	ST	0,00	WJP OC XL
786745	Overall against high-pressure water jet	<= 1000 bars (flat-jet nozzle). size: XXL	ST	0,00	WJP OC XXL
786746	Overall against high-pressure water jet	<= 1000 bars (flat-jet nozzle). size: 3XL	ST	0,00	WJP OC 3XL
786751	Overall against high-pressure water jet	<= 1000 bar (flat-jet nozzle). size: S	ST	0,00	WJP O S
786752	Overall against high-pressure water jet	<= 1000 bar (flat-jet nozzle). size: M	ST	0,00	WJP O M
786753	Overall against high-pressure water jet	<= 1000 bar (flat-jet nozzle). size: L	ST	0,00	WJP O L
786754	Overall against high-pressure water jet	<= 1000 bar (flat-jet nozzle). size: XL	ST	0,00	WJP O XL
786755	Overall against high-pressure water jet	<= 1000 bar (flat-jet nozzle). size: XXL	ST	0,00	WJP O XXL
786756	Overall against high-pressure water jet	<= 1000 bar (flat-jet nozzle).size: 3XL	ST	0,00	WJP O 3XL
786761	Arm protectors for overall against	high-pressure water jet. size: S	PA	0,00	WJP O AP S
786762	Arm protectors for overall against	high-pressure water jet. size: M	PA	0,00	WJP O AP M
786763	Arm protectors for overall against	high-pressure water jet. size: L	PA	0,00	WJP O AP L
786764	Arm protectors for overall against	high-pressure water jet. size: XL	PA	0,00	WJP O AP XL
786765	Arm protectors for overall against	high-pressure water jet. size: XXL	PA	0,00	WJP O AP XXL
786766	Arm protectors for overall against	high-pressure water jet. size: 3XL	PA	0,00	WJP O AP 3XL
786770	Hood for protective overall	against high-pressure water jet	ST	0,00	WJP O H
786781	Leg protectors for overall against	high-pressure water jet. size: S	PA	0,00	WJP O LP S
786782	Leg protectors for overall against	high-pressure water jet. size: M	PA	0,00	WJP O LP M
786783	Leg protectors for overall against	high-pressure water jet. size: L	PA	0,00	WJP O LP L
786784	Leg protectors for overall against	high-pressure water jet. size: XL	PA	0,00	WJP O LP XL



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
786785	Leg protectors for overall against	high-pressure water jet. size: XXL	PA	0,00	WJP O LP XXL
786786	Leg protectors for overall against	high-pressure water jet. size: 3XL	PA	0,00	WJP O LP 3XL
786799	Earmuffs for attachment to face shields	with mechanical lever arms	PA	0,00	HKGH ESH MEHA
790150	Earth bushing with ring groove D 16mm	w. connecting bolt M12 for 16-150mm²	ST	69,20	EAB RN 16 FS
790160	Earth bushing with ring groove D 16mm	with tommy bar for 16-150mm²	ST	326,20	EAB RN 16 SKN
790250	Fixed earthing point with ring groove	D 16mm and female thread M12	ST	38,80	EFP 16 RN M12
790251	Fixed earth. point w. ring groove D 16mm	and threaded bolt with nut M12x35mm	ST	45,20	EFP 16 RN M12 35 SSM
790260	Fixed earthing point with ring groove	D 16mm and female thread M16	ST	42,70	EFP 16 RN M16
790261	Fixed earthing point with	ring groove M16	ST	46,50	EFP 16 RN M16 45 SSM
792030	Earth milling clamp for flat profiles	-30mm with tommy bar for PK1	ST	91,80	EFK FL30 SKN
792190	Earth milling clamp f. flat profiles	-40mm w. tommy bar f. PK1 cable lug	ST	164,30	EFK FL40 SKN
792450	Clamp f. railw. tracks w. tommy bar	DB Mat. No. 157535 Z. No. 3 Ebgw 01.53	ST	360,90	SAK PFE KN
792451	Rail connection clamp with	detachable tommy bar	ST	353,50	SAK PFE KN AB29
792455	Rail connection clamp	with detachable ratchet	ST	507,70	SAK PFE ARA
792456	Rail connection clamp with	detachable ratchet	ST	530,80	SAK PFE ARA AB29
795001	Earthing cable YM2 95mm²		M	89,40	ES YM2 95
795020	Fixed clamping point f. short-circuiting	bars f. connection to busbars up to 25 mm	ST	283,20	KLFP M16 KSS
795212	Screw adapter for fixed clamping point	M16, T pin shaft	ST	208,80	SA KLFP SQ SK
799006	Earthing spike for driving in L 1500mm	with fixture for cables	ST	185,70	ESP HVS 1500
799009	Earthing kit for overhead line systems	earthing pipe with drilling spiral -KIT-	ST	554,90	ES 3P FL ER
799019	3-pole earthing busbar M10	with wing nut	ST	62,90	ESS 3P M10 FM
799100	Mobile measuring system f. earthing	and short-circuiting equipment	ST	0,00	MOMS LORE EUK
800008	Round wire 8mm St/tZn Z350	coil length 127m	M	5,60	RD 8 STTZN R127M
800010	Round wire 10mm St/tZn	coil length 81m	M	8,10	RD 10 STTZN R81M
800108	Round wire 8/11mm St/tZn coil length	approx. 75m plastic sheath black	M	8,90	RD 8 KM STTZN R75M
800110	Round wire 10/13mm St/tZn	coil length 50m plastic sheath black	M	12,50	RD 10 KM STTZN R50M
800310	Round wire 10mm St/tZn	coil length approx. 30m	M	8,50	RD 10 STTZN R30M
800910	Round wire 10mm St/tZn	L 3000mm (10 pieces/coil)	ST	27,50	RD 10 STTZN L3000
800911	Round wire 10mm St/tZn	L 6000mm	ST	54,30	RD 10 STTZN L6000
801050	Cable 10mm 42mm² St/gal Zn (114x0.65mm)	coil 100m weight approx. 33kg	M	17,30	SEIL 10 STGALZN R100M
810225	Strip 20x2.5mm St/tZn	coil length approx. 100m	M	6,00	BA 20X2.5 STTZN R100M
810304	Strip 30x4mm St/tZn	coil length approx. 52m	M	11,40	BA 30X4 STTZN R52M
810335	Strip 30x3.5mm St/tZn	coil length 50m	M	9,10	BA 30X3.5 STTZN R50M
810404	Strip 40x4mm St/tZn	coil length approx. 40m	M	15,50	BA 40X4 STTZN R40M
810405	Strip 40x5mm St/tZn Z500	coil length approx. 30m	M	19,20	BA 40X5 STTZN R30M
810504	Strip 50x4mm St/tZn	coil length approx. 30m	M	20,00	BA 50X4 STTZN R30M
819110	HVI-long Conductor D 23mm grey	FIX length on disposable reel 400m	M	69,00	HVI LO 75 23 L400M GR M
819124	HVI-light Conductor D 20mm grey	FIXED length one-way drum 500m	M	48,10	HVI LI 45 20 L500M GR
819125	HVI-light Conductor D 20mm grey	FIXED length one-way drum 100m	M	51,90	HVI LI 45 20 L100M GR
819129	HVI light Conductor D 20mm grey	cut to length: (6000 mm conductor included)	ST	397,60	HVI LI 45 20 L ... GR
819131	HVI long Conductor D 20mm black	cut to length: (6000 mm conductor included)	ST	483,60	HVI LO 75 20 L ... SW M
819132	HVI long Conductor D 23mm grey stranded	cut to length: (includes 6000 mm cond.)	ST	529,70	HVI LO 75 23 L ... GR M
819135	HVI long Conductor D 20mm black	FIX length on disposable cable reel 100m	M	62,40	HVI LO 75 20 L100M SW M
819136	HVI-long Conductor D 23mm grey	FIX length on disposable reel 100m	M	71,80	HVI LO 75 23 L100M GR M
819137	HVI power Conductor long D 27mm black	FIX length on disposable reel 100m	M	83,40	HVI P LO 90 27 L100M SW
819138	HVI-long Conductor D 20mm black	Fixed length on a reel 500m	M	61,70	HVI LO 75 20 L500M SW M
819142	Connection kit with mouting material f.	HVI power long Conductor D 27mm black	ST	105,10	HVI P LO ASS 27
819145	Connecting elements kit	for HVI long conductor D 20mm black	ST	88,70	HVI LO ASS RIV 20
819146	Connecting elements kit w. install. mat.	for HVI long conductor D 20mm black	ST	95,50	HVI LO ASS RAV MM 20
819147	Connecting elements kit	for HVI long conductor D 23mm grey	ST	90,00	HVI LO ASS RIV 23
819148	Connecting elements kit w. install. mat.	for HVI long conductor D 23mm grey	ST	96,60	HVI LO ASS RAV 23
819149	Connection kit with mounting material f.	HVI power long Conductor D 27mm black	ST	305,30	HVI P LO ASS RAV 27
819160	HVI power Conductor w. preassembled	head unit D 27mm Cu L 6,0m black	ST	742,70	HVI P RIV 90 27 L6M SW
819161	HVI power Conductor D 27mm black	cut to length (36000 mm conductor included)	ST	4088,00	HVI P LO 90 27 L36...800M SW
819163	HVI power Conductor D 27mm black, cut to length:	(6000 mm conductor included) max. 35m	ST	655,60	HVI P LO 90 27 L6...35M SW
819165	HVI power Conductor D 27mm Cu black w.	conn. elements min. order L 6.0m	ST	1061,60	HVI P RAV 90 27 L6M SW
819183	Fixing set for lateral air-term. rods	four air-term. rods Al D=10mm L=530mm	ST	100,40	BFRS D80 B35 4FSP 10 530 AL
819184	Fixing set for lateral air-term. rods	four air-term. rods StSt D=10mm L=530mm	ST	170,80	BFRS D80 B35 4FSP 10 530 V2A
819185	Fixing set for lateral air-term. rods	four air-term. rods Al D=10mm L=1030mm	ST	103,30	BFRS D80 B35 4FSP 10 1030 AL
819186	Fixing set for lateral air-term. rods	four air-term. rods StSt D=10mm L=1030mm	ST	214,80	BFRS D80 B35 4FSP 10 1030 V2A
819196	Connection element with assembly material	for HVI long Conductor D 23mm grey	ST	57,30	AEA KO HVI 23 GR V2A
819197	Connection element (head piece)	for HVI long Conductor D 20mm black	ST	52,60	AEA KO HVI 20 SW V2A
819198	Connection element with assembly material	for HVI long Conductor D 23mm grey	ST	45,10	AE BO10 HVI 23 GR V2A
819199	Connection element with assembly material	for HVI long Conductor D 20mm black	ST	42,20	AE BO10 HVI 20 SW V2A
819220	HVI Cond. f. tube inside, stranded	preassembled D 20mm Cu L 6.0m black	ST	609,50	HVI RIV 75 20 L6M SW M
819223	HVI Cond., inst. in tube, preassembled	D 23mm Cu grey (6000 mm cond. included)	ST	654,60	HVI RIV 75 23 L6M GR M
819226	HVI Conductor for tube outside, stranded	preassembled D 20mm Cu L 6.0m black	ST	616,80	HVI RAV 75 20 L6M SW M
819227	HVI Cond., outside tube, press.	D 23mm Cu grey (6000 mm cond. included)	ST	661,90	HVI RAV 75 23 L6M GR M
819243	DEHNcon-H HVI light Conduc. w. supp. tube	L2875mm w. air-ter. rod L1000mm GRP/Al/V2A	ST	901,10	HVI LI 20 L6M SR2875 FSP1000 DSH GFK AL
819247	DEHNcon-H HVI Cond. w. supp. tube -KIT-	L 1950mm w. air-ter. rod 22/10 L 2500mm	ST	997,60	HVI 20 M L6M SR1955 FS2500 DSH GFK AL
819255	DEHNcon-H HVI light Cond. L 6.0m w.	supp. tube a. air-term.rod GRP/Al/V2A	ST	723,80	HVI LI 20 L6M SR1990 FSP500 GFK AL V2A
819256	DEHNcon-H HVI light Cond. L 6.0m w.	supp. tube a. air-term.rod GRP/Al/V2A	ST	734,30	HVI LI 20 L6M SR1990 FSP1000 GFK AL V2A
819257	DEHNcon-H HVI light Cond. L 6.0m w.	supp. tube a. air-term.rod GRP/Al/V2A	ST	777,30	HVI LI 20 L6M SR2640 FSP500 GFK AL V2A
819258	DEHNcon-H HVI light Cond. L 6.0m w.	supp. tube a. air-term.rod GRP/Al/V2A	ST	787,80	HVI LI 20 L6M SR2640 FSP1000 GFK AL V2A
819259	DEHNcon-H HVI light Cond. L 7.5m w.	supp. tube a. air-term.rod GRP/Al/V2A	ST	1243,10	HVI LI 20 L7.5M SR5040 FSP500 GFK AL V2A
819271	Connection kit f. HVI light Cond. D 20mm	w. braid band L 1000mm f. tube inside	ST	80,80	HVI LI ASS RIV KF GFB1000 V2A
819272	Connection kit f. HVI light Cond. D 20mm	w. braid band L 2200mm f. tube inside	ST	91,70	HVI LI ASS RIV KF GFB2200 V2A
819282	Air-term. mast 30 f. HVI light Cond.	KIT w. tripod L 2300mm	ST	502,60	FM D30 L2300 DBS R320 GFK AL STTZN
819287	Air-term. mast 30 f. HVI light Cond.	KIT w. tripod L 2800mm	ST	518,30	FM D30 L2800 DBS R320 GFK AL STTZN
819288	Connection plate StSt for supporting	tubes D 50mm for 4 HVI connection elements	ST	53,80	AP SR D50 4AE HVI V2A
819289	Fixing kit Al/StSt for supporting tubes	D 50mm for four HVI Conductors	ST	149,80	BFS SR D50 4AE HVI LI AL V2A
819294	Fixing kit D 61mm 4x D 20mm	f. HVI long conductor f. supporting tube	ST	150,60	BFS D61 4X20
819299	Connection element M12 with nut and	heat-shrinkable sleeve for HVI light	ST	45,40	AE BO10 KF HVI LI V2A
819326	HVI Conductor D 20mm Cu w. support. tube	L 3200mm a. air-term. rod L 1000mm -KIT-	ST	1042,70	HVI 20 M L6M SR3200 IP FSP1000 GFK AL
819328	HVI Conductor D 20mm Cu w. support. tube	L 3200mm a. air-term. rod L 2500mm -KIT-	ST	1091,00	HVI 20 M L6M SR3200 IP RFS2500 GFK AL
819336	HVI Conductor D 23mm Cu w. support. tube	L 3200mm a. air-term. rod L 1000mm -KIT-	ST	1087,80	HVI 23 L6M SR3200 IP FSP1000 GFK AL
819338	HVI Conductor D 23mm Cu w. support. tube	L 3200mm a. air-term. rod L 2500mm -KIT-	ST	1136,10	HVI 23 L6M SR3200 IP RFS2500 GFK AL
819371	HVI Con. D 20mm Cu w. supp. tube L 3200mm	air-term. rod L 1000mm a. tripod -KIT-	ST	1841,40	HVI 20M L6M SR3200 SA FSP1000 AL DBS V2A
819373	HVI Con. D 20mm Cu w. supp. tube L 3200mm	air-term. rod L 2500mm and tripod -KIT-	ST	1903,70	HVI 20M L6M SR3200 SA RFS2500 AL DBS V2A
819380	Air-term. mast 50 f. HVI light Cond.	KIT w. tripod L 2900mm	ST	811,70	FM D50 10 2900 GFK AL DBS KB STTZN
819381	HVI Con. D 23mm Cu w. supp. tube L 3200mm	air-term. rod L 1000mm a. tripod -KIT-	ST	1886,50	HVI 23 L6M SR3200 SA FSP1000 AL DBS V2A
819383	HVI Con. D 23mm Cu w. supp. tube L 3200mm	air-term. rod L 2500mm and tripod -KIT-	ST	1948,80	HVI 23 L6M SR3200 SA RFS2500 AL DBS V2A
819385	Air-term. mast 50 f. HVI light Cond.	KIT w. tripod L 3900mm	ST	830,60	FM D50 16 10 3900 GFK AL DBS KB STTZN
819390	Air-term. mast 50 f. HVI light Cond.	KIT w. tripod L 4900mm	ST	855,80	FM D50 22 16 10 4900 GFK AL DBS KB STTZN
819426	HVI Conductor D 20mm Cu w. support. tube	L 4700mm a. air-term. rod L 2500mm -KIT-	ST	1178,00	HVI 20 M L6M SR4700 IP RFS2500 GFK AL
819430	HVI power Conductor D 27mm Cu -KIT- w.	supp.tube L 3500mm w. air-term.rod L 1.0m	ST	1457,10	HVI P 27 L6M SR3500 FSP1000 GFK V2A
819431	HVI power Conductor D 27mm Cu L6m-KIT- w.	supp.tube L 3500mm w. air-term.rod 2.5m	ST	1685,70	HVI P 27 L6M SR3500 FS2500 GFK V2A
819433	HVI power Conductor D 27mm Cu -KIT- w.	supp.tube L 5000mm w. air-term.rod 2.5m	ST	1965,80	HVI P 27 L6M SR5000 FS2500 GFK V2A
819438	HVI Conductor D 23mm Cu w. support. tube	L 4700mm a. air-term. rod L 2500mm -KIT-	ST	1223,10	HVI 23 L6M SR4700 IP RFS2500 GFK AL
819473	HVI Con. D 20mm Cu w. supp. tube L 4700mm	air-term. rod L 2500mm and tripod -KIT-	ST	2516,30	HVI 20M L6M SR4700 SA RFS2500 AL DBS V2A
819483	HVI Con. D 23mm Cu w. supp. tube L 4700mm	air-term. rod L 2500mm and tripod -KIT-	ST	2561,40	HVI 23 L6M SR4700 SA RFS2500 AL DBS V2A
819730	Air-term. mast L 11m w. HVI Conductor	D 20mm Cu L min. 10.0m black -KIT-	ST	3006,90	FM 60 L11M IP HVI M L10M GFK AL STTZN
819760	Air-term. mast L 11.0m m. HVI power Cond.	D 27mm Cu L min. 10.0m black -KIT-	ST	3344,60	FM 60 L11M IP HVIP L10M GFK AL STTZN
830008	Round wire 8mm Cu	coil length 100m soft	M	23,70	RD 8 CU F20 WEI R100M
830038	Round wire 8mm Cu	coil length 100m semi-rigid	M	23,70	RD 8 CU F25 HH R100M
830108	Round wire 8mm Cu	coil length: 20m soft	M	25,20	RD 8 CU F20 WEI R20M
830208	CUI conductor D 20mm	Cu 8mm prewired L 3.5m	ST	285,30	CUI L 20 GR 3.5M
830218	CUI conductor D 20mm	Cu 8mm prewired L 5.0m	ST	363,00	CUI L 20 GR 5M



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
831225	Strip 20x2.5mm Cu	coil length approx. 100m	M	28,80	BA 20X2.5 CU R100M
832095	Cable 12.5mm 95mm ² Cu (19x2.5mm)	coil 50m weight approx. 42kg	M	49,80	SEIL 12.5 95Q CU R50M
832120	Cable 14.5mm 120mm ² Cu (19x2.8mm)	coil 50m weight approx. 53kg	M	62,90	SEIL 14.5 120Q CU R50M
832192	Cable 10.5mm 70mm ² Cu (19x2.1mm)	coil 50m weight approx. 30kg	M	36,00	SEIL 10.5 70Q CU R50M
832193	Cable 10.5mm 70mm ² Cu (19x2.1mm)	coil 100m weight approx. 60kg	M	36,00	SEIL 10.5 70Q CU R100M
832202	Cable 10.5mm 70mm ² Cu/galSn (19x2.1mm)	coil 50m weight approx. 30kg	M	38,10	SEIL 10.5 70Q CUGALSN R50M
832292	Cable 10.5mm 70mm ² Cu/galSn (19x2.1mm)	coil 100m weight approx. 60kg	M	38,10	SEIL 10.5 70Q CUGALSN R100M
832295	Cable 12.5mm 95mm ² Cu/galSn (19x2.5mm)	coil 50m weight approx. 42kg	M	52,60	SEIL 12.5 95Q CUGALSN R50M
832320	Cable 14.5mm 120mm ² Cu/galSn (19x2.8mm)	coil 50m weight approx. 53kg	M	66,10	SEIL 14.5 120Q CUGALSN R50M
832739	Cable 9mm 50mm ² Cu (19x1.8mm)	coil 50m weight approx. 22kg	M	27,00	SEIL 9 50Q CU R50M
832740	Cable 9mm 50mm ² Cu (19x1.8mm)	coil 100m weight approx. 44kg	M	27,00	SEIL 9 50Q CU R100M
832838	Cable 7.5mm 35mm ² Cu/galSn (7x2.5mm)	Coil length: 100m	M	23,80	Seil 7.5 CUGALSN 35Q R100M
832839	Cable 9mm 50mm ² Cu/galSn (19x1.8mm)	coil 100m weight approx. 44kg	M	28,30	SEIL 9 50Q CUGALSN R100M
833008	Round wire DEHNcupal 8mm Al/Cu	coil length 110m soft-torsionable	M	16,80	RD 8 AL CU WEI R110M
840008	Round wire DEHNalu 8mm AlMgSi	coil length 148m semi-rigid	M	5,50	RD 8 ALMGSI HH R148M
840010	Round wire DEHNalu 10mm Al	coil length 100m soft-torsionable	M	9,00	RD 10 AL WEI R100M
840018	Round wire DEHNalu 8mm AlMgSi	coil length 148m soft-torsionable	M	5,50	RD 8 ALMGSI WEI R148M
840028	Round wire DEHNalu 8mm AlMgSi	coil length: 21m soft-torsionable	M	6,10	RD 8 ALMGSI WEI R21M
840050	Cable 9mm 50mm ² Al (19x1.8mm) EN 50182	coil 100m	M	8,00	SEIL 9 50Q AL R100M
840108	Round wire DEHNalu 8mm AlMgSi	coil length: 21m semi-rigid	M	6,00	RD 8 ALMGSI HH R21M
840118	Round wire 8mm AlMgSi soft coil length	100m w. plastic sheath halogen-free	M	8,10	RD 8 ALMGSI WE KM R100M
840128	Round wire 8mm Al soft coil length	100m w. plastic sheath, halogen-free	M	8,10	RD 8 AL WE KM R100M
850008	Cable 8mm 7x19x0.59mm StSt (316/Ti/L)	coil 100m weight approx. 23.5kg	M	26,70	SEIL 8 V4A R100M
850010	Cable 10mm 7x19x0.68mm StSt (316/Ti/L)	coil 100m weight approx. 39.5kg	M	42,00	SEIL 10 V4A R100M
852335	Strip 30x3.5mm St/tzn	coil length of 25m	M	9,00	BA 30X3.5 STTZM R25M
860008	Round wire 8mm StSt (V4A)	Coil length approx. 125m	M	24,20	RD 8 V4A R125M
860010	Round wire 10mm StSt (1.4404)	Coil length approx. 80m	M	37,80	RD 10 V4A R80M
860020	Round wire 10mm StSt (V4A)	Coil length approx. 20m	M	39,50	RD 10 V4A R20M
860050	Round wire 10mm StSt (V4A)	Coil length approx. 50m	M	37,80	RD 10 V4A R50M
860110	Terminal lug Rd 10mm StSt (V4A)	L 1000mm	ST	40,30	AF 10 V4A 1000
860115	Connection lug Rd 10mm StSt (V4A)	L 1500mm	ST	58,00	AF 10 V4A 1500
860130	Terminal lug Rd 10mm StSt (316/Ti/L)	L 3000mm	ST	112,80	AF 10 V4A 3000
860210	Connection lug Fl 30x3.5mm StSt V4A	L 1000mm	ST	46,50	AF 30X3.5 V4A 1000
860215	Terminal lug Fl 30x3.5mm StSt (V4A)	L 1500mm	ST	67,30	AF 30X3.5 V4A 1500
860230	Terminal lug Fl 30x3.5mm StSt (316/Ti/L)	L 3000mm	ST	131,40	AF 30X3.5 V4A 3000
860315	Terminal lug angled Fl 30x3.5mm	StSt (V4A) L 1500mm with bore 11mm	ST	81,30	AF 30X3.5 V4A ZW 1500
860325	Strip 30x3.5mm StSt (316/Ti/L)	coil 25m weight approx. 21kg	M	44,40	BA 30X3.5 V4A R25M
860330	Terminal lug angled Fl 30x3.5mm	StSt (V4A) L 3000mm with bore 11mm	ST	148,70	AF 30X3.5 V4A ZW 3000
860335	Strip 30x3.5mm StSt (316/Ti/L)	coil 60m weight approx. 49kg	M	42,60	BA 30X3.5 V4A R60M
860404	Strip 40x4mm StSt (V4A)	Coil approx. 40m	M	64,50	BA 40X4 V4A R40M
860405	Strip 40x5mm StSt (V4A)	coil approx. 30m	M	81,20	BA 40X5 V4A R30M
860425	Connection lug Fl 30x3.5 mm StSt	L 3000 mm with 5 bores 6.5x12 mm	ST	123,20	AF 30X3.5 V2A B6.5X12 3000
860430	Connection lug Fl 30x3.5 mm StSt (V4A)	L 3000 mm with 5 bores 6.5x12 mm	ST	143,30	AF 30X3.5 V4A B6.5X12 3000
860900	Strip 30x3.5mm StSt (V2A)	ring length approx. 60m	M	36,00	BA 30X3.5 V2A R60M
860908	Round wire 8mm StSt (V2A)	Coil length approx. 125m	M	16,70	RD 8 V2A R125M
860910	Round wire 10mm StSt (V2A)	Coil length approx. 80m	M	26,00	RD 10 V2A R80M
860920	Round wire 10mm StSt 1.4301 (V2A)	Coil length approx. 20m	M	27,60	RD 10 V2A R20M
860925	Strip 30x3.5mm StSt (V2A)	coil 25m weight approx. 21kg	M	37,60	BA 30X3.5 V2A R25M
860950	Round wire 10mm StSt (V2A)	coil length approx. 50m	M	26,00	RD 10 V2A R50M
900050	DEHNgap Maxi S, N-PE lightning current	arrester	ST	337,60	DGPM 1 255 S
900070	DEHNCombo YPV combined arrester for	PV systems up to 1200 V DC	ST	253,50	DCB YPV 1200
900071	DEHNCombo YPV combined arrester for	PV systems up to 1500 V DC	ST	305,00	DCB YPV 1500
900075	DEHNCombo YPV FM combined arrester for	PV systems up to 1200 V DC	ST	298,00	DCB YPV 1200 FM
900076	DEHNCombo YPV FM combined arrester for	PV systems up to 1500 V DC	ST	349,50	DCB YPV 1500 FM
900120	DEHNbloc H 3 lightning current arrester		ST	529,30	DB 3 255 H
900220	Coordin. lightn. current arrester Type 1	DEHNbloc Maxi S 1-pole 255V AC	ST	369,90	DBM 1 255 S
900222	Lightning current arrester Type 1	DEHNbloc 1 H 1-pole 255V AC	ST	198,20	DB 1 255 H
900230	Coordinated lightning current arrester	Type 1 DEHNSolid single-pole 255 V a.c.	ST	1283,60	DSO 1 255
900255	Koordinierter Blitzstromableiter Typ 1	DEHNbloc Maxi NH00 1-pole 255V AC	ST	215,00	DBM NH00 255
900261	Surge arrester Type 2 / single-pole	280V a.c. for NH00 fuse holders	ST	139,10	V NH00 280
900262	Surge arrester Type 2 / single-pole	280V a.c. for NH00 fuse holders	ST	149,40	VA NH00 280
900263	Surge arrester Type 2 / single-pole	280V a.c. for NH00 fuse holders	ST	145,60	V NH00 280 FM
900264	Surge arrester Type 2 / single-pole	280V a.c. for NH00 fuse holders	ST	154,30	VA NH00 280 FM
900270	Surge arrester Type 2 / single-pole	280V a.c. for NH1 fuse holders	ST	148,70	V NH1 280
900271	Surge arrester Type 2 / single-pole	280V a.c. for NH1 fuse holders	ST	158,60	VA NH1 280
900385	Combined arrester DEHNvap	Type 1+2 f. three-phase TT and TN-S systems	ST	731,80	DVA EMOB 3P 255 FM
900390	Combined arrester type 1 + type 2	DEHNventil ZP f. three-phase TN-C systems	ST	1060,90	DV ZP TNC 255
900391	Combined arrester type 1 + type 2	DEHNventil ZP f. three-phase TT a. TN-S	ST	1490,10	DV ZP TT 255
900396	Comb. arr. Type 1+2 DEHNshield ZP Basic	for three-phase TT and TN-S systems	ST	424,10	DSH ZP B TT 255
900411	Earthing clip single-phase 3-pole	with terminal up to 25 mm ²	ST	18,00	EB DG 1000 1 3
900417	Earthing clip single-phase 4-pole	with terminal up to 25 mm ²	ST	22,00	EB 1 4 9
900418	Earth. clip single-phase 3-pole 1.5 mods	with terminal up to 25 mm ²	ST	17,20	EB 1 3 1.5
900419	Earthing clip single-phase 2-pole	with terminal up to 25 mm ²	ST	14,80	EB 1 2 5
900429	Earthing clip single-phase 4-pole	1.5 mods w. terminal up to 25 mm ²	ST	20,90	EB 1 4 1.5
900430	Surge arrester Type 2 DEHNCord	2-pole f. electr. installation systems	ST	72,60	DCOR L 2P 275
900431	Surge arrester Type 2 DEHNCord	1-pole f. electr. installation systems	ST	46,70	DCOR L 1P 275
900432	Surge arrester Type 2 DEHNCord	2-pole for electr. installation systems	ST	77,50	DCOR L 2P 320
900433	Surge arrester Type 2 DEHNCord	1-pole for electr. installation systems	ST	52,80	DCOR L 1P 320
900435	Surge arrester Type 2 DEHNCord	2-pole f. electr. installation systems	ST	65,90	DCOR L 2P 275 SO LT
900439	Type 2+3 surge arrester DEHNCord	3-phase for electr. inst. systems	ST	123,80	DCOR 3P TT 275 FM
900443	Fuse box EK480, Langmatz, with	DEHNCord, transparent cover	ST	141,50	SK EK480 G25-2d LM DCOR
900445	Surge arrester Type 2 DEHNCord	3-pole f. electr. installation systems	ST	72,10	DCOR L 3P 275 SO LTG
900446	Surge arrester Type 2 DEHNCord	2-pole f. electr. installation systems	ST	59,50	DCOR L 2P 275 SO LTG
900447	Surge arrester Type 2 DEHNCord	3-pole w. connecting cable IP65	ST	79,50	DCOR L 3P 275 SO IP
900448	Surge arrester Type 2 DEHNCord	2-pole w. connecting cable IP65	ST	67,00	DCOR L 2P 275 SO IP
900449	Surge arrester Type 2 DEHNCord	3-pole f. electric blinds	ST	171,60	DCOR R 3P 275
900456	Surge arrester Type 2 DEHNGuard	4-pole for TT and TN-S systems	ST	393,00	DG TT 20 340
900460	Earthing clip single-phase 2-pole	1.5 mods w. terminal up to 25 mm ²	ST	14,30	EB 1 2 1.5
900461	Earthing clip single-phase 3-pole	10 mods w. connection clamp up to 25 mm ²	ST	26,20	EB 1 3 10
900462	Earthing clip single-phase 4-pole	13 mods w. connection clamp up to 25 mm ²	ST	27,60	EB 1 4 13
900471	Surge arrester Type 3 / 2-pole w. solder	pins f. inst. into terminal equipment	ST	38,30	VC 280 2
900588	Pin-shaped terminal 3x16mm ²	for through-wiring	ST	13,30	STAK 3X16
900589	Pin-shaped terminal 2x16mm ²	for through-wiring	ST	9,20	STAK 2X16
900595	Busbar / Modular wiring system	three-phase, 6-pole for 6 modules	ST	13,50	MVS 3 6 6
900610	Modular wiring system, single-phase,	4-pole, Cu 16mm ²	ST	4,00	MVS 1 4
900611	Modular wiring system, single-phase,	8-pole, Cu/16mm ²	ST	6,00	MVS 1 8
900612	Modular wiring system, single-phase,	57-pole, Cu/16mm ²	ST	30,20	MVS 1 57
900614	Busbar / Modular wiring system	four-phase, 56-pole for 56 modules	ST	115,30	MVS 4 56
900615	Busbar / modular wiring system	single-phase, three-pole Cu/16mm ²	ST	3,80	MVS 1 3
900617	Busbar / modular wiring system	single-phase, two-pole, copper 16mm ²	ST	3,00	MVS 1 2
900760	Surge protective devices for	circuit breakers 2-pole C25 A	ST	97,90	POP 2 255 C25
900761	Surge protective devices for pannungen	circuit breakers 2-pole C32 A	ST	101,00	POP 2 255 C32
900762	Surge protective devices for	circuit breakers 2-pole C40 A	ST	108,50	POP 2 255 C40
900765	Surge protective devices for	circuit breakers 4-pole C25 A	ST	259,90	POP 4 255 C25
900766	Surge protective devices for	circuit breakers 4-pole C32 A	ST	287,80	POP 4 255 C32
900767	Surge protective devices for	circuit breakers 4-pole C40 A	ST	293,60	POP 4 255 C40
900768	Surge protective devices for	circuit breakers 4-pole C63 A	ST	325,80	POP 4 255 C63
900780	Surge protective devices for	circuit breakers 2-pole C25 A	ST	171,50	SPD+POP 2 255 C25



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
900781	Surge protective devices for	circuit breakers 2-pole C32 A	ST	173,80	SPD+POP 2 255 C32
900782	Surge protective devices for	circuit breakers 2-pole C40 A	ST	175,90	SPD+POP 2 255 C40
900785	Surge protective devices for	circuit breakers 4-pole C25 A	ST	390,10	SPD+POP 4 255 C25
900786	Surge protective devices for	circuit breakers 4-pole C32 A	ST	395,20	SPD+POP 4 255 C32
900787	Surge protective devices for	circuit breakers 4-pole C40 A	ST	416,30	SPD+POP 4 255 C40
900788	Surge protective devices for	circuit breakers 4-pole C63 A	ST	473,40	SPD+POP 4 255 C63
900813	Busbar / Modular wiring system	three-phase, 6-pole for 8 modules	ST	40,50	MVS 3 6 8
900814	Busbar / Modular wiring system	four-phase, 8-pole for 11 modules	ST	64,50	MVS 4 8 11
900815	Busbar, / modular wiring system	single-phase, 6-pole, Cu 16mm ²	ST	4,90	MVS 1 6
900839	Busbar / Modular wiring system	three-phase, 6-pole, 9 modules	ST	53,00	MVS 3 6 9
900848	Busbar, single-phase, 7-pole, Cu 16mm ²		ST	4,90	MVS 1 7
900850	Busbar / modular wiring system	four-phase, 8-pole, for 8 DIN modules	ST	56,60	MVS 4 8 8
900910	Surge arrester Type 2 DEHNcube in IP65	enclosure f. PV systems 1MPP at 1000V d.c.	ST	222,50	DCU YPV SCI 1000 1M
900920	Surge arrester Type 2 DEHNcube in IP65	enclosure f. PV systems 2MPP at 1000V d.c.	ST	392,60	DCU YPV SCI 1000 2M
900945	Connecting cable for DEHNcube type Y	6 mm ² Cu L 3 x 1000 mm	ST	23,60	AL DCU Y PV L3X1000
902314	Surface mountable insulating enclosure	IP 54 f. DIN rail mounted dev. 7 mods	ST	198,70	IGA 7 IP54
902315	Surface mountable insulating enclosure	IP 54 f. DIN rail mounted dev. 10 mods	ST	250,40	IGA 10 V2 IP54
902316	Insul. encl. f. surface mounting IP 65	f. DIN rail mounted devices 12 modules	ST	224,80	IGA 12 IP65
902317	Sealing device for insulating	enclosure (902471, 902472, 902316)	ST	16,50	PLOV IGA 12 24
902471	Surface mountable insulating encl. IP 54	for DIN rail mounted devices 12 modules	ST	166,70	IGA 12 IP54
902472	Surface mountable insul. enclosure IP 54	for DIN rail mounted devices 24 mods.	ST	277,70	IGA 24 IP54
902485	Surface mountable insulating encl. IP 54	for DIN rail mounted devices 6 modules	ST	97,90	IGA 6 IP54
906055	Aluminium enclosure AP-IP 65 for DIN	rail mounted devices max. 5 mods.	ST	222,40	ALGA 5
906058	Aluminium enclosure AP-IP 65 for DIN	rail mounted dev. max. 5 mods. f. Ex(i)	ST	235,00	ALGA 5 X
906100	DEHN enclosure for equipotential bonding	for 3 LSA blocks 10/2	ST	229,20	DPG LSA 30 P
906101	DEHN enclosure for equipotential bonding	for 6 LSA blocks 10/2	ST	268,00	DPG LSA 60 P
906102	DEHN enclosure for equipotential bonding	for 12 LSA blocks 10/2	ST	314,20	DPG LSA 120 P
906103	DEHN enclosure for equipotential bonding	for 22 LSA blocks 10/2	ST	373,20	DPG LSA 220 P
907208	Gas discharge tube 230 V for	DEHNrapid LSA	ST	9,80	GDT 230 G3
907214	Surge protective block LSA-Plus Techn.,	10 pairs, with 3-electrode arresters	ST	146,50	DPL 10 G3 110
907216	Protective block LSA-Plus tech. 10 pairs,	3-elec. arresters fail safe fault ind.	ST	180,50	DPL 10 G3 110 FSD
907217	Gas discharge tube 230 V for	DEHNrapid LSA with fail-safe function	ST	12,90	GDT 230 G3 FSD
907218	Gas discharge tube 230V	for DEHNrapid LSA	ST	9,30	GDT 230 B3
907219	Gas discharge tube 230 V for	DEHNrapid LSA with fail-safe function	ST	12,50	GDT 230 B3 FSD
907400	DEHNrapid LSA lightning current	arrester for 10 pairs	ST	142,80	DRL 10 B 180
907401	DEHNrapid lightn. curr. arr. LSA f. 10	pairs, fail-safe funct., fault indicator	ST	176,50	DRL 10 B 180 FSD
907421	DEHNrapid LSA protective plug		ST	39,40	DRL RE 12
907422	DEHNrapid LSA protective plug		ST	38,80	DRL RE 24
907423	DEHNrapid LSA protective plug		ST	39,40	DRL RE 48
907424	DEHNrapid LSA protective plug		ST	39,40	DRL RE 60
907425	DEHNrapid LSA protective plug		ST	39,40	DRL RE 180
907430	DEHNrapid LSA protective plug		ST	35,20	DRL PD 180
907441	DEHNrapid LSA protective plug		ST	35,90	DRL RD 12
907442	DEHNrapid LSA protective plug		ST	35,20	DRL RD 24
907443	DEHNrapid LSA protective plug		ST	35,90	DRL RD 48
907444	DEHNrapid LSA protective plug		ST	35,90	DRL RD 60
907445	DEHNrapid LSA protective plug		ST	36,00	DRL RD 110
907470	DEHNrapid LSA protective plug		ST	37,30	DRL HD 24
907496	Earthing module DEHNrapid LSA		ST	10,50	EM 2 DRL
907497	Label holder for clear marking of	DEHNrapid LSA technology	ST	4,70	SR DRL
907498	Earthing frame for DEHNrapid LSA	protective plug 10 pairs	ST	11,70	EF 10 DRL
907499	SPD block for gas discharge tube	DEHNrapid LSA 10 pairs	ST	64,10	BM 10 DRL
907991	Disconnect. block/routing module for	DEHNrapid LSA technology 2	ST	121,90	TL2 10DA CC
907993	Earth conductor block	LSA-Plus technology 2, 38 wires	ST	37,10	EL2 38EA LSA
907994	Insertion tool LSA-Plus technology 2		ST	110,00	AW2 LSA
907995	Mounting frame LSA-Plus technology 2		ST	56,10	MB2 10 LSA
907996	Disconnection block LSA-Plus technology	2, 10 pairs	ST	19,10	TL2 10DA LSA
907997	Terminal block LSA-Plus technology 2,	10 pairs	ST	16,80	AL2 10DA LSA
908010	Surge arrester type 2 varistor	protection module for DEHNguard M and S	ST	67,20	DG PLU 275
908011	Surge arrester type 2 varistor	protection module for DEHNguard M and S	ST	75,90	DG PLU 180
908012	Surge arrester type 2 varistor	protection module for DEHNguard M and S	ST	75,90	DG PLU 230
908013	Surge arrester type 2 varistor	protection module for DEHNguard M and S	ST	75,90	DG PLU 510
908014	Surge arrester type 2 varistor	protection module for DEHNguard M and S	ST	75,90	DG PLU 385
908015	Surge arrester type 2 varistor	protection module for DEHNguard M and S	ST	75,90	DG PLU 550
908070	Surge arrester Type 2 DEHNguard S		ST	93,40	DG SU 1P 120
908074	Surge arrester type 2 DEHNguard S		ST	93,40	DG SU 1P 240
908076	Surge arrester type 2 DEHNguard S		ST	93,40	DG SU 1P 347
908090	Surge arrester type 2 DEHNguard S		ST	108,30	DG SU 1P 120 R
908094	Surge arrester type 2 DEHNguard S		ST	108,30	DG SU 1P 240 R
908096	Surge arrester type 2 DEHNguard S		ST	108,30	DG SU 1P 347 R
908190	Surge arrester type 2 DEHNguard M		ST	169,10	DG MU SP 240 3W+G
908192	Surge arrester type 2 DEHNguard M		ST	169,10	DG MU SP 480 3W+G
908195	Surge arrester type 2 DEHNguard M		ST	199,10	DG MU SP 240 3W+G R
908197	Surge arrester type 2 DEHNguard M		ST	199,10	DG MU SP 480 3W+G R
908203	Surge arrester type 2 DEHNguard M		ST	151,60	DG MU CGD 240 3W+G
908204	Surge arrester type 2 DEHNguard M		ST	169,10	DG MU CGD 480 3W+G
908208	Surge arrester type 2 DEHNguard M	f. corner grounded delta	ST	181,60	DG MU CGD 240 3W+G R
908209	Surge arrester type 2 DEHNguard M		ST	199,10	DG MU CGD 480 3W+G R
908214	Surge arrester Type 2 DEHNguard M		ST	253,50	DG MU SPN 240 3W+G
908219	Surge arrester Type 2 DEHNguard M		ST	298,30	DG MU SPN 240 3W+G R
908300	Surge arrester Type 2 DEHNguard M		ST	253,50	DG MU 3PY 208 3W+G
908301	Surge arrester Type 2 DEHNguard M		ST	253,50	DG MU 3PY 600 3W+G
908305	Surge arrester Type 2 DEHNguard M		ST	298,30	DG MU 3PY 208 3W+G R
908306	Surge arrester Type 2 DEHNguard M		ST	298,30	DG MU 3PY 600 3W+G R
908314	Surge arrester Type 2 DEHNguard M		ST	253,50	DG MU 3PY 480 3W+G
908319	Surge arrester Type 2 DEHNguard M		ST	298,30	DG MU 3PY 480 3W+G R
908340	Surge arrester Type 2 DEHNguard M		ST	344,30	DG MU 3PY 208 4W+G
908341	Surge arrester Type 2 DEHNguard M		ST	344,30	DG MU 3PY 480 4W+G
908342	Surge arrester Type 2 DEHNguard M		ST	344,30	DG MU 3PY 600 4W+G
908343	Surge arrester Type 2 DEHNguard M		ST	335,60	DG MU 3PH 240 4W+G
908344	Surge arrester Type 2 DEHNguard M		ST	344,30	DG MU 3PH 480 4W+G
908345	Surge arrester Type 2 DEHNguard M		ST	388,40	DG MU 3PY 208 4W+G R
908346	Surge arrester Type 2 DEHNguard M		ST	388,40	DG MU 3PY 480 4W+G R
908347	Surge arrester Type 2 DEHNguard M		ST	388,40	DG MU 3PY 600 4W+G R
908348	Surge arrester Type 2 DEHNguard M		ST	379,80	DG MU 3PH 240 4W+G R
908349	Surge arrester Type 2 DEHNguard M		ST	388,40	DG MU 3PH 480 4W+G R
908350	Surge arrester Type 2 DEHNguard M		ST	253,50	DG MU 3PD 480 3W+G
908351	Surge arrester Type 2 DEHNguard M		ST	227,40	DG MU 3PD 240 3W+G
908355	Surge arrester Type 2 DEHNguard M		ST	298,30	DG MU 3PD 480 3W+G R
908356	Surge arrester Type 2 DEHNguard M		ST	272,20	DG MU 3PD 240 3W+G R
909131	Type 1+2+3 comb. arr. DEHNshield ZP + LS	Basic 2 LSG for TT and TN-S systems	ST	510,20	DSH ZP B2 LSG A TT 255
909230	Surge arrester Type 3 230V a.c.	DEHNprotector w. two-pin earthed plug	ST	78,70	DPRO 230
909231	Type 1+2+3 comb. arr. DEHNshield ZP + LS	2 LSG for TT and TN-S systems	ST	775,70	DSH ZP 2 LSG A TT 255
909250	Type 3 surge arrester 230V a.c.	SFL-Protector multiple socket outlet	ST	207,00	SFL PRO 6X
909251	SFL-Protector multiple socket outlet for	482.6mm (19'') data cabinets	ST	238,80	"SFL PRO 6X 19''"
909300	Surge arrester DEHNprotector combined	adapter for power and antenna side	ST	109,90	DPRO 230 TV
909310	Surge arrester DEHNprotector combined	adapter for power and data side	ST	96,30	DPRO 230 NT
909321	Surge arrester DEHNprotector combined	adapter for power and data side	ST	149,00	DPRO 230 LAN100



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
909330	Type1+2+3 combined arrester DEHNshield ZP	Basic 2 for TNC systems	ST	292,10	DSH ZP B2 TNC 255
909331	Type1+2+3 combined arrester DEHNshield ZP	Basic 2 for TT and TN-S systems	ST	406,70	DSH ZP B2 TT 255
909340	Type 1+2+3 comb. arrester DEHNshield ZP	Basic 2 for TN-S systems	ST	385,40	DSH ZP B2 TNS 255
909396	Type 1+2+3 combined arrester DEHNshield ZP	Basic 2 SG for TT and TN-S systems	ST	488,40	"DSH ZP B2 SG TT 255, vp"
909430	Type1+2+3 combined arrester DEHNshield ZP	Basic 2 for TNC systems	ST	374,00	DSH ZP B2 SG TNC 255
909440	Type1+2+3 combined arrester DEHNshield ZP	Basic 2 SG for TN-S systems	ST	467,20	DSH ZP B2 SG TNS 255
909497	Miniature circuit breaker B char.	25 kA, 6 A, 1P for ABB type S201P-B6	ST	51,10	LS B6 DSH ZP LSG
909498	Transparent sealing cover f. circuit	breakers of DEHNshield ZP LSG	ST	12,60	PH DSH ZP LSG
909499	Connecting cable, 2-pole, L 750mm 1qmm	blue and black, plug included	ST	25,00	ASL DSH ZP SMG APL
909530	Type1+2+3 combined arrester DEHNshield ZP	2 for TNC systems	ST	473,60	DSH ZP 2 TNC 255
909531	Type1+2+3 combined arrester DEHNshield ZP	2 for TT and TN-S-systems	ST	655,70	DSH ZP 2 TT 255
909540	Type1+2+3 combined arrester DEHNshield ZP	2 for TN-S systems	ST	622,20	DSH ZP 2 TNS 255
909630	Type1+2+3 combined arrester DEHNshield ZP	2 SG for TNC systems	ST	543,80	DSH ZP 2 SG TNC 255
909631	Type1+2+3 combined arrester DEHNshield ZP	2 SG for TT and TN-S-systems	ST	725,90	DSH ZP 2 SG TT 255
909640	Type1+2+3 combined arrester DEHNshield ZP	2 SG for TN-S systems	ST	692,20	DSH ZP 2 SG TNS 255
909703	DEHNgate surge arrester		ST	87,60	DGA FF TV
909704	DEHNgate lightning current arrester		ST	55,70	DGA GF TV
909705	DEHNgate combined lightning current	and surge arrester set	ST	125,70	DGA GFF TV
909706	Five-channel surge arrester DEHNgate	for 75 Ohm TV and SAT systems	ST	229,00	DGA FF5 TV
909710	DEHNgate surge arrester		ST	168,90	DGA BNC VCD
909711	DEHNgate surge arrester		ST	173,50	DGA BNC VCID
909731	Type 1+2+3 combined arrester DEHNshield ZP	Basic 2 LSG for TT and TN-S systems	ST	427,90	DSH ZP B2 LSG TT 255
909831	Type 1+2+3 combined arrester DEHNshield ZP	2 LSG for TT and TN-S systems	ST	694,00	DSH ZP 2 LSG TT 255
910099	Protective conductor terminal 16 mm ²	with universal base	ST	12,20	SLK 16
910200	Surge protection status indication	DEHNpanel with green/red LED f. installation	ST	199,30	DPAN L
910486	USB interface converter	USB-RS485	ST	183,70	USB NANO 485
910499	Power supply unit AC 100..240V DC 24V 30W	DIN rail mounting device	ST	187,80	PSU DC24 30W
910508	Test adapter for SPD test device	for BLITZDUCTOR XT / CT	ST	1123,50	PA BXT
910511	Hand-held SPD test device		ST	1985,80	PM 20
910512	Impulse Counter for registration	of discharge currents occurred in SPD	ST	466,90	IPC P3
910631	Remote signaling and receiver module	DEHNsignal E 3	ST	170,60	DSI E 3
910641	Optical-fibre plug f. cables, D 2.2 mm	for DEHNsignal	ST	10,30	LWL ST DSI
910642	Optical-fibre cable, plastic, D 2.2mm	L 18m external coating PE f. DEHNsignal	ST	46,70	LWL DSI 18M
910652	LifeCheck sensor for arrester test	device DEHNrecord for BLITZDUCTOR XT	ST	113,30	LCS DRC BXT
910653	Portable test device DEHNrecord LC M3+	with visual and acoustic indicator	ST	1105,60	DRC LC M3+
910655	Portable test device DEHNrecord LC M1+	w. visual and acoustic indication	ST	792,00	DRC LC M1+
910694	DEHNrecord Alert f. transmission SPD	status info. via modbus RTU/TCP	ST	397,60	DRC AL MODBUS
910695	DEHNrecord Condition Monitoring system f.	monitoring BLITZDUCTOR XT w. LifeCheck	ST	377,60	DRC MCM XT
910696	DEHNrecord condition monitoring unit	for monitoring BXT with LifeCheck	ST	260,20	DRC SCM XT
910697	Partition for BLITZDUCTOR Ex (i)	base part and DEHNrecord MCM	SA	29,70	TW DRC MCM EX
910698	DEHNrecord Condition Monitoring system f.	monitoring BLITZDUCTOR XT w. LifeCheck	ST	377,60	DRC MCM AL XT
910710	DEHNrecord condition monitoring unit	for monitoring BDC with LifeCheck	ST	194,50	DRC IRCM
910797	Partition for separating intrinsically	safe and non-intr. safe signal circuits	SA	29,70	PARTITION EXI
912253	SPS Protector surge arrester		ST	378,90	SPS PRO
912254	NF 10 mains filter		ST	197,50	NF 10
917900	Disconnection module Disconnect SD2		ST	12,20	DCO SD2
917920	Surge arrester terminal block	2-pole DEHNconnect SD2	ST	90,60	DCO SD2 ME 12
917921	Surge arrester terminal block	2-pole DEHNconnect SD2	ST	88,70	DCO SD2 ME 24
917922	Surge arrester terminal block	2-pole DEHNconnect SD2	ST	92,50	DCO SD2 ME 48
917940	Surge arrester terminal block	2-pole DEHNconnect SD2	ST	86,30	DCO SD2 MD 12
917941	Surge arrester terminal block	2-pole DEHNconnect SD2	ST	84,50	DCO SD2 MD 24
917942	Surge arrester terminal block	2-pole DEHNconnect SD2	ST	90,40	DCO SD2 MD 48
917960	Surge arrester terminal block	2-pole DEHNconnect SD2	ST	87,30	DCO SD2 MD EX 24
917970	Surge arrester terminal block	2-pole DEHNconnect SD2	ST	98,30	DCO SD2 MD HF 5
917977	Labelling system for DEHNconnect SD2	2x No. 1-50 horizontally printed	ST	6,00	LS 1 50 H DCO
917987	Surge arrester terminal block	2-pole DEHNconnect SD2	ST	38,80	DCO SD2 E 12
917988	Surge arrester terminal block	2-pole DEHNconnect SD2	ST	38,00	DCO SD2 E 24
917989	Surge arrester terminal block	2-pole DEHNconnect SD2	ST	38,80	DCO SD2 E 48
918401	BLITZDUCTOR VT surge arrester		ST	197,20	BVT RS485 5
918408	BLITZDUCTOR VT combined arrester		ST	158,00	BVT ALD 36
918409	Combined arrester BLITZDUCTOR VT	for d.c. supply systems	ST	160,80	BVT ALD 60
918411	BLITZDUCTOR VT surge arrester		ST	121,70	BVT TC 1
918420	BLITZDUCTOR VT combined lightning	current and surge arrester	ST	280,30	BVT KKS ALD 75
918421	BLITZDUCTOR VT combined lightning	current and surge arrester	ST	222,70	BVT KKS APD 36
918422	Combined arrester BLITZDUCTOR VT	for d.c. voltage supplies	ST	217,60	BVT AVD 24
919010	Shield terminal D 1.5 - 6.5 mm, nickel-	plated brass, for busbars 18x3 mm	ST	5,80	SAK 6.5 SN MS
919011	Shield terminal D 5.0-11mm nickel-	plated brass, for busbars 18x3 mm	ST	6,50	SAK 11 SN MS
919012	Rail support with one shield terminal,	tin-plated steel, for busbars 18x3 mm	ST	9,10	SH1 18X3 ST
919013	Rail support with two shield terminals,	tin-plated steel, for busbars 18x3 mm	ST	10,40	SH2 18X3 ST
919014	Rail support, plastic, black, for	busbars 18x3 mm	ST	5,90	SH 18X3 K
919015	Terminal for busbars 18x3mm	cross section max. 35mm ² green/yellow	ST	5,90	AK 35 SN 18X3 GG
919016	Busbar, 18x3 mm Cu/Sn L 1000 mm		ST	43,40	SN 18X3 CU 1000
919030	Self-bonding rubber tape	W 19mm L 9.0m black	ST	53,90	SKB 19 9M SW
919031	Constant force spring for shield	connection D 4-10mm StSt	ST	6,40	SA KRF 10 V2A
919032	Constant force spring for shield	connection D 9-15mm StSt	ST	8,40	SA KRF 15 V2A
919033	Constant force spring for shield	connection D 14-22mm StSt	ST	13,30	SA KRF 22 V2A
919034	Constant force spring for shield	connection D 18.5-29mm StSt	ST	15,60	SA KRF 29 V2A
919035	Constant force spring for shield	connection D 23.5-37mm StSt	ST	18,60	SA KRF 37 V2A
919036	Constant force spring for shield	connection D 31-50mm StSt	ST	21,50	SA KRF 50 V2A
919037	Constant force spring for shield	connection D 44-70mm StSt	ST	27,70	SA KRF 70 V2A
919038	Constant force spring for shield	connection D 58-94mm StSt	ST	39,90	SA KRF 94 V2A
919880	Jumper bar for DEHNconnect RK,	10-pole	ST	4,70	KB 10 DCO RK
920000	Spark gap for indirect connection of	service entry mast	ST	23,60	DSFS
920211	Combined 2-pole arrester module	BLITZDUCTOR XT with LifeCheck	ST	98,50	BXT ML2 B 180
920220	BLITZDUCTOR XT combined lightn. current	and surge arrester mod., shield earthing	ST	154,30	BXT ML2 BE S 5
920222	BLITZDUCTOR XT combined lightn. current	and surge arrester mod., shield earthing	ST	154,30	BXT ML2 BE S 12
920224	BLITZDUCTOR XT combined lightn. current	and surge arrester mod., shield earthing	ST	151,40	BXT ML2 BE S 24
920225	BLITZDUCTOR XT combined lightn. current	and surge arrester mod., shield earthing	ST	154,30	BXT ML2 BE S 48
920226	BLITZDUCTOR XT combined arrester module	with LifeCheck for 2 single lines	ST	197,20	BXT ML2 BE S 36
920240	BLITZDUCTOR XT combined lightn. current	and surge arrester mod., shield earthing	ST	146,10	BXT ML2 BD S 5
920242	BLITZDUCTOR XT combined lightn. current	and surge arrester mod., shield earthing	ST	146,10	BXT ML2 BD S 12
920243	BLITZDUCTOR XT combined lightn. current	and surge arrester mod., shield earthing	ST	147,70	BXT ML2 BD DL S 15
920244	BLITZDUCTOR XT combined lightn. current	and surge arrester mod., shield earthing	ST	143,30	BXT ML2 BD S 24
920245	BLITZDUCTOR XT combined lightn. current	and surge arrester mod., shield earthing	ST	146,10	BXT ML2 BD S 48
920247	Combined arrester module f. 1 pair	BLITZDUCTOR XT with LifeCheck	ST	135,20	BXT ML2 BD 180
920249	BLITZDUCTOR XTU combined lightning	current and surge arrester module	ST	170,10	BXTU ML2 BD S 0-180
920270	BLITZDUCTOR XT combined lightning	current and surge arrester module	ST	161,50	BXT ML2 BE HFS 5
920271	Combined arrester module f. one pair	BLITZDUCTOR XT with LifeCheck function	ST	161,50	BXT ML2 BD HFS 5
920280	Surge arrester module for 1 pair	BLITZDUCTOR XT Ex(i) with LifeCheck	ST	161,50	BXT ML2 BD S EX 24
920288	BLITZDUCTOR XT surge arrester module	with Y circuit	ST	158,80	BXT ML2 MY E 110
920289	BLITZDUCTOR XT surge protection module		ST	142,70	BXT ML2 MY 250
920296	Combined arrester module for	1 pair BLITZDUCTOR XT	ST	65,80	BXT M2 BD HC5A 24
920300	Base part for BLITZDUCTOR XT		ST	43,80	BXT BAS
920301	Base part for BLITZDUCTOR XT Ex (i)		ST	48,10	BXT BAS EX
920308	BLITZDUCTOR XT earthing module		ST	17,20	BXT M4 E
920309	BLITZDUCTOR XT test module		ST	135,30	BXT M4 T
920310	Lightning current arrester module	4-pole BLITZDUCTOR XT with LifeCheck	ST	129,20	BXT ML4 B 180
920314	Combined arrester module for 2 pairs	BLITZDUCTOR XT with LifeCheck	ST	212,80	BXT ML4 BPD 24



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
920320	Combined arrester module for 4 single	lines BLITZDUCTOR XT with LifeCheck	ST	233,80	BXT ML4 BE 5
920322	Combined arrester module for 4 single	lines BLITZDUCTOR XT with LifeCheck	ST	233,80	BXT ML4 BE 12
920324	Combined arrester module for 4 single	lines BLITZDUCTOR XT with LifeCheck	ST	229,40	BXT ML4 BE 24
920325	Combined arrester module for 4 single	lines BLITZDUCTOR XT with LifeCheck	ST	233,80	BXT ML4 BE 48
920326	Combined arrester module for 4 single	lines BLITZDUCTOR XT with LifeCheck	ST	233,80	BXT ML4 BE 60
920327	Combined arrester module for 4 single	lines BLITZDUCTOR XT with LifeCheck	ST	233,80	BXT ML4 BE 180
920334	Combined arrester module for 2 single	lines and 1 pair BLITZDUCTOR XT	ST	221,30	BXT ML4 BE BD 24
920336	BLITZDUCTOR XT combined lightning	current and surge arrester module	ST	269,00	BXT ML4 BE 36
920340	Combined arrester module for 2 pairs	BLITZDUCTOR XT with LifeCheck	ST	220,40	BXT ML4 BD 5
920342	Combined arrester module for 2 pairs	BLITZDUCTOR XT with LifeCheck	ST	220,40	BXT ML4 BD 12
920344	Combined arrester module for 2 pairs	BLITZDUCTOR XT with LifeCheck	ST	216,10	BXT ML4 BD 24
920345	Combined arrester module for 2 pairs	BLITZDUCTOR XT with LifeCheck	ST	220,40	BXT ML4 BD 48
920346	Combined arrester module for 2 pairs	BLITZDUCTOR XT with LifeCheck	ST	220,40	BXT ML4 BD 60
920347	Combined arrester module for 2 pairs	BLITZDUCTOR XT with LifeCheck	ST	220,40	BXT ML4 BD 180
920349	BLITZDUCTOR XTU combined lightning	current and surge arrester module	ST	246,50	BXTU ML4 BD 0-180
920350	Combined arrester module for 4 single	lines BLITZDUCTOR XT with LifeCheck	ST	233,80	BXT ML4 BC 5
920354	Combined arrester module for 4 single	lines BLITZDUCTOR XT with LifeCheck	ST	233,80	BXT ML4 BC 24
920362	BXT combined lightning current and surge	arrester module	ST	271,70	BXT ML4 BE C 12
920364	Combined arrester module for 2 pairs	BLITZDUCTOR XT with LifeCheck	ST	271,70	BXT ML4 BE C 24
920370	Combined arrester module for 4 single	lines BLITZDUCTOR XT with LifeCheck	ST	239,40	BXT ML4 BE HF 5
920371	Combined arrester module for 2 pairs	BLITZDUCTOR XT with LifeCheck	ST	239,40	BXT ML4 BD HF 5
920375	Combined arrester module for 2 pairs	BLITZDUCTOR XT with LifeCheck	ST	239,40	BXT ML4 BD HF 24
920381	Surge arrester module for two pairs	BLITZDUCTOR XT Ex(i) with LifeCheck	ST	229,40	BXT ML4 BD EX 24
920383	Surge arrester module for 1 pair	BLITZDUCTOR XT Ex(i)	ST	116,20	BXT M2 BD S EX 24
920384	Surge arrester module for 4 single lines	BLITZDUCTOR XT Ex(i) with LifeCheck	ST	244,00	BXT ML4 BC EX 24
920388	Surge arrester module	BLITZDUCTOR XT with Y circuit	ST	266,30	BXT ML4 MY 110
920389	BLITZDUCTOR XT surge arrester module		ST	233,80	BXT ML4 MY 250
920395	EMC spring terminals for shield	contact for BLITZDUCTOR XT	SA	10,90	SAK BXT LR
920398	Marking system f. BLITZDUCTOR BXT	2x BA1 (1.1-1.10) - BA15 (15.1-15.10)	SA	14,70	BS BA1 BA15 BXT
920538	Surge arrester module for intrins. safe	measuring circuits BLITZDUCTOR XT Ex (i)	ST	135,20	BXT ML2 BD HF EX 6
922020	Connecting cable ASL DBX TAE F		ST	9,10	ASL DBX TAE F
922220	Lightning current arrester DEHNbox	DBX TC B 180	ST	127,10	DBX TC B 180
922400	Combined arrester DEHNbox DBX		ST	238,10	DBX U4 KT BD S 0-180
923019	Isolating spark gap for Ex area	w. 2 connecting cables 25mm ² L 1500 mm	ST	534,80	EXFS KU
923021	Isolating spark gap	with 2 connections, Rd 10mm, StSt	ST	113,80	KFSU
923023	Isolating spark gap w. plastic sheath	with 2 connections, Rd 10mm, StSt	ST	130,30	TFS
923025	Connecting cable Cu 25mm ² L 100 mm	for EXFS 100 isolating spark gap	ST	34,40	AL EXFS L100 KS
923035	Connecting cable Cu 25mm ² L 200 mm	for EXFS 100 isolating spark gap	ST	36,40	AL EXFS L200 KS
923045	Connecting cable Cu 25mm ² L 300 mm	for EXFS 100 isolating spark gap	ST	39,00	AL EXFS L300 KS
923060	Isolating spark gap for Ex area	w. connecting cable Cu 25mm ² L 100 mm	ST	254,30	EXFS L100
923061	Isolating spark gap for Ex area	w. connecting cable Cu 25mm ² L 200 mm	ST	254,30	EXFS L200
923062	Isolating spark gap for Ex area	w. connecting cable Cu 25mm ² L 300 mm	ST	254,30	EXFS L300
923099	Battery 9V lithium 1300 mAh for	operating temperatures up to 80°Celsius	ST	74,20	EB 9V LI1300 80
923100	Isolating spark gap for Ex area	with threaded screws M10	ST	308,70	EXFS 100
923101	Isolating spark gap for Ex area	with connecting cables 2x 2.0m	ST	539,90	EXFS 100 KU
923110	Fuse link for	a.c. sparkover voltage 940V	ST	59,40	SDS 1
923116	Fuse link for	d.c. sparkover voltage 550V	ST	73,80	SDS 3
923117	Fuse link for	d.c. sparkover voltage 350V	ST	73,80	SDS 2
923118	Fuse link SDS 4 D 24mm	d.c. sparkover voltage 230 V	ST	73,80	SDS 4
923119	Fuse link SDS 5 D 24mm	d.c. sparkover voltage 120 V	ST	78,50	SDS 5
923211	Terminal bracket IF3 straight	bore diameter d1 11 mm	ST	6,00	AB EXFS IF3 G 11
923214	Connection bracket IF3 straight	bore diameter d1 14 mm	ST	6,00	AB EXFS IF3 G 14
923218	Connection bracket IF3 straight	bore diameter d1 18 mm	ST	6,00	AB EXFS IF3 G 18
923222	Connection bracket IF3 straight	bore diameter d1 22 mm	ST	6,00	AB EXFS IF3 G 22
923226	Connection bracket IF3 straight	bore diameter d1 26 mm	ST	6,00	AB EXFS IF3 G 26
923230	Terminal bracket IF3 straight	bore diameter d1 30 mm	ST	6,00	AB EXFS IF3 G 30
923233	Connection bracket IF3 straight	bore diameter d1 33 mm	ST	6,00	AB EXFS IF3 G 33
923236	Connection bracket IF3 straight	bore diameter d1 36 mm	ST	6,00	AB EXFS IF3 G 36
923239	Terminal bracket IF3 straight	bore diameter d1 39 mm	ST	6,00	AB EXFS IF3 G 39
923242	Connection bracket IF3 straight	bore diameter d1 42 mm	ST	6,00	AB EXFS IF3 G 42
923311	Terminal bracket IF1 angled	bore diameter d1 11 mm	ST	11,50	AB EXFS IF1 W 11
923314	Connection bracket IF1 angled	bore diameter d1 14 mm	ST	11,50	AB EXFS IF1 W 14
923318	Connection bracket IF1 angled	bore diameter d1 18 mm	ST	11,50	AB EXFS IF1 W 18
923322	Connection bracket IF1 angled	bore diameter d1 22 mm	ST	11,50	AB EXFS IF1 W 22
923326	Terminal bracket IF1 angled	bore diameter d1 26 mm	ST	11,50	AB EXFS IF1 W 26
923330	Connection bracket IF1 angled	bore diameter d1 30 mm	ST	11,50	AB EXFS IF1 W 30
923333	Connection bracket IF1 angled	bore diameter d1 33 mm	ST	11,50	AB EXFS IF1 W 33
923336	Connection bracket IF1 angled	bore diameter d1 36 mm	ST	11,50	AB EXFS IF1 W 36
923339	Terminal bracket IF1 angled	bore diameter d1 39 mm	ST	11,50	AB EXFS IF1 W 39
923342	Connection bracket IF1 angled	bore diameter d1 42 mm	ST	11,50	AB EXFS IF1 W 42
923348	Connection bracket IF1 angled	bore diameter d1 48 mm	ST	11,50	AB EXFS IF1 W 48
923356	Connection bracket IF1 angled	bore diameter d1 56 mm	ST	11,50	AB EXFS IF1 W 56
923362	Connection bracket IF1 angled	bore diameter d1 62 mm	ST	11,50	AB EXFS IF1 W 62
923401	Voltage-controlled decoupler		ST	5162,00	VCS D 40 IP65
923402	Decoupler	DASD 45 LP 100 T	ST	3346,80	DASD 45 LP 100 T
923403	Mounting bracket and 2 straps for	mounting the DASD decoupler	ST	104,50	HA SB DASD 45 D110
924017	Surge arrester, D-Sub, 9-pole		ST	211,50	FS 9E PB 6
924328	Covering frame, single unit, for	DEHNsafe, studio white	ST	6,60	AR1 STW
924329	Central covering plate for DEHNsafe	studio white	ST	10,90	ZAP STW
924335	NSM Protector, surge protective socket	outlet, titanium white	ST	165,70	NSM PRO TW
924336	Covering frame f. NSM Protector,	titanium white	ST	8,60	AR1 TW
924338	Covering frame f. NSM Protector, silver		ST	13,20	AR1 SI
924350	Surge protection module	for earthed outlets	ST	112,10	STC 230
924370	DEHNsafe surge arrester		ST	120,60	DSA 230 LA
924389	DEHNflex A surge arrester		ST	115,40	DFL A 255
924395	DEHNflex D surge arrester		ST	141,00	DFL D 255
924396	DEHNflex M surge arrester		ST	102,40	DFL M 255
925001	BUStector surge arrester for EIB/KNX	with connecting wires	ST	87,90	BT 24
926220	Surge arrester module for 2 single lines	BLITZDUCTOR SP	ST	112,30	BSP M2 BE 5
926222	Surge arrester module for 2 single lines	BLITZDUCTOR SP	ST	112,30	BSP M2 BE 12
926224	Surge arrester module for 2 single lines	BLITZDUCTOR SP	ST	112,30	BSP M2 BE 24
926225	Surge arrester module for 2 single wires	BLITZDUCTOR SP	ST	112,30	BSP M2 BE 48
926227	Surge arrester module for 2 single lines	BLITZDUCTOR SP	ST	112,30	BSP M2 BE 180
926240	Surge arrester module for 1 pair	BLITZDUCTOR SP	ST	106,20	BSP M2 BD 5
926242	Surge arrester module for 1 pair	BLITZDUCTOR SP	ST	106,20	BSP M2 BD 12
926244	Surge arrester module for 1 pair	BLITZDUCTOR SP	ST	106,20	BSP M2 BD 24
926245	Surge arrester module for 1 pair	BLITZDUCTOR SP	ST	106,20	BSP M2 BD 48
926246	Surge arrester module for 1 pair	BLITZDUCTOR SP	ST	106,20	BSP M2 BD 60
926247	Surge arrester module for 1 pair	BLITZDUCTOR SP	ST	98,80	BSP M2 BD 180
926270	Surge arrester module for 2 single lines	BLITZDUCTOR SP	ST	119,80	BSP M2 BE HF 5
926271	Surge arrester module for 1 pair	BLITZDUCTOR SP	ST	119,80	BSP M2 BD HF 5
926275	Surge arrester module for 1 pair	BLITZDUCTOR SP	ST	119,80	BSP M2 BD HF 24
926304	Base part 4-pole for inserting an	arrester module BLITZDUCTOR XT/SP	ST	44,70	BSP BAS 4
926320	Surge arrester module for 4 single lines	BLITZDUCTOR SP	ST	170,00	BSP M4 BE 5
926322	Surge arrester module for 4 single lines	BLITZDUCTOR SP	ST	170,00	BSP M4 BE 12
926324	Surge arrester module for 4 single lines	BLITZDUCTOR SP	ST	170,00	BSP M4 BE 24
926325	Surge arrester module for 4 single lines	BLITZDUCTOR SP	ST	170,00	BSP M4 BE 48
926327	Surge arrester module for 4 single lines	BLITZDUCTOR SP	ST	170,00	BSP M4 BE 180



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
926340	Surge arrester module for 2 pairs	BLITZDUCTOR SP	ST	160,20	BSP M4 BD 5
926342	Surge arrester module for 2 pairs	BLITZDUCTOR SP	ST	160,20	BSP M4 BD 12
926344	Surge arrester module for 2 pairs	BLITZDUCTOR SP	ST	160,20	BSP M4 BD 24
926345	Surge arrester module for 2 pairs	BLITZDUCTOR SP	ST	160,20	BSP M4 BD 48
926347	Surge arrester module for 2 pairs	BLITZDUCTOR SP	ST	160,20	BSP M4 BD 180
926370	Surge arrester module for 4 single lines	BLITZDUCTOR SP	ST	177,40	BSP M4 BE HF 5
926371	Surge arrester module for 2 pairs	BLITZDUCTOR SP	ST	177,40	BSP M4 BD HF 5
926375	Surge arrester module for 2 pairs	BLITZDUCTOR SP	ST	177,40	BSP M4 BD HF 24
927010	Protection module for 2 single cores	BLITZDUCTORconnect w. fault indication	ST	62,40	BCO MOD ML2 B 180
927022	Protection module for 2 single cores	BLITZDUCTORconnect w. fault indication	ST	91,30	BCO MOD ML2 BE 12
927024	Modular arrester for 2 single cores	BLITZDUCTORconnect w. fault indication	ST	91,30	BCO MOD ML2 BE 24
927025	Protection module for 2 single cores	BLITZDUCTORconnect w. fault indication	ST	91,30	BCO MOD ML2 BE 48
927042	Protection module for 1 pair	BLITZDUCTORconnect w. fault indication	ST	91,30	BCO MOD ML2 BD 12
927044	Protection module for 1 pair	BLITZDUCTORconnect w. fault indication	ST	91,30	BCO MOD ML2 BD 24
927045	Protection module for 1 pair	BLITZDUCTORconnect w. fault indication	ST	91,30	BCO MOD ML2 BD 48
927070	Protection module for 2 single cores	BLITZDUCTORconnect w. fault indication	ST	99,40	BCO MOD ML2 BE HF 5
927071	Protection module for 1 pair	BLITZDUCTORconnect w. fault indication	ST	99,40	BCO MOD ML2 BD HF 5
927084	Protection module for 1 pair	BLITZDUCTORconnect w. fault indication	ST	97,10	BCO MOD ML2 BD EX 24
927090	Surge arrester protection module for 2 single lines	BLITZDUCTORconnect with status indication	ST	132,20	BCO MOD ML2 MVG 230
927210	Arrester for 2 single cores	BLITZDUCTORconnect w. fault indication	ST	91,90	BCO ML2 B 180
927222	Modular arrester for 2 single cores	BLITZDUCTORconnect w. fault indication	ST	141,70	BCO ML2 BE 12
927224	Modular arrester f. 2 single cores	BLITZDUCTORconnect w. fault indication	ST	141,70	BCO ML2 BE 24
927225	Modular arrester for 2 single cores	BLITZDUCTORconnect w. fault indication	ST	141,70	BCO ML2 BE 48
927242	Modular combined arrester for 1 pair	BLITZDUCTORconnect w. fault indication	ST	141,70	BCO ML2 BD 12
927244	Modular combined arrester for 1 pair	BLITZDUCTORconnect w. fault indication	ST	141,70	BCO ML2 BD 24
927245	Modular combined arrester for 1 pair	BLITZDUCTORconnect w. fault indication	ST	141,70	BCO ML2 BD 48
927270	Modular arrester for 2 single cores	BLITZDUCTORconnect w. fault indication	ST	153,00	BCO ML2 BE HF 5
927271	Modular combined arrester for 1 pair	BLITZDUCTORconnect with fault indication	ST	153,00	BCO ML2 BD HF 5
927284	Modular combined arrester for 1 pair	BLITZDUCTORconnect w. fault indication	ST	148,50	BCO ML2 BD EX 24
927290	Modular surge arrester for 2 single lines	BLITZDUCTORconnect with status indication	ST	165,20	BCO ML2 MCV 230
927305	PCB-mounted 2-pole base for	BLITZDUCTORconnect prot. modules	ST	27,60	BCO BAS PCB FM
927910	Compact arrester for 2 single cores	BLITZDUCTORconnect w. fault indication	ST	48,80	BCO CL2 B 180
927922	Compact arrester for 2 single cores	BLITZDUCTORconnect w. fault indication	ST	90,70	BCO CL2 BE 12
927924	Compact arrester for 2 single cores	BLITZDUCTORconnect w. fault indication	ST	90,70	BCO CL2 BE 24
927925	Compact arrester for 2 single cores	BLITZDUCTORconnect w. fault indication	ST	90,70	BCO CL2 BE 48
927942	Compact combined arrester for 1 pair	BLITZDUCTORconnect w. fault indication	ST	90,70	BCO CL2 BD 12
927944	Compact combined arrester for 1 pair	BLITZDUCTORconnect w. fault indication	ST	90,70	BCO CL2 BD 24
927945	Compact combined arrester for 1 pair	BLITZDUCTORconnect w. fault indication	ST	90,70	BCO CL2 BD 48
927970	Compact arrester for 2 single cores	BLITZDUCTORconnect w. fault indication	ST	105,30	BCO CL2 BE HF 5
927971	Compact combined arrester for 1 pair	BLITZDUCTORconnect w. fault indication	ST	105,30	BCO CL2 BD HF 5
927984	Compact combined arrester for 1 pair	BLITZDUCTORconnect w. fault indication	ST	103,20	BCO CL2 BD EX 24
928430	Combined arrester DEHNvario	for electroacoustic systems	ST	207,10	DVR 2 BY S 150 FM
928440	Surge arrester DEHNvario 3in1	solution for analogue camera systems	ST	265,40	DVR BNC RS485 230
929010	Surge arrester with BNC connection,	socket and connector	ST	167,80	UGKF BNC
929039	DEHNgate surge arrester	with SMA connection	ST	169,60	DGA G SMA
929042	DEHNgate surge arrester		ST	166,40	DGA G BNC
929043	DEHNgate lightning current arrester		ST	190,50	DGA AG BNC
929044	DEHNgate surge arrester		ST	182,30	DGA G N
929045	DEHNgate lightning current arrester		ST	236,90	DGA AG N
929047	DEHNgate combined lightning current	and surge arrester	ST	282,00	DGA L4 7 16 S
929095	Earthing block 4-fold for F sockets f.	equipotential bonding of coax. systems	ST	12,80	EB 4 F
929096	Earth conductor Cu 16mm ² L 1000mm	with ring cable lug W 17mm	ST	22,60	EL 16 B17
929100	Surge arrester DEHNpatch	with patch cable and Stewart plug	ST	170,10	DPA M CAT6 RJ45S 48
929121	DEHNpatch surge arrester		ST	157,40	DPA M CLE RJ45B 48
929126	Surge arrester DEHNpatch	with 2 RJ45 sockets	ST	75,80	DPA M CLD RJ45B 48
929146	Lightning current arrester DEHNgate	with 7/16 terminal	ST	315,00	DGA LG 7 16 MFA
929148	Combined arrester DEHNgate	with 7/16 terminal	ST	266,60	DGA L4 7 16 MFA
929199	Mounting set f. DEHNpatch surge arrester	consist. of a DIN rail and rigid screws	ST	43,30	MS DPA
929200	Installation kit for	DEHNpatch and DEHNgate	ST	6,20	MS EB DPA DGA
929221	Surge arrester DEHNpatch	IP66 box, with 2 RJ45 sockets	ST	281,10	DPA CLE IP66
929335	Universal DIN rail carrier for 482.6 mm	(19"") 3 rack units or wall mounting	ST	187,20	"MF DR 3RU 19"")
929497	Gas discharge tube f. DEHNgate		ST	32,70	GDT DGA 90
929498	Gas discharge tube f. DEHNgate		ST	35,10	GDT DGA 230
929499	Gas discharge tube for DEHNgate		ST	35,10	GDT DGA 470
929921	DEHNpipe surge arrester		ST	203,30	DPI ME 24 N A2G
929941	DEHNpipe surge arrester		ST	183,40	DPI MD 24 M 2S
929950	Surge arrester DEHNpipe Ex (i) (d)	with M20x1.5 external thread	ST	217,80	DPI CD EXI+D 2X24 M
929951	Surge arrester DEHNpipe Ex (i) (d)	with 1/2 -14 NPT male thread	ST	217,80	DPI CD EXI+D 2X24 N
929960	Surge arrester DEHNpipe Ex (i)	with M20x1.5 female and male thread	ST	186,70	DPI MD EX 24 M 2
929961	Surge arrester DEHNpipe Ex (i)	with M20x1.5 external thread	ST	167,80	DPI CD EXI 24 M
929962	Surge arrester DEHNpipe Ex (d)	with M20x1.5 male thread	ST	167,80	DPI CD EXD 24 M
929963	Surge arrester DEHNpipe Ex (i)	with 1/2 -14 NPT male thread	ST	167,80	DPI CD EXI 24 N
929964	Surge arrester DEHNpipe Ex (d)	with 1/2 -14 NPT male thread	ST	167,80	DPI CD EXD 24 N
929965	Surge arrester DEHNpipe Ex (i)	with 1/2 -14 NPT female and male thread	ST	186,70	DPI MD EX 24 N 2
929969	Surge arrester DEHNpipe Ex (d)	with M20x1.5 male thread	ST	309,10	DPI CD EXD 230 24 M
929970	Surge arrester DEHNpipe Ex (d)	with 1/2 -14 NPT male thread	ST	309,10	DPI CD EXD 230 24 N
929971	Surge arrester DEHNpipe Ex (d)	with M20x1.5 male thread	ST	162,90	DPI CD HF EXD 5 M
929982	Cable gland M20, brass, shielded	sealing range 6.5-9.5 mm	ST	22,70	KV S M20 MS 9.5
929984	Cable gland M20, brass	sealing range 7-10.5mm	ST	17,40	KV M20 MS 10.5
929996	Earthing ring set M20 for DEHNpipe with	counter nut and 6.3mm flat connector	ST	15,50	ER DPI M20
941110	Appl.-opt. combined arrester DEHNshield	type 1+2 for single-phase TT a. TN systems	ST	376,30	DSH TT 2P 255
941115	Appl.-opt. combined arrester DEHNshield	type 1+2 for single-phase TT a. TN systems	ST	406,60	DSH TT 2P 255 FM
941116	Appl.-opt. combined arrester DEHNshield B	type 1+2 f. single-phase TT a. TN systems	ST	237,50	DSH B TT 2P 255 FM
941200	Appl.-opt. combined arrester DEHNshield	type 1+2 for single-phase TN systems	ST	335,10	DSH TN 255
941205	Appl.-opt. combined arrester DEHNshield	type 1+2 for single-phase TN systems	ST	365,40	DSH TN 255 FM
941206	Appl.-opt. combined arrester DEHNshield B	type 1+2 for single-phase TN systems	ST	238,00	DSH B TN 255 FM
941300	Appl.-opt. combined arrester DEHNshield	type 1+2 for three-phase TN-C systems	ST	483,90	DSH TNC 255
941305	Appl.-opt. combined arrester DEHNshield	type 1+2 for three-phase TN-C systems	ST	528,60	DSH TNC 255 FM
941306	Appl.-opt. combined arrester DEHNshield B	type 1+2 for three-phase TN-S systems	ST	353,30	DSH B TNC 255 FM
941310	Appl.-opt. combined arrester DEHNshield	type 1+2 f. 3-phase TT a. TN-S systems	ST	670,00	DSH TT 255
941315	Appl.-opt. combined arrester DEHNshield	type 1+2 f. 3-phase TT a. TN-S systems	ST	731,80	DSH TT 255 FM
941316	Appl.-opt. combined arrester DEHNshield B	type 1+2 for three-phase TT-and TN-S systems	ST	479,10	DSH B TT 255 FM
941400	Appl.-opt. combined arrester DEHNshield	type 1+2 for three-phase TN-S systems	ST	627,80	DSH TNS 255
941405	Appl.-opt. combined arrester DEHNshield	type 1+2 for three-phase TN-S systems	ST	688,10	DSH TNS 255 FM
941406	Appl.-opt. combined arrester DEHNshield B	type 1+2 for three-phase TN-S systems	ST	440,30	DSH B TNS 255 FM
950102	Surge arrester Type 2 DEHNguard	1-pole Uc 1000V AC	ST	152,30	DG 1000
950112	Surge arrester Type 2 DEHNguard	1-pole Uc 1000V AC w. remote sign. contact	ST	168,30	DG 1000 FM
950530	Surge arrester Type 2 DEHNguard	multi-pole f. PV systems up to 1000V d.c.	ST	177,40	DG YPV SCI 1000
950531	Surge arrester Type 2 DEHNguard	multi-pole f. PV systems up to 600V d.c.	ST	172,50	DG YPV SCI 600
950535	Surge arrest. Type 2 DEHNguard multi-pole	f. PV syst. up to 1000V DC remote sign.	ST	222,00	DG YPV SCI 1000 FM
950536	Surge arrester Type 2 DEHNguard M multi-	pole f. PV systems up to 600V d.c. FM	ST	217,00	DG YPV SCI 600 FM
951001	Spark-gap-based protection module	Type 1 + Type 2 for DEHNventil M	ST	340,50	DV MOD 255
951050	N-PE spark-gap-based protection module	Type 1 + Type 2 for DEHNventil M	ST	402,50	DV MOD NPE 50
951100	N-PE spark-gap-based protection module	Type 1 + Type 2 for DEHNventil M	ST	424,10	DV MOD NPE 100
951110	DEHNventil M combined lightning current	and surge arrester Type 1 + Type 2	ST	801,20	DV M TT 2P 255
951115	DEHNventil M combined lightning current	and surge arrester Type 1 + Type 2	ST	860,80	DV M TT 2P 255 FM
951200	DEHNventil M combined lightning current	and surge arrester Type 1 + Type 2	ST	739,00	DV M TN 255
951205	Combined arrester Type 1 + Type 2	DEHNventil M f. single-phase TN systems	ST	798,70	DV M TN 255 FM



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
951300	DEHNventil M combined lightning current	and surge arrester Type 1 + Type 2	ST	1079,20	DV M TNC 255
951305	Combined arrester Type 1 + Type 2	DEHNventil M f. three-phase TN-C systems	ST	1168,10	DV M TNC 255 FM
951310	DEHNventil M combined lightning current	and surge arrester Type 1 + Type 2	ST	1508,30	DV M TT 255
951315	Comb. arr. Type 1 + Type 2 DEHNventil M	f. three-phase TT and TN-S systems	ST	1627,70	DV M TT 255 FM
951400	DEHNventil M combined lightning current	and surge arrester Type 1 + Type 2	ST	1424,50	DV M TNS 255
951405	DEHNventil M combined lightning current	and surge arrester Type 1 + Type 2	ST	1542,60	DV M TNS 255 FM
952010	Varistor-based protection	module for DEHNguard M...S	ST	67,20	DG MOD 275
952011	Varistor-based protection module	for DEHNguard M ... S	ST	75,90	DG MOD 75
952012	Varistor-based protection module	for DEHNguard M...S	ST	75,90	DG MOD 150
952013	Varistor-based protection	module for DEHNguard M...S	ST	75,90	DG MOD 320
952014	Surge arrester Type 2 varistor-based	protection module f. DEHNguard M and S	ST	75,90	DG MOD 385
952015	Varistor-based protection module	for DEHNguard M...S	ST	75,90	DG MOD 440
952016	Varistor-based protection module	for DEHNguard M...S	ST	75,90	DG MOD 600
952017	Varistor-based protection module	for DEHNguard M...S	ST	93,80	DG MOD 750
952018	SPD Type 2 varistor-based protection	module for DEHNguard M and S	ST	75,90	DG MOD 48
952022	Surge arrester type 2 varistor-based	protection module for DEHNguard ACI	ST	113,10	DG MOD A NPE
952024	Surge arrester type 2 switch / spark gap	prot. module f. DEHNguard ACI	ST	113,10	DG MOD ACI 275
952025	Varistor-based protection module	f. DEHNguard S	ST	98,50	DG MOD 75 VA
952027	Varistor-based protection module	f. DEHNguard S	ST	93,00	DG MOD 275 VA
952028	Surge arrester type 2 switch / spark gap	protection module f. DEHNguard ACI	ST	121,90	DG MOD ACI 385
952029	Varistor-based protection module	f. DEHNguard S	ST	98,50	DG MOD 385 VA
952030	DEHNgap C S, N-PE surge arrester		ST	101,80	DGP C S
952035	DEHNgap C S FM, N-PE surge arrester		ST	116,80	DGP C S FM
952041	Varistor-based protection module for	DEHNguard M and S	ST	73,20	DG MOD PV 500
952043	Varistor-based protection module	for DEHNguard M and S	ST	64,80	DG MOD PV 300
952044	Varistor-based protection module	for DEHNguard M and S	ST	73,20	DG MOD PV 600
952045	Type 2 surge arrester varistor-based	protection module for DEHNguard M and S	ST	73,20	DG MOD PV 75
952048	Surge arrester Type 2 varistor-based	protection module f. DEHNguard M YPV	ST	71,20	DG MOD H PV 600
952049	Surge arrester Type 2 varistor-based	protection module f. DEHNguard M YPV	ST	80,50	DG MOD H PV 750
952050	N-PE protection module	for DEHNguard M TT ...	ST	85,50	DG MOD NPE
952051	Varistor-based protection module	f. DEHNguard M PV	ST	78,80	DG MOD PV SCI 500
952053	Type 2 surge arrester varistor-based	protection module f. DEHNguard M PV	ST	78,80	DG MOD PV SCI 300
952054	Varistor-based-protection module for	DEHNguard M PV (type 2 surge arrester)	ST	96,60	DG MOD PV SCI 600
952055	Varistor-based protection module for	DEHNguard M PV	ST	78,80	DG MOD PV SCI 75
952056	Surge arrester type 2 varistor-based	protection module for DEHNguard ME/SE	ST	122,30	DG MOD E PV SCI 750
952060	N-PE protection module	for DEHNgap C S	ST	85,60	DGP C MOD
952070	DEHNguard S surge arrester		ST	84,70	DG S 275
952071	Surge arrester Type 2 DEHNguard S	1-pole Uc 75V AC	ST	93,40	DG S 75
952072	DEHNguard S surge arrester		ST	93,40	DG S 150
952073	DEHNguard S surge arrester		ST	93,40	DG S 320
952074	DEHNguard S surge arrester		ST	93,40	DG S 385
952075	DEHNguard S surge arrester		ST	93,40	DG S 440
952076	DEHNguard S surge arrester		ST	93,40	DG S 600
952077	DEHNguard S surge arrester		ST	111,70	DG S WE 600
952078	DEHNguard S surge arrester Type 2	single-pole Uc 48V AC	ST	93,40	DG S 48
952080	DEHNguard S surge arrester		ST	116,00	DG S 75 VA
952081	Surge arrester Type 2 N-PE spark gap	protection module f. DEHNguard M H TT ..	ST	91,90	DG MOD H NPE
952082	DEHNguard S surge arrester		ST	110,60	DG S 275 VA
952083	Surge arrester type 2 N-PE spark-gap	based prot. module f. DEHNguard ACI	ST	91,80	DG MOD H A NPE
952084	DEHNguard S surge arrester		ST	116,00	DG S 385 VA
952085	DEHNguard S FM surge arrester		ST	131,00	DG S 75 VA FM
952087	DEHNguard S FM surge arrester		ST	125,50	DG S 275 VA FM
952089	DEHNguard S FM surge arrester		ST	131,00	DG S 385 VA FM
952090	Surge arrester Type 2 DEHNguard S	1-pole Uc 275V AC w. rem. sign. contact	ST	99,60	DG S 275 FM
952091	DEHNguard S FM surge arrester		ST	108,30	DG S 75 FM
952092	DEHNguard S FM surge arrester		ST	108,30	DG S 150 FM
952093	Surge arrester Type 2 DEHNguard S	1-pole Uc 320V AC w. rem. sign. contact	ST	108,30	DG S 320 FM
952094	DEHNguard S FM surge arrester		ST	108,30	DG S 385 FM
952095	Surge arrester Type 2 DEHNguard S	1-pole Uc 440V AC w. rem. sign. contact	ST	108,30	DG S 440 FM
952096	Surge arrester Type 2 DEHNguard S	1-pole Uc 600V AC w. rem. sign. contact	ST	108,30	DG S 600 FM
952097	DEHNguard S surge arrester		ST	126,70	DG S WE 600 FM
952098	DEHNguard S FM surge arrester Type 2	1-pole Uc 48V AC w. remote sign. contact	ST	108,30	DG S 48 FM
952100	DEHNguard S surge arrester type 2	1-pole Uc 275V w. ACI technology	ST	145,80	DG S ACI 275 FM
952110	Surge arrester type 2 DEHNguard M	for single-phase TT and TN systems	ST	176,20	DG M TT 2P 275
952111	DEHNguard M surge arrester		ST	184,80	DG M TT 2P 385
952113	DEHNguard S surge arrester type 2	1-pole Uc 385V w. ACI technology	ST	154,60	DG S ACI 385 FM
952115	DEHNguard M FM surge arrester		ST	191,00	DG M TT 2P 275 FM
952116	DEHNguard M FM surge arrester		ST	199,90	DG M TT 2P 385 FM
952121	DEHNguard M surge arrester type 2	2-pole Uc 275V w. ACI technology	ST	238,10	DG M TT 2P ACI 275 FM
952122	Surge arrester type 2 DEHNguard M	2-pole Uc 385V w. ACI technology	ST	231,80	DG M TT 2P ACI 385 FM
952130	DEHNguard M surge arrester		ST	184,80	DG M TT 2P 320
952135	DEHNguard M surge arrester		ST	199,90	DG M TT 2P 320 FM
952181	Surge arrester Type 2 DEHNguard M H	for single-phase TT and TN systems	ST	182,30	DG M H TT 2P 275
952185	Surge arrester Type 2 DEHNguard M H	for single-phase TT and TN systems	ST	197,30	DG M H TT 2P 275 FM
952200	DEHNguard M surge arrester		ST	151,60	DG M TN 275
952201	DEHNguard M surge arrester		ST	169,10	DG M TN 150
952205	DEHNguard M FM surge arrester		ST	181,60	DG M TN 275 FM
952206	DEHNguard M FM surge arrester		ST	199,90	DG M TN 150 FM
952220	DEHNguard M surge arrester type 2	2-pole Uc 275V w. ACI technology	ST	216,60	DG M TN ACI 275 FM
952300	DEHNguard M surge arrester		ST	232,40	DG M TNC 275
952302	DEHNguard M surge arrester		ST	311,60	DG M WE 600
952303	DEHNguard M surge arrester		ST	256,00	DG M TNC 440
952305	DEHNguard M FM surge arrester		ST	274,70	DG M TNC 275 FM
952307	DEHNguard M surge arrester		ST	356,30	DG M WE 600 FM
952308	DEHNguard M type 2 surge arrester	3-pole for TN-C systems	ST	301,00	DG M TNC 440 FM
952310	DEHNguard M surge arrester		ST	327,60	DG M TT 275
952311	DEHNguard M surge arrester		ST	353,80	DG M TT 385
952313	DEHNguard M surge arrester		ST	256,00	DG M TNC 150
952314	DEHNguard M surge arrester		ST	256,00	DG M TNC 385
952315	DEHNguard M surge arrester		ST	372,70	DG M TT 275 FM
952316	DEHNguard M FM surge arrester		ST	397,60	DG M TT 385 FM
952318	DEHNguard M FM surge arrester		ST	301,00	DG M TNC 150 FM
952319	DEHNguard M type 2 surge arrester	3-pole for TN-C systems	ST	301,00	DG M TNC 385 FM
952320	DEHNguard M surge arrester		ST	353,80	DG M TT 320
952323	DEHNguard M surge arrester		ST	353,80	DG M TT 150
952325	DEHNguard M type 2 surge arrester	4-pole for TT and TN-S systems	ST	397,70	DG M TT 320 FM
952328	DEHNguard M surge arrester		ST	397,60	DG M TT 150 FM
952330	DEHNguard M surge arrester type 2	3-pole Uc 275V w. ACI technology	ST	413,10	DG M TNC ACI 275 FM
952341	DEHNguard M surge arrester type 2	4-pole Uc 275V w. ACI technology	ST	511,10	DG M TT ACI 275 FM
952342	Surge arrester type 2 DEHNguard M	4-pole Uc 385V w. ACI technology	ST	537,40	DG M TT ACI 385 FM
952381	Surge arrester Type 2 DEHNguard M H	4-pole for TT and TN-S systems	ST	334,00	DG M H TT 275
952385	Surge arrester Type 2 DEHNguard M H	4-pole for TT and TN-S systems	ST	378,10	DG M H TT 275 FM
952400	DEHNguard M surge arrester		ST	303,20	DG M TNS 275
952403	DEHNguard M surge arrester		ST	338,10	DG M TNS 150
952404	DEHNguard M surge arrester		ST	338,10	DG M TNS 385
952405	DEHNguard M FM surge arrester		ST	363,00	DG M TNS 275 FM
952408	DEHNguard M surge arrester		ST	397,70	DG M TNS 150 FM
952409	DEHNguard M surge arrester		ST	397,70	DG M TNS 385 FM



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
952440	DEHNguard M surge arrester type 2	4-pole Uc 275V w. ACI technology	ST	480,00	DG M TNS ACI 275 FM
952510	DEHNguard M multipole type 2 surge	arrester for PV systems up to 1000V d.c.	ST	256,60	DG M YPV SCI 1000
952511	DEHNguard M multipole type 2 surge	arrester for PV systems up to 600V d.c.	ST	248,20	DG M YPV SCI 600
952512	Multipole type 2 DEHNguard M surge	arrester for PV systems up to 1200V d.c.	ST	292,30	DG M YPV SCI 1200
952513	Multipole DEHNguard M type 2 surge	arrester for PV systems up to 150V d.c.	ST	256,60	DG M YPV SCI 150
952514	DEHNguard M multipole type 2 surge	arrester for PV systems up to 1000V d.c.	ST	383,00	DG M PV2 SCI 1000
952515	DEHNguard M multipole type 2 surge	arrester for PV systems up to 1000V d.c.	ST	301,50	DG M YPV SCI 1000 FM
952516	DEHNguard M multipole type 2 surge	arrester for PV systems up to 600V d.c.	ST	293,10	DG M YPV SCI 600 FM
952517	Multipole type 2 DEHNguard M surge	arrester for PV systems up to 1200V d.c.	ST	337,10	DG M YPV SCI 1200 FM
952518	Multipole DEHNguard M type 2 surge	arrester for PV systems up to 150V d.c.	ST	301,50	DG M YPV SCI 150 FM
952519	DEHNguard M multipole type 2 surge	arrester for PV systems up to 1000V d.c.	ST	457,70	DG M PV2 SCI 1000 FM
952520	Surge arrester type 2 DEHNguard ME	multipole f. PV syst. up to 1500V d.c.	ST	411,20	DG ME YPV SCI 1500
952525	Surge arrester type 2 DEHNguard ME multi-	pole f. PV systems up to 1500V d.c. FM	ST	471,00	DG ME YPV SCI1500 FM
952550	Surge arrester type 2 DEHNguard S	single-pole for PV systems up to 600V d.c.	ST	160,90	DG S PV SCI 600
952551	Surge arrester type 2 DEHNguard PV	single-pole Uc 150V d.c.	ST	169,30	DG S PV SCI 150
952555	Surge arrester type 2 DEHNguard S	single-pole for PV systems up to 600V d.c.	ST	190,60	DG S PV SCI 600 FM
952556	Surge arrester type 2 DEHNguard PV	1-pole Uc 150V d.c., rem. sig. contact	ST	198,70	DG S PV SCI 150 FM
952561	Surge arrester type 2 DEHNguard SE	single-pole f. PV syst. up to 1500V d.c.	ST	274,20	DG SE PV SCI 1500
952565	Surge arrester Type 2 DEHNguard M	multipole for PV systems up to 1170V DC	ST	282,10	DG M YPV 1200 FM
952566	Surge arrester type 2 DEHNguard SE	1-pole f. PV syst. up to 1500V d.c. FM	ST	314,10	DG SE PV SCI 1500 FM
952567	Surge arrester Type 2 DEHNguard M	multipole for PV systems up to 1500V DC	ST	310,30	DG M YPV 1500 FM
952589	Pin-shaped terminal f. series connection	to surge protective devices -25mm ²	ST	9,40	STAK 25
952610	Base 1-pole for mounting on PCBs	for DEHNguard modules 275	ST	6,90	DG PCB 275
952614	Base 1-pole for mounting on PCBs	for DEHNguard modules 385	ST	6,90	DG PCB 385
952641	Base 1-pole for mounting on PCBs	for DEHNguard modules PV 500	ST	6,90	DG PCB PV 500
952643	Base 1-pole for mounting on PCBs	for DEHNguard modules PV 300	ST	6,90	DG PCB PV 300
952644	Base 1-pole for mounting on PCBs	for DEHNguard modules PV 600	ST	6,90	DG PCB PV 600
952650	Base 1-pole for mounting on PCBs	for DEHNguard modules NPE	ST	6,90	DG PCB NPE
952651	Base 1-pole for mounting on PCBs	for DEHNguard modules PV SCI 500	ST	6,90	DG PCB PV SCI 500
952653	Base 1-pole for mounting on PCBs	for DEHNguard modules PV SCI 300	ST	6,90	DG PCB PV SCI 300
952654	Base 1-pole for mounting on PCBs	for DEHNguard modules PV SCI 600	ST	6,90	DG PCB PV SCI 600
952699	Feed-through terminal DK		ST	41,40	DK 25
952710	Base 1-pole for mounting on PCBs	for DEHNguard modules 275 FM	ST	9,40	DG PCB 275 FM
952714	Base 1-pole for mounting on PCBs	for DEHNguard modules 385 FM	ST	9,40	DG PCB 385 FM
952741	Base 1-pole for mounting on PCBs	for DEHNguard modules PV 500 FM	ST	9,40	DG PCB PV 500 FM
952743	Base 1-pole for mounting on PCBs	for DEHNguard modules PV 300 FM	ST	9,40	DG PCB PV 300 FM
952744	Base 1-pole for mounting on PCBs	for DEHNguard modules PV 600 FM	ST	9,40	DG PCB PV 600 FM
952750	Base 1-pole for mounting on PCBs	for DEHNguard modules NPE FM	ST	9,40	DG PCB NPE FM
952751	Base 1-pole for mounting on PCBs	for DEHNguard modules PV SCI 500 FM	ST	9,40	DG PCB PV SCI 500 FM
952753	Base 1-pole for mounting on PCBs	for DEHNguard modules PV SCI 300 FM	ST	9,40	DG PCB PV SCI 300 FM
952754	Base 1-pole for mounting on PCBs	for DEHNguard modules PV SCI 600 FM	ST	9,40	DG PCB PV SCI 600 FM
952900	Surge arrester Type 2 varistor-based	protection module for DEHNguard SE	ST	99,10	DG MOD E H LI 275
952907	Surge arrester Type 2 varistor-based	protection module for DEHNguard SE	ST	117,90	DG MOD E H LI 1000
952908	Surge arrester Type 2 varistor-based	protection module for DEHNguard SE	ST	106,10	DG MOD E H 1000
952910	Base 1-pole for mounting on PCBs	for DEHNguard modules I 275 FM	ST	9,40	DG PCB I 275 FM
952918	Surge arrester Type 2 protect. module	for DG SE H 1000 VA FM	ST	131,30	DG MOD E H 1000 VA
952920	Surge arrester Type 2 DEHNguard SE CI	1-pole Uc 440V AC w. rem. sign. contact	ST	155,50	DG SE CI 440 FM
952923	Surge arrester Type 2 DEHNguard SE CI	1-pole Uc 440V AC w. rem. sign. contact	ST	173,10	DG SE CI WE 440 FM
952926	Surge arrester Type 2 varistor-based	protection module for DEHNguard SE CI	ST	122,80	DG MOD E CI 440
952927	Surge arrester Type 2 varistor-based	protection module for DEHNguard SE CI	ST	140,30	DG MOD E CI WE 440
952938	Surge arrester Type 2 DEHNguard SE	1-pole Uc 1000V AC w. remote sign. cont.	ST	139,70	DG SE H 1000 FM
952940	Surge arrester Type 2 DEHNguard SE	1-pole Uc 1000V AC, varistor + GDT	ST	165,10	DG SE H 1000 VA FM
952941	Base 1-pole for mounting on PCBs	for DEHNguard modules PV 500	ST	9,40	DG PCB PV I 500 FM
952948	Base 1-pole for mounting on PCBs	for DEHNguard modules H PV 600	ST	9,40	DG PCB PV I 600 FM
952949	Base 1-pole for mounting on PCBs	for DEHNguard modules H PV 750	ST	9,40	DG PCB PV I 750 FM
952951	Base 1-pole for mounting on PCBs	for DEHNguard modules PV SCI 500	ST	9,40	DG PCB PVSCI I 500FM
953010	2-pole protection module 255V	for DEHNrail M surge arrester	ST	86,20	DR MOD 255
953011	Protection module for DEHNrail M	surge arrester	ST	86,20	DR MOD 30
953012	Protection module for DEHNrail M	surge arrester	ST	86,20	DR MOD 60
953013	Protection module for DEHNrail M	surge arrester	ST	86,20	DR MOD 75
953014	Protection module for DEHNrail M	surge arrester	ST	86,20	DR MOD 150
953020	Protection module for DEHNrail M	surge arrester	ST	163,20	DR MOD 4P 255
953021	Surge arrester Type 3 protection module	4-pole 255V for DEHNrail M 32A	ST	163,20	DR MOD 4P 255 SN1871
953200	DEHNrail M surge arrester		ST	106,70	DR M 2P 255
953201	DEHNrail M surge arrester		ST	106,70	DR M 2P 30
953202	DEHNrail M surge arrester		ST	106,70	DR M 2P 60
953203	DEHNrail M surge arrester		ST	106,70	DR M 2P 75
953204	DEHNrail M surge arrester		ST	106,70	DR M 2P 150
953205	Surge arreser Type 3 DEHNrail M	2-pole 255V for industry electronics	ST	122,30	DR M 2P 255 FM
953206	DEHNrail M FM surge arrester		ST	122,30	DR M 2P 30 FM
953207	DEHNrail M FM surge arrester		ST	122,30	DR M 2P 60 FM
953208	DEHNrail M FM surge arrester		ST	122,30	DR M 2P 75 FM
953209	DEHNrail M FM surge arrester		ST	122,30	DR M 2P 150 FM
953228	Surge arrester Type 3 DEHNrail M	2-pole 255V f. industr. electr. equip.	ST	106,80	DR M 2P 255 SN1802
953229	Surge arrester Type 3 DEHNrail M	2-pole 255V f. industr. electr. equip.	ST	122,30	DR M 2P 255 SN1803FM
953400	DEHNrail M surge arrester		ST	193,90	DR M 4P 255
953405	DEHNrail M FM surge arrester		ST	208,90	DR M 4P 255 FM
953406	Surge arrester Type 3 DEHNrail M	4-pole 255V f. industry electronics	ST	208,90	DR M 4P 255 SN1872 FM
954011	Protection module combined arrester Type 1+2+3	two-pole for DV M2 TT 2P 255 FM	ST	619,00	DV MOD TT 2P 255
954020	Protection module combined arrester Type 1+2+3	two-pole for DV M2 TN 255 FM	ST	551,10	DV MOD TN 255
954030	Protection module combined arrester Type 1+2+3	three-pole for DV M2 TNC 255 FM	ST	826,70	DV MOD TNC 255
954031	Protection module combined arrester Type 1+2+3	four-pole for DV M2 TT 255 FM	ST	1170,10	DV MOD TT 255
954040	Protection module combined arrester Type 1+2+3	four-pole for DV M2 TNS 255 FM	ST	1102,30	DV MOD TNS 255
954115	Combined arrester Type 1+2+3 DEHNventil M2	for single-phase TT and TN systems w. remote signalling contact	ST	820,00	DV M2 TT 2P 255 FM
954205	Combined arrester Type 1+2+3 DEHNventil M2	for single-phase TN systems w. remote signalling contact	ST	760,70	DV M2 TN 255 FM
954305	Combined arrester Type 1+2+3 DEHNventil M2	three-pole f. TN-C systems w. remote signalling contact	ST	1112,70	DV M2 TNC 255 FM
954315	Combined arrester Type 1+2+3 DEHNventil M2	four-pole f. TT and TN-S systems w. remote signalling contact	ST	1550,50	DV M2 TT 255 FM
954405	Combined arrester Type 1+2+3 DEHNventil M2	four-pole f. TN-S systems w. remote signalling contact	ST	1469,50	DV M2 TNS 255 FM
961001	Spark-gap-based protection module	for DEHNbloc M	ST	262,60	DB M MOD 150
961002	Koordinierter Blitzstromableiter Typ 1	Funkenstrecken-Schutzmodul DEHNbloc M	ST	273,40	DB M MOD 255
961003	Spark-gap-based protection module	for DEHNbloc M	ST	276,90	DB M MOD 320
961010	N-PE spark-gap-based protection	module for DEHNgap M	ST	279,50	DGP M MOD 255
961020	N-PE spark-gap-based protection module	f. DEHNgap H M	ST	191,20	DGPH MOD 255
961022	Spark-gap-based protection module	for DEHNbloc H M	ST	183,40	DBH MOD 255
961101	DEHNgap M, N-PE lightning current	arrester	ST	308,50	DGP M 255
961102	DEHNgap H M, N-PE lightning current	arrester	ST	217,80	DGPH M 255
961105	DEHNgap M FM, N-PE lightning current	arrester	ST	336,30	DGP M 255 FM
961110	DEHNbloc M lightning current arrester		ST	287,80	DB M 1 150
961115	DEHNbloc M FM lightning current arrester		ST	315,70	DB M 1 150 FM
961120	Coordin. lightn. current arrest. Type 1	DEHNbloc M high follow curr. ext. cap.	ST	298,80	DB M 1 255
961122	DEHNbloc H M lightning current arrester		ST	208,90	DBH M 1 255
961125	DEHNbloc M FM lightning current arrester		ST	326,70	DB M 1 255 FM
961130	DEHNbloc M coordinated type 1 lightning	current arr. w. high follow curr. limit.	ST	302,40	DB M 1 320
961135	Coordin. lightning current arr. Type 1	DEHNbloc M w. high follow current limit.	ST	330,30	DB M 1 320 FM
961140	Coord. lightn. current arrester Type 1	DEHNbloc Maxi 440 V AC	ST	416,00	DBM 1 440
961145	Coord. lightn. current arrester Type 1	DEHNbloc Maxi 440 V AC	ST	433,10	DBM 1 440 FM
961146	Coord. lightn. current arrester Type 1	DEHNbloc Maxi CI 440 V AC w. backup fuse	ST	541,80	DBM 1 CI 440 FM
961160	DEHNgap Maxi, N-PE lightning current	arrester	ST	396,70	DGPM 440



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
961165	DEHNgap Maxi FM, N-PE lightning current	arrester	ST	415,00	DGPM 440 FM
961175	Coord. lightn. current arrester Type 1	DEHNBloc DBM 1 760 FM, vp, IEC	ST	514,10	DBM 1 760 FM
961176	Coord. lightn. current arrester Type 1	DEHNBloc Maxi CI 760 V AC w. backup fuse	ST	585,30	DBM 1 CI 760 FM
961180	N-PE lightning current arrester	DEHNgap Maxi 1 for use in TT systems	ST	371,50	DGPM 1 255
961185	N-PE lightning current arrester	DEHNgap Maxi 1 for use in TT systems	ST	389,50	DGPM 1 255 FM
961200	Combined arrester Type 1 + Type 2 DEHNvenCI	1-pole 255V a.c. with backup fuse	ST	382,80	DVCI 1 255
961205	Combined arrester Type 1 + Type 2 DEHNvenCI	1-pole 255V a.c. with backup fuse	ST	400,80	DVCI 1 255 FM
971001	Spark-gap-based protection module	for DEHNsecure M	ST	265,00	DSE MOD 60
971002	Spark-gap-based protection module	f. DEHNsecure M	ST	298,80	DSE MOD 220
971003	Spark-gap-based protection module	for DEHNsecure M	ST	332,60	DSE MOD 242
971010	PE spark-gap-based protection module	for DEHNsecure M	ST	371,50	DSE MOD PE 60
971120	Coord. lightn. current arrester Type 1	DEHNsecure M for d.c. circuits	ST	324,20	DSE M 1 220
971121	Coord. lightn. current arrester Type 1	DEHNsecure M for d.c. circuits	ST	290,40	DSE M 1 60
971122	Coord. lightn. current arrester Type 1	DEHNsecure M for d.c. circuits	ST	358,10	DSE M 1 242
971125	DEHNsecure M coordinated type 1 lightning	current arrester for d.c. circuits	ST	352,00	DSE M 1 220 FM
971126	Coordin. DEHNsecure M type 1 lightning	current arrester for d.c. circuits	ST	319,30	DSE M 1 60 FM
971127	Coord. lightn. current arrester Type 1	DEHNsecure M for d.c. circuits	ST	385,90	DSE M 1 242 FM
971221	Coord. lightn. current arrester Type 1	DEHNsecure M for d.c. circuits	ST	693,20	DSE M 2P 60
971226	Coord. lightn. current arrester Type 1	DEHNsecure M for d.c. circuits	ST	750,00	DSE M 2P 60 FM
972010	Surge arrester Type 2 varistor-based	protection module for DEHNGuard SE DC	ST	112,10	DG MOD E DC 60
972020	Surge arrester Type 2 varistor-based	protection module for DEHNGuard SE DC	ST	107,30	DG MOD E DC 242
972030	Surge arrester Type 2 varistor-based	protection module for DEHNGuard SE DC	ST	107,30	DG MOD E DC 550
972040	Surge arrester Type 2 varistor-based	protection module for DEHNGuard SE DC	ST	112,10	DG MOD E DC 900
972050	Combined arrester Type 1+2	Varistor-based protection module	ST	112,10	DG MOD DC Y 500
972051	N-PE combined arrester DEHNgap module	for higher voltages	ST	86,50	DGP MOD DC Y 500
972110	Surge arrester Type 2 DEHNGuard SE DC	single-pole Uc 60V d.c.	ST	127,20	DG SE DC 60
972115	Surge arrester Type 2 DEHNGuard SE DC	1-pole Uc 60V DC	ST	147,20	DG SE DC 60 FM
972120	Surge arrester Type 2 DEHNGuard SE DC	single-pole Uc 242V d.c.	ST	122,30	DG SE DC 242
972125	Surge arrester Type 2 DEHNGuard SE DC	1-pole Uc 242V DC	ST	142,20	DG SE DC 242 FM
972130	Surge arrester Type 2 DEHNGuard SE DC	1-pole Uc 550V DC	ST	122,30	DG SE DC 550
972135	Surge arrester Type 2 DEHNGuard SE DC	1-pole Uc 550V DC	ST	142,20	DG SE DC 550 FM
972140	Surge arrester Type 2 DEHNGuard SE DC	1-pole Uc 900V DC	ST	127,20	DG SE DC 900
972145	Surge arrester Type 2 DEHNGuard SE DC	1-pole Uc 900V DC	ST	147,20	DG SE DC 900 FM
972146	Combined arrester Type 1+2	DEHNGuard ME DC Uc 950V DC	ST	431,20	DG ME DC Y 950 FM
989408	Terminal box for information	technology systems	ST	656,70	ITAK EXI BXT 24
990001	DEHNmid medium voltage arrester Ur: 3kV	In: 10kA line discharge class 1 indoor	ST	0,00	DMI 3 10 1 L
990002	DEHNmid medium voltage arrester Ur: 6kV	In: 10kA line discharge class 1 indoor	ST	0,00	DMI 6 10 1 L
990003	DEHNmid medium voltage arrester Ur: 9kV	In: 10kA line discharge class 1 indoor	ST	0,00	DMI 9 10 1 L
990004	DEHNmid medium voltage arrester Ur: 12kV	In: 10kA line discharge class 1 indoor	ST	0,00	DMI 12 10 1 L
990005	DEHNmid medium voltage arrester Ur: 15kV	In: 10kA line discharge class 1 indoor	ST	0,00	DMI 15 10 1 L
990006	DEHNmid medium voltage arrester Ur: 18kV	In: 10kA line discharge class 1 indoor	ST	0,00	DMI 18 10 1 L
990007	DEHNmid medium voltage arrester Ur: 21kV	In: 10kA line discharge class 1 indoor	ST	0,00	DMI 21 10 1 L
990008	DEHNmid medium voltage arrester Ur: 24kV	In: 10kA line discharge class 1 indoor	ST	0,00	DMI 24 10 1 L
990009	DEHNmid medium voltage arrester Ur: 27kV	In: 10kA line discharge class 1 indoor	ST	0,00	DMI 27 10 1 L
990010	DEHNmid medium voltage arrester Ur: 30kV	In: 10kA line discharge class 1 indoor	ST	0,00	DMI 30 10 1 L
990011	DEHNmid medium voltage arrester Ur: 31kV	In: 10kA line discharge class 1 indoor	ST	0,00	DMI 31 10 1 L
990012	DEHNmid medium voltage arrester Ur: 33kV	In: 10kA line discharge class 1 indoor	ST	0,00	DMI 33 10 1 L
990013	DEHNmid medium voltage arrester Ur: 36kV	In: 10kA line discharge class 1 indoor	ST	0,00	DMI 36 10 1 L
990014	DEHNmid medium voltage arrester Ur: 39kV	In: 10kA line discharge class 1 indoor	ST	0,00	DMI 39 10 1 L
990015	DEHNmid medium voltage arrester Ur: 42kV	In: 10kA line discharge class 1 indoor	ST	0,00	DMI 42 10 1 L
990016	DEHNmid medium voltage arrester Ur: 45kV	In: 10kA line discharge class 1 indoor	ST	0,00	DMI 45 10 1 L
990017	DEHNmid medium voltage arrester Ur: 48kV	In: 10kA line discharge class 1 indoor	ST	0,00	DMI 48 10 1 L
990018	DEHNmid medium voltage arrester Ur: 51kV	In: 10kA line discharge class 1 indoor	ST	0,00	DMI 51 10 1 L
990101	DEHNmid MV arrester Ur: 3kV In: 10kA	line disch. class 1 normal creepage path	ST	0,00	DMI 3 10 1 N
990102	DEHNmid MV arrester Ur: 6kV In: 10kA	line disch. class 1 normal creepage path	ST	0,00	DMI 6 10 1 N
990103	DEHNmid MV arrester Ur: 9kV In: 10kA	line disch. class 1 normal creepage path	ST	0,00	DMI 9 10 1 N
990104	DEHNmid MV arrester Ur: 12kV In: 10kA	line disch. class 1 normal creepage path	ST	0,00	DMI 12 10 1 N
990105	DEHNmid MV arrester Ur: 15kV In: 10kA	line disch. class 1 normal creepage path	ST	0,00	DMI 15 10 1 N
990106	DEHNmid MV arrester Ur: 18kV In: 10kA	line disch. class 1 normal creepage path	ST	0,00	DMI 18 10 1 N
990107	DEHNmid MV arrester Ur: 21kV In: 10kA	line disch. class 1 normal creepage path	ST	0,00	DMI 21 10 1 N
990108	DEHNmid MV arrester Ur: 24kV In: 10kA	line disch. class 1 normal creepage path	ST	0,00	DMI 24 10 1 N
990109	DEHNmid MV arrester Ur: 27kV In: 10kA	line disch. class 1 normal creepage path	ST	0,00	DMI 27 10 1 N
990110	DEHNmid MV arrester Ur: 30kV In: 10kA	line disch. class 1 normal creepage path	ST	0,00	DMI 30 10 1 N
990111	DEHNmid MV arrester Ur: 31kV In: 10kA	line disch. class 1 normal creepage path	ST	0,00	DMI 31 10 1 N
990112	DEHNmid MV arrester Ur: 33kV In: 10kA	line disch. class 1 normal creepage path	ST	0,00	DMI 33 10 1 N
990113	DEHNmid MV arrester Ur: 36kV In: 10kA	line disch. class 1 normal creepage path	ST	0,00	DMI 36 10 1 N
990114	DEHNmid MV arrester Ur: 39kV In: 10kA	line disch. class 1 normal creepage path	ST	0,00	DMI 39 10 1 N
990115	DEHNmid MV arrester Ur: 42kV In: 10kA	line disch. class 1 normal creepage path	ST	0,00	DMI 42 10 1 N
990116	DEHNmid MV arrester Ur: 45kV In: 10kA	line disch. class 1 normal creepage path	ST	0,00	DMI 45 10 1 N
990117	DEHNmid MV arrester Ur: 48kV In: 10kA	line disch. class 1 normal creepage path	ST	0,00	DMI 48 10 1 N
990118	DEHNmid MV arrester Ur: 51kV In: 10kA	line disch. class 1 normal creepage path	ST	0,00	DMI 51 10 1 N
990201	DEHNmid MV arrester Ur: 15kV In: 10kA	line disch. class 1 incr. creepage path	ST	0,00	DMI 15 10 1 H
990202	DEHNmid MV arrester Ur: 18kV In: 10kA	line disch. class 1 incr. creepage path	ST	0,00	DMI 18 10 1 H
990203	DEHNmid MV arrester Ur: 21kV In: 10kA	line disch. class 1 incr. creepage path	ST	0,00	DMI 21 10 1 H
990204	DEHNmid MV arrester Ur: 24kV In: 10kA	line disch. class 1 incr. creepage path	ST	0,00	DMI 24 10 1 H
990205	DEHNmid MV arrester Ur: 27kV In: 10kA	line disch. class 1 incr. creepage path	ST	0,00	DMI 27 10 1 H
990206	DEHNmid MV arrester Ur: 30kV In: 10kA	line disch. class 1 incr. creepage path	ST	0,00	DMI 30 10 1 H
990207	DEHNmid MV arrester Ur: 31kV In: 10kA	line disch. class 1 incr. creepage path	ST	0,00	DMI 31 10 1 H
990208	DEHNmid MV arrester Ur: 33kV In: 10kA	line disch. class 1 incr. creepage path	ST	0,00	DMI 33 10 1 H
990209	DEHNmid MV arrester Ur: 36kV In: 10kA	line disch. class 1 incr. creepage path	ST	0,00	DMI 36 10 1 H
990210	DEHNmid MV arrester Ur: 39kV In: 10kA	line disch. class 1 incr. creepage path	ST	0,00	DMI 39 10 1 H
990211	DEHNmid MV arrester Ur: 42kV In: 10kA	line disch. class 1 incr. creepage path	ST	0,00	DMI 42 10 1 H
990212	DEHNmid MV arrester Ur: 45kV In: 10kA	line disch. class 1 incr. creepage path	ST	0,00	DMI 45 10 1 H
990213	DEHNmid MV arrester Ur: 48kV In: 10kA	line disch. class 1 incr. creepage path	ST	0,00	DMI 48 10 1 H
990214	DEHNmid MV arrester Ur: 51kV In: 10kA	line disch. class 1 incr. creepage path	ST	0,00	DMI 51 10 1 H
990301	DEHNtrack surge arrester Ur: 1.2kV In:	10kA line discharge class 3, d.c. type	ST	0,00	DTR 1.2 10 3
990302	DEHNtrack surge arrester Ur: 2.4kV In:	10kA line discharge class 3, d.c. type	ST	0,00	DTR 2.4 10 3
990303	DEHNtrack surge arrester Ur: 3.6kV In:	10kA line discharge class 3, d.c. type	ST	0,00	DTR 3.6 10 3
990304	DEHNtrack surge arrester Ur: 4.8kV In:	10kA line discharge class 3, d.c. type	ST	0,00	DTR 4.8 10 3
994001	Impulse meter for MV arrester without	measuring scale	ST	0,00	IZ 100
994002	Impulse meter for MV arrester with	measuring scale	ST	0,00	IZM 100
994003	Disconnecter 10kA f. MV arrester		ST	0,00	DIC 10
994004	Impulse meter for MV arrester without	measuring scale, with remote signaling	ST	0,00	IZ 100 FM
994050	Terminal connection for surge arrester	for cable lug fixing	ST	0,00	KA KS
994051	Terminal connection f. surge arrester	f. conductor cable clamping up to D 9mm	ST	0,00	KA LS 9
994052	Terminal connection f. surge arrester	f. conductor cable clamping up to D 16mm	ST	0,00	KA LS 16
994053	Terminal connection for surge arrester	f. conductor cable clamping D9...16mm	ST	0,00	KA LS 9.16
994054	DIN fixing for surge arresters		ST	0,00	BF DIN
994055	Angle bracket for surge arresters		ST	0,00	BF WI
994056	NEMA fixing for surge arresters		ST	0,00	BF NEMA
994057	Wall fixing for surge arresters		ST	0,00	BF WA
994058	TGL fixing for surge arresters		ST	0,00	BF TGL
994059	Traverse fixing for surge arrester		ST	0,00	BF TRA
994060	Insulating support for surge arrester		ST	0,00	BF IH
999799	Surge arrest. Type 2 DEHNGuard M multip.	f. PV systems up to 1000V DC/SN 1868	ST	457,70	DG M PV2 SCI SN1868 FM
999906	Surge arrester Type 2 DEHNCord	2-pole f. electr. installation systems	ST	73,20	DCOR L 2P SN1864
999937	Surge arrester Type 2 DEHNCord	2-pole for electrical install. systems	ST	61,50	DCOR L 2P SN1860
999990	Mains connection box	for Red / Line products	ST	2279,40	NAK SN4631



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.Unit	List price valid from 01.10.2021 in EUR NL	Type
V11E77B	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	686,70	EKV3+0 150 R V11E77B
V162LDM	Three-pole earthing and short-circuiting	device VI 25mm ² for phase T pins	ST	475,50	EKV3 25VI DG V162LDM
V18JQH	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	318,00	EKV3+0 35 G V18JQH
V1KPXFR	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	1265,90	EKV3+1 150 G V1KPXFR
V1RC3P2	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	470,80	EKV3 NH00 TI V1RC3P2
V27E2GP	Earthing and short-circuiting cable	4-pole 120mm ² with crimped cable lugs	ST	964,50	EKV4U0 120 G V27E2GP
V291ZZT	Earthing and short-circuiting cable	4-pole 150mm ² with crimped cable lugs	ST	1132,40	EKV4U0 150 G V291ZZT
V2KWXUL	Single-pole earthing and short-circuit.	Single-pole earthing and short-circuit.	ST	711,50	EKV1+1 50 V2KWXUL
V2WPYVF	Single-pole earthing and short-circuit.	Single-pole earthing and short-circuit.	ST	1019,70	EKV1+1 95 V2WPYVF
V3CM9FR	Single-pole earthing and short-circuit.	Single-pole earthing and short-circuit.	ST	955,50	EKV1+1 120 V3CM9FR
V3NCSHX	Earthing and short-circuiting cable	4-pole 50mm ² with crimped cable lugs	ST	540,40	EKV4U0 50 G V3NCSHX
V3RQASE	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	316,90	EKV3 16TI HK V3RQASE
V3WJMY	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	644,20	EKV3+1 35 G V3WJMY
V43FCV8	Single-pole earthing and short-circuit.	Single-pole earthing and short-circuit.	ST	671,40	EKV1+1 35 V43FCV8
V4RJ7A2	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	834,20	EKV3+1 70 R V4RJ7A2
V4YPRGE	Single-pole earthing + short-circuiting	Single-pole earthing + short-circuiting	ST	214,00	EKV1+0 16 V4YPRGE
V593RWM	Short-circuiting bar 60x12mm E-Cu F20	Short-circuiting bar 60x12mm E-Cu F20	ST	1426,60	KSX SQ C MS V593RWM
V55VXPH	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	847,50	EKV3+1 95 R V55VXPH
V5VN56Z	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	783,70	EKV3+1 35 G V5VN56Z
V6VE249	Five-pole earthing and short-circuiting	Five-pole earthing and short-circuiting	ST	605,50	EKV5+0 50 G V6VE249
V7265NS	Two-pole earthing and short-circuiting	Two-pole earthing and short-circuiting	ST	248,40	EKV2+0 16 G V7265NS
V76D5TH	Five-pole earthing and short-circuiting	Five-pole earthing and short-circuiting	ST	534,30	EKV5+0 35 G V76D5TH
V797FE6	Single-pole earthing and short-circuit.	Single-pole earthing and short-circuit.	ST	718,50	EKV1+0 120 V797FE6
V7GN8WU	Earthing and short-circuiting cable	4-pole 70mm ² with crimped cable lugs	ST	640,40	EKV4U0 70 G V7GN8WU
V8115WA	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	624,30	EKV3+0 120 R V8115WA
V8D4AQ2	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	724,30	EKV3+0 120 G V8D4AQ2
V8MNCNWM	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	742,80	EKV3+1 16 G V8MNCNWM
V8PPIEF	Single-pole earthing and short-circuit.	Single-pole earthing and short-circuit.	ST	518,60	EKV1+1 35 V8PPIEF
V8VF7CP	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	765,40	EKV3+1 25 G V8VF7CP
V93UVAP	Earthing and short-circuiting cable	4-pole 35mm ² with crimped cable lugs	ST	476,00	EKV4U0 35 G V93UVAP
V9JF26K	Single-pole earthing and short-circuit.	Single-pole earthing and short-circuit.	ST	281,60	EKV1+0 35 V9JF26K
VA3926U	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	939,20	EKV3+1 95 G VA3926U
VAB3PJV	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	1050,60	EKV3+1 120 G VAB3PJV
VABRSSE	Earthing and short-circuiting cable	4-pole 95mm ² with crimped cable lugs	ST	828,30	EKV4U0 95 G VABRSSE
VACNLP8	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	1090,00	EKV3+1 120 R VACNLP8
VAM7M6H	Single-pole earthing and short-circuit.	Single-pole earthing and short-circuit.	ST	524,00	EKV2+0 95 G VAM7M6H
VB1DETL	Single-pole earthing and short-circuit.	Single-pole earthing and short-circuit.	ST	484,80	EKV1+1 25 VB1DETL
VB53TC9	Single-pole earthing and short-circuit.	Single-pole earthing and short-circuit.	ST	877,90	EKV1+0 150 VB53TC9
VCEY1U6	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	748,00	EKV3+1 70 G VCEY1U6
VD28FAD	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	671,50	EKV3+1 50 R VD28FAD
VDXTBGF	Five-pole earthing and short-circuiting	Five-pole earthing and short-circuiting	ST	699,20	EKV5+0 70 G VDXTBGF
VDZ2VDX	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	340,60	EKV3 35TI HK VDZ2VDX
VE5E8FZ	Single-pole earthing + short-circuiting	Single-pole earthing + short-circuiting	ST	603,80	EKV1+1 16 VE5E8FZ
VE5K3HM	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	481,20	EKV3 35VI DG VE5K3HM
VE5MT89	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	277,00	EKV3+0 16 G VE5MT89
VE9HQHJ	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	1078,70	EKV3+1 95 G VE9HQHJ
VEH4IQY	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	504,50	EKV3 35VI EK VEH4IQY
VF33XR2	Single-pole earthing and short-circuit.	Single-pole earthing and short-circuit.	ST	637,60	EKV1+1 25 VF33XR2
VFV127K	Single-pole earthing and short-circuit.	Single-pole earthing and short-circuit.	ST	620,60	EKV2+0 120 G VFV127K
VFZ17TJ	Single-pole earthing and short-circuit.	Single-pole earthing and short-circuit.	ST	637,00	EKV1+1 70 VFZ17TJ
VG3V6T2	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	845,30	EKV3+0 150 G VG3V6T2
VG4GXHQ	Single-pole earthing and short-circuit.	Single-pole earthing and short-circuit.	ST	1136,00	EKV1+1 120 VG4GXHQ
VGCMAA5	Five-pole earthing and short-circuiting	Five-pole earthing and short-circuiting	ST	926,00	EKV5+0 95 G VGCMAA5
VGHVBP5	One-pole earthing and short-circuiting	One-pole earthing and short-circuiting	ST	372,60	EKV1+0 35 VGHVBP5
VGDZQX	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	603,30	EKV3+1 16 G VGDZQX
VGM214B	Earthing and short-circuiting cable	4-pole 25mm ² with crimped cable lugs	ST	436,50	EKV4U0 25 G VGM214B
VGMYJJB	Short-circuiting bar 60x12mm E-Cu F20	Short-circuiting bar 60x12mm E-Cu F20	ST	940,20	KSX SK A MS VGMYJJB
VGVVRRG	Earthing and short-circuiting cable	4-pole 16mm ² with crimped cable lugs	ST	406,70	EKV4U0 16 G VGVVRRG
VH8QTCZ	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	1361,30	EKV3 25IS ZK VH8QTCZ
VH95BZZ	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	421,80	EKV3+0 70 G VH95BZZ
VHBWUNH	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	1107,30	EKV3+1 150 R VHBWUNH
VHNEFOE	Short-circuiting bar 60x12mm E-Cu F20	Short-circuiting bar 60x12mm E-Cu F20	ST	561,30	KS SK C NS VHNEFOE
VHV1NKR	Five-pole earthing and short-circuiting	Five-pole earthing and short-circuiting	ST	1260,90	EKV5+0 150 G VHV1NKR
VJ13VWV	Single-pole earthing and short-circuit.	Single-pole earthing and short-circuit.	ST	337,90	EKV2+0 50 G VJ13VWV
VJ6NX72	Short-circuiting bar 60x12mm E-Cu F20	Short-circuiting bar 60x12mm E-Cu F20	ST	1426,60	KSX SK C MS VJ6NX72
VJ7VGZD	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	378,50	EKV3+0 50 G VJ7VGZD
VKB2Q6J	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	1367,30	EKV3 35IS ZK VKB2Q6J
VKVBG8W	One-pole earthing and short-circuiting	One-pole earthing and short-circuiting	ST	415,60	EKV1+0 50 VCVBG8W
VKZLVU3	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	1190,10	EKV3+1 120 G VKZLVU3
VL2FG28	Short-circuiting bar 60x12mm E-Cu F20	Short-circuiting bar 60x12mm E-Cu F20	ST	561,30	KS SQ C NS VL2FG28
VLB2F3G	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	521,20	EKV3+0 95 R VLB2F3G
VLL6JWS	Single-pole earthing and short-circuit.	Single-pole earthing and short-circuit.	ST	726,70	EKV2+0 150 G VLL6JWS
VM2J7S3	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	612,90	EKV3+0 95 G VM2J7S3
VMBDCM1	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	811,00	EKV3+1 50 R VMBDCM1
VMLM2BZ	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	887,60	EKV3+1 70 G VMLM2BZ
VMRSJWD	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	475,50	EKV3 25VI EK VMRSJWD
VMZDL8N	Single-pole earthing + short-circuiting	Single-pole earthing + short-circuiting	ST	451,10	EKV1+1 16 VMZDL8N
VN35H5D	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	345,20	EKV3+0 50 R VN35H5D
VN63A91	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	1367,30	EKV3 35BS ZK VN63A91
VNC1S9W	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	299,60	EKV3+0 25 G VNC1S9W
VNRLBXU	Short-circuiting bar 60x12mm E-Cu F20	Short-circuiting bar 60x12mm E-Cu F20	ST	480,00	KS SQ A NS VNRLBXU
VP33XYL	Short-circuiting bar 60x12mm E-Cu F20	Short-circuiting bar 60x12mm E-Cu F20	ST	480,00	KS SK A NS VP33XYL
VP6YV4T	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	1412,80	EKV3 50IS ZK VP6YV4T
VPH98CT	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	844,20	EKV3+1 50 G VPH98CT
VPHZV2	Single-pole earthing and short-circuit.	Single-pole earthing and short-circuit.	ST	295,40	EKV2+0 35 G VPHZV2
VPZBBSL	Single-pole earthing and short-circuit.	Single-pole earthing and short-circuit.	ST	399,90	EKV1+0 70 VPZBBSL
VQ7PF5A	Five-pole earthing and short-circuiting	Five-pole earthing and short-circuiting	ST	456,60	EKV5+0 16 G VQ7PF5A
VQKTK4T	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	1361,30	EKV3 25BS ZK VQKTK4T
VQY44GL	Single-pole earthing and short-circuit.	Single-pole earthing and short-circuit.	ST	558,80	EKV1+1 50 VQY44GL
VQYP8B2	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	694,60	EKV3+1 70 R VQYP8B2
VRAB9WB	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	987,00	EKV3+1 95 R VRAB9WB
VRDSN66	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	625,80	EKV3+1 25 G VRDSN66
VRJG23Y	Single-pole earthing and short-circuit.	Single-pole earthing and short-circuit.	ST	321,70	EKV1+0 50 VRJG23Y
VRP32FL	Single-pole earthing and short-circuit.	Single-pole earthing and short-circuit.	ST	789,70	EKV1+1 70 VRP32FL
VS829AH	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	391,40	EKV3 16TI EK VS829AH
VSHDQZB	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	435,50	EKV3 35TI DG VSHDQZB
VSUN6NV	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	424,80	EKV3 25TI DG VSUN6NV
VS7Y1K4	Single-pole earthing and short-circuit.	Single-pole earthing and short-circuit.	ST	247,80	EKV1+0 25 VS7Y1K4
VTC52XV	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	368,40	EKV3+0 70 R VTC52XV
VTKJEZU	Single-pole earthing and short-circuit.	Single-pole earthing and short-circuit.	ST	405,50	EKV2+0 70 G VTKJEZU
VTSY9XH	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	950,50	EKV3+1 120 R VTSY9XH
VU8P6LE	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	704,70	EKV3+1 50 G VU8P6LE
VUKMT58	Three-pole earthing and short-circuiting	Three-pole earthing and short-circuiting	ST	316,40	EKV3 25TI HK VUKMT58
VVL7AKP	Five-pole earthing and short-circuiting	Five-pole earthing and short-circuiting	ST	1072,40	EKV5+0 120 G VVL7AKP
VWBDMP5	Single-pole earthing and short-circuit.	Single-pole earthing and short-circuit.	ST	839,30	EKV1+1 95 VWBDMP5
VZC3FST	Single-pole earthing and short-circuit.	Single-pole earthing and short-circuit.	ST	602,20	EKV1+0 95 VZC3FST
VZE91CX	Short-circuiting bar 60x12mm E-Cu F20	Short-circuiting bar 60x12mm E-Cu F20	ST	940,20	KSX SQ A MS VZE91CX
VZKQZB5	Five-pole earthing and short-circuiting	Five-pole earthing and short-circuiting	ST	491,80	EKV5+0 25 G VZKQZB5



Part-no.	Invoice-text 1	Invoice-text 2	Sales Quant.	Unit	List price valid from 01.10.2021 in EUR NL	Type
VZL6TGH	Single-pole earthing and short-circuit.	cablE 25mm ² with crimped cable lugs	ST		271,00	EKV2+0 25 G VZL6TGH
VZPW9LG	Three-pole earthing and short-circuiting	device VI 16mm ² for phase T pins	ST		421,50	EKV3 16VI EK VZPW9LG