| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 2 | 100100 | 35714 | Air-termination rod D 16mm L 1000mm | St/tZn with locking screw - KIT - | 01010101 | ST | 30.60 | EUR | 1 | FSS 16 1000 KS STTZN | 4013364019119 | 10 | 1.64 | 1.64 | 85389099 | DE | 1000 | 16 | 16 | MM |
| 3 | 100150 | 35716 | Air-termination rod D 16mm L 1500mm | St/tZn with locking screw - SET - | 01010101 | ST | 42.70 | EUR | 1 | FSS 16 1500 KS STTZN | 4013364019140 | 10 | 2.44 | 2.44 | 85389099 | DE | 1500 | 16 | 16 | MM |
| 4 | 101000 | 43224 | Air-termination rod D 10mm L 1000mm Al | chamfered on both ends | 01010101 | ST | 8.70 | EUR | 1 | FS 10 1000 AL | 4013364094505 | 20 | 0.212 | 0.212 | 85389099 | DE | 1000 | 10 | 10 | MM |
| 5 | 101001 | 46334 | Air-termination rod D 10mm L 1000mm | StSt w. lock nut f. HVI Conductor | 01070101 | ST | 27.00 | EUR | 1 | FS 10 1000 M10 V2A | 4013364105539 | 1 | 0.6 | 0.6 | 85389099 | DE | 1000 | 20 | 16 | MM |
| 6 | 101007 | 58215 | Air-termination rod D 10mm L 1000mm Cu | chamfered on both ends | 01010101 | ST | 57.30 | EUR | 1 | FS 10 1000 CU | 4013364128705 | 20 | 0.7 | 0.7 | 85389099 | DE | 1000 | 10 | 10 | MM |
| 7 | 101009 | 58214 | Air-termination rod D 10mm L 1000mm StSt | chamfered on both ends | 01010101 | ST | 26.20 | EUR | 1 | FS 10 1000 V2A | 4013364128699 | 20 | 0.6 | 0.6 | 85389099 | DE | 1000 | 10 | 10 | MM |
| 8 | 101010 | 60458 | Air-termination rod D 10mm L 1000mm Al | 55° angled, chamfered on both sides | 01010101 | ST | 11.20 | EUR | 1 | FSP 10 1000 W55 AL | 4013364138698 | 10 | 0.208 | 0.208 | 85389099 | DE | 920 | 250 | 10 | MM |
| 9 | 101110 | 60459 | Air-termination tip D 10mm L 1000mm Al | -SET- 55° angled w. 2 saddle clamps Al | 01010101 | ST | 21.10 | EUR | 1 | FSPS 10 1000 W55 FK AL | 4013364138704 | 1 | 0.305 | 0.305 | 85389099 | DE | 920 | 250 | 40 | MM |
| 10 | 101150 | 3008187 | Erdeinführungsstange D 16mm L 1500mm | St/tZn | 01020101 | ST | 33.70 | EUR | 1 | EES 16 1500 2XB11 STTZN | 4013364019515 | 1 | 2.42 | 2.42 | 85389099 | DE | 1500 | 28 | 16 | MM |
| 11 | 102002 | 48224 | Concrete base C45/55 17kg w. grip recess | a. threaded adapter M16 D 337mm H 90mm -KIT- | 01010101 | ST | 26.30 | EUR | 1 | BES 17KG M16 D337 | 4013364105126 | 54 | 17.02 | 17.02 | 68109100 | DE | 325 | 325 | 90 | MM |
| 12 | 102003 | 48223 | Concrete base C45/55 8.5kg w. threaded | adapter M16 D 240mm H 90mm -KIT- | 01010101 | ST | 18.90 | EUR | 1 | BES 8.5KG M16 D240 | 4013364105133 | 120 | 8.52 | 8.52 | 68109100 | DE | 230 | 230 | 90 | MM |
| 13 | 102004 | 46327 | Adapter M16 for concrete base | plastic black | 01010101 | ST | 4.50 | EUR | 1 | AD M16 BES KS SCW | 4013364105485 | 54 | 0.021 | 0.019 | 85389099 | DE | 0 | 0 | 0 | |
| 14 | 102010 | 45952 | Concrete base C45/55 17 kg f. wedge mount. | D337mm H90mm f.air-term. rod D16mm -KIT- | 01010101 | ST | 24.50 | EUR | 1 | BES 17KG KT16 D337 SET | 4013364057814 | 54 | 17.62 | 17.62 | 68109100 | DE | 325 | 325 | 90 | MM |
| 15 | 102012 | 48214 | Concrete base C45/55, 17kg D 337mm | with recessed grip | 01010101 | ST | 21.80 | EUR | 1 | BES 17KG KT16 D337 | 4013364105089 | 54 | 17.6 | 17.6 | 68109100 | DE | 325 | 325 | 90 | MM |
| 16 | 102019 | 51501 | Wedge 60x24x1.5mm StSt | for concrete base | 01010101 | ST | 2.70 | EUR | 1 | KEIL BES NIRO | 4013364111059 | 54 | 0.031 | 0.03 | 85389099 | DE | 61 | 24 | 17 | MM |
| 17 | 102050 | 43743 | Plastic base plate D 370mm black | | 01010101 | ST | 8.70 | EUR | 1 | ULP KS D370 SW | 4013364045996 | 1 | 0.217 | 0.217 | 39269097 | DE | 370 | 370 | 14 | MM |
| 18 | 102060 | 43742 | Plastic flat washer D 280mm black | | 01010101 | ST | 6.70 | EUR | 1 | ULP KS D280 SW | 4013364094987 | 1 | 0.14 | 0.14 | 39269097 | DE | 280 | 280 | 14 | MM |
| 19 | 102075 | 43651 | Concrete base C45/55 8.5kg f. wedge mount. | D 240mm H 90mm air-term. rods 10/16mm -KIT- | 01010101 | ST | 17.20 | EUR | 1 | BES 8.5KG KT10 16 D240 SET | 4013364094215 | 120 | 8.46 | 8.46 | 68109100 | DE | 230 | 230 | 90 | MM |
| 20 | 102340 | 47796 | Concr. base C45/55 17kg f. wedge mount. | a. adapt. supp. plate D 377mm H 90mm -KIT- | 01010101 | ST | 30.60 | EUR | 1 | BES 17KG KT16 ULP D337 SET | 4013364105119 | 54 | 17.82 | 17.82 | 68109100 | DE | 325 | 325 | 92 | MM |
| 21 | 103013 | 59230 | Telesc. lightning protection mast height | 13.35m St/tZn w. flange plate 400x400mm | 01010102 | ST | 6670.60 | EUR | 1 | TBM 13.35M FP400 STTZN | 4013364129818 | 1 | 228 | 228 | 85389099 | PL | 6000 | 400 | 400 | MM |
| 22 | 103016 | 59231 | Telesc. lightning protection mast height | 16.35m St/tZn w. flange plate 400x400mm | 01010102 | ST | 6932.80 | EUR | 1 | TBM 16.35M FP400 STTZN | 4013364129825 | 1 | 230 | 230 | 85389099 | PL | 6000 | 400 | 400 | MM |
| 23 | 103019 | 59232 | Telesc. lightning protection mast height | 19.35m St/tZn w. flange plate 400x400mm | 01010102 | ST | 8512.60 | EUR | 1 | TBM 19.35M FP565 STTZN | 4013364129832 | 1 | 310 | 310 | 85389099 | PL | 6000 | 400 | 400 | MM |
| 24 | 103022 | 59233 | Telesc. lightning protection mast height | 22.35m St/tZn w. flange plate 565x565mm | 01010102 | ST | 10635.80 | EUR | 1 | TBM 22.35M FP565 STTZN | 4013364129849 | 1 | 452 | 452 | 85389099 | PL | 6000 | 565 | 565 | MM |
| 25 | 103025 | 59234 | Telesc. lightning protection mast height | 24.85m St/tZn w. flange plate 565x565mm | 01010102 | ST | 14747.90 | EUR | 1 | TBM 24.85M FP565 STTZN | 4013364129856 | 1 | 550 | 550 | 85389099 | PL | 6000 | 565 | 565 | MM |
| 26 | 103030 | 59235 | Bucket foundation C50/60 f. telescopic | lightn. prot. masts H 13.35/16.35/19.35m | 01010102 | ST | 9158.80 | EUR | 1 | KÖFU I TBM FP400 | 4013364129917 | 1 | 2620 | 2620 | 68109100 | DE | 1800 | 1800 | 990 | MM |
| 27 | 103031 | 59236 | Bucket foundation C50/60 f. telescopic | lightning protect. masts H 22.35/24.85m | 01010102 | ST | 12952.00 | EUR | 1 | KÖFU II TBM FP565 | 4013364129924 | 1 | 4900 | 4900 | 68109100 | DE | 2400 | 2400 | 1150 | MM |
| 28 | 103040 | 59237 | Anchor basket f. site concr. w. 4xM24 f. | lightn. prot. mast H 13.35/16.35/19.35m | 01010102 | ST | 1407.80 | EUR | 1 | AKO TBM FP400 | 4013364129894 | 1 | 22.9 | 22.9 | 73089098 | PL | 870 | 472 | 324 | MM |
| 29 | 103041 | 59238 | Anchor basket f. site concr. w. 8xM24 f. | lightn. prot. masts L 22,35/24,85m | 01010102 | ST | 3629.50 | EUR | 1 | AKO TBM FP565 | 4013364129900 | 1 | 38 | 38 | 73089098 | PL | 870 | 662 | 662 | MM |
| 30 | 103121 | 53000 | Telesc. lightn. prot. mast 6000mm above | ground St/tZn-Al, screw-in found. -KIT- | 01010102 | ST | 1890.30 | EUR | 1 | TBM 6M SCFU STTZN AL | 4013364112711 | 1 | 33 | 33 | 85389099 | DE | 2100 | 330 | 290 | MM |
| 31 | 103122 | 53001 | Telesc. lightn. prot. mast 7000mm above | ground St/tZn-Al, screw-in found. -KIT- | 01010102 | ST | 1930.20 | EUR | 1 | TBM 7M SCFU STTZN AL | 4013364112728 | 1 | 33.2 | 33.2 | 85389099 | DE | 2100 | 330 | 290 | MM |
| 32 | 103123 | 53002 | Telesc. lightn. prot. mast 8000mm above | ground St/tZn-Al, screw-in found. -SET- | 01010102 | ST | 2147.30 | EUR | 1 | TBM 8M SCFU STTZN AL | 4013364112735 | 1 | 37.6 | 37.6 | 85389099 | DE | 4100 | 330 | 290 | MM |
| 33 | 103124 | 53003 | Telesc. lightn. prot. mast 9000mm above | ground St/tZn-Al, screw-in found. -KIT- | 01010102 | ST | 2187.20 | EUR | 1 | TBM 9M SCFU STTZN AL | 4013364112742 | 1 | 37.6 | 37.6 | 85389099 | DE | 4100 | 330 | 290 | MM |
| 34 | 103125 | 53004 | Telesc. lightn. prot. mast 10000mm above | ground St/tZn-Al, screw-in found. -KIT- | 01010102 | ST | 2404.30 | EUR | 1 | TBM 10M SCFU STTZN AL | 4013364112759 | 1 | 42.2 | 42.2 | 85389099 | DE | 6100 | 330 | 290 | MM |
| 35 | 103126 | 53030 | Telesc. lightn. prot. mast 11000mm above | ground St/tZn-Al, screw-in found. -KIT- | 01010102 | ST | 2444.20 | EUR | 1 | TBM 11M SCFU STTZN AL | 4013364112841 | 1 | 42.4 | 42.4 | 85389099 | DE | 6100 | 330 | 285 | MM |
| 36 | 103210 | 32302 | Air-termination rod D 16/10mm L 1500mm | AlMgSi both ends chamfered | 01010101 | ST | 24.30 | EUR | 1 | FS 16 10 1500 AL | 4013364066311 | 10 | 0.48 | 0.48 | 85389099 | DE | 1500 | 16 | 16 | MM |
| 37 | 103211 | 38418 | Air-termination rod D 16/10mm L 1500mm | AlMgSi with thread M16 | 01010101 | ST | 26.20 | EUR | 1 | FS M16 10 1500 AL | 4013364078529 | 10 | 0.48 | 0.48 | 85389099 | DE | 1500 | 16 | 16 | MM |
| 38 | 103220 | 32303 | Air-termination rod D 16mm/10mm L 2000mm | AlMgSi both ends chamfered | 01010101 | ST | 32.10 | EUR | 1 | FS 16 10 2000 AL | 4013364066328 | 10 | 0.76 | 0.76 | 85389099 | DE | 2000 | 16 | 16 | MM |
| 39 | 103221 | 38419 | Air-termination rod D 16/10mm L 2000mm | AlMgSi with thread M16 | 01010101 | ST | 34.60 | EUR | 1 | FS M16 10 2000 AL | 4013364078536 | 10 | 0.76 | 0.76 | 85389099 | DE | 2000 | 16 | 16 | MM |
| 40 | 103230 | 32304 | Air-termination rod D 16/10mm L 2500mm | AlMgSi both ends chamfered | 01010101 | ST | 39.40 | EUR | 1 | FS 16 10 2500 AL | 4013364066335 | 10 | 1.02 | 1.02 | 85389099 | DE | 2500 | 16 | 16 | MM |
| 41 | 103231 | 38420 | Air-termination rod D 16/10mm L 2500mm | AlMgSi with thread M16 | 01010101 | ST | 45.30 | EUR | 1 | FS M16 10 2500 AL | 4013364078543 | 10 | 1.02 | 1.02 | 85389099 | DE | 2500 | 16 | 16 | MM |
| 42 | 103240 | 32305 | Air-termination rod D 16mm L 3000mm | AlMgSi F22 tapered to 10mm | 01010101 | ST | 48.60 | EUR | 1 | FS 16 10 3000 AL | 4013364066342 | 10 | 1.3 | 1.3 | 85389099 | DE | 3000 | 16 | 16 | MM |
| 43 | 103241 | 39456 | Air-termination rod D 16/10mm L 3000mm | AlMgSi with thread M16 | 01010101 | ST | 52.50 | EUR | 1 | FS M16 10 3000 AL | 4013364081857 | 10 | 1.3 | 1.3 | 85389099 | DE | 3000 | 16 | 16 | MM |
| 44 | 103250 | 43200 | Air-termination rod D 16/10mm L 3500mm | AlMgSi both ends chamfered | 01010101 | ST | 56.40 | EUR | 1 | FS 16 10 3500 AL | 4013364093485 | 10 | 1.52 | 1.52 | 85389099 | DE | 3500 | 16 | 16 | MM |
| 45 | 103251 | 41799 | Air-termination rod D 16/10mm L 3500mm | AlMgSi with thread M16 | 01010101 | ST | 59.10 | EUR | 1 | FS M16 10 3500 AL | 4013364093515 | 10 | 1.52 | 1.52 | 85389099 | DE | 3500 | 16 | 16 | MM |
| 46 | 103260 | 43201 | Air-termination rod D 16/10mm L 4000mm | AlMgSi both ends chamfered | 01010101 | ST | 65.90 | EUR | 1 | FS 16 10 4000 AL | 4013364093492 | 10 | 1.85 | 1.85 | 85389099 | DE | 4000 | 16 | 16 | MM |
| 47 | 103261 | 41800 | Air-termination rod M 16mm L 4000mm | AlMgSi F22 tapered to 10mm | 01010101 | ST | 68.10 | EUR | 1 | FS M16 10 4000 AL | 4013364093522 | 10 | 1.73 | 1.73 | 85389099 | DE | 4000 | 16 | 16 | MM |
| 48 | 103280 | 43202 | Air-termination rod D 16/10mm L 5000mm | AlMgSi both ends chamfered | 01010101 | ST | 85.90 | EUR | 1 | FS 16 10 5000 AL | 4013364093508 | 10 | 2.4 | 2.4 | 85389099 | DE | 5000 | 16 | 16 | MM |
| 49 | 103410 | 48254 | Tubular air-term. rod D 16mm L 1500mm | AlMgSi F22 tapered to 10mm | 01010101 | ST | 19.50 | EUR | 1 | RFS 16 10 1500 AL | 4013364105775 | 10 | 0.36 | 0.36 | 85389099 | DE | 1500 | 16 | 16 | MM |
| 50 | 103417 | 58223 | Tubular air-termination rod | D 16/10mm L1500mm Cu | 01010101 | ST | 102.70 | EUR | 1 | RFS 16 10 1500 CU | 4013364128682 | 10 | 1.2 | 1.2 | 85389099 | DE | 1500 | 16 | 16 | MM |
| 51 | 103419 | 57894 | Tubular air-termination rod D 16mm | L 1500mm StSt tapered to 10mm | 01010101 | ST | 93.00 | EUR | 1 | RFS 16 10 1500 V2A | 4013364128651 | 10 | 1.1 | 1.1 | 85389099 | DE | 1500 | 16 | 16 | MM |
| 52 | 103420 | 48255 | Tubular air-term. rod D 16mm L 2000mm | AlMgSi F22 tapered to 10mm | 01010101 | ST | 25.40 | EUR | 1 | RFS 16 10 2000 AL | 4013364105782 | 10 | 0.5 | 0.5 | 85389099 | DE | 2000 | 16 | 16 | MM |
| 53 | 103429 | 57895 | Tubular air-termination rod D 16mm | L 2000mm StSt tapered to 10mm | 01010101 | ST | 151.40 | EUR | 1 | RFS 16 10 2000 V2A | 4013364128668 | 10 | 1.6 | 1.6 | 85389099 | DE | 2000 | 16 | 16 | MM |
| 54 | 103430 | 48256 | Tubular air-term. rod D 16mm L 2500mm | AlMgSi F22 tapered to 10mm | 01010101 | ST | 30.50 | EUR | 1 | RFS 16 10 2500 AL | 4013364105799 | 10 | 0.57 | 0.57 | 85389099 | DE | 2500 | 16 | 16 | MM |
| 55 | 103439 | 57896 | Tubular air-termination rod D 16/10mm | L 2500mm StSt | 01010101 | ST | 211.90 | EUR | 1 | RFS 16 10 2500 V2A | 4013364128675 | 10 | 2.05 | 2.05 | 85389099 | DE | 2500 | 16 | 16 | MM |
| 56 | 103440 | 48257 | Tubular air-term. rod D 16mm L 3000mm | AlMgSi F22 tapered to 10mm | 01010101 | ST | 37.20 | EUR | 1 | RFS 16 10 3000 AL | 4013364105805 | 10 | 0.8 | 0.8 | 85389099 | DE | 3000 | 16 | 16 | MM |
| 57 | 103449 | 57897 | Tubular air-termination rod D 16mm | L 3000mm StSt tapered to 10mm | 01010101 | ST | 270.50 | EUR | 1 | RFS 16 10 3000 V2A | 4013364128798 | 10 | 2.57 | 2.57 | 85389099 | DE | 3000 | 16 | 16 | MM |
| 58 | 103450 | 48258 | Tubular air-term. rod D 16mm L 3500mm | AlMgSi F22 tapered to 10mm | 01010101 | ST | 44.30 | EUR | 1 | RFS 16 10 3500 AL | 4013364105812 | 10 | 0.9 | 0.9 | 85389099 | DE | 3500 | 16 | 16 | MM |
| 59 | 103460 | 48259 | Tubular air-term. rod D 16mm L 4000mm | AlMgSi F22 tapered to 10mm | 01010101 | ST | 50.20 | EUR | 1 | RFS 16 10 4000 AL | 4013364105829 | 10 | 1.1 | 1.1 | 85389099 | DE | 4000 | 16 | 16 | MM |
| 60 | 103480 | 48260 | Tubular air-term. rod D 16mm L 5000mm | AlMgSi F22 tapered to 10mm | 01010101 | ST | 62.20 | EUR | 1 | RFS 16 10 5000 AL | 4013364105836 | 10 | 1.3 | 1.3 | 85389099 | DE | 5000 | 16 | 16 | MM |
| 61 | 104150 | 13489 | Air-termination rod D 16mm L 1500mm | AlMgSi chamfered on both ends | 01010101 | ST | 32.30 | EUR | 1 | FS 16 1500 AL | 4013364028487 | 10 | 0.82 | 0.82 | 85389099 | DE | 1500 | 16 | 16 | MM |
| 62 | 104200 | 31954 | Air-termination rod D 16mm L 2000mm | AlMgSi chamfered on both ends | 01010101 | ST | 40.80 | EUR | 1 | FS 16 2000 AL | 4013364056343 | 10 | 1.08 | 1.08 | 85389099 | DE | 2000 | 16 | 16 | MM |
| 63 | 104250 | 31955 | Air-termination rod D 16mm L 2500mm | AlMgSi chamfered on both ends | 01010101 | ST | 52.10 | EUR | 1 | FS 16 2500 AL | 4013364056350 | 10 | 1.4 | 1.4 | 85389099 | DE | 2500 | 16 | 16 | MM |
| 64 | 104300 | 31956 | Air-termination rod D 16mm L 3000mm | AlMgSi chamfered on both ends | 01010101 | ST | 59.10 | EUR | 1 | FS 16 3000 AL | 4013364056367 | 10 | 1.68 | 1.68 | 85389099 | DE | 3000 | 16 | 16 | MM |
| 65 | 104600 | 13482 | Air-termination rod D 16mm | L 6000mm Al, f. cutting to length | 01010101 | ST | 82.30 | EUR | 1 | FS 16 6000 AL | 4013364076556 | 1 | 1 | 1 | 85389099 | SI | 6000 | 16 | 16 | MM |
| 66 | 104903 | 14050 | Earth entry rod D 16mm L 1000mm | chamfered on both ends StSt (316/Ti/L) | 01020101 | ST | 99.70 | EUR | 1 | EES 16 1000 V4A | 4013364030497 | 1 | 1.6 | 1.6 | 85389099 | DE | 1000 | 16 | 16 | MM |
| 67 | 104905 | 14052 | Earth entry rod D 16mm L 1500mm | chamfered on both ends StSt (316/Ti/L) | 01020101 | ST | 138.20 | EUR | 1 | EES 16 1500 V4A | 4013364030503 | 10 | 2.38 | 2.38 | 85389099 | DE | 1500 | 16 | 16 | MM |
| 68 | 104906 | 39538 | Earth entry rod D 16mm L 2000mm | chamfered on both ends StSt (V4A) | 01020101 | ST | 202.10 | EUR | 1 | EES 16 2000 V4A | 4013364082854 | 1 | 3.2 | 3.2 | 85389099 | DE | 2000 | 16 | 16 | MM |
| 69 | 105071 | 46242 | Air-termination rod StSt L 1000mm | w. MV clamp StSt f. Rd 8-10mm | 01010105 | ST | 30.50 | EUR | 1 | FSP 10 1000 MVK 8.10 V2A | 4013364101456 | 1 | 0.694 | 0.694 | 85389099 | DE | 1000 | 40 | 40 | MM |
| 70 | 105079 | 46455 | MV clamp StSt f. Rd 8-10mm to support | spanning of conductors for DEHNiso-Combi | 01010105 | ST | 8.70 | EUR | 1 | MVK 8.10 M10 V2A | 4013364100183 | 1 | 0.096 | 0.096 | 85389099 | DE | 40 | 40 | 37 | MM |
| 71 | 105140 | 50283 | Mounting bracket StSt with cleat f. | pipes D 40mm for DEHNiso-Combi | 01010105 | ST | 49.60 | EUR | 1 | WB D40 WA V2A | 4013364112650 | 1 | 0.653 | 0.653 | 85389099 | DE | 320 | 152 | 40 | MM |
| 72 | 105160 | 50290 | Fixing clamp for pipes D 40-50mm | with tensioning strap D-300mm StSt | 01010105 | ST | 43.00 | EUR | 1 | BSC D40.50 SB50.300 V2A | 4013364113022 | 1 | 0.506 | 0.506 | 85389099 | DE | 250 | 230 | 40 | MM |
| 73 | 105161 | 51590 | Fixing clamp for pipes D 40mm w. spacer | 35mm for supp. tubes D 45-65mm StSt | 01010105 | ST | 51.00 | EUR | 1 | BSC D40 D45..65 V2A | 4013364118324 | 1 | 0.667 | 0.667 | 85389099 | DE | 195 | 122 | 40 | MM |
| 74 | 105162 | 64271 | Fixing clamp for tubes D 40mm / | D 45-65mm w. spacer L 95mm StSt | 01010105 | ST | 78.70 | EUR | 1 | BSC D40 D595 D45.65 V2A | 4013364146433 | 1 | 0.6 | 0.6 | 85389099 | DE | 250 | 230 | 50 | MM |
| 75 | 105163 | 3002903 | Fixing clamp w. spacer bar 95mm f. pipes | D 40-50mm on sector antennas D 50-300mm | 01010105 | ST | 58.70 | EUR | 1 | BS D40.50 D595 SB50.300 V2A | 4013364248281 | 1 | 0.601 | 0.586 | 85389099 | DE | 250 | 250 | 45 | MM |
| 76 | 105170 | 64521 | Air-term. rod D 40/16/10mm Al L 4000 mm | with earthing clamp and KS connector | 01010101 | ST | 285.30 | EUR | 1 | FS D40 16 10 4000 KSV AL | 4013364151192 | 1 | 4.17 | 4.17 | 85389099 | DE | 2050 | 103 | 45 | MM |
| 77 | 105171 | 64532 | Air-term. rod D 40/16/10mm Al L 5000 mm | with earthing clamp and KS connector | 01010101 | ST | 353.50 | EUR | 1 | FS D40 16 10 5000 KSV AL | 4013364151215 | 1 | 5.6 | 5.6 | 85389099 | DE | 3050 | 103 | 45 | MM |
| 78 | 105172 | 64533 | Air-term. rod D 40/16/10mm Al L 6000 mm | with earthing clamp and KS connector | 01010101 | ST | 420.60 | EUR | 1 | FS D40 16 10 6000 KSV AL | 4013364151239 | 1 | 7.2 | 7.2 | 85389099 | DE | 4050 | 103 | 45 | MM |
| 79 | 105173 | 64534 | Air-term. rod D 40/16/10mm Al L 7000 mm | with earthing clamp and KS connector | 01010101 | ST | 489.90 | EUR | 1 | FS D40 16 10 7000 KSV AL | 4013364151253 | 1 | 8.6 | 8.6 | 85389099 | DE | 5050 | 103 | 45 | MM |
| 80 | 105174 | 64535 | Air-term. rod D 40/16/10mm Al L 8000 mm | with earthing clamp and KS connector | 01010101 | ST | 539.20 | EUR | 1 | FS D40 16 10 8000 KSV AL | 4013364151277 | 1 | 10.14 | 10.14 | 85389099 | DE | 6050 | 103 | 45 | MM |
| 81 | 105175 | 55713 | Air-term. rod D 40/22/16/10mm Al L 4500 mm | with earthing clamp and KS connector | 01010101 | ST | 329.40 | EUR | 1 | FS D40 22 16 10 4500 KSV AL | 4013364151208 | 1 | 4.4 | 4.4 | 85389099 | DE | 2500 | 103 | 45 | MM |
| 82 | 105176 | 55714 | Air-term. rod D 40/22/16/10mm Al L 5500 mm | with earthing clamp and KS connector | 01010101 | ST | 394.40 | EUR | 1 | FS D40 22 16 10 5500 KSV AL | 4013364151222 | 1 | 6 | 6 | 85389099 | DE | 3050 | 103 | 45 | MM |
| 83 | 105177 | 55715 | Air-term. rod D 40/22/16/10mm Al L 6500 mm | with earthing clamp and KS connector | 01010101 | ST | 460.50 | EUR | 1 | FS D40 22 16 10 6500 KSV AL | 4013364151246 | 1 | 7.45 | 7.45 | 85389099 | DE | 4050 | 103 | 45 | MM |
| 84 | 105178 | 55716 | Air-term. rod D 40/22/16/10mm Al L 7500 mm | with earthing clamp and KS connector | 01010101 | ST | 528.70 | EUR | 1 | FS D40 22 16 10 7500 KSV AL | 4013364151260 | 1 | 9 | 9 | 85389099 | DE | 5050 | 103 | 45 | MM |
| 85 | 105179 | 55717 | Air-term. rod D 40/22/16/10mm Al L 8500 mm | with earthing clamp and KS connector | 01010101 | ST | 578.00 | EUR | 1 | FS D40 22 16 10 8500 KSV AL | 4013364151284 | 1 | 10.4 | 10.4 | 85389099 | DE | 6050 | 103 | 45 | MM |
| 86 | 105185 | 3017821 | Telescopic air-termination rod Al | D 40/30/20/10mm L 4200-5200mm | 01010101 | ST | 447.90 | EUR | 1 | FS T D40 4200 5200 AL | 4013364481411 | 1 | 4.1 | 3.5 | 85389099 | DE | 1705 | 60 | 60 | MM |
| 87 | 105190 | 64536 | Air-term. rod D 40/16/10mm StSt L 4000mm | w. earthing bracket and KS connector | 01010101 | ST | 422.70 | EUR | 1 | FS D40 16 10 4000 KSV V2A | 4013364152045 | 1 | 9.2 | 9.2 | 85389099 | DE | 2050 | 104 | 50 | MM |
| 88 | 105191 | 64537 | Air-term. rod D 40/16/10mm StSt L 5000mm | w. earthing bracket and KS connector | 01010101 | ST | 506.70 | EUR | 1 | FS D40 16 10 5000 KSV V2A | 4013364152052 | 1 | 12.6 | 12.6 | 85389099 | DE | 3050 | 104 | 50 | MM |
| 89 | 105192 | 64538 | Air-term. rod D 40/16/10mm StSt L 6000mm | with earthing bracket and KS connector | 01010101 | ST | 625.20 | EUR | 1 | FS D40 16 10 6000 KSV V2A | 4013364152069 | 1 | 16.2 | 16.2 | 85389099 | DE | 4050 | 104 | 50 | MM |
| 90 | 105193 | 64539 | Air-term. rod D 40/16/10mm StSt L 7000mm | with earthing bracket and KS connector | 01010101 | ST | 813.00 | EUR | 1 | FS D40 16 10 7000 KSV V2A | 4013364152076 | 1 | 19.4 | 19.4 | 85389099 | DE | 5050 | 104 | 50 | MM |
| 91 | 105194 | 64540 | Air-term. rod D 40/16/10mm StSt L 8000mm | with earthing bracket and KS connector | 01010101 | ST | 979.80 | EUR | 1 | FS D40 16 10 8000 KSV V2A | 4013364152083 | 1 | 22.4 | 22.4 | 85389099 | DE | 6050 | 104 | 50 | MM |
| 92 | 105195 | 67407 | Air-term. rod D 40/22/16/10mm StSt L 4500mm | with earthing bracket and KS connector | 01010101 | ST | 485.70 | EUR | 1 | FS D40 22 16 10 4500 KSV V2A | 4013364152090 | 1 | 10 | 10 | 85389099 | DE | 2465 | 104 | 50 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 93 | 105196 | 67408 | Air-term. rod D 40/22/16/10mm StSt L 5500mm | with earthing bracket and KS connector | 01010101 | ST | 575.90 | EUR | 1 | FS D40 22 16 10 5500 KSV V2A | 4013364152106 | 1 | 14.3 | 14.3 | 85389099 | DE | 3050 | 104 | 50 | MM |
| 94 | 105197 | 67409 | Air-term. rod D 40/22/16/10mm StSt L 6500mm | with earthing bracket and KS connector | 01010101 | ST | 727.00 | EUR | 1 | FS D40 22 16 10 6500 KSV V2A | 4013364152113 | 1 | 16.8 | 16.8 | 85389099 | DE | 4050 | 104 | 50 | MM |
| 95 | 105198 | 67410 | Air-term. rod D 40/22/16/10mm StSt L 7500mm | with earthing bracket and KS connector | 01010101 | ST | 897.90 | EUR | 1 | FS D40 22 16 10 7500 KSV V2A | 4013364152120 | 1 | 20 | 20 | 85389099 | DE | 5050 | 104 | 50 | MM |
| 96 | 105199 | 67411 | Air-term. rod D 40/22/16/10mm StSt L 8500mm | with earthing bracket and KS connector | 01010101 | ST | 1064.70 | EUR | 1 | FS D40 22 16 10 8500 KSV V2A | 4013364152137 | 1 | 23.6 | 23.6 | 85389099 | DE | 6050 | 104 | 50 | MM |
| 97 | 105200 | 3002434 | Hinged tripod f. air-term. rods D40mm | L 4-5.5m inclin. angle 10° St/tZn | 01010101 | ST | 489.90 | EUR | 1 | DBS KB D40.50 RAS60 STTZN | 4013364095908 | 1 | 9.6 | 9.6 | 85389099 | DE | 650 | 300 | 220 | MM |
| 98 | 105201 | 3001507 | Hinged tripod f. air-ter. rods D 40-50mm | L 6-8.5m inclination angle 10° St/tZn | 01010101 | ST | 666.10 | EUR | 1 | DBS KB D40.50 RA1435 STTZN | 4013364095915 | 1 | 17.23 | 17.23 | 85389099 | DE | 1515 | 400 | 240 | MM |
| 99 | 105229 | 3005217 | Fixing bolt Alu with 1 bore each | 11mm and 23mm and threaded screws | 01070101 | ST | 20.00 | EUR | 1 | BB 1XB11GSM8 1XB23GSM12 AL | 4013364280625 | 10 | 0.099 | 0.089 | 85389099 | DE | 90 | 30 | 30 | MM |
| 100 | 105240 | 59291 | Conduct. holder f. rafters f. distance | 600-750mm w. tube 48mm f. HVI Cond. | 01070102 | ST | 317.80 | EUR | 1 | DASH D48 AS600.750 STTZN | 4013364135116 | 1 | 7.23 | 7.23 | 73089098 | CZ | 700 | 240 | 115 | MM |
| 101 | 105241 | 3012544 | Holder f. metal roofs f. spacing 550-900mm | w. tube 48mm f. DEHNcon-H systems | 01070101 | ST | 785.70 | EUR | 1 | MDH D48 VB550.900 V2A | 4013364361225 | 1 | 5.261 | 4.661 | 73089098 | DE | 570 | 315 | 100 | MM |
| 102 | 105245 | 64224 | Roof bushing set (black) w. aluminium | roof tile f. D 10/16/48mm | 01070102 | ST | 100.90 | EUR | 1 | DADS D10 16 48 AL SCH | 4013364135383 | 1 | 1.16 | 1.16 | 85389099 | CZ | 500 | 450 | 150 | MM |
| 103 | 105246 | 64225 | Roof bushing set (red) w. aluminium | roof tile f. D 10/16/48mm | 01070102 | ST | 100.90 | EUR | 1 | DADS D10 16 48 AL ROT | 4013364135390 | 1 | 1.14 | 1.14 | 85389099 | CZ | 500 | 450 | 150 | MM |
| 104 | 105272 | 3003124 | Supp. tube D 30 mm L 1990 mm GRP/Al/StSt | w. air-termination rod D 10 mm L 500 mm | 01070101 | ST | 273.80 | EUR | 1 | SR D30 1990 FSP10 500 GFK AL V2A | 4013364255777 | 1 | 2.4 | 2.3 | 85389099 | DE | 2070 | 50 | 50 | MM |
| 105 | 105273 | 3002588 | Supp. tube D 30 mm L 1990 mm GRP/Al/StSt | w. air-termination rod D 10 mm L 1000 mm | 01070101 | ST | 286.40 | EUR | 1 | SR D30 1990 FSP10 1000 GFK AL V2A | 4013364255807 | 1 | 2.7 | 2.65 | 85389099 | DE | 2070 | 50 | 50 | MM |
| 106 | 105274 | 3003125 | Supp. tube D 30 mm L 2640 mm GRP/Al/StSt | w. air-termination rod D 10 mm L 500 mm | 01070101 | ST | 299.00 | EUR | 1 | SR D30 2840 FSP10 500 GFK AL V2A | 4013364255814 | 1 | 3.35 | 3.2 | 85389099 | DE | 2720 | 50 | 50 | MM |
| 107 | 105280 | 3002589 | Supp. tube D 30 mm L 2640 mm GRP/Al/StSt | w. air-termination rod D 10 mm L 1000 mm | 01070101 | ST | 310.50 | EUR | 1 | SR D30 2640 FSP10 1000 GFK AL V2A | 4013364255838 | 1 | 3.65 | 3.59 | 85389099 | DE | 2720 | 50 | 50 | MM |
| 108 | 105281 | 3014939 | Supp. tube D 50mm L 1950mm GRP/Al | w. air-ter. rod D 22/16/10mm L 2500mm | 01070101 | ST | 456.30 | EUR | 1 | SR D50 1950 FS22 16 10 2500 DSH GFK AL | 4013364260962 | 1 | 4 | 4 | 85389099 | DE | 2500 | 70 | 70 | MM |
| 109 | 105288 | 3003130 | Supp. tube D 30 mm L 2875 mm GRP/Al/StSt | w. air-ter.rod D10 L1000mm f. raft.brack. | 01070101 | ST | 444.80 | EUR | 1 | SR D30 2875 FSP10 1000 DSH GFK AL V2A | 4013364256040 | 1 | 4.8 | 4.55 | 85389099 | DE | 3000 | 80 | 80 | MM |
| 110 | 105300 | 3014505 | Supporting tube D 50mm M10 L 3200mm | GRP/Al | 01010105 | ST | 407.00 | EUR | 1 | SR D50 M10 3200 GFK AL | 4013364098534 | 1 | 5.2 | 5.2 | 85389099 | DE | 3200 | 60 | 60 | MM |
| 111 | 105301 | 3015378 | Supporting tube D 50mm M10 L 4700mm | GRP/Al | 01010105 | ST | 507.70 | EUR | 1 | SR D50 M10 4700 GFK AL | 4013364098541 | 1 | 7.231 | 7.231 | 85389099 | DE | 4700 | 60 | 60 | MM |
| 112 | 105302 | 45934 | Separable supporting tube D 50mm M10 | L 6200mm GRP/Al -KIT- | 01010105 | ST | 641.40 | EUR | 1 | SR D50 M10 6200 TB GFK AL | 4013364100077 | 1 | 10.2 | 10.2 | 85389099 | DE | 3200 | 110 | 60 | MM |
| 113 | 105306 | 3014639 | Support. tube D 50 mm L 3200mm GRP/Al | w. air-term. rod D 16/10 L2.5m Al | 01010105 | ST | 446.90 | EUR | 1 | SR D50 3200 FS16.10 2500 GFK AL | 4013364106024 | 1 | 5.23 | 5.23 | 85389099 | DE | 3228 | 80 | 60 | MM |
| 114 | 105314 | 3014368 | Support. tube D 50mm L 3200mm GRP/StSt | w. air-termination rod D 10mm L 1000mm | 01070101 | ST | 679.80 | EUR | 1 | SR D50 3200 FSP1000 IP HVI GFK V2A | 4013364157781 | 1 | 10.101 | 10.101 | 85389099 | DE | 3222 | 60 | 60 | MM |
| 115 | 105315 | 3014369 | Support. tube D 50mm L 3200mm GRP/StSt | w. air-termin. rod D 22/16/10mm L 2.5m | 01070101 | ST | 979.80 | EUR | 1 | SR D50 3200 FS22 2500 IP HVI GFK V2A | 4013364157804 | 1 | 15.501 | 15.501 | 85389099 | DE | 3222 | 80 | 60 | MM |
| 116 | 105316 | 3014371 | Support. tube D 50mm L 4700mm GRP/StSt | w. air-termination rod D 10mm L 1000mm | 01070101 | ST | 1021.70 | EUR | 1 | SR D50 4700 FSP1000 IP HVI GFK V2A | 4013364157798 | 1 | 15.601 | 15.601 | 85389099 | DE | 4770 | 80 | 60 | MM |
| 117 | 105317 | 3014372 | Supporting tube D 50mm L 4700mm GRP/StSt | w. air-termin.rod D 22/16/10mm L 2.5m | 01070101 | ST | 1321.70 | EUR | 1 | SR D50 4700 FS22 2500 IP HVI GFK V2A | 4013364157811 | 1 | 17.121 | 17.121 | 85389099 | DE | 4722 | 70 | 60 | MM |
| 118 | 105320 | 3014637 | Supporting tube D 50mm L 3500mm GRP/StSt | w. air-term. rod D 10mm L 1000mm | 01070103 | ST | 840.20 | EUR | 1 | SR D50 3500 FSP1000 IP HVIP GFK V2A | 4013364152373 | 1 | 10.6 | 10.6 | 85389099 | DE | 3560 | 80 | 60 | MM |
| 119 | 105321 | 3015168 | Supportin tube D 50mm L 3500mm GRP/StSt | w. air-term. rod D 22/16/10mm L 2.5 m | 01070103 | ST | 1109.80 | EUR | 1 | SR D50 3500 FS22 16 10 2500 IP HVIP GFK V2A | 4013364152397 | 1 | 12.2 | 12.2 | 85389099 | DE | 3560 | 80 | 80 | MM |
| 120 | 105322 | 3015169 | Supporting tube D 50mm L 5000mm GRP/StSt | w. air-term. rod D 10mm L 1000mm | 01070103 | ST | 1150.80 | EUR | 1 | SR D50 5000 FSP1000 IP HVIP GFK V2A | 4013364152380 | 1 | 15.801 | 15.801 | 85389099 | DE | 5060 | 80 | 60 | MM |
| 121 | 105323 | 3015170 | Supporting tube D 50mm L 5000mm GRP/StSt | w. air-term. rod D 22/16/10mm L 2.5m | 01070103 | ST | 1440.30 | EUR | 1 | SR D50 5000 FS22 10 2500 IP HVIP GFK V2A | 4013364152403 | 1 | 16.301 | 16.301 | 85389099 | DE | 5060 | 80 | 80 | MM |
| 122 | 105325 | 3014933 | Supp.tube D 50mm L 3200mm GRP/Al w. air- | term.rod D 10mm L 1000mm, lateral outlet | 01070101 | ST | 592.70 | EUR | 1 | SR D50 3200 FS1000 IP SA HVI GFK AL | 4013364157828 | 1 | 5.42 | 5.42 | 85389099 | DE | 3270 | 80 | 60 | MM |
| 123 | 105326 | 3014934 | Supp.tube D 50mm L 3200mm GRP/Al w. air- | ter.rod D 22/16/10mm L 2.5m, lat. outlet | 01070101 | ST | 651.40 | EUR | 1 | SR D50 3200 FS2500 IP SA HVI GFK AL | 4013364157842 | 1 | 5.82 | 5.82 | 85389099 | DE | 3270 | 80 | 80 | MM |
| 124 | 105327 | 3014935 | Supp.tube D 50mm L 4700mm GRP/Al w. air- | term.rod D 10mm L 1000mm, lateral outlet | 01070101 | ST | 693.40 | EUR | 1 | SR D50 4700 FS1000 IP SA HVI GFK AL | 4013364157835 | 1 | 8.151 | 8.151 | 85389099 | DE | 4770 | 80 | 60 | MM |
| 125 | 105328 | 3014936 | Supp.tube D 50mm L 4700mm GRP/Al w. air- | ter.rod D 22/16/10mm L 2.5m, lat. outlet | 01070101 | ST | 751.10 | EUR | 1 | SR D50 4700 FS2500 IP SA HVI GFK AL | 4013364157859 | 1 | 8.341 | 8.341 | 85389099 | DE | 4770 | 80 | 80 | MM |
| 126 | 105330 | 3014633 | Supporting Tube D 50mm L 3200mm GRP/Al | w. air-term. rod D 10mm L 1000mm | 01070101 | ST | 509.80 | EUR | 1 | SR D50 3200 FSP1000 IP HVI GFK AL | 4013364152496 | 1 | 5.601 | 5.601 | 85389099 | DE | 3270 | 80 | 60 | MM |
| 127 | 105331 | 3014928 | Supporting Tube D 50mm L 3200mm GRP/Al | w. air-termin.rod D 22/16/10mm L2.5m | 01070101 | ST | 566.50 | EUR | 1 | SR D50 3200 FS22 2500 IP HVI GFK AL | 4013364152502 | 1 | 6.121 | 6.121 | 85389099 | DE | 3270 | 80 | 80 | MM |
| 128 | 105332 | 3014929 | Supporting Tube D 50mm L 4700mm GRP/Al | w. air-termin. rod D 10mm L 1000mm | 01070101 | ST | 609.50 | EUR | 1 | SR D50 4700 FSP1000 IP HVI GFK AL | 4013364152519 | 1 | 8.251 | 8.251 | 85389099 | DE | 4770 | 80 | 60 | MM |
| 129 | 105333 | 3014930 | Supporting Tube D 50mm L 4700mm GRP/Al | w. air-termin. rod D 22/16/10mm L2.5m | 01070101 | ST | 669.30 | EUR | 1 | SR D50 4700 FS22 2500 IP HVI GFK AL | 4013364152526 | 1 | 8.511 | 8.511 | 85389099 | DE | 4750 | 80 | 80 | MM |
| 130 | 105336 | 3014315 | Supp.tube D 50mm L 3200mm GRP/StSt, air- | ter.rod D 10mm L 1000mm, lat. outlet | 01070101 | ST | 923.10 | EUR | 1 | SR D50 3200 FS1000 IP SA HVI GFK V2A | 4013364157866 | 1 | 9.9 | 9.9 | 85389099 | DE | 3270 | 80 | 60 | MM |
| 131 | 105337 | 3014364 | Supp.tube D 50mm L 3200mm GRP/StSt, air- | ter.rod D 22/16/10mm L 2.5m, lat. outlet | 01070101 | ST | 1218.90 | EUR | 1 | SR D50 3200 FS2500 IP SA HVI GFK V2A | 4013364157880 | 1 | 11.64 | 11.64 | 85389099 | DE | 3270 | 80 | 80 | MM |
| 132 | 105338 | 3014363 | Supp.tube D 50mm L 4700mm GRP/StSt, air- | ter.rod D 10mm L 1000mm, lateral outlet | 01070101 | ST | 1260.90 | EUR | 1 | SR D50 4700 FS1000 IP SA HVI GFK V2A | 4013364157873 | 1 | 15.13 | 15.13 | 85389099 | DE | 4770 | 80 | 60 | MM |
| 133 | 105339 | 3014365 | Supp.tube D 50mm L 4700mm GRP/StSt, air- | ter.rod D 22/16/10mm L 2.5m, lat. outlet | 01070101 | ST | 1555.70 | EUR | 1 | SR D50 4700 FS2500 IP SA HVI GFK V2A | 4013364157897 | 1 | 16.901 | 16.901 | 85389099 | DE | 4770 | 80 | 80 | MM |
| 134 | 105340 | 45310 | Mounting bracket StSt with cleat | for tubes D 50mm for DEHNiso-Combi | 01010105 | ST | 40.20 | EUR | 1 | WB D50 WA V2A | 4013364098794 | 1 | 0.618 | 0.618 | 85389099 | DE | 320 | 160 | 40 | MM |
| 135 | 105341 | 45315 | Fixing bracket StSt with cleat | f. pipes D 50mm f. DEHNiso-Combi | 01010105 | ST | 40.20 | EUR | 1 | EB D50 WA V2A | 4013364098800 | 1 | 0.607 | 0.607 | 85389099 | DE | 275 | 235 | 40 | MM |
| 136 | 105342 | 50242 | Wall mounting bracket StSt with cleat | for pipes D 40-50mm for DEHNiso-Combi | 01010105 | ST | 41.10 | EUR | 1 | WB D40.50 SE WA46 V2A | 4013364111141 | 1 | 0.514 | 0.514 | 85389099 | DE | 170 | 122 | 100 | MM |
| 137 | 105343 | 56000 | Wall mount. bracket St/tZn-StSt f. pipes | D 40-50mm adjustable range 400-700mm | 01010105 | ST | 220.30 | EUR | 1 | WB D40.50 V400.700 STTZN V2A | 4013364118515 | 1 | 3.6 | 3.6 | 85389099 | DE | 460 | 122 | 120 | MM |
| 138 | 105344 | 64280 | Wall mounting bracket StSt for pipes | D 40-50mm adjustable range 150-200mm | 01010105 | ST | 239.20 | EUR | 1 | WB D40.50 V150.200 V2A | 4013364147300 | 1 | 1.52 | 1.52 | 85389099 | DE | 188 | 122 | 120 | MM |
| 139 | 105345 | 50390 | Mounting bracket St/tZn for pipes | D 60mm adjustable range 250-350mm | 01010105 | ST | 237.10 | EUR | 1 | WB D60 V250.350 STTZN | 4013364110489 | 1 | 3.6 | 3.6 | 85389099 | DE | 330 | 150 | 150 | MM |
| 140 | 105347 | 3005242 | Wall mount. bracket St/tZn-StSt f. pipes | D 40-50mm adjustable range 230-400mm | 01010105 | ST | 189.70 | EUR | 1 | WB D40.50 V230.400 STTZN V2A | 4013364278554 | 1 | 2.415 | 2.415 | 85389099 | DE | 360 | 122 | 120 | MM |
| 141 | 105348 | 3005903 | Wall mounting bracket StSt f. vertical | mounting w. cleat f. pipes D 40-50mm | 01010105 | ST | 44.80 | EUR | 1 | WB D40.50 SE WA110 V2A | 4013364287013 | 1 | 0.54 | 0.54 | 85389099 | DE | 170 | 160 | 124 | MM |
| 142 | 105349 | 3005947 | Wall mount. bracket St/tZn-StSt f. pipes | D 40-50mm adjust. wall dist. 700-1300mm | 01010105 | ST | 262.30 | EUR | 1 | WB D40.50 V700.1300 STTZN V2A | 4013364288614 | 1 | 5.8 | 5.8 | 85389099 | DE | 770 | 120 | 120 | MM |
| 143 | 105351 | 3001971 | Tripod adjustable in height and hinged | f. tubes D 5.0mm inclin. angle 10° St/tZn | 01010101 | ST | 505.60 | EUR | 1 | DBS KB D50 RA70 STTZN | 4013364238916 | 1 | 11.5 | 11.5 | 85389099 | DE | 720 | 300 | 225 | MM |
| 144 | 105354 | 45330 | Railing clamp D 48-60mm f. pipes | D -50mm f. DEHNiso Combi | 01010105 | ST | 42.80 | EUR | 1 | BS D40.50 D48.60 V2A | 4013364098725 | 5 | 0.637 | 0.617 | 85389099 | DE | 141 | 122 | 40 | MM |
| 145 | 105355 | 45331 | Railing clamp D 70-90mm for pipes | D -50mm f. DEHNiso Combi | 01010105 | ST | 48.60 | EUR | 1 | BS D40.50 D70.90 V2A | 4013364098732 | 1 | 0.713 | 0.69 | 85389099 | DE | 172 | 158 | 40 | MM |
| 146 | 105356 | 45332 | Rail. clamp StSt f. pipes D - 50mm a. | square prof. D -50x50mm f.DEHNiso-Combi | 01010105 | ST | 41.90 | EUR | 1 | BS D40.50 4K20.50 V2A | 4013364098749 | 5 | 0.582 | 0.562 | 85389099 | DE | 145 | 122 | 40 | MM |
| 147 | 105360 | 45978 | Fixing clamp f. pipes D50mm, tensioning | strap D 90-300mm f. DEHNiso Combi | 01010105 | ST | 39.40 | EUR | 1 | BS D50 SB50.300 V2A | 4013364099777 | 1 | 0.358 | 0.358 | 85389099 | DE | 200 | 200 | 35 | MM |
| 148 | 105361 | 46580 | Fixing clamp for fixing pipes D 50mm at | sector antennas spacer 30mm D 90-300mm | 01010105 | ST | 45.50 | EUR | 1 | BS D50 DS30 SB50.300 V2A | 4013364102033 | 1 | 0.385 | 0.385 | 85389099 | DE | 200 | 200 | 35 | MM |
| 149 | 105362 | 50384 | Fixing clamp for fixing pipes D 50mm at | sector antennas spacer 95mm D 50-300mm | 01010105 | ST | 55.90 | EUR | 1 | BS D50 DS90 SB50.300 V2A | 4013364110496 | 1 | 0.467 | 0.467 | 85389099 | DE | 280 | 240 | 35 | MM |
| 150 | 105363 | 3001132 | Spacer L 1000mm f. DEHNiso Combi support. | tubes D 50/masts D 55-100mm St/tZn | 01010105 | ST | 380.80 | EUR | 1 | AH D50 1000 D55.100 STTZN | 4013364106031 | 1 | 8.87 | 8.87 | 85389099 | DE | 1145 | 140 | 130 | MM |
| 151 | 105364 | 3001133 | Spacer L 1000mm f. DEHNiso Combi support. | tubes D 50/masts D 100-150mm St/tZn | 01010105 | ST | 412.30 | EUR | 1 | AH D50 1000 D100.150 STTZN | 4013364106048 | 1 | 10.85 | 10.85 | 85389099 | DE | 1145 | 190 | 150 | MM |
| 152 | 105365 | 3001134 | Spacer L 1000mm f. DEHNiso Combi support. | tubes D 50/masts D 150-190mm St/tZn | 01010105 | ST | 487.80 | EUR | 1 | AH D50 1000 D150.190 STTZN | 4013364106055 | 1 | 14.63 | 14.63 | 85389099 | DE | 1170 | 230 | 200 | MM |
| 153 | 105376 | 54203 | Fixing clamp f. DEHNiso-Combi | 1 1/2-2 f. constructions -60x120mm | 01010105 | ST | 84.20 | EUR | 1 | BS D40.50 4K60.120 V2A | 4013364115545 | 1 | 0.684 | 0.66 | 85389099 | DE | 226 | 122 | 40 | MM |
| 154 | 105392 | 3015173 | Supp.tube D 50mm L 3500mm GRP/StSt, air- | term.rod D 10mm L 1000mm, lateral outlet | 01070103 | ST | 923.10 | EUR | 1 | SR D50 3500 FS1000 IP SA HVIP GFK V2A | 4013364157903 | 1 | 10.201 | 10.201 | 85389099 | DE | 3560 | 70 | 70 | MM |
| 155 | 105394 | 3015174 | Supp.tube D 50mm L 5000mm GRP/StSt, air- | term.rod D 10mm L 1000mm, lateral outlet | 01070103 | ST | 1250.40 | EUR | 1 | SR D50 5000 FS1000 IP SA HVIP GFK V2A | 4013364157910 | 1 | 15.101 | 15.101 | 85389099 | DE | 5100 | 70 | 70 | MM |
| 156 | 105395 | 3015175 | Supp.tube D 50mm L 5000mm GRP/StSt, air- | term.rod D 22/16/10mm L 2.5m, lat. outlet | 01070103 | ST | 1538.90 | EUR | 1 | SR D50 5000 FS2500 IP SA HVIP GFK V2A | 4013364157934 | 1 | 17.121 | 17.121 | 85389099 | DE | 5070 | 80 | 80 | MM |
| 157 | 105400 | 3002447 | Air-term. rod D 40/16/10mm Al L 4000mm | w. hinged tripod St/tZn -KIT- | 01010101 | ST | 790.90 | EUR | 1 | FS D40 16 10 4000 AL DBS KB STTZN | 4013364094383 | 1 | 13.4 | 13.4 | 85389099 | DE | 2050 | 300 | 240 | MM |
| 158 | 105440 | 45950 | DEHNiso Combi air-termination rod -KIT- | with mounting bracket D 50mm L 4200mm | 01010105 | ST | 565.10 | EUR | 1 | DICS WB D50.10 4.2M GFK AL V2A | 4013364099692 | 1 | 7.64 | 7.64 | 85389099 | DE | 0 | 0 | 0 | |
| 159 | 105450 | 3002450 | Air-term. rod D 40/22/16/10mm Al L 4500mm | w. hinged tripod St/tZn -KIT- | 01010101 | ST | 798.30 | EUR | 1 | FS D40 22 16 10 4500 AL DBS KB STTZN | 4013364094413 | 1 | 13.8 | 13.8 | 85389099 | DE | 2500 | 300 | 240 | MM |
| 160 | 105455 | 45951 | DEHNiso-Combi air-termination rod -SET- | with mounting bracket D 50mm L 5700mm | 01010105 | ST | 797.30 | EUR | 1 | DICS WB D50 10 5700 GFK AL V2A | 4013364099715 | 1 | 11.45 | 11.45 | 85389099 | DE | 0 | 0 | 0 | |
| 161 | 105460 | 3011332 | Spacer D 16mm L 750mm Al w. EB element | D 17mm incl. MV clamp f. HVI light | 01070102 | ST | 40.90 | EUR | 1 | DIDH PAE 17 D16 750 AL V2A | 4013364381513 | 1 | 0.577 | 0.529 | 85389099 | DE | 800 | 70 | 55 | MM |
| 162 | 105461 | 3011333 | Spacer D 16mm L 1270mm Al w. EB element | D 20mm incl. MV clamp f. HVI | 01070101 | ST | 51.90 | EUR | 1 | DIDH PAE 20 D16 1270 AL V2A | 4013364381520 | 1 | 0.882 | 0.821 | 85389099 | DE | 1320 | 80 | 55 | MM |
| 163 | 105462 | 3011335 | Spacer D 16mm L 1270mm Al w. EB element | D 27mm incl. MV clamp f. HVI power | 01070103 | ST | 55.80 | EUR | 1 | DIDH PAE 27 D16 1270 AL V2A | 4013364381537 | 1 | 0.892 | 0.83 | 85389099 | DE | 1320 | 80 | 55 | MM |
| 164 | 105467 | 3011361 | Variable tripod gr. with EB element | f. HVI power Conductor D 27mm -KIT- | 01070103 | ST | 420.80 | EUR | 1 | V DBS RA320 PAE 27 V 750 1510 V2A | 4013364381599 | 1 | 4.191 | 4.098 | 85389099 | DE | 860 | 215 | 180 | MM |
| 165 | 105468 | 3011359 | Variable tripod, small, w. EB element | f. HVI power Conductor D 27mm -KIT- | 01070103 | ST | 408.50 | EUR | 1 | V DBS RA320 PAE 27 V 600 1180 V2A | 4013364381582 | 1 | 3.741 | 3.65 | 85389099 | DE | 675 | 215 | 180 | MM |
| 166 | 105469 | 3011358 | Variable tripod with EB element | for HVI Conductor D 20mm -KIT- | 01070101 | ST | 403.60 | EUR | 1 | V DBS RA320 PAE 20 V 600 1180 V2A | 4013364381575 | 1 | 3.701 | 3.644 | 85389099 | DE | 670 | 215 | 180 | MM |
| 167 | 105470 | 45966 | DEHNiso Combi air-termination rod | L 7200mm -KIT- | 01010105 | ST | 933.00 | EUR | 1 | DICS WB D50 10 7200 GFK AL V2A | 4013364100138 | 1 | 14.65 | 14.65 | 85389099 | DE | 0 | 0 | 0 | |
| 168 | 105500 | 3002451 | Air-term. rod D 40/16/10mm Al | L 5000mm w. hinged tripod St/tZn -KIT- | 01010101 | ST | 825.60 | EUR | 1 | FS D40 16 10 5000 AL DBS KB STTZN | 4013364094420 | 1 | 15 | 15 | 85389099 | DE | 3050 | 300 | 240 | MM |
| 169 | 105513 | 3014196 | Supp. tube D 50mm L 3500mm GRP/Al, air- | term.rod D 10mm L 1000mm, lateral outlet | 01070103 | ST | 743.70 | EUR | 1 | SR D50 3500 FSP1000 IA SA HVIP GFK AL | 4013364270282 | 1 | 5.5 | 5 | 85389099 | DE | 3520 | 70 | 70 | MM |
| 170 | 105515 | 3014302 | Supp. tube D 50mm L 5000mm GRP/Al, air- | term.rod D 10mm L 1000mm, lateral outlet | 01070103 | ST | 849.70 | EUR | 1 | SR D50 5000 FSP1000 IA SA HVIP GFK AL | 4013364271821 | 1 | 8 | 7.84 | 85389099 | DE | 5100 | 100 | 100 | MM |
| 171 | 105525 | 3001432 | Air-term. rod D 22/16/10mm L 2500mm Al | with tripod R 320mm St/tZn | 01010101 | ST | 208.20 | EUR | 1 | FS 22 16 10 2500 AL DBS R320 STTZN | 4013364241985 | 1 | 3.4 | 3.4 | 85389099 | DE | 0 | 0 | 0 | MM |
| 172 | 105530 | 3001433 | Air-term. rod D 22/16/10mm L 3000mm Al | with tripod R 320mm St/tZn | 01010101 | ST | 225.20 | EUR | 1 | FS 22 16 10 3000 AL DBS R320 STTZN | 4013364242029 | 1 | 3.8 | 3.8 | 85389099 | DE | 0 | 0 | 0 | MM |
| 173 | 105535 | 3009814 | Air-term. rod D 22/16/10mm L 3500mm Al | with tripod R 320mm St/tZn | 01010101 | ST | 243.60 | EUR | 1 | FS 22 16 10 3500 AL DBS R320 STTZN | 4013364242043 | 1 | 4.3 | 4.1 | 85389099 | DE | 0 | 0 | 0 | |
| 174 | 105543 | 3014303 | Supp. tube D 50mm L 3500mm GRP/Al, air- | term.rod D 22/16/10mm L 2500mm, lat. outlet | 01070103 | ST | 803.50 | EUR | 1 | SR D50 3500 FS2500 IA SA HVIP GFK AL | 4013364271845 | 1 | 6.4 | 6.24 | 85389099 | DE | 3700 | 100 | 100 | MM |
| 175 | 105545 | 3014304 | Supp. tube D 50mm L 5000mm GRP/Al, air- | term.rod D 22/16/10mm L 2500mm, lat. outlet | 01070103 | ST | 947.20 | EUR | 1 | SR D50 5000 FS2500 IA SA HVIP GFK AL | 4013364271876 | 1 | 8.9 | 8.72 | 85389099 | DE | 5100 | 100 | 100 | MM |
| 176 | 105550 | 3002453 | Air-term. rod D 40/22/16/10mm Al | L 5500mm with hinged tripod St/tZn -KIT- | 01010101 | ST | 842.30 | EUR | 1 | FS D40 22 16 10 5500 AL DBS KB STTZN | 4013364094437 | 1 | 15.2 | 15.2 | 85389099 | DE | 3050 | 300 | 240 | MM |
| 177 | 105563 | 3014307 | Supp. tube D 50mm L 3500mm GRP/Al | w. air-term. rod D 10mm L 1000mm | 01070103 | ST | 667.20 | EUR | 1 | SR D50 3500 FSP1000 IA HVIP GFK AL | 4013364271937 | 1 | 5.7 | 5.54 | 85389099 | DE | 3700 | 100 | 100 | MM |
| 178 | 105565 | 3014308 | Supp. tube D 50mm L 5000mm GRP/Al | w. air-term. rod D 10mm L 1000mm | 01070103 | ST | 765.80 | EUR | 1 | SR D50 5000 FSP1000 IA HVIP GFK AL | 4013364271944 | 1 | 8.1 | 7.92 | 85389099 | DE | 5100 | 100 | 100 | MM |
| 179 | 105573 | 3014309 | Supp. tube D 50mm L 3500mm GRP/Al | w. air-term. rod D 22/16/10mm L 2500mm | 01070103 | ST | 720.70 | EUR | 1 | SR D50 3500 FS2500 IA HVIP GFK AL | 4013364271975 | 1 | 6.56 | 6.4 | 85389099 | DE | 3700 | 100 | 100 | MM |
| 180 | 105575 | 3014310 | Supp. tube D 50mm L 5000mm GRP/Al | w. air-term. rod D 22/16/10mm L 2500mm | 01070103 | ST | 865.40 | EUR | 1 | SR D50 5000 FS2500 IA HVIP GFK AL | 4013364272026 | 1 | 8.9 | 8.74 | 85389099 | DE | 5100 | 100 | 100 | MM |
| 181 | 105600 | 3002456 | Air-term. rod D 40/16/10mm Al | L 5500mm w. hinged tripod St/tZn -KIT- | 01010101 | ST | 1496.90 | EUR | 1 | FS D40 16 10 6000 AL DBS KB STTZN | 4013364094444 | 1 | 29.4 | 29.4 | 85389099 | DE | 4050 | 300 | 240 | MM |
| 182 | 105601 | 60528 | Brace with clamp for pipes | D 50mm L 2910mm StSt | 01010101 | ST | 441.60 | EUR | 1 | ABST 3F D50 2900 V2A | 4013364142336 | 1 | 6 | 6 | 85389099 | DE | 3100 | 60 | 60 | MM |
| 183 | 105650 | 3002476 | Air-term. rod D 40/22/16/10mm Al | L 6500mm w. hinged tripod St/tZn -KIT- | 01010101 | ST | 1521.10 | EUR | 1 | FS D40 22 16 10 6500 AL DBS KB STTZN | 4013364094451 | 1 | 30 | 30 | 85389099 | DE | 4050 | 300 | 240 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 184 | 105700 | 3002479 | Air-term. rod D 40/16/10mm Al | L 7000mm w. hinged tripod St/tZn -KIT- | 01010101 | ST | 1570.40 | EUR | 1 | FS D40 16 10 7000 AL DBS KB STTZN | 4013364094468 | 1 | 31.2 | 31.2 | 85389099 | DE | 5050 | 300 | 240 | MM |
| 185 | 105750 | 3002481 | Air-term. rod D 40/22/16/10mm Al | L 7500mm w. hinged tripod St/tZn -KIT- | 01010101 | ST | 1601.80 | EUR | 1 | FS D40 22 16 10 7500 AL DBS KB STTZN | 4013364094475 | 1 | 31.4 | 31.4 | 85389099 | DE | 5050 | 300 | 240 | MM |
| 186 | 105800 | 3002482 | Air-term. rod D 40/16/10mm Al | L 8000mm w. hinged tripod St/tZn -KIT- | 01010101 | ST | 1648.00 | EUR | 1 | FS D40 16 10 8000 AL DBS KB STTZN | 4013364094338 | 1 | 32.6 | 32.6 | 85389099 | DE | 6050 | 300 | 240 | MM |
| 187 | 105850 | 3002483 | Air-term. rod D 40/22/16/10mm Al | L 8500mm w. hinged tripod St/tZn -KIT- | 01010101 | ST | 1673.20 | EUR | 1 | FS D40 22 16 10 8500 AL DBS KB STTZN | 4013364094482 | 1 | 32.8 | 32.8 | 85389099 | DE | 6050 | 300 | 240 | MM |
| 188 | 105900 | 3001991 | Air-term. rod D 40/22/16/10 mm L 9 m Al | with tripod R 1435 mm St/tZn | 01010101 | ST | 1739.20 | EUR | 1 | FS D40 22 16 10 9000 AL DBS KB STTZN | 4013364240766 | 1 | 33.67 | 33.29 | 85389099 | DE | 0 | 0 | 0 | MM |
| 189 | 105910 | 3002185 | Self-supp. air-term.rod D 60/10mm L 10M Al | w. six-legged supp. R 1200mm St/tZn -KIT- | 01010101 | ST | 2520.70 | EUR | 1 | FS D60 10 10M AL SBS STTZN | 4013364256941 | 1 | 53.3 | 53 | 85389099 | DE | 0 | 0 | 0 | MM |
| 190 | 105911 | 3002187 | Self-supp. air-term.rod D 60/10mm L 11M Al | w. six-legged sup. R 1200mm St/tZn -KIT- | 01010101 | ST | 2650.80 | EUR | 1 | FS D60 10 11M AL SBS STTZN | 4013364256958 | 1 | 54.4 | 54 | 85389099 | DE | 0 | 0 | 0 | MM |
| 191 | 105922 | 3002230 | Air-termination rod L 12m w. fixing kit | and hinged tripod R 3000mm | 01010101 | ST | 4710.00 | EUR | 1 | FS D100 10 12M AL DBS STTZN | 4013364240520 | 1 | 97.42 | 97.31 | 85389099 | DE | 0 | 0 | 0 | MM |
| 192 | 105923 | 3002231 | Air-termination rod L 13m w. fixing kit | and hinged tripod R 3000mm | 01010101 | ST | 4806.50 | EUR | 1 | FS D100 10 13M AL DBS STTZN | 4013364242081 | 1 | 98.42 | 98.31 | 85389099 | DE | 0 | 0 | 0 | MM |
| 193 | 105924 | 3002233 | Air-termination rod L 14m w. fixing kit | and hinged tripod R 3000mm | 01010101 | ST | 5041.50 | EUR | 1 | FS D100 10 14M AL DBS STTZN | 4013364242104 | 1 | 103.42 | 103.31 | 85389099 | DE | 0 | 0 | 0 | MM |
| 194 | 106008 | 45336 | Adapter for vertical positioning | of rods D 16mm St/tZn / StSt | 01010101 | ST | 35.00 | EUR | 1 | FSA KT16 B16 95 STTZN V2A | 4013364099241 | 1 | 0.352 | 0.352 | 85389099 | DE | 157 | 65 | 27 | MM |
| 195 | 106090 | 57492 | DEHNiso spacer f. Rd 7-10mm | L 530mm with fixing plate | 01010106 | ST | 52.50 | EUR | 1 | DIDH 7.10 530 BP V2A GFK | 4013364100190 | 1 | 0.47 | 0.47 | 85389099 | DE | 550 | 170 | 40 | MM |
| 196 | 106100 | 57493 | DEHNiso spacer f. Rd 7-10mm | L 690mm with fixing plate | 01010106 | ST | 59.10 | EUR | 1 | DIDH 7.10 690 BP V2A GFK | 4013364092907 | 1 | 0.545 | 0.545 | 85389099 | DE | 710 | 170 | 40 | MM |
| 197 | 106105 | 57494 | DEHNiso spacer f. Rd 7-10mm | L 1030mm w. fixing plate | 01010106 | ST | 71.90 | EUR | 1 | DIDH 7.10 1030 BP V2A GFK | 4013364100206 | 1 | 0.658 | 0.658 | 85389099 | DE | 1050 | 170 | 40 | MM |
| 198 | 106115 | 57495 | DEHNiso spacer f. Rd 16mm | L 530mm with fixing plate | 01010106 | ST | 52.50 | EUR | 1 | DIDH 16 530 BP V2A GFK | 4013364100213 | 1 | 0.488 | 0.488 | 85389099 | DE | 555 | 170 | 40 | MM |
| 199 | 106120 | 57815 | DEHNiso spacer f. Rd 16mm | L 690mm w. fixing plate | 01010106 | ST | 57.80 | EUR | 1 | DIDH 16 690 BP V2A GFK | 4013364092945 | 1 | 0.552 | 0.552 | 85389099 | DE | 715 | 170 | 40 | MM |
| 200 | 106123 | 57814 | DEHNiso spacer f. Rd 16mm | L 1030mm with fixing plate | 01010106 | ST | 71.30 | EUR | 1 | DIDH 16 1030 BP V2A GFK | 4013364100220 | 1 | 0.686 | 0.686 | 85389099 | DE | 1055 | 170 | 40 | MM |
| 201 | 106125 | 43379 | Spacer bar GRP light grey | D 16mm L 3000mm f. DEHNiso | 01010106 | ST | 89.70 | EUR | 1 | DIST 16 3000 GFK | 4013364099517 | 10 | 1.15 | 1.15 | 39169010 | HU | 3000 | 16 | 16 | MM |
| 202 | 106126 | 47725 | Mounting bushing w. locking screw | hole 16.2mm ZDC f. DEHNiso | 01010106 | ST | 14.70 | EUR | 1 | BB16 IGM8 ZG | 4013364093324 | 20 | 0.086 | 0.082 | 85389099 | DE | 45 | 28 | 40 | MM |
| 203 | 106127 | 43151 | Fixing plate StSt with socket | ZDC D 16 mm f. DEHNiso | 01010106 | ST | 20.80 | EUR | 1 | BP BB16 V2A ZG | 4013364093317 | 20 | 0.234 | 0.228 | 85389099 | DE | 170 | 48 | 40 | MM |
| 204 | 106128 | 57448 | Conductor holder StSt for Rd 7-10 mm | with fixing bush ZDC D 16 mm | 01010106 | ST | 19.40 | EUR | 1 | LH 7.10 BB16 V2A ZG | 4013364123731 | 20 | 0.135 | 0.131 | 85389099 | DE | 58 | 57 | 28 | MM |
| 205 | 106129 | 57449 | Rod holder StSt for Rd 16 mm | with fixing bush ZDC D 16 mm | 01010106 | ST | 20.20 | EUR | 1 | SH 16 BB16 V2A ZG | 4013364123748 | 20 | 0.14 | 0.135 | 85389099 | DE | 67 | 58 | 28 | MM |
| 206 | 106150 | 42160 | DEHNiso spacer with MMV clamp f. | Rd 6-10mm L 675mm without fixing element | 01010106 | ST | 33.80 | EUR | 1 | DIDH 6.10 675 MMV KT V2A GFK | 4013364092914 | 1 | 0.34 | 0.34 | 85389099 | DE | 700 | 36 | 36 | MM |
| 207 | 106160 | 42161 | DEHNiso spacer f. Rd 8mm | DEHNgrip L 675mm without fixing element | 01010106 | ST | 33.70 | EUR | 1 | DIDH 8 675 KT V2A GFK | 4013364092938 | 1 | 0.287 | 0.287 | 85389099 | DE | 710 | 26 | 20 | MM |
| 208 | 106165 | 57486 | DEHNiso spacer f. Rd 7-10mm L 515mm | without fixing element | 01010106 | ST | 30.50 | EUR | 1 | DIDH 7.10 515 V2A GFK16 | 4013364100237 | 1 | 0.242 | 0.242 | 85389099 | DE | 525 | 42 | 20 | MM |
| 209 | 106170 | 57487 | DEHNiso spacer f. Rd 7-10mm | L 675mm without fixing element | 01010106 | ST | 33.90 | EUR | 1 | DIDH 7.10 675 V2A GFK16 | 4013364097285 | 1 | 0.31 | 0.31 | 85389099 | DE | 685 | 42 | 20 | MM |
| 210 | 106175 | 57488 | DEHNiso spacer f. Rd 7-10mm | L 1015mm without fixing element | 01010106 | ST | 47.20 | EUR | 1 | DIDH 7.10 1015 V2A GFK16 | 4013364100244 | 1 | 0.448 | 0.448 | 85389099 | DE | 1025 | 42 | 20 | MM |
| 211 | 106178 | 57489 | DEHNiso spacer f. Rd 16mm | L 515mm without fixing element | 01010106 | ST | 29.60 | EUR | 1 | DIDH 16 515 V2A GFK16 | 4013364100251 | 1 | 0.261 | 0.261 | 85389099 | DE | 530 | 58 | 24 | MM |
| 212 | 106180 | 57490 | DEHNiso spacer f. Rd 16mm | L 675mm without fixing element | 01010106 | ST | 34.60 | EUR | 1 | DIDH 16 675 V2A GFK16 | 4013364097292 | 1 | 0.326 | 0.326 | 85389099 | DE | 700 | 58 | 24 | MM |
| 213 | 106185 | 57491 | DEHNiso spacer f. Rd 16mm | L 1015mm without fixing element | 01010106 | ST | 47.20 | EUR | 1 | DIDH 16 1015 V2A GFK16 | 4013364100268 | 1 | 0.465 | 0.465 | 85389099 | DE | 1030 | 58 | 24 | MM |
| 214 | 106207 | 57855 | Air-termination rod GRP/Al | D 16/10mm L 1660mm | 01010106 | ST | 39.10 | EUR | 1 | FS 16 10 1660 GFK AL | 4013364127623 | 10 | 0.493 | 0.493 | 85389099 | DE | 1660 | 20 | 20 | MM |
| 215 | 106210 | 57856 | Air-termination rod GRP/Al | D 16/10mm L 2000mm | 01010106 | ST | 55.00 | EUR | 1 | FS 16 10 2000 GFK AL | 4013364127630 | 10 | 0.625 | 0.625 | 85389099 | DE | 2000 | 20 | 20 | MM |
| 216 | 106217 | 57662 | Light grey GRP spacer bar D 16mm with | Al socket M10 L 675mm f. DEHNiso | 01010106 | ST | 29.70 | EUR | 1 | DIST 16 M10 675 GFK | 4013364128811 | 10 | 0.28 | 0.28 | 85389099 | DE | 675 | 20 | 20 | MM |
| 217 | 106220 | 57663 | Light grey GRP spacer bar D 16mm with | Al socket M10 L 1015mm f. DEHNiso | 01010106 | ST | 43.30 | EUR | 1 | DIST 16 M10 1015 GFK | 4013364128828 | 10 | 0.41 | 0.41 | 85389099 | DE | 1015 | 20 | 20 | MM |
| 218 | 106225 | 46472 | DEHNiso spacer f. Rd 16m | L 515mm with pipe clamp D 40-60mm | 01010106 | ST | 57.70 | EUR | 1 | DIDH 16 530 RS40.60 V2A | 4013364100299 | 1 | 0.684 | 0.684 | 85389099 | DE | 605 | 122 | 40 | MM |
| 219 | 106226 | 45913 | DEHNiso spacer f. Rd 16m | L 675mm with pipe clamp D 40-60mm | 01010106 | ST | 62.70 | EUR | 1 | DIDH 16 690 RS40.60 V2A | 4013364098930 | 1 | 0.722 | 0.722 | 85389099 | DE | 765 | 122 | 40 | MM |
| 220 | 106228 | 46473 | DEHNiso spacer f. Rd 16mm | L 1015mm with pipe clamp D 40-60mm | 01010106 | ST | 78.00 | EUR | 1 | DIDH 16 1030 RS40.60 V2A | 4013364100305 | 1 | 0.878 | 0.878 | 85389099 | DE | 1105 | 122 | 40 | MM |
| 221 | 106245 | 46476 | DEHNiso spacer f. Rd 16mm L 530mm | with fixing for tens. straps D 50-300mm | 01010106 | ST | 57.80 | EUR | 1 | DIDH 16 530 SB50.300 V2A | 4013364100336 | 1 | 0.561 | 0.561 | 85389099 | DE | 600 | 130 | 25 | MM |
| 222 | 106246 | 45915 | Spacer f. Rd 16mm L 690mm, fixing | f. tens. straps D 50-300mm f. DEHNiso | 01010106 | ST | 62.10 | EUR | 1 | DIDH 16 690 SB50.300 V2A | 4013364098954 | 1 | 0.608 | 0.608 | 85389099 | DE | 800 | 130 | 25 | MM |
| 223 | 106248 | 46477 | DEHNiso spacer f. Rd 16mm L 1015mm | with fixing f. tens. straps D 50-300mm | 01010106 | ST | 79.10 | EUR | 1 | DIDH 16 1030 SB50.300 V2A | 4013364100343 | 1 | 0.762 | 0.762 | 85389099 | DE | 1200 | 130 | 25 | MM |
| 224 | 106301 | 45154 | Clamping bolt D 16mm Al with screw, | nut and lock washer f. DEHNiso | 01010106 | ST | 10.30 | EUR | 1 | BB16 GSM10 AL | 4013364096806 | 20 | 0.054 | 0.05 | 85389099 | DE | 60 | 25 | 25 | MM |
| 225 | 106309 | 58251 | Clamping bolt D 16mm StSt with screw, | nut and toothed lock washer f. DEHNiso | 01010106 | ST | 20.40 | EUR | 1 | BB16 GSM10 V2A | 4013364129276 | 20 | 0.104 | 0.1 | 85389099 | DE | 60 | 25 | 25 | MM |
| 226 | 106310 | 45158 | Mounting bracket 90° StSt | 110x60x30mm f. DEHNiso | 01010106 | ST | 7.10 | EUR | 1 | BW90 B11 B5.1 6.5 11 V2A | 4013364096813 | 20 | 0.104 | 0.1 | 85389099 | DE | 110 | 60 | 30 | MM |
| 227 | 106311 | 45157 | Mounting bracket 90° StSt with | clamping bolt Al D 16mm f. DEHNiso | 01010106 | ST | 17.40 | EUR | 1 | BW90 BB16 B5.1 6.5 11 V2A | 4013364096820 | 20 | 0.156 | 0.15 | 85389099 | DE | 160 | 60 | 30 | MM |
| 228 | 106312 | 45333 | Railing clamp f. DEHNiso Combi w. bush | D 16 mm f. square profiles -50x50mm | 01010105 | ST | 33.20 | EUR | 1 | BS 4K 20.50 BB16 ZG V2A | 4013364098756 | 5 | 0.343 | 0.327 | 85389099 | DE | 105 | 88 | 30 | MM |
| 229 | 106314 | 61931 | 90° angled fixing plate StSt | 110x60x30mm f. DEHNgate | 04020850 | ST | 8.60 | EUR | 1 | BW90 B16 B5.1 6.5 11 V2A | 4013364136304 | 1 | 0.1 | 0.1 | 85389099 | DE | 110 | 60 | 30 | MM |
| 230 | 106315 | 45161 | Mounting bracket 45° StSt | f. DEHNiso | 01010106 | ST | 7.30 | EUR | 1 | BW45 B11 B5.1 6.5 11 V2A | 4013364096943 | 20 | 0.102 | 0.098 | 85389099 | DE | 146 | 42 | 30 | MM |
| 231 | 106316 | 45159 | Y-shaped mounting bracket 90° StSt w. | clamping bolt Al W 16.2mm f. DEHNiso | 01010106 | ST | 26.20 | EUR | 1 | EBW90 BB16 B5.1 6.5 11 V2A | 4013364096844 | 1 | 0.252 | 0.244 | 85389099 | DE | 155 | 132 | 30 | MM |
| 232 | 106319 | 57474 | Terminal StSt for profiles 3-18mm with | clamping bolt Al f. D 16mm | 01010106 | ST | 26.60 | EUR | 1 | AK 3.18 BB16 V2A AL | 4013364124820 | 1 | 0.276 | 0.271 | 85389099 | DE | 75 | 64 | 56 | MM |
| 233 | 106320 | 55736 | Bracket StSt f. fix. tension. strap 25mm | w. square hole 9mm f. pipes D 50-300mm | 01010106 | ST | 4.50 | EUR | 1 | BUE SPB25 V2A | 4013364149434 | 20 | 0.052 | 0.048 | 85389099 | DE | 61 | 40 | 26 | MM |
| 234 | 106321 | 45162 | Clip f. tensioning straps W 19mm StSt | with clamping bolt Al D 16mm f. DEHNiso | 01010106 | ST | 16.00 | EUR | 1 | BB SPB30 V2A AL | 4013364096851 | 10 | 0.129 | 0.121 | 85389099 | DE | 105 | 64 | 33 | MM |
| 235 | 106322 | 45197 | Clip f. tensioning straps W 25mm StSt | with socket ZDC D 16mm f. DEHNiso | 01010106 | ST | 16.70 | EUR | 1 | AS SPB25 BB16 V2A | 4013364097308 | 10 | 0.154 | 0.146 | 85389099 | DE | 72 | 61 | 40 | MM |
| 236 | 106323 | 45198 | Pipe clamp W 25mm StSt | f. pipes D -300mm f. DEHNiso | 01010106 | ST | 14.00 | EUR | 1 | BRS SPB25 50.300 V2A | 4013364097315 | 10 | 0.122 | 0.11 | 85389099 | DE | 1100 | 40 | 40 | MM |
| 237 | 106324 | 46922 | Grip head f. tensioning strap | 25x0.3mm StSt f. DEHNiso | 01010106 | ST | 5.10 | EUR | 1 | SPK 25X0.3 V2A | 4013364099074 | 20 | 0.052 | 0.048 | 85389099 | DE | 40 | 40 | 17 | MM |
| 238 | 106325 | 45185 | Adapter for angled support StSt f. | air-termination rods D 16mm f. DEHNiso | 01010106 | ST | 33.20 | EUR | 1 | AD WAS 16 BB16 V2A | 4013364096929 | 10 | 0.232 | 0.222 | 85389099 | DE | 73 | 58 | 58 | MM |
| 239 | 106326 | 45187 | Adapter for angled support StSt f. pipes | D 50mm with 2 bolts Al D 16mm f. DEHNiso | 01010106 | ST | 40.80 | EUR | 1 | AD WAS 50 BB16 V2A | 4013364096936 | 1 | 0.348 | 0.337 | 85389099 | DE | 100 | 94 | 56 | MM |
| 240 | 106328 | 45925 | Spacer f. Rd 7-10mm L 675mm | with clamp D 50mm StSt f. DEHNiso | 01010105 | ST | 73.00 | EUR | 1 | DIDH 7.10 690 DS0 V2A | 4013364099098 | 1 | 0.547 | 0.547 | 85389099 | DE | 760 | 100 | 28 | MM |
| 241 | 106329 | 46374 | Angle bracket StSt with connection | bolt M8 and bores D 13/21/17mm | 04020850 | ST | 47.30 | EUR | 1 | BW90 B17 21 16 V2A | 4013364107182 | 1 | 0.143 | 0.143 | 85389099 | DE | 100 | 40 | 27 | MM |
| 242 | 106331 | 46479 | Spacer f. Rd 7-10mm L 1015mm | with clamp D 50mm StSt f. DEHNiso | 01010105 | ST | 99.80 | EUR | 1 | DIDH 7.10 1030 DS0 V2A | 4013364100367 | 1 | 0.715 | 0.715 | 85389099 | DE | 1100 | 100 | 28 | MM |
| 243 | 106340 | 45173 | Fixing adapter D 16mm | straight ZDC/StSt f. DEHNiso | 01010106 | ST | 13.70 | EUR | 1 | BA RD8 BB16 V2A ZG | 4013364096868 | 20 | 0.108 | 0.104 | 85389099 | DE | 130 | 38 | 28 | MM |
| 244 | 106341 | 45174 | Fixing adapter 90° StSt | with socket ZDC D 16mm f. DEHNiso | 01010106 | ST | 13.70 | EUR | 1 | BA90 RD8 BB16 V2A ZG | 4013364096875 | 20 | 0.108 | 0.104 | 85389099 | DE | 88 | 73 | 28 | MM |
| 245 | 106342 | 45175 | Fixing adapter 130° StSt | with socket ZDC D 16mm f. DEHNiso | 01010106 | ST | 13.70 | EUR | 1 | BA130 RD8 BB16 V2A ZG | 4013364096882 | 20 | 0.108 | 0.104 | 85389099 | DE | 116 | 66 | 28 | MM |
| 246 | 106352 | 45165 | Pipe clamp D 40-60mm StSt | with socket ZDC D 16mm f. DEHNiso | 01010106 | ST | 28.80 | EUR | 1 | RS D40.60 BB16 V2A ZG | 4013364096905 | 10 | 0.386 | 0.375 | 85389099 | DE | 122 | 95 | 40 | MM |
| 247 | 106353 | 45168 | Pipe clamp D 70-90mm StSt | with socket ZDC D 16mm f. DEHNiso | 01010106 | ST | 33.20 | EUR | 1 | RS D70.90 BB16 V2A ZG | 4013364096912 | 1 | 0.478 | 0.466 | 85389099 | DE | 158 | 95 | 40 | MM |
| 248 | 106812 | 3017606 | Spacer GRP L 1000mm grey with plastic | cond. holder D 20mm HVI conductor | 01070101 | ST | 54.60 | EUR | 1 | DH ZS 20 D16 1000 GFK PA | 4013364104907 | 1 | 0.435 | 0.435 | 85389099 | DE | 1045 | 70 | 30 | MM |
| 249 | 106813 | 3017607 | Spacer GRP L 1000mm grey with plastic | cond. holder D 23mm HVI conductor | 01070101 | ST | 54.80 | EUR | 1 | DH ZS 23 D16 1000 GFK PA | 4013364104914 | 1 | 0.439 | 0.439 | 85389099 | DE | 1045 | 70 | 30 | MM |
| 250 | 106814 | 3017654 | Spacer PA/GFK L 1500mm grey with | conductor holder D 27mm f. HVI power | 01070103 | ST | 89.40 | EUR | 1 | DH ZS 27 D16 1500 GFK PA | 4013364381483 | 1 | 0.673 | 0.673 | 85389099 | DE | 1540 | 60 | 60 | MM |
| 251 | 106815 | 3017653 | Spacer PA/GRP L 1270mm grey | w. conductor holder D 20mm f. HVI | 01070101 | ST | 58.00 | EUR | 1 | DH ZS 20 D16 1270 GFK PA | 4013364381506 | 1 | 0.538 | 0.538 | 85389099 | DE | 1320 | 70 | 33 | MM |
| 252 | 106852 | 3017652 | Spacer PA/GRP L 500mm grey with | conductor holder D 20mm f. HVI conductor | 01070102 | ST | 25.50 | EUR | 1 | DH ZS 20 D16 500 GFK PA | 4013364119307 | 1 | 0.229 | 0.229 | 85389099 | DE | 545 | 70 | 30 | MM |
| 253 | 107390 | 3016964 | Tripod hinged w. half shell f. tube D40/50mm | radius 680mm inclination angle 10° StSt | 01070101 | ST | 814.00 | EUR | 1 | DBS KB D50 RA680 V2A | 4013364478466 | 1 | 7.751 | 7.221 | 85389099 | DE | 1033 | 200 | 165 | MM |
| 254 | 107391 | 3016965 | Tripod hinged w. half shell f. tube | D40/50mm radius 1330mm angle 10° StSt | 01070101 | ST | 1330.10 | EUR | 1 | DBS KB D50 RA1330 V2A | 4013364478473 | 1 | 15.6 | 15.599 | 85389099 | DE | 2080 | 200 | 166 | MM |
| 255 | 107396 | 3016968 | SET of base support rods 3x 16x200 mm | StSt for tripod | 01070101 | ST | 75.70 | EUR | 1 | SOH 3 200 V2A | 4013364478442 | 1 | 0.944 | 0.934 | 73181558 | DE | 2200 | 30 | 30 | MM |
| 256 | 107399 | 3017698 | Adapter set reduces D 50 mm to D 40 mm | for tripod and four-legged stand | 01060101 | ST | 95.50 | EUR | 1 | RED D40 V2A DBS VBS | 4013364478411 | 1 | 0.644 | 0.644 | 85389099 | DE | 125 | 63 | 52 | MM |
| 257 | 107490 | 3016966 | Four-legged stand hinged w. half shell | f. D40/50mm radius 680mm angle 10° StSt | 01070101 | ST | 903.20 | EUR | 1 | VBS KB D50 RA680 V2A | 4013364478480 | 1 | 10.381 | 9.851 | 85389099 | DE | 1135 | 200 | 136 | MM |
| 258 | 107491 | 3016967 | Four-legged stand hinged w. half shell | f.D40/50mm radius 1330mm angle 10° StSt | 01070101 | ST | 1650.10 | EUR | 1 | VBS KB D50 RA1330 V2A | 4013364478497 | 1 | 17.63 | 17.567 | 85389099 | DE | 2167 | 200 | 149 | MM |
| 259 | 107496 | 3016969 | SET of base support rods 4x 16x200 mm | StSt for four-legged stand | 01070101 | ST | 101.00 | EUR | 1 | SOH 4 200 V2A | 4013364478459 | 1 | 1.255 | 1.245 | 73181558 | DE | 2200 | 30 | 30 | MM |
| 260 | 108009 | 60240 | Air-termination stud for drivable flat | roofs f. Rd 8-10mm StSt | 01010103 | ST | 40.20 | EUR | 1 | FP D80 ET70 8.10 V2A | 4013364133686 | 1 | 0.298 | 0.288 | 85389099 | DE | 80 | 80 | 72 | MM |
| 261 | 110000 | 33834 | Air-termination rod D 15mm L 29mm ZDC | | 01010103 | ST | 3.20 | EUR | 1 | FS 7.10 ZG | 4013364021440 | 50 | 0.021 | 0.02 | 85389099 | DE | 29 | 20 | 15 | MM |
| 262 | 110017 | 10744 | Air-termin. rod D 14mm L 29mm Ms/galCu | | 01010103 | ST | 7.20 | EUR | 1 | FS 8 MSGALCU | 4013364021457 | 10 | 0.028 | 0.028 | 85389099 | DE | 29 | 20 | 14 | MM |
| 263 | 123021 | 42883 | Air-termin. rod f. metal roofs Al/StSt | D 16/10mm L 2000mm | 01010103 | ST | 102.30 | EUR | 1 | FS 16 10 2000 MD AL V2A | 4013364092822 | 1 | 2.2 | 2.2 | 85389099 | DE | 2000 | 30 | 30 | MM |
| 264 | 123032 | 3001717 | Air-termination rod Al w. base frame f. | trapez. roofs D 16/10mm L 2000mm -KIT- | 01010103 | ST | 345.80 | EUR | 1 | FS 16 10 2000 TD AL V2A K | 4013364242067 | 1 | 17.7 | 17.7 | 85389099 | DE | 2000 | 250 | 220 | MM |
| 265 | 123040 | 3010300 | Holder f. metal roof w. round standing | seam KAL-ZIP conn. bead Rd 20-25mm StSt | 01030101 | ST | 10.40 | EUR | 1 | HA M8 RSF20.25 V2A | 4013364353817 | 12 | 0.175 | 0.167 | 85389099 | DE | 55 | 55 | 40 | MM |
| 266 | 123041 | 3010302 | Holder f. metal roof w. clamping seam | (Zambelli RIB-ROOF) 18/22mm StSt | 01030101 | ST | 10.40 | EUR | 1 | HA M8 KF18.22 V2A | 4013364353787 | 12 | 0.188 | 0.18 | 85389099 | DE | 100 | 60 | 40 | MM |
| 267 | 123042 | 3010301 | Holder f. metal roofs w. standing seam | clamping range Fl 0.7-8mm StSt | 01030101 | ST | 9.90 | EUR | 1 | HA M8 SF0.7 8 V2A | 4013364353794 | 12 | 0.13 | 0.122 | 85389099 | DE | 70 | 55 | 40 | MM |
| 268 | 123043 | 3010299 | Holder for metal roofs Z-shaped | f. riveting or screwing StSt | 01030101 | ST | 6.20 | EUR | 1 | HA M8 AL ZF B5.2 6.5 V2A | 4013364353824 | 12 | 0.083 | 0.075 | 85389099 | DE | 80 | 45 | 30 | MM |
| 269 | 123050 | 3012417 | C-rails L 1000mm StSt (V4A) | including retaining clips, screws and nuts | 01060101 | ST | 344.10 | EUR | 1 | MSC MDH V4A L1000 MZ V2A | 4013364402454 | 1 | 5.661 | 5.661 | 72166110 | QU | 1000 | 80 | 80 | MM |
| 270 | 123051 | 3012418 | C-rails L 1500mm StSt (V4A) | including retaining clips, screws and nuts | 01060101 | ST | 467.90 | EUR | 1 | MSC MDH V4A L1500 MZ V2A | 4013364402461 | 1 | 8.171 | 8.171 | 72166110 | QU | 1500 | 80 | 80 | MM |
| 271 | 123052 | 3012419 | C-rails L 2000mm StSt (V4A) | including retaining clips, screws and nuts | 01060101 | ST | 547.60 | EUR | 1 | MSC MDH V4A L2000 MZ V2A | 4013364402478 | 1 | 10.681 | 10.681 | 72166110 | QU | 2000 | 80 | 80 | MM |
| 272 | 123109 | 49251 | Air-ter. sys. StSt/Al f. ridge/hip tiles | D 120-240mm, air-term. rod D10mm L1000mm | 01010103 | ST | 31.30 | EUR | 1 | FS 10 1000 FG AL V2A | 4013364107366 | 1 | 0.34 | 0.34 | 85389099 | DE | 1115 | 200 | 24 | MM |
| 273 | 123110 | 62488 | Holder f. air-termin. systems D 10mm at | ridge a. hip tiles w. tens. strap StSt | 01010103 | ST | 43.00 | EUR | 1 | HA 10 1F FG120.300 V2A | 4013364147911 | 1 | 0.321 | 0.321 | 85389099 | DE | 500 | 95 | 42 | MM |
| 274 | 123116 | 62489 | Holder double w. tensioning strap StSt f. | ridge a. hip tiles w. socket D 16/10mm | 01010103 | ST | 108.90 | EUR | 1 | HA 16 2F FG120.300 V2A | 4013364147966 | 1 | 1.11 | 1.11 | 85389099 | DE | 500 | 275 | 45 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 275 | 123425 | 55792 | Air-term. rod f. metal roofs Al/StSt -KIT- | D 22/16/10mm L 2500mm Al w. braces | 01010103 | ST | 237.00 | EUR | 1 | FS 22 16 10 2500 SK AL V2A | 4013364129009 | 1 | 2.82 | 2.82 | 85389099 | DE | 2500 | 88 | 74 | MM |
| 276 | 123430 | 55793 | Air-term. rod f. metal roofs Al/StSt -KIT- | D 22/16/10mm L 3000mm Al with braces | 01010103 | ST | 254.00 | EUR | 1 | FS 22 16 10 3000 SK AL V2A | 4013364129016 | 1 | 3.22 | 3.22 | 85389099 | DE | 3000 | 88 | 74 | MM |
| 277 | 123435 | 55794 | Air-term. rod f. metal roofs Al/StSt -KIT- | D 22/16/10mm L 3500mm Al with braces | 01010103 | ST | 311.20 | EUR | 1 | FS 22 16 10 3500 SK AL V2A | 4013364129023 | 1 | 3.42 | 3.42 | 85389099 | DE | 3500 | 88 | 74 | MM |
| 278 | 145241 | 3011312 | Wooden stake 90x90mm, oak wood, | with rain cover, rain cover incl. 45° | 01010104 | ST | 531.80 | EUR | 1 | HP 90X90 2400 EHI | 4013364022584 | 1 | 52 | 13.891 | 44219999 | DE | 2450 | 445 | 345 | MM |
| 279 | 146309 | 46315 | Clamping cap, air-term. tip L 300mm StSt | for wooden pile 90x90mm, M10 screw -SET- | 01010104 | ST | 163.50 | EUR | 1 | SPK 100X100 FSP10 300 7.10 V2A | 4013364072398 | 1 | 0.864 | 0.864 | 85389099 | DE | 394 | 118 | 118 | MM |
| 280 | 200027 | 14344 | Conductor holder for Rd 6-8mm Cu/bronze | for downpipes D 50-120mm | 01040104 | ST | 6.40 | EUR | 1 | LH 6.8 SB50.120 SPSM8 CU | 4013364031258 | 10 | 0.046 | 0.046 | 85389099 | DE | 445 | 30 | 22 | MM |
| 281 | 200029 | 14346 | Conductor holder for Rd 6-8mm StSt | for downpipes D 50-120mm | 01040104 | ST | 5.10 | EUR | 1 | LH 6.8 SB50.120 SPSM8 V2A | 4013364031265 | 10 | 0.045 | 0.045 | 85389099 | DE | 445 | 30 | 22 | MM |
| 282 | 200039 | 58247 | Conductor holder f. Rd 6-8mm StSt | f. downpipes D 50-150mm | 01040104 | ST | 5.90 | EUR | 1 | LH 6.8 SB50.150 SPSM8 V2A | 4013364129283 | 10 | 0.04 | 0.04 | 85389099 | DE | 540 | 30 | 22 | MM |
| 283 | 200057 | 49409 | Conductor holder for Rd 8mm Cu | for downpipes D 100mm | 01040104 | ST | 3.70 | EUR | 1 | LH 8 SB100 SCL CU | 4013364041530 | 25 | 0.03 | 0.03 | 85389099 | DE | 333 | 10 | 10 | MM |
| 284 | 200059 | 49410 | Conductor holder for Rd 8mm StSt | for downpipes D 100mm | 01040104 | ST | 1.80 | EUR | 1 | LH 8 SB100 SCL V2A | 4013364041547 | 25 | 0.026 | 0.026 | 85389099 | DE | 333 | 10 | 10 | MM |
| 285 | 200067 | 49411 | Conductor holder for Rd 8mm Cu | for downpipes D 80-120mm | 01040104 | ST | 4.50 | EUR | 1 | LH 8 SB80.120 SCL CU | 4013364041554 | 25 | 0.034 | 0.034 | 85389099 | DE | 395 | 10 | 10 | MM |
| 286 | 200069 | 49412 | Conductor holder for Rd 8mm StSt | for downpipes D 80-120mm | 01040104 | ST | 2.30 | EUR | 1 | LH 8 SB80.120 SCL V2A | 4013364041561 | 25 | 0.029 | 0.029 | 85389099 | DE | 395 | 10 | 10 | MM |
| 287 | 200077 | 43366 | Conductor holder f. Rd 8mm StSt/gal Cu | f. downpipes D 80-100mm | 01040104 | ST | 8.50 | EUR | 1 | LH 8 SB80.100 SCG GALCU | 4013364082335 | 50 | 0.035 | 0.032 | 85389099 | DE | 95 | 95 | 12 | MM |
| 288 | 200079 | 33486 | Conductor holder f. Rd 8mm StSt | f. downpipes D 80-100mm | 01040104 | ST | 4.80 | EUR | 1 | LH 8 SB80.100 SCG V2A | 4013364069138 | 50 | 0.052 | 0.049 | 85389099 | DE | 95 | 95 | 12 | MM |
| 289 | 200087 | 43367 | Conductor holder f. Rd 8mm StSt/gal Cu | f. downpipes D 100-120mm | 01040104 | ST | 10.00 | EUR | 1 | LH 8 SB100.120 SCG GALCU | 4013364082342 | 50 | 0.04 | 0.037 | 85389099 | DE | 117 | 117 | 12 | MM |
| 290 | 200089 | 36446 | Conductor holder f. Rd 8mm StSt | f. downpipes D 100-120mm | 01040104 | ST | 5.10 | EUR | 1 | LH 8 SB100.120 SCG V2A | 4013364074729 | 50 | 0.057 | 0.054 | 85389099 | DE | 117 | 117 | 12 | MM |
| 291 | 200600 | 43347 | Dowel for rigid foam plates L 50mm, PA | for screws D 4.5mm | 01060101 | ST | 2.90 | EUR | 1 | HSPD HS4.5 L50 PA | 4013364098220 | 50 | 0.006 | 0.004 | 39269097 | DE | 50 | 25 | 25 | MM |
| 292 | 200601 | 43348 | Dowel for rigid foam plates L 85mm, PA | for screws D 4.5mm | 01060101 | ST | 3.50 | EUR | 1 | HSPD HS4.5 L85 PA | 4013364098237 | 50 | 0.009 | 0.007 | 39269097 | DE | 85 | 25 | 25 | MM |
| 293 | 202000 | 10182 | One-screw cleat DEHNQUICK St/tZn | f. Rd 6-10mm bore 8.5mm | 01030102 | ST | 0.90 | EUR | 1 | UEL DQ 6.10 B8.5 STTZN | 4013364019881 | 50 | 0.009 | 0.009 | 85389099 | DE | 29 | 18 | 10 | MM |
| 294 | 202001 | 10383 | One-screw cleat DEHNQUICK StSt | f. Rd 6-10mm bore 8.5mm | 01030102 | ST | 1.10 | EUR | 1 | UEL DQ 6.10 B8.5 V2A | 4013364020474 | 50 | 0.003 | 0.003 | 85389099 | DE | 29 | 18 | 10 | MM |
| 295 | 202005 | 10942 | Roof cond. holder DEHNQUICK f. corrug. | sheet roofing prof. 5 Rd 6-10mm St/tZn | 01030101 | ST | 4.10 | EUR | 1 | DLH DQ 6.10 WPROS STTZN | 4013364022041 | 50 | 0.072 | 0.07 | 85389099 | DE | 116 | 52 | 28 | MM |
| 296 | 202010 | 10179 | Roof conductor holder DEHNQUICK St/tZn f. | Rd 6-10mm, brace L 260mm St/tZn cranked | 01030101 | ST | 5.30 | EUR | 1 | DLH DQ 6.10 HS5 L260 GS STTZN | 4013364019874 | 50 | 0.164 | 0.159 | 85389099 | DE | 260 | 74 | 28 | MM |
| 297 | 202015 | 10959 | Roof cond. holder DEHNQUICK f. corrug. | sheet roof prof. 5/8 f. Rd 6-10mm St/tZn | 01030101 | ST | 3.10 | EUR | 1 | DLH DQ 6.10 WPROS 8 STTZN | 4013364022089 | 50 | 0.061 | 0.059 | 85389099 | DE | 88 | 70 | 28 | MM |
| 298 | 202017 | 10186 | Roof conductor holder DEHNQUICK Cu for | Rd 6-10mm with brace L 260mm cranked | 01030101 | ST | 14.20 | EUR | 1 | DLH DQ 6.10 HS5 L260 GS CU | 4013364019904 | 1 | 0.194 | 0.189 | 85389099 | DE | 260 | 74 | 28 | MM |
| 299 | 202020 | 10488 | Roof conductor holder DEHNQUICK St/tZn | f. Rd 6-10mm adjustable 120-240mm | 01030101 | ST | 10.50 | EUR | 1 | DLH DQ 6.10 FG120.240 STTZN | 4013364020764 | 25 | 0.26 | 0.25 | 85389099 | DE | 210 | 170 | 28 | MM |
| 300 | 202021 | 10494 | Roof conductor holder DEHNQUICK St/tZn | f. Rd 6-10mm adjustable 200-280mm | 01030101 | ST | 10.80 | EUR | 1 | DLH DQ 6.10 FG200.280 STTZN | 4013364020788 | 1 | 0.274 | 0.264 | 85389099 | DE | 210 | 190 | 28 | MM |
| 301 | 202027 | 10490 | Roof conductor holder DEHNQUICK Cu | f. Rd 6-10mm adjustable 120-240mm | 01030101 | ST | 25.50 | EUR | 1 | DLH DQ 6.10 FG120.240 CU | 4013364020771 | 1 | 0.3 | 0.29 | 85389099 | DE | 210 | 170 | 28 | MM |
| 302 | 202030 | 11052 | Roof conductor holder DEHNQUICK St/tZn | f. Rd 6-10mm w. fixing plate 50x60mm | 01030101 | ST | 5.80 | EUR | 1 | DLH DQ 6.10 GP50X60 STTZN | 4013364022362 | 50 | 0.116 | 0.114 | 85389099 | DE | 66 | 60 | 50 | MM |
| 303 | 202037 | 10199 | Roof conductor holder DEHNQUICK Cu | f. Rd 6-10mm w. brace L 260mm | 01030101 | ST | 13.80 | EUR | 1 | DLH DQ 6.10 HS5 L260 CU | 4013364019942 | 50 | 0.192 | 0.187 | 85389099 | DE | 260 | 68 | 28 | MM |
| 304 | 202040 | 10196 | Roof conductor holder DEHNQUICK St/tZn | f. Rd 6-10mm with brace L 260mm | 01030101 | ST | 5.50 | EUR | 1 | DLH DQ 6.10 HS5 L260 STTZN | 4013364019935 | 50 | 0.175 | 0.17 | 85389099 | DE | 260 | 68 | 28 | MM |
| 305 | 202050 | 10302 | Roof conductor holder DEHNQUICK St/tZn | f. Rd 6-10mm with brace L 115mm angled | 01030101 | ST | 6.30 | EUR | 1 | DLH DQ 6.10 HS5 L115 WS STTZN | 4013364020214 | 25 | 0.143 | 0.137 | 85389099 | DE | 160 | 125 | 28 | MM |
| 306 | 202060 | 11020 | Roof conductor holder DEHNQUICK St/tZn | f. Rd 6-10mm w. fixing plate 100x100mm | 01030101 | ST | 6.20 | EUR | 1 | DLH DQ 6.10 GP100X100 STTZN | 4013364022263 | 1 | 0.231 | 0.226 | 85389099 | DE | 100 | 100 | 66 | MM |
| 307 | 202080 | 10320 | Roof conductor holder DEHNQUICK St/tZn | f. Rd 6-10mm with brace L 410mm angled | 01030101 | ST | 8.50 | EUR | 1 | DLH DQ 6.10 HS5 L410 WS STTZN | 4013364020276 | 50 | 0.257 | 0.25 | 85389099 | DE | 455 | 100 | 25 | MM |
| 308 | 202169 | 48247 | One-screw cleat DEHNQUICK StSt | f. Rd 6-10mm hole 6.5mm | 01030102 | ST | 1.10 | EUR | 1 | UEL DQ 6.10 B6.5 V2A | 4013364105737 | 100 | 0.006 | 0.006 | 85389099 | DE | 29 | 18 | 10 | MM |
| 309 | 202227 | 10496 | Roof cond. holder DEHNQUICK Cu for | Rd 6-10mm adjustable 200-280mm | 01030101 | ST | 24.70 | EUR | 1 | DLH DQ 6.10 FG200.280 CU | 4013364020795 | 25 | 0.3 | 0.29 | 85389099 | DE | 210 | 190 | 28 | MM |
| 310 | 202829 | 70304 | Roof conductor holder for HVI Conductor | D 20-23mm w. brace L 205mm StSt | 01070101 | ST | 14.30 | EUR | 1 | DLH ZS 20 23 HS5 L205 V2A | 4013364159822 | 1 | 0.119 | 0.119 | 85389099 | DE | 200 | 65 | 55 | MM |
| 311 | 202850 | 3010344 | Roof cond. holder StSt f. metal roofs w. | round stand. seam f. HVI cond.D 20-23mm | 01070101 | ST | 16.90 | EUR | 1 | DLH RSF ZS 20 23 V2A | 4013364354135 | 25 | 0.205 | 0.201 | 85389099 | DE | 105 | 55 | 40 | MM |
| 312 | 202851 | 3010346 | Roof cond. holder StSt f. metal roofs | w. clamping seam f. HVI cond. D 20-23mm | 01070101 | ST | 18.30 | EUR | 1 | DLH KF ZS 20 23 V2A | 4013364354142 | 25 | 0.212 | 0.208 | 85389099 | DE | 115 | 70 | 40 | MM |
| 313 | 202852 | 3010348 | Roof cond. holder StSt f. metal roofs | w. standing seam, f. D 20-23 mm | 01070101 | ST | 16.70 | EUR | 1 | DLH SF ZS 20 23 V2A | 4013364354159 | 25 | 0.158 | 0.153 | 85389099 | DE | 80 | 65 | 48 | MM |
| 314 | 202853 | 3010363 | Roof cond. holder StSt f. metal roofs | w. conn. lug f. HVI conductor D 20-23mm | 01070101 | ST | 12.50 | EUR | 1 | DLH AL ZS 20 23 V2A | 4013364354166 | 25 | 0.113 | 0.109 | 85389099 | DE | 80 | 65 | 55 | MM |
| 315 | 202857 | 68007 | Roof conductor holder f. HVI power Cond. | D 27/30mm w. brace L 205mm StSt | 01070103 | ST | 14.80 | EUR | 1 | DLH ZS 27 30 HS5 L205 V2A | 4013364153189 | 1 | 0.133 | 0.127 | 85389099 | DE | 205 | 85 | 65 | MM |
| 316 | 202860 | 3010345 | Roof cond. holder StSt f. metal roofs w. | round stand. seam f. HVI cond.D 27-30mm | 01070103 | ST | 17.30 | EUR | 1 | DLH RSF ZS 27 V2A | 4013364354180 | 25 | 0.211 | 0.207 | 85389099 | DE | 110 | 65 | 40 | MM |
| 317 | 202861 | 3010347 | Roof cond. holder StSt f. metal roofs | w. clamping seam f. HVI cond. D 27-30mm | 01070103 | ST | 18.60 | EUR | 1 | DLH KF ZS 27 V2A | 4013364354197 | 25 | 0.221 | 0.217 | 85389099 | DE | 120 | 65 | 40 | MM |
| 318 | 202862 | 3010349 | Roof cond. holder StSt f. metal roofs | w. standing seam f. HVI cond. D 27-30mm | 01070103 | ST | 17.00 | EUR | 1 | DLH SF ZS 27 V2A | 4013364354203 | 25 | 0.165 | 0.16 | 85389099 | DE | 90 | 65 | 48 | MM |
| 319 | 202863 | 3010364 | Roof cond. holder StSt f. metal roofs | w. conn. lug f. HVI conductor D 27-30mm | 01070103 | ST | 15.20 | EUR | 1 | DLH AL ZS 27 V2A | 4013364354210 | 25 | 0.119 | 0.115 | 85389099 | DE | 80 | 70 | 65 | MM |
| 320 | 202900 | 10502 | Roof cond. holder DEHNQUICK StSt for | Rd 6-10mm adjustable 120-240mm | 01030101 | ST | 14.90 | EUR | 1 | DLH DQ 6.10 FG120.240 V2A | 4013364020801 | 1 | 0.133 | 0.127 | 85389099 | DE | 210 | 170 | 28 | MM |
| 321 | 202901 | 10193 | Roof conductor holder DEHNQUICK StSt | f. Rd 6-10mm w. brace L 260mm cranked | 01030101 | ST | 7.10 | EUR | 1 | DLH DQ 6.10 HS5 L260 GS V2A | 4013364019928 | 50 | 0.088 | 0.083 | 85389099 | DE | 260 | 74 | 28 | MM |
| 322 | 202902 | 10378 | Roof conductor holder DEHNQUICK StSt | f. Rd 6-10mm with brace L 260mm | 01030101 | ST | 7.10 | EUR | 1 | DLH DQ 6.10 HS5 L260 V2A | 4013364020467 | 50 | 0.086 | 0.081 | 85389099 | DE | 260 | 68 | 28 | MM |
| 323 | 202906 | 10964 | Roof cond. holder DEHNQUICK StSt f. Rd | 6-10mm, corrug. sheet roof profile 5/8 | 01030101 | ST | 4.10 | EUR | 1 | DLH DQ 6.10 WPROS 8 V2A | 4013364022102 | 50 | 0.034 | 0.032 | 85389099 | DE | 72 | 38 | 25 | MM |
| 324 | 204001 | 10037 | Conductor holder DEHNsnap plastic grey | H 16mm f. Rd 8mm with M6 thread | 01030102 | ST | 1.30 | EUR | 1 | LH DS 8 H16 IGM6 GR | 4013364018990 | 100 | 0.009 | 0.008 | 85389099 | DE | 34 | 26 | 25 | MM |
| 325 | 204002 | 10081 | Conductor holder DEHNsnap plastic grey | H 16mm f. Rd 8mm with M8 thread | 01030102 | ST | 1.30 | EUR | 1 | LH DS 8 H16 IGM8 GR | 4013364019195 | 50 | 0.01 | 0.008 | 85389099 | DE | 34 | 26 | 25 | MM |
| 326 | 204003 | 10043 | Conductor holder DEHNsnap plastic grey | H 36mm f. Rd 8mm with M6 thread | 01030102 | ST | 1.40 | EUR | 1 | LH DS 8 H36 IGM6 GR | 4013364019034 | 100 | 0.016 | 0.015 | 85389099 | DE | 54 | 26 | 25 | MM |
| 327 | 204004 | 10039 | Conductor holder DEHNsnap plastic grey | H 36mm f. Rd 8mm with M8 thread | 01030102 | ST | 1.40 | EUR | 1 | LH DS 8 H36 IGM8 GR | 4013364019003 | 50 | 0.017 | 0.015 | 85389099 | DE | 54 | 26 | 25 | MM |
| 328 | 204006 | 13458 | Conductor holder DEHNsnap plastic grey | H 16mm f. Rd 8mm w. threaded wood screw | 01030102 | ST | 1.60 | EUR | 1 | LH DS 8 H16 HS5X50 GR | 4013364028371 | 50 | 0.021 | 0.019 | 85389099 | DE | 74 | 26 | 25 | MM |
| 329 | 204007 | 10077 | Conductor holder DEHNsnap plastic brown | H 16mm f. Rd 8mm with M6 thread | 01030102 | ST | 1.30 | EUR | 1 | LH DS 8 H16 IGM6 BR | 4013364019188 | 50 | 0.011 | 0.009 | 85389099 | DE | 34 | 26 | 25 | MM |
| 330 | 204017 | 10049 | Conductor holder DEHNsnap plastic brown | H 16mm f. Rd 8mm with M8 thread | 01030102 | ST | 1.30 | EUR | 1 | LH DS 8 H16 IGM8 BR | 4013364019058 | 100 | 0.01 | 0.009 | 85389099 | DE | 34 | 26 | 25 | MM |
| 331 | 204027 | 10029 | Conductor holder DEHNsnap plastic brown | H 36mm f. Rd 8mm with M6 thread | 01030102 | ST | 1.40 | EUR | 1 | LH DS 8 H36 IGM6 BR | 4013364018969 | 100 | 0.013 | 0.012 | 85389099 | DE | 54 | 26 | 25 | MM |
| 332 | 204029 | 14722 | Roof cond. holder FIRSTsnap StSt with | DEHNsnap plastic grey H 16mm f. Rd 8mm | 01030101 | ST | 5.50 | EUR | 1 | LH FS 8 H16 GR V2A | 4013364032286 | 50 | 0.038 | 0.035 | 85389099 | DE | 53 | 45 | 25 | MM |
| 333 | 204037 | 10107 | Conductor holder DEHNsnap plastic brown | H 36mm f. Rd 8mm with M8 thread | 01030102 | ST | 1.40 | EUR | 1 | LH DS 8 H36 IGM8 BR | 4013364019331 | 50 | 0.018 | 0.016 | 85389099 | DE | 54 | 26 | 25 | MM |
| 334 | 204039 | 14724 | Roof cond. holder FIRSTsnap StSt with | DEHNsnap plastic brown H 16mm f. Rd 8mm | 01030101 | ST | 5.50 | EUR | 1 | LH FS 8 H16 K BR V2A | 4013364032293 | 50 | 0.038 | 0.035 | 85389099 | DE | 53 | 45 | 25 | MM |
| 335 | 204049 | 14728 | Roof cond. hol. ZIEGELsnap StSt 4-16mm | DEHNsnap H 16mm plastic grey f. Rd 8mm | 01030101 | ST | 6.20 | EUR | 1 | LH ZS 8 H16 KB4.16 GR V2A | 4013364032309 | 50 | 0.043 | 0.04 | 85389099 | DE | 62 | 60 | 25 | MM |
| 336 | 204059 | 14730 | Roof cond. hol. ZIEGELsnap StSt 4-16mm, | DEHNsnap H 16mm plastic brown f. Rd 8mm | 01030101 | ST | 6.20 | EUR | 1 | LH ZS 8 H16 KB4.16 BR V2A | 4013364032316 | 50 | 0.043 | 0.041 | 85389099 | DE | 62 | 60 | 25 | MM |
| 337 | 204069 | 14869 | Roof cond. hol. PLATTENsnap StSt 4-6mm, | DEHNsnap H 16mm plastic grey f. Rd 8mm | 01030101 | ST | 5.60 | EUR | 1 | LH PS 8 H16 KB4.6 GR V2A | 4013364032675 | 50 | 0.033 | 0.031 | 85389099 | DE | 54 | 46 | 25 | MM |
| 338 | 204079 | 14866 | Roof cond. hol. PLATTENsnap StSt 4-6mm, | DEHNsnap H 16mm plastic brown f. Rd 8mm | 01030101 | ST | 5.80 | EUR | 1 | LH PS 8 H16 KB4.6 BR V2A | 4013364032668 | 50 | 0.033 | 0.031 | 85389099 | DE | 54 | 46 | 25 | MM |
| 339 | 204089 | 50205 | Roof cond. holder UNIsnap StSt/plastic | H 16mm f. Rd 8mm w. brace L 205mm | 01030101 | ST | 5.30 | EUR | 1 | LH US 8 H16 L205 KT GR V2A | 4013364109568 | 1 | 0.07 | 0.067 | 85389099 | DE | 205 | 42 | 25 | MM |
| 340 | 204107 | 34547 | Roof cond. holder adjust. StSt/galCu w. | DEHNsnap H 16mm plastic brown f. Rd 8mm | 01030101 | ST | 10.80 | EUR | 1 | DLH DS 8 H16 FG180.280BR GALCU | 4013364028104 | 25 | 0.111 | 0.105 | 85389099 | DE | 205 | 90 | 25 | MM |
| 341 | 204109 | 34548 | Roof cond. holder adjustable StSt w. | DEHNsnap H 16mm plastic grey f. Rd 8mm | 01030101 | ST | 9.50 | EUR | 1 | DLH DS 8 H16 FG180.280 GR V2A | 4013364028098 | 25 | 0.104 | 0.098 | 85389099 | DE | 205 | 90 | 25 | MM |
| 342 | 204120 | 40982 | Conductor holder DEHNsnap H 16mm grey f. | Rd 8mm w. wood screw and dowel 8mm | 01030102 | ST | 2.30 | EUR | 1 | LH DS 8 H16 HS5X50 KDB GR | 4013364085749 | 50 | 0.022 | 0.02 | 85389099 | DE | 95 | 37 | 37 | MM |
| 343 | 204127 | 34550 | Roof conductor holder adj. StSt/galCu w. | DEHNsnap H 36mm plastic brown f. Rd 8mm | 01030101 | ST | 10.40 | EUR | 1 | DLH DS 8 H36 FG180.280BR GALCU | 4013364028142 | 25 | 0.116 | 0.11 | 85389099 | DE | 225 | 90 | 25 | MM |
| 344 | 204129 | 34551 | Roof conductor holder adj. StSt w. | DEHNsnap H 36mm plastic grey f. Rd 8mm | 01030101 | ST | 9.50 | EUR | 1 | DLH DS 8 H36 FG180.280 GR V2A | 4013364021433 | 25 | 0.108 | 0.102 | 85389099 | DE | 225 | 90 | 25 | MM |
| 345 | 204147 | 17121 | Roof cond. hol. UNIsnap Cu/plastic brown | H 16mm Rd 8mm with embossed brace L 205mm | 01030101 | ST | 5.30 | EUR | 1 | DLH US 8 H16 L205 BR GALCU | 4013364042513 | 50 | 0.054 | 0.051 | 85389099 | DE | 205 | 41 | 25 | MM |
| 346 | 204149 | 17122 | Roof cond. hol. UNIsnap StSt/plast. grey | H 16mm Rd 8mm w. embossed brace L 205mm | 01030101 | ST | 4.60 | EUR | 1 | DLH US 8 H16 L205 GR V2A | 4013364042285 | 50 | 0.055 | 0.052 | 85389099 | DE | 205 | 41 | 25 | MM |
| 347 | 204157 | 17123 | Roof cond. hold. UNIsnap Cu/plastic brown | H 16mm Rd 8mm, embossed brace L 335mm | 01030101 | ST | 5.90 | EUR | 1 | DLH US 8 H16 L335 BR GALCU | 4013364042520 | 50 | 0.088 | 0.083 | 85389099 | DE | 335 | 41 | 25 | MM |
| 348 | 204159 | 17124 | Roof cond. hol. UNIsnap StSt/plast. grey | H 16mm Rd 8mm, embossed brace L 335mm | 01030101 | ST | 4.80 | EUR | 1 | DLH US 8 H16 L335 GR V2A | 4013364042537 | 50 | 0.083 | 0.078 | 85389099 | DE | 335 | 41 | 25 | MM |
| 349 | 204169 | 17126 | Roof cond. hol. UNIsnap StSt/plast. grey | H 16mm Rd 8mm, embossed brace L 475mm | 01030101 | ST | 5.90 | EUR | 1 | DLH US 8 H16 L475 GR V2A | 4013364042551 | 1 | 0.107 | 0.1 | 85389099 | DE | 475 | 41 | 25 | MM |
| 350 | 204170 | 46298 | Roof cond. holder DEHNsnap Al/plastic | grey H 36mm Rd 8mm, brace L 205mm | 01030101 | ST | 3.70 | EUR | 1 | DLH DS 8 H36 L205 GR AL | 4013364072435 | 50 | 0.043 | 0.04 | 85389099 | DE | 205 | 25 | 61 | MM |
| 351 | 204171 | 46299 | Roof cond. holder DEHNsnap Al/plastic | brown H 36mm Rd 8mm, brace L 205mm | 01030101 | ST | 3.70 | EUR | 1 | DLH DS 8 H36 L205 BR AL | 4013364073708 | 50 | 0.041 | 0.038 | 85389099 | DE | 205 | 25 | 61 | MM |
| 352 | 204177 | 17127 | Roof cond. holder UNIsnap Cu/plast. brown | H 36mm Rd 8mm, embossed brace L 205mm | 01030101 | ST | 5.00 | EUR | 1 | DLH US 8 H36 L205 BR GALCU | 4013364042568 | 50 | 0.073 | 0.07 | 85389099 | DE | 205 | 25 | 61 | MM |
| 353 | 204179 | 17128 | Roof cond. hol. UNIsnap StSt/plast. grey | H 36mm Rd 8mm, embossed brace L 205mm | 01030101 | ST | 4.60 | EUR | 1 | DLH US 8 H36 L205 GR V2A | 4013364042575 | 50 | 0.063 | 0.06 | 85389099 | DE | 205 | 25 | 61 | MM |
| 354 | 204187 | 17129 | Roof cond. hol. UNIsnap Cu/plastic brown | H 36mm Rd 8mm, embossed brace L 335mm | 01030101 | ST | 5.90 | EUR | 1 | DLH US 8 H36 L335 BR GALCU | 4013364042582 | 50 | 0.096 | 0.091 | 85389099 | DE | 335 | 25 | 61 | MM |
| 355 | 204189 | 17130 | Roof cond. hol. UNIsnap StSt/plastic grey | H 36mm Rd 8mm, embossed brace L 335mm | 01030101 | ST | 5.00 | EUR | 1 | DLH US 8 H36 L335 GR V2A | 4013364042599 | 50 | 0.088 | 0.083 | 85389099 | DE | 335 | 25 | 61 | MM |
| 356 | 204197 | 17131 | Roof cond. hol. UNIsnap Cu/plastic brown | H 36mm Rd 8mm, embossed brace L 475mm | 01030101 | ST | 7.20 | EUR | 1 | DLH US 8 H36 L475 BR GALCU | 4013364042605 | 1 | 0.119 | 0.112 | 85389099 | DE | 475 | 25 | 61 | MM |
| 357 | 204199 | 17132 | Roof cond. hol. UNIsnap StSt/plastic grey | H 36mm Rd 8mm, embossed brace L 475mm | 01030101 | ST | 6.30 | EUR | 1 | DLH US 8 H36 L475 GR V2A | 4013364042278 | 50 | 0.118 | 0.111 | 85389099 | DE | 475 | 25 | 61 | MM |
| 358 | 204229 | 57422 | Roof cond. holder DEHNsnap StSt/plastic | grey H 36mm Rd 8mm, brace f. tile grooves | 01030101 | ST | 3.80 | EUR | 1 | DLH DS 8 H36 L90 EH GR V2A | 4013364035300 | 50 | 0.033 | 0.031 | 85389099 | DE | 90 | 52 | 25 | MM |
| 359 | 204239 | 57423 | Roof cond. holder DEHNsnap StSt/plastic | brown H 36mm Rd 8mm, brace f. tile groves | 01030101 | ST | 3.80 | EUR | 1 | DLH DS 8 H36 L90 EH BR V2A | 4013364035317 | 50 | 0.034 | 0.031 | 85389099 | DE | 90 | 52 | 25 | MM |
| 360 | 204247 | 34666 | Roof con. hol. SPANNsnap Cu/plast. brown | H36mm f. Rd8mm, clamping range 180-280mm | 01030101 | ST | 10.30 | EUR | 1 | DLH SS 8 H36 FG180.280 BR CU | 4013364041806 | 25 | 0.077 | 0.072 | 85389099 | DE | 230 | 84 | 25 | MM |
| 361 | 204249 | 34665 | Roof con. hol. SPANNsnap StSt/plas. grey | H36mm f. Rd8mm, clamping range 180-280mm | 01030101 | ST | 9.30 | EUR | 1 | DLH SS 8 H36 FG180.280 GR V2A | 4013364041790 | 25 | 0.073 | 0.068 | 85389099 | DE | 230 | 84 | 25 | MM |
| 362 | 204267 | 34664 | Roof con. hol. SPANNsnap Cu/plast. brown | H 16mm f. Rd 8mm, clamp. range 180-280mm | 01030101 | ST | 10.10 | EUR | 1 | DLH SS 8 H16 FG180.280 BR CU | 4013364035805 | 25 | 0.075 | 0.07 | 85389099 | DE | 230 | 64 | 25 | MM |
| 363 | 204269 | 34663 | Roof con. hol. SPANNsnap StSt/plast. grey | H 16mm f. Rd 8mm, clamp. range 180-280mm | 01030101 | ST | 9.30 | EUR | 1 | DLH SS 8 H16 FG180.280 GR V2A | 4013364035812 | 25 | 0.069 | 0.064 | 85389099 | DE | 230 | 64 | 25 | MM |
| 364 | 204359 | 39518 | Roof con. hol. DEHNsnap StSt/plast. grey | H 16mm f. Rd 8mm, angled brace 169mm | 01030101 | ST | 5.80 | EUR | 1 | DLH DS 8 H16 L169 WS V2A | 4013364082779 | 1 | 0.064 | 0.061 | 85389099 | DE | 169 | 76 | 25 | MM |
| 365 | 204449 | 57478 | Roof cond. hol. SPANNsnap light StSt/pl. | grey H 36mm Rd 8mm cl. range 180-280mm | 01030101 | ST | 7.40 | EUR | 1 | DLH SSL 8 H36 FG180.280 GR V2A | 4013364124837 | 25 | 0.07 | 0.066 | 85389099 | DE | 250 | 84 | 25 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 366 | 204469 | 57476 | Roof cond. hol. SPANNsnap light StSt/pl. | grey H 16mm Rd 8mm cl. range 180-280mm | 01030101 | ST | 7.30 | EUR | 1 | DLH SSL 8 H16 FG180.280 GR V2A | 4013364124851 | 25 | 0.067 | 0.063 | 85389099 | DE | 250 | 64 | 25 | MM |
| 367 | 204906 | 54227 | Roof cond. holder f. corrug. sheet roofs | prof. 5/8 w. DEHNsnap 8mm StSt/pl. grey | 01030101 | ST | 3.60 | EUR | 1 | DLH DS 8 H16 WPROS 8 GR V2A | 4013364028456 | 50 | 0.021 | 0.019 | 85389099 | DE | 58 | 36 | 25 | MM |
| 368 | 204911 | 34549 | Roof cond. holder adjustable StSt w. | DEHNsnap H 16mm plastic brown f. Rd 8mm | 01030101 | ST | 9.80 | EUR | 1 | DLH DS 8 H16 FG180.280 BR V2A | 4013364030640 | 25 | 0.104 | 0.098 | 85389099 | DE | 205 | 90 | 25 | MM |
| 369 | 204913 | 34552 | Roof conductor holder adj. StSt w. | DEHNsnap H 36mm plastic brown f. Rd 8mm | 01030101 | ST | 10.10 | EUR | 1 | DLH DS 8 H36 FG180.280 BR V2A | 4013364030664 | 25 | 0.114 | 0.108 | 85389099 | DE | 225 | 90 | 25 | MM |
| 370 | 204916 | 54228 | Roof cond. holder f. corrug. sheet roofs | prof. 5/8 w. DEHNsnap 8mm StSt/pl. brown | 01030101 | ST | 3.60 | EUR | 1 | DLH DS 8 H16 WPROS 8 BR V2A | 4013364030565 | 50 | 0.021 | 0.019 | 85389099 | DE | 58 | 36 | 25 | MM |
| 371 | 204921 | 14075 | Roof con. hol. UNIsnap StSt/plast. brown | H 16mm Rd 8mm w. embossed brace L 205mm | 01030101 | ST | 4.60 | EUR | 1 | DLH US 8 H16 L205 BR V2A | 4013364030589 | 1 | 0.053 | 0.05 | 85389099 | DE | 205 | 41 | 25 | MM |
| 372 | 204924 | 14080 | Roof cond. hol. UNIsnap StSt/plast. brown | H 36mm Rd 8mm w. embossed brace L 205mm | 01030101 | ST | 4.60 | EUR | 1 | DLH US 8 H36 L205 BR V2A | 4013364030619 | 50 | 0.067 | 0.064 | 85389099 | DE | 205 | 25 | 61 | MM |
| 373 | 204925 | 14083 | Roof cond. hol. UNIsnap StSt/plast. brown | H 36mm Rd 8mm w. embossed brace L 335mm | 01030101 | ST | 4.80 | EUR | 1 | DLH US 8 H36 L335 BR V2A | 4013364030626 | 50 | 0.095 | 0.09 | 85389099 | DE | 335 | 25 | 61 | MM |
| 374 | 204935 | 13847 | Roof con. hol. FLEXIsnap StSt/pl. grey | H 16mm Rd 8mm w. brace f. interlock. tiles | 01030101 | ST | 5.10 | EUR | 1 | DLH FS 8 H16 L170 GR V2A | 4013364029958 | 1 | 0.043 | 0.04 | 85389099 | DE | 170 | 70 | 25 | MM |
| 375 | 204936 | 13842 | Roof con. hol. FLEXIsnap StSt/pla. brown | H 16mm Rd 8mm w. brace f. interlock. tiles | 01030101 | ST | 5.10 | EUR | 1 | DLH FS 8 H16 L170 BR V2A | 4013364029927 | 50 | 0.043 | 0.04 | 85389099 | DE | 170 | 70 | 25 | MM |
| 376 | 204937 | 13846 | Roof con. hol. FLEXIsnap StSt/pl. grey | H 36mm Rd 8mm w. brace f. interlock. tiles | 01030101 | ST | 5.10 | EUR | 1 | DLH FS 8 H36 L170 GR V2A | 4013364029941 | 50 | 0.049 | 0.046 | 85389099 | DE | 170 | 90 | 25 | MM |
| 377 | 204938 | 13851 | Roof con. hol. FLEXIsnap StSt/pl. brown | H 36mm Rd 8mm w. brace f. interlock. tiles | 01030101 | ST | 5.10 | EUR | 1 | DLH FS 8 H36 L170 BR V2A | 4013364029989 | 50 | 0.05 | 0.047 | 85389099 | DE | 170 | 90 | 25 | MM |
| 378 | 204949 | 60522 | Roof conductor holder FLEXIgrip StSt | H 32mm Rd 8mm w. brace f. interlock. tiles | 01030101 | ST | 6.10 | EUR | 1 | DLH FG 8 H32 L170 V2A | 4013364129290 | 50 | 0.057 | 0.054 | 85389099 | DE | 170 | 85 | 25 | MM |
| 379 | 204957 | 60523 | Roof conductor holder FLEXIgrip StSt/Cu | H 32mm Rd 8mm w. brace f. interlock. tiles | 01030101 | ST | 7.30 | EUR | 1 | DLH FG 8 H32 L170 V2A GALCU | 4013364129269 | 50 | 0.058 | 0.055 | 85389099 | DE | 170 | 85 | 25 | MM |
| 380 | 206049 | 3002297 | Roof cond. holder ZIEGELgrip StSt 4-16 | mm w. DEHNgrip H 20mm StSt f. Rd 8mm | 01030101 | ST | 6.60 | EUR | 1 | LH ZG 8 H20 KB4.16 V2A | 4013364242982 | 50 | 0.027 | 0.025 | 85389099 | DE | 63 | 42 | 26 | MM |
| 381 | 206105 | 39522 | Roof cond. holder f. corrug. sheet roof. | profile 5 w. DEHNgrip Rd 8mm St/tZn | 01030101 | ST | 4.90 | EUR | 1 | DLH DQ 8 WPROS V2A STTZN | 4013364083189 | 50 | 0.076 | 0.074 | 85389099 | DE | 116 | 45 | 28 | MM |
| 382 | 206109 | 34553 | Roof cond. holder DEHNgrip StSt H 20mm | for Rd 8mm clamping range 180-280mm | 01030101 | ST | 11.70 | EUR | 1 | DLH DG 8 H20 FG180.280 V2A | 4013364042810 | 25 | 0.116 | 0.11 | 85389099 | DE | 220 | 100 | 24 | MM |
| 383 | 206170 | 39516 | Roof conductor holder DEHNgrip Al/StSt | H 20mm Rd 8mm w. brace L 205mm | 01030101 | ST | 4.90 | EUR | 1 | DLH DG 8 H20 L205 V2A AL | 4013364082816 | 50 | 0.054 | 0.051 | 85389099 | DE | 205 | 46 | 25 | MM |
| 384 | 206171 | 41812 | Roof conductor holder DEHNgrip Al/StSt | H 32mm Rd 8mm w. brace L 205mm | 01030101 | ST | 5.00 | EUR | 1 | DLH DG 8 H32 L205 V2A AL | 4013364089488 | 50 | 0.054 | 0.051 | 85389099 | DE | 205 | 58 | 25 | MM |
| 385 | 206207 | 30651 | Roof conductor holder UNIgrip Cu | H 20mm Rd 8mm w. embossed brace L 205mm | 01030101 | ST | 6.60 | EUR | 1 | DLH UG 8 H20 L205 CU | 4013364054257 | 50 | 0.067 | 0.065 | 85389099 | DE | 205 | 44 | 25 | MM |
| 386 | 206209 | 17406 | Roof conductor holder UNIgrip StSt | H 20mm Rd 8mm w. embossed brace L 205mm | 01030101 | ST | 5.50 | EUR | 1 | DLH UG 8 H20 L205 V2A | 4013364042759 | 50 | 0.061 | 0.059 | 85389099 | DE | 205 | 44 | 25 | MM |
| 387 | 206217 | 18902 | Roof conductor holder UNIgrip Cu | H 20mm Rd 8mm w. embossed brace L 335mm | 01030101 | ST | 7.50 | EUR | 1 | DLH UG 8 H20 L335 CU | 4013364052208 | 50 | 0.098 | 0.093 | 85389099 | DE | 335 | 44 | 25 | MM |
| 388 | 206219 | 17407 | Roof conductor holder UNIgrip StSt | H 20mm Rd 8mm w. embossed brace L 335mm | 01030101 | ST | 6.30 | EUR | 1 | DLH UG 8 H20 L335 V2A | 4013364042766 | 50 | 0.088 | 0.083 | 85389099 | DE | 335 | 44 | 25 | MM |
| 389 | 206227 | 30652 | Roof conductor holder UNIgrip Cu | H 20mm Rd 8mm w. embossed brace L 475mm | 01030101 | ST | 9.30 | EUR | 1 | DLH UG 8 H20 L475 CU | 4013364054264 | 50 | 0.124 | 0.117 | 85389099 | DE | 475 | 44 | 25 | MM |
| 390 | 206229 | 17408 | Roof conductor holder UNIgrip StSt | H 20mm Rd 8mm w. embossed brace L 475mm | 01030101 | ST | 7.50 | EUR | 1 | DLH UG 8 H20 L475 V2A | 4013364042773 | 50 | 0.12 | 0.114 | 85389099 | DE | 475 | 44 | 25 | MM |
| 391 | 206237 | 38247 | Roof conductor holder SPANNgrip Cu | H 20mm f. Rd 8mm clamp. range 180-280mm | 01030101 | ST | 12.60 | EUR | 1 | DLH SG 8 H20 FG180.280 CU | 4013364077300 | 25 | 0.086 | 0.081 | 85389099 | DE | 230 | 67 | 25 | MM |
| 392 | 206239 | 34667 | Roof conductor holder SPANNgrip StSt | H 20mm f. Rd 8mm clamp. range 180-280mm | 01030101 | ST | 10.10 | EUR | 1 | DLH SG 8 H20 FG180.280 V2A | 4013364042650 | 25 | 0.079 | 0.074 | 85389099 | DE | 230 | 67 | 25 | MM |
| 393 | 206247 | 38432 | Roof conductor holder SPANNgrip Cu | H 32mm f. Rd 8mm clamp. range 180-280mm | 01030101 | ST | 12.20 | EUR | 1 | DLH SG 8 H32 FG180.280 CU | 4013364078574 | 25 | 0.097 | 0.092 | 85389099 | DE | 230 | 79 | 25 | MM |
| 394 | 206249 | 34668 | Roof conductor holder SPANNgrip StSt | H 32mm f. Rd 8mm clamp. range 180-280mm | 01030101 | ST | 10.80 | EUR | 1 | DLH SG 8 H32 FG180.280 V2A | 4013364042803 | 25 | 0.085 | 0.08 | 85389099 | DE | 230 | 79 | 25 | MM |
| 395 | 206289 | 55735 | Roof conductor holder UNIgrip StSt H 20mm | f. Rd 8mm w. clamp. part a. brace L 205mm | 01030101 | ST | 6.30 | EUR | 1 | DLH UG 8 H20 L205 KT V2A | 4013361149427 | 50 | 0.079 | 0.076 | 85389099 | DE | 205 | 45 | 25 | MM |
| 396 | 206309 | 17409 | Roof conductor holder UNIgrip StSt | H 32mm f. Rd 8mm embossed brace L 205mm | 01030101 | ST | 5.90 | EUR | 1 | DLH UG 8 H32 L205 V2A | 4013364042780 | 50 | 0.063 | 0.06 | 85389099 | DE | 205 | 56 | 25 | MM |
| 397 | 206319 | 17397 | Roof conductor holder UNIgrip StSt | H 32mm Rd 8mm embossed brace L 335mm | 01030101 | ST | 6.30 | EUR | 1 | DLH UG 8 H32 L335 V2A | 4013364042667 | 50 | 0.092 | 0.087 | 85389099 | DE | 335 | 56 | 25 | MM |
| 398 | 206329 | 17410 | Roof conductor holder UNIgrip StSt | H 32mm Rd 8mm embossed brace L 475mm | 01030101 | ST | 7.80 | EUR | 1 | DLH UG 8 H32 L475 V2A | 4013364042797 | 50 | 0.117 | 0.11 | 85389099 | DE | 475 | 56 | 25 | MM |
| 399 | 206339 | 54229 | Roof cond. holder f. corrug. sheet roofs | profile 5/8 w. DEHNgrip Rd 8mm StSt | 01030101 | ST | 5.80 | EUR | 1 | DLH DG 8 H20 WPROS 8 V2A | 4013364047730 | 50 | 0.029 | 0.027 | 85389099 | DE | 58 | 35 | 25 | MM |
| 400 | 206349 | 18012 | Roof conductor holder DEHNgrip StSt | H 20mm Rd 8mm w. brace f. grooved tiles | 01030101 | ST | 6.10 | EUR | 1 | DLH DG 8 H20 L103 EH V2A | 4013364047716 | 50 | 0.05 | 0.048 | 85389099 | DE | 103 | 52 | 25 | MM |
| 401 | 206359 | 18014 | Roof conductor holder DEHNgrip StSt | H 20mm f. Rd 8mm w. angled brace 169mm | 01030101 | ST | 6.30 | EUR | 1 | DLH DG 8 H20 L169 WS V2A | 4013364047723 | 50 | 0.068 | 0.065 | 85389099 | DE | 169 | 79 | 25 | MM |
| 402 | 206369 | 41606 | Roof conductor holder DEHNgrip StSt | H 20mm Rd 8mm w. brace f. tile slots | 01030101 | ST | 5.10 | EUR | 1 | DLH DG 8 H20 L87 EH V2A | 4013364086494 | 50 | 0.052 | 0.05 | 85389099 | DE | 87 | 66 | 25 | MM |
| 403 | 206379 | 3012286 | Roof cond. holder f. roof/wall slabs | Clamping range 2-8mm for Rd 8mm StSt | 01030101 | ST | 7.50 | EUR | 1 | DLH DG 8 H20 KB2.8 KU V2A | 4013364030983 | 50 | 0.06 | 0.056 | 85389099 | DE | 60 | 50 | 30 | MM |
| 404 | 206389 | 50203 | Roof conductor holder f. roof and wall | plates clamp. range 2-8mm f. Rd 8mm StSt | 01030101 | ST | 6.10 | EUR | 1 | DLH DG H20 KB8.18 V2A | 4013364109544 | 50 | 0.065 | 0.062 | 85389099 | DE | 84 | 50 | 30 | MM |
| 405 | 206399 | 50204 | Roof cond. holder f. roof/wall plates | clamping range 8-18mm f. Rd 8mm StSt | 01030101 | ST | 6.20 | EUR | 1 | DLH DG 8 H20 KB8.18 V2A | 4013364109551 | 50 | 0.066 | 0.063 | 85389099 | DE | 84 | 61 | 30 | MM |
| 406 | 206439 | 57480 | Roof cond. holder SPANNgrip light StSt | H 20mm Rd 8mm clamping range 180-280mm | 01030101 | ST | 8.90 | EUR | 1 | DLH SGL 8 H20 FG180.280 V2A | 4013364124875 | 25 | 0.076 | 0.072 | 85389099 | DE | 250 | 67 | 25 | MM |
| 407 | 206449 | 57482 | Roof cond. holder SPANNgrip light StSt | H 32mm Rd 8mm clamping range 180-280mm | 01030101 | ST | 8.80 | EUR | 1 | DLH SGL 8 H32 FG180.280 V2A | 4013364124899 | 25 | 0.082 | 0.078 | 85389099 | DE | 250 | 79 | 25 | MM |
| 408 | 206807 | 34554 | Roof cond. holder DEHNgrip StSt/galCu | H 20mm f. Rd 8mm adjustable 180-280mm | 01030101 | ST | 15.20 | EUR | 1 | DLH DG 8 H20 FG180.280 KK GALCU | 4013364046306 | 25 | 0.113 | 0.107 | 85389099 | DE | 206 | 90 | 25 | MM |
| 409 | 206809 | 34555 | Roof cond. holder DEHNgrip StSt H 20mm | f. Rd 8mm adjustable 180-280mm | 01030101 | ST | 12.00 | EUR | 1 | DLH DG 8 H20 FG180.280 KK V2A | 4013364077485 | 25 | 0.12 | 0.114 | 85389099 | DE | 206 | 90 | 25 | MM |
| 410 | 206817 | 38436 | Roof cond. holder DEHNgrip StSt/galCu | H 32mm f. Rd 8mm clamp. range 180-280mm | 01030101 | ST | 15.30 | EUR | 1 | DLH DG 8 H32 FG180.280 KK GALCU | 4013364078581 | 25 | 0.128 | 0.122 | 85389099 | DE | 220 | 90 | 25 | MM |
| 411 | 206819 | 38277 | Roof cond. holder DEHNgrip StSt H 32mm | f. Rd 8mm clamping range 180-280mm | 01030101 | ST | 12.10 | EUR | 1 | DLH DG 8 H32 FG180.280 KK V2A | 4013364077362 | 25 | 0.121 | 0.115 | 85389099 | DE | 220 | 90 | 25 | MM |
| 412 | 207007 | 19006 | Conductor holder DEHNgrip Cu f. Rd 8mm | H 20mm with fixing bore 7.8mm | 01030102 | ST | 2.40 | EUR | 1 | LH DG 8 H20 B7.8 CU | 4013364054899 | 50 | 0.018 | 0.016 | 85389099 | DE | 33 | 26 | 20 | MM |
| 413 | 207009 | 19007 | Conductor holder DEHNgrip StSt f. Rd 8mm | H 20mm with fixing bore 7.8mm | 01030102 | ST | 1.90 | EUR | 1 | LH DG 8 H20 B7.8 V2A | 4013364054882 | 50 | 0.018 | 0.016 | 85389099 | DE | 33 | 26 | 20 | MM |
| 414 | 207017 | 19008 | Conductor holder DEHNgrip Cu f. Rd 8mm | H 20mm with thread M6 | 01030102 | ST | 2.40 | EUR | 1 | LH DG 8 H20 IGM6 CU | 4013364054905 | 50 | 0.018 | 0.016 | 85389099 | DE | 33 | 26 | 20 | MM |
| 415 | 207019 | 19009 | DEHNgrip conductor holder StSt f. Rd 8mm | H 20mm with M6 thread | 01030102 | ST | 2.20 | EUR | 1 | LH DG 8 H20 IGM6 V2A | 4013364054912 | 50 | 0.022 | 0.02 | 85389099 | DE | 33 | 26 | 20 | MM |
| 416 | 207027 | 17403 | Conductor holder DEHNgrip Cu for | Rd 8mm H 32mm with fixing bore 7.8mm | 01030102 | ST | 2.70 | EUR | 1 | LH DG 8 H32 B7.8 CU | 4013364042728 | 50 | 0.028 | 0.026 | 85389099 | DE | 46 | 26 | 20 | MM |
| 417 | 207029 | 17402 | Conductor holder DEHNgrip StSt for | Rd 8mm H 32mm with fixing bore 7.8mm | 01030102 | ST | 2.30 | EUR | 1 | LH DG 8 H32 B7.8 V2A | 4013364042711 | 50 | 0.026 | 0.024 | 85389099 | DE | 46 | 26 | 20 | MM |
| 418 | 207037 | 17405 | Conductor holder DEHNgrip Cu for | Rd 8mm H 32mm with thread M6 | 01030102 | ST | 2.70 | EUR | 1 | LH DG 8 H32 IGM6 CU | 4013364042742 | 50 | 0.028 | 0.026 | 85389099 | DE | 46 | 26 | 20 | MM |
| 419 | 207039 | 17404 | Conductor holder DEHNgrip StSt for | Rd 8mm H 32mm with M6 thread | 01030102 | ST | 2.40 | EUR | 1 | LH DG 8 H32 IGM6 V2A | 4013364042735 | 50 | 0.025 | 0.024 | 85389099 | DE | 46 | 26 | 20 | MM |
| 420 | 207107 | 3001730 | Conductor holder DEHNgrip Cu f. Rd 8mm | H 20mm w. dowel 8x40mm a. wood screw | 01030102 | ST | 3.90 | EUR | 1 | LH DG 8 H20 HSSX50 KD8 CU BR | 4013364235649 | 50 | 0.032 | 0.03 | 85389099 | DE | 100 | 35 | 35 | MM |
| 421 | 207109 | 40984 | DEHNgrip conductor holder StSt f. Rd 8mm | H 20mm with dowel 8x40mm and wood screw | 01030102 | ST | 3.50 | EUR | 1 | LH DG 8 H20 HSSX50 KD8 V2A GR | 4013364085800 | 50 | 0.029 | 0.027 | 85389099 | DE | 95 | 35 | 35 | MM |
| 422 | 216000 | 10249 | Roof cond. hold. w. two-screw cleat f. Rd | 7-10mm St/tZn w. spacer a. seal. D 12mm | 01030101 | ST | 6.30 | EUR | 1 | DLH ZS 7.10 FL20 KT12 STTZN | 4013364020054 | 25 | 0.078 | 0.074 | 85389099 | DE | 91 | 42 | 33 | MM |
| 423 | 223005 | 46425 | Rod holder with brace L 475mm St/tZn | for pitched roof with StSt bolt Rd 16mm | 01030103 | ST | 24.90 | EUR | 1 | SH BB16 L475 WS V2A STTZN | 4013364099937 | 1 | 0.481 | 0.481 | 85389099 | DE | 480 | 126 | 68 | MM |
| 424 | 223010 | 42854 | Roof conductor holder StSt f. metal | roofs, bead Rd 20-25mm f. Rd 6-10mm | 01030101 | ST | 10.50 | EUR | 1 | DLH KB 6.10 RSF20.25 V2A | 4013364092778 | 50 | 0.186 | 0.184 | 85389099 | DE | 89 | 57 | 40 | MM |
| 425 | 223011 | 42855 | Roof conductor holder StSt f. metal | roofs, bead Rd 20-25mm f. Rd 8mm | 01030101 | ST | 10.60 | EUR | 1 | DLH DG 8 RSF20.25 V2A | 4013364092785 | 50 | 0.17 | 0.167 | 85389099 | DE | 100 | 57 | 40 | MM |
| 426 | 223020 | 42664 | Roof conductor holder StSt f. trapezoid. | tin roofs, clamping frame f. Rd 6-10mm | 01030101 | ST | 7.70 | EUR | 1 | DLH KB 6.10 TD B8.5 V2A | 4013364092792 | 50 | 0.123 | 0.121 | 85389099 | DE | 84 | 62 | 40 | MM |
| 427 | 223021 | 42665 | Roof conductor holder StSt f. trapezoid. | tin roofs with DEHNgrip f. Rd 8mm | 01030101 | ST | 8.10 | EUR | 1 | DLH DG 8 TD B8.5 V2A | 4013364092808 | 50 | 0.105 | 0.103 | 85389099 | DE | 84 | 73 | 40 | MM |
| 428 | 223031 | 41746 | Roof cond. holder StSt f. tin roofs w. | parallel seam DEHNgrip f. Rd 8mm | 01030101 | ST | 11.60 | EUR | 1 | DLH DG 8 SF0.7 8 V2A | 4013364092815 | 50 | 0.119 | 0.117 | 85389099 | DE | 80 | 54 | 47 | MM |
| 429 | 223040 | 43324 | Roof conductor holder Al f. metal roofs | bead Rd 20-25mm f. Rd 6-10mm | 01030101 | ST | 7.20 | EUR | 1 | DLH KB 6.10 RSF20.25 AL | 4013364096752 | 50 | 0.102 | 0.1 | 85389099 | DE | 89 | 57 | 40 | MM |
| 430 | 223041 | 43325 | Roof conductor holder Al/StSt f. tin | roofs bead Rd 20mm with DEHNgrip 8mm | 01030101 | ST | 8.00 | EUR | 1 | DLH DG 8 RSF20.25 AL | 4013364096769 | 50 | 0.099 | 0.096 | 85389099 | DE | 100 | 57 | 40 | MM |
| 431 | 223070 | 49200 | Roof conductor holder Al for Rd 6-10mm | f. tin roofs with rectang. standing seam | 01030101 | ST | 8.40 | EUR | 1 | DLH KB 6.10 KF18.22 AL | 4013364108738 | 50 | 0.106 | 0.103 | 85389099 | DE | 96 | 57 | 40 | MM |
| 432 | 223071 | 3001431 | Roof cond. holder Al for Rd 8mm f. | sheet metal roofs w. rect. stand. seam | 01030101 | ST | 9.30 | EUR | 1 | DLH DG 8 KF18.22 AL | 4013364108745 | 50 | 0.097 | 0.094 | 85389099 | DE | 108 | 18 | 40 | MM |
| 433 | 239000 | 11156 | Eaves support for Rd 7-10mm St/tZn | adjustable 1.05-1.20m | 01010104 | ST | 180.00 | EUR | 1 | TS 7.10 V1.0 1.15M STTZN | 4013364022621 | 1 | 4.7 | 4.7 | 85389099 | DE | 1030 | 526 | 40 | MM |
| 434 | 239001 | 11157 | Eaves support for Rd 7-10mm St/tZn | adjustable 1.40-1.55m | 01010104 | ST | 204.60 | EUR | 1 | TS 7.10 V1.25 1.40M STTZN | 4013364022638 | 1 | 5.17 | 5.17 | 85389099 | DE | 1400 | 526 | 40 | MM |
| 435 | 239009 | 34919 | Eaves support for Rd 7-10mm StSt | adjustable 1.25-1.55m | 01010104 | ST | 369.20 | EUR | 1 | TS 7.10 V1.25 1.55M V2A | 4013364072350 | 1 | 4.04 | 4.04 | 85389099 | DE | 1200 | 526 | 40 | MM |
| 436 | 239019 | 43501 | Eaves support for Rd 7-10mm StSt | adjustable 1.45-1.75m | 01010104 | ST | 373.40 | EUR | 1 | TS 7.10 V1.45 1.75M V2A | 4013364093560 | 1 | 5.2 | 5.2 | 85389099 | DE | 1450 | 526 | 40 | MM |
| 437 | 240000 | 3010315 | Support for roof conductors H 600mm | oaken for Rd 7-10mm | 01010104 | ST | 369.20 | EUR | 1 | DLS 6.10 134X300X598 EHI | 4013364022614 | 1 | 1.5 | 1.5 | 44219999 | DE | 650 | 325 | 148 | MM |
| 438 | 241009 | 3012762 | Tensioning block for Rd 8mm StSt | with 2 fixing holes D 10.5mm | 01010104 | ST | 57.50 | EUR | 1 | ASK B 150 40 2X8I10.5 V2A | 4013364072985 | 20 | 0.383 | 0.376 | 85389099 | DE | 150 | 64 | 40 | MM |
| 439 | 250000 | 11576 | DEHNfix cond. holder St/tZn plastic grey | f. Rd 6-10mm H 30mm w. impact dowel 8x45 | 01030102 | ST | 3.00 | EUR | 1 | LH DFI DQ 6.10 STTZN H30 GR | 4013364023871 | 50 | 0.032 | 0.03 | 85389099 | DE | 106 | 34 | 28 | MM |
| 440 | 250001 | 11578 | DEHNfix cond. holder StSt plastic grey | f. Rd 6-10mm H 30mm w. impact dowel 8x45 | 01030102 | ST | 3.40 | EUR | 1 | LH DFI DQ 6.10 V2A H30 GR | 4013364023888 | 50 | 0.031 | 0.029 | 85389099 | DE | 106 | 34 | 28 | MM |
| 441 | 250007 | 11580 | DEHNfix cond. holder Cu plastic brown | f. Rd 6-10mm H 30mm w. impact dowel 8x45 | 01030102 | ST | 3.50 | EUR | 1 | LH DFI DQ 6.10 CU H30 BR | 4013364023895 | 50 | 0.031 | 0.029 | 85389099 | DE | 106 | 34 | 28 | MM |
| 442 | 251002 | 43270 | Saddle clamp St/tZn f. Rd 7-10mm, | clamping range 0.7-5mm | 01040102 | ST | 5.90 | EUR | 1 | FK ZS 7.10 KF0.7 8 STTZN | 4013364095779 | 50 | 0.137 | 0.135 | 85389099 | DE | 64 | 50 | 20 | MM |
| 443 | 251027 | 43271 | Saddle clamp Cu f. Rd 7-10mm, | clamping range 0.7-5mm | 01040102 | ST | 14.70 | EUR | 1 | FK ZS 7.10 KF0.7 8 CU | 4013364096394 | 50 | 0.15 | 0.148 | 85389099 | DE | 64 | 50 | 20 | MM |
| 444 | 252000 | 11604 | DEHNfix rod holder St/tZn plastic grey | f. Rd 16mm w. impact dowel D 8mm L60mm | 01030103 | ST | 4.20 | EUR | 1 | SH DFI 16 STTZN H42 GR | 4013364023963 | 50 | 0.047 | 0.045 | 85389099 | DE | 130 | 40 | 28 | MM |
| 445 | 253015 | 10996 | Roof cond. holder FB f. flat roofs w. | block C35/45, single holder Rd 8mm | 01030101 | ST | 3.20 | EUR | 1 | DLH FB 8 LO 100X100X70 | 4013364022201 | 10 | 1.05 | 1.05 | 68109100 | DE | 100 | 100 | 70 | MM |
| 446 | 253021 | 11008 | Adapter for roof conductor holder FB | for Fl 30mm plastic | 01030101 | ST | 1.40 | EUR | 1 | FLA30 FB KF K SW | 4013364022256 | 50 | 0.008 | 0.006 | 85389099 | DE | 48 | 42 | 26 | MM |
| 447 | 253023 | 11006 | Adapter for roof conductor holders | for Rd 10mm | 01030101 | ST | 1.40 | EUR | 1 | RLA 10 FB KF K SW | 4013364022249 | 50 | 0.01 | 0.008 | 85389099 | DE | 42 | 32 | 28 | MM |
| 448 | 253025 | 30226 | Plastic clip f. fixing roof conductor | holders FB on pitched roofs | 01030101 | ST | 0.90 | EUR | 1 | KLA 8 FB KF K SW | 4013364053984 | 50 | 0.008 | 0.006 | 85389099 | DE | 37 | 37 | 22 | MM |
| 449 | 253026 | 46539 | Adapter D 20mm f. HVI conductor for | snapping on roof cond. holder type FB | 01070101 | ST | 2.20 | EUR | 1 | RLA 20 FB K SW | 4013364100169 | 50 | 0.01 | 0.008 | 85389099 | DE | 42 | 32 | 32 | MM |
| 450 | 253027 | 50228 | Adapter D 23mm for HVI conductor f. | snapping on roof cond. holder type FB | 01070101 | ST | 2.50 | EUR | 1 | RLA 23 FB K SW | 4013364110427 | 50 | 0.009 | 0.008 | 85389099 | DE | 42 | 34 | 32 | MM |
| 451 | 253030 | 30537 | Roof cond. holder KF f. roofing sheet | stripes -2.5mm thick, single holder 8 mm | 01030101 | ST | 3.00 | EUR | 1 | DLH KF 8 LO DBS 110X100X70 SW | 4013364054271 | 100 | 0.066 | 0.058 | 85389099 | DE | 110 | 100 | 75 | MM |
| 452 | 253050 | 49478 | Roof cond. holder FB2 f. flat roofs with | block C35/45, double holder Rd 8mm | 01030101 | ST | 3.00 | EUR | 1 | DLH FB2 8 LO 141X86X70 | 4013364079687 | 10 | 1.04 | 1.04 | 68109100 | DE | 141 | 86 | 70 | MM |
| 453 | 253051 | 49479 | Roof cond. holder KF2 f. roofing sheet | stripes -5mm thick, double holder 8 mm | 01030101 | ST | 1.40 | EUR | 1 | DLH KF2 8 LO 141X86X70 | 4013364079823 | 100 | 0.046 | 0.038 | 85389099 | DE | 141 | 86 | 70 | MM |
| 454 | 253060 | 49481 | Roof cond. holder FB2 f. flat roofs with | block C35/45, double holder Rd 8mm fixed | 01030101 | ST | 3.00 | EUR | 1 | DLH FB2 8 FE 141X86X70 | 4013364081628 | 10 | 1.04 | 1.04 | 68109100 | DE | 141 | 86 | 70 | MM |
| 455 | 253115 | 59224 | DEHNiso-DLH -SET- w. base plate, | concrete block and spacer bar s=15cm | 01030101 | ST | 24.50 | EUR | 1 | DIDLH 8 H295 D300 BS | 4013364129870 | 24 | 4.82 | 4.82 | 85389099 | DE | 300 | 300 | 300 | MM |
| 456 | 253125 | 59225 | DEHNiso-DLH -SET- w. base plate, | concrete block and spacer bar s=25cm | 01030101 | ST | 26.60 | EUR | 1 | DIDLH 8 H435 D300 BS | 4013364129887 | 24 | 4.84 | 4.84 | 85389099 | DE | 440 | 300 | 300 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 457 | 253229 | 70303 | Roof conductor holder w. support plate a. | concr. block f. HVI Cond. 20-23mm -KIT- | 01070101 | ST | 37.80 | EUR | 1 | DLH ZS 20 23 V2A 4.7KG BES180 GP300 K | 4013364159846 | 1 | 4.89 | 4.89 | 85389099 | DE | 0 | 0 | 0 | |
| 458 | 253239 | 70301 | Roof conductor holder w. support plate a. | concrete block f. HVI Cond. 20-23mm -KIT- | 01070101 | ST | 52.00 | EUR | 1 | DLH ZS 20 23 V2A 8.5KG KT D240 ULP | 4013364159853 | 1 | 8.7 | 8.7 | 85389099 | DE | 0 | 0 | 0 | |
| 459 | 253279 | 70300 | Conductor holder f. HVI Cond. D 20-23mm | with bar D 16mm L 85mm StSt | 01070101 | ST | 28.20 | EUR | 1 | LH ZS 20 23 KT D16 L85 V2A | 4013364159877 | 1 | 0.182 | 0.178 | 85389099 | DE | 120 | 55 | 20 | MM |
| 460 | 253289 | 70302 | Conductor holder f. HVI Conduc. D 20-23mm | with bar D 10mm L 75mm StSt | 01070101 | ST | 19.90 | EUR | 1 | LH ZS 20 23 DS10 L75 V2A | 4013364159860 | 1 | 0.094 | 0.089 | 85389099 | DE | 100 | 55 | 20 | MM |
| 461 | 253300 | 67456 | DEHNiso RCH base plate D 300mm | with socket D 10mm PE | 01030101 | ST | 6.40 | EUR | 1 | GP B10 H60 D300 KS GR | 4013364129771 | 24 | 0.197 | 0.165 | 85389099 | DE | 300 | 300 | 60 | MM |
| 462 | 253301 | 59220 | DEHNiso-DLH concrete block C35/45 | 180x180x70mm, recess f. base plate | 01030101 | ST | 11.50 | EUR | 1 | BES 4.6KG SB10 180X180X70 | 4013364129788 | 24 | 4.6 | 4.6 | 68109100 | DE | 180 | 180 | 70 | MM |
| 463 | 253302 | 59219 | DEHNiso-DLH conductor holder f. Rd 8mm | with bushing D 10mm PE | 01030101 | ST | 2.70 | EUR | 1 | DILH 8 SB10 K GR | 4013364129764 | 24 | 0.013 | 0.009 | 85389099 | DE | 43 | 27 | 27 | MM |
| 464 | 253310 | 59201 | DEHNiso DLH profiled bar | GRP light grey D 10mm L 3000mm | 01030101 | ST | 46.20 | EUR | 1 | DIST 10 3000 GFK | 4013364129795 | 10 | 0.47 | 0.47 | 39169010 | HU | 3000 | 10 | 10 | MM |
| 465 | 253315 | 59222 | DEHNiso DLH spacer D 10mm | f. Rd 8mm L 280mm GRP/PE | 01030101 | ST | 6.70 | EUR | 1 | DILH 8 DS10 L280 K GR GFK | 4013364129801 | 24 | 0.054 | 0.054 | 85389099 | DE | 300 | 27 | 27 | MM |
| 466 | 253325 | 59223 | DEHNiso DLH spacer D 10mm | f. Rd 8mm L 420mm GRP/PE | 01030101 | ST | 8.80 | EUR | 1 | DILH 8 DS10 L420 K GR GFK | 4013364129863 | 24 | 0.075 | 0.075 | 85389099 | DE | 440 | 27 | 27 | MM |
| 467 | 253330 | 68011 | Conductor holder for HVI power conductor | D 27-30mm w. bar D 10mm L 75mm StSt | 01070103 | ST | 20.60 | EUR | 1 | LH ZS 27 DS10 L75 V2A | 4013364153585 | 1 | 0.101 | 0.097 | 85389099 | DE | 120 | 70 | 35 | MM |
| 468 | 253331 | 68051 | Conductor holder for HVI power Conductor | D 27-30mm w. bar D 16mm L 85mm StSt | 01070103 | ST | 28.90 | EUR | 1 | LH ZS 27 KT D16 L85 V2A | 4013364155206 | 25 | 0.18 | 0.18 | 85389099 | DE | 120 | 70 | 35 | MM |
| 469 | 253333 | 68012 | Roof cond. hold. w. base plate a. concrete | block f. HVI power conduc. 27-30mm -KIT- | 01070103 | ST | 38.50 | EUR | 1 | DLH ZS 27 V2A BES180 GP300 K | 4013364153578 | 24 | 4.74 | 4.74 | 85389099 | DE | 0 | 0 | 0 | |
| 470 | 253334 | 68050 | Roof cond. hold. w. supp. plate a.concr. | block f.HVI power Conductor 27-30mm-KIT- | 01070103 | ST | 52.70 | EUR | 1 | DLH ZS 27 V2A 8.5KG KT D240 ULP | 4013364154933 | 1 | 8.59 | 8.59 | 85389099 | DE | 0 | 0 | 0 | |
| 471 | 273019 | 14420 | Conductor holder with claw f. Rd 6-10mm | StSt with fixing bore D 6.5mm | 01030102 | ST | 4.60 | EUR | 1 | LH KR 6.10 H22 B6.5 V2A | 4013364031487 | 50 | 0.024 | 0.022 | 85389099 | DE | 30 | 28 | 25 | MM |
| 472 | 273731 | 43308 | Rod holder with flange ZDC for Rd 16mm | St/tZn with frame dowel 180mm | 01030103 | ST | 10.10 | EUR | 1 | SH ZS 16 AB D10X180 STTZN ZG | 4013364096691 | 1 | 0.149 | 0.146 | 85389099 | DE | 238 | 58 | 30 | MM |
| 473 | 273740 | 43310 | Conductor holder with flange ZDC for | Rd 7-10mm St/tZn with frame dowel 140mm | 01030102 | ST | 7.90 | EUR | 1 | LH ZS 7.10 AB D10X140 STTZN ZG | 4013364096714 | 50 | 0.113 | 0.111 | 85389099 | DE | 174 | 42 | 30 | MM |
| 474 | 273741 | 43311 | Conductor holder with flange ZDC for | Rd 7-10mm St/tZn with frame dowel 180mm | 01030102 | ST | 9.70 | EUR | 1 | LH ZS 7.10 AB D10X180 STTZN ZG | 4013364096721 | 50 | 0.126 | 0.123 | 85389099 | DE | 2140 | 42 | 30 | MM |
| 475 | 273742 | 43312 | Conductor holder with flange ZDC for | Rd 7-10mm St/tZn with frame dowel 230mm | 01030102 | ST | 13.80 | EUR | 1 | LH ZS 7.10 AB D10X240 STTZN ZG | 4013364096738 | 50 | 0.155 | 0.145 | 85389099 | DE | 274 | 42 | 30 | MM |
| 476 | 274030 | 62438 | Conductor holder StSt with M8 thread | f. Fl 30mm and Rd 6-10mm | 01030102 | ST | 4.60 | EUR | 1 | FBH ZS 30 M8 V2A | 4013364130340 | 50 | 0.036 | 0.034 | 85389099 | DE | 52 | 30 | 20 | MM |
| 477 | 274110 | 62446 | Conductor holder StSt with M8 thread | f. Rd 8-10mm | 01030102 | ST | 3.70 | EUR | 1 | LH ZS 8.10 FL20 M8 V2A | 4013364123434 | 50 | 0.032 | 0.03 | 85389099 | DE | 40 | 27 | 20 | MM |
| 478 | 274113 | 62453 | Conductor holder StSt with M8 thread | f. Rd 13mm | 01030102 | ST | 3.90 | EUR | 1 | LH ZS 13 M8 V2A | 4013364123403 | 50 | 0.038 | 0.036 | 85389099 | DE | 52 | 32 | 20 | MM |
| 479 | 274116 | 62451 | Rod holder StSt with M8 thread | f. Rd 16mm | 01030103 | ST | 4.60 | EUR | 1 | LH ZS 16 M8 V2A | 4013364123410 | 50 | 0.039 | 0.037 | 85389099 | DE | 52 | 35 | 20 | MM |
| 480 | 274117 | 62442 | Conductor holder StSt/galCu w. M8 thread | f. Rd 8-10mm | 01030102 | ST | 4.60 | EUR | 1 | LH ZS 8.10 FL20 M8 CU | 4013364128194 | 50 | 0.032 | 0.03 | 85389099 | DE | 40 | 27 | 20 | MM |
| 481 | 274150 | 62444 | Conductor holder StSt f. Rd 8-10mm | with grey plastic base | 01030102 | ST | 4.30 | EUR | 1 | LH ZS 8.10 FL20 M8 KS CU | 4013364128187 | 50 | 0.035 | 0.033 | 85389099 | DE | 40 | 37 | 35 | MM |
| 482 | 274160 | 62445 | Conductor holder StSt f. Rd 8-10mm | with cover plate and fixing material | 01030102 | ST | 5.00 | EUR | 1 | LH ZS 8.10 FL20 KS KD8X40 V2A | 4013364123380 | 50 | 0.042 | 0.04 | 85389099 | DE | 90 | 40 | 35 | MM |
| 483 | 274167 | 62443 | Conductor holder StSt/galCu f. Rd 8-10mm | with plastic base and fixing material | 01030102 | ST | 5.90 | EUR | 1 | LH ZS 8.10 FL20 KS KD8X40 CU | 4013364128200 | 50 | 0.043 | 0.041 | 85389099 | DE | 90 | 40 | 35 | MM |
| 484 | 274230 | 62439 | Conductor holder StSt f. Fl 30mm/Rd6-10mm | with wood screw and plastic dowel D 8mm | 01030102 | ST | 5.70 | EUR | 1 | FBH ZS 30 KS KD8X40 V2A | 4013364130456 | 50 | 0.047 | 0.045 | 85389099 | DE | 92 | 52 | 35 | MM |
| 485 | 274260 | 62447 | Rod holder StSt f. Rd 16mm | with wood screw and plastic dowel D 8mm | 01030103 | ST | 5.70 | EUR | 1 | SH ZS 16 KS KD8X40 V2A | 4013364123489 | 50 | 0.05 | 0.048 | 85389099 | DE | 100 | 52 | 35 | MM |
| 486 | 275019 | 14422 | Rod holder with claw StSt for Rd 13-16mm | for wall mounting, hole 6.5mm | 01030103 | ST | 5.00 | EUR | 1 | SH KR 13.16 H28 B6.5 V2A | 4013364031494 | 50 | 0.033 | 0.031 | 85389099 | DE | 49 | 29 | 25 | MM |
| 487 | 275030 | 45147 | Conductor holder with flange ZDC for | Fl -30mm St/tZn with M8 female thread | 01030102 | ST | 4.90 | EUR | 1 | FBH ZS 30 IGM8 STTZN ZG | 4013364095847 | 50 | 0.089 | 0.087 | 85389099 | DE | 58 | 30 | 30 | MM |
| 488 | 275110 | 45142 | Conductor holder with flange ZDC | f. Rd 7-10mm St/tZn w. M8 female thread | 01030102 | ST | 4.60 | EUR | 1 | LH ZS 7.10 IGM8 STTZN ZG | 4013364095793 | 50 | 0.067 | 0.065 | 85389099 | DE | 42 | 32 | 30 | MM |
| 489 | 275113 | 45144 | Conductor holder with flange ZDC for | Rd 11-13mm St/tZn with M8 female thread | 01030102 | ST | 5.00 | EUR | 1 | LH ZS 13 IGM8 STTZN ZG | 4013364095816 | 50 | 0.084 | 0.082 | 85389099 | DE | 58 | 35 | 30 | MM |
| 490 | 275116 | 45145 | Rod holder with flange ZDC with M8 | female thread for Rd 16mm St | 01030103 | ST | 5.50 | EUR | 1 | SH ZS 16 M8 V2A | 4013364095823 | 50 | 0.098 | 0.096 | 85389099 | DE | 58 | 40 | 30 | MM |
| 491 | 275129 | 49069 | Two-screw cleat for CUI conductor | D 20mm with fixing hole 6.5x8.0mm, StSt | 01070101 | ST | 2.30 | EUR | 1 | LH ZSUEL 20 2X86.5 V2A | 4013364106758 | 10 | 0.021 | 0.021 | 85389099 | DE | 58 | 20 | 20 | MM |
| 492 | 275160 | 45143 | Conductor holder with flange ZDC f. | Rd 7-10mm St/tZn w. mounting material | 01030102 | ST | 6.20 | EUR | 1 | LH ZS 7.10 KD8X40 STTZN ZG | 4013364095809 | 50 | 0.078 | 0.076 | 85389099 | DE | 83 | 42 | 30 | MM |
| 493 | 275220 | 3017599 | Cond. holder PA, grey for HVI/CUI cond. | D 20mm, flange D 30mm, M8 female thread | 01070101 | ST | 4.50 | EUR | 1 | LH ZS 20 H19 IGM8 GR PA | 4013364103450 | 25 | 0.02 | 0.018 | 85389099 | DE | 69 | 42 | 30 | MM |
| 494 | 275225 | 3017603 | Conductor holder PA, grey for HVI cond. | D 23mm, flange D 30mm, M8 female thread | 01070101 | ST | 4.50 | EUR | 1 | LH ZS 23 H19 IGM8 GR PA | 4013364103467 | 1 | 0.02 | 0.018 | 85389099 | DE | 69 | 42 | 30 | MM |
| 495 | 275229 | 46579 | Conductor holder for HVI Conductor | D 20mm w. slotted hole 16x6.5mm, StSt | 01070101 | ST | 8.50 | EUR | 1 | LH ZS 20 H16 B6.5X16 V2A | 4013364102040 | 50 | 0.061 | 0.059 | 85389099 | DE | 58 | 35 | 20 | MM |
| 496 | 275230 | 45148 | Conductor holder with flange ZDC for | Fl -30mm St/tZn with screw and dowel | 01030102 | ST | 6.60 | EUR | 1 | FBH ZS 30 IGM8 KD8X40STTZN ZG | 4013364095854 | 50 | 0.096 | 0.094 | 85389099 | DE | 85 | 58 | 30 | MM |
| 497 | 275239 | 54213 | Conductor holder for HVI conductor | D 23mm with slot 16x6.5mm StSt | 01070101 | ST | 8.70 | EUR | 1 | LH ZS 23 H10 B6.5X16 V2A | 4013364115811 | 1 | 0.075 | 0.073 | 85389099 | DE | 58 | 35 | 20 | MM |
| 498 | 275240 | 67448 | Conductor holder for HVI power Conductor | D 27-30mm with thread M8 StSt | 01070103 | ST | 9.40 | EUR | 1 | LH ZS 27 GM8 V2A | 4013364152335 | 25 | 0.056 | 0.053 | 85389099 | DE | 65 | 45 | 20 | MM |
| 499 | 275241 | 67460 | Conductor holder StSt for HVI power | Conductor D 27-30mm with trhead M6 | 01070103 | ST | 9.40 | EUR | 1 | LH ZS 27 GM6 V2A | 4013364152342 | 25 | 0.056 | 0.053 | 85389099 | DE | 65 | 45 | 20 | MM |
| 500 | 275242 | 67461 | Conductor holder StSt for HVI power | Conductor D 27-30mm with slot 10x5.5mm | 01070103 | ST | 8.70 | EUR | 1 | LH ZS 27 B5.5X10 V2A | 4013364152359 | 25 | 0.056 | 0.052 | 85389099 | DE | 65 | 45 | 20 | MM |
| 501 | 275249 | 67449 | Conductor holder StSt for HVI power | Conductor D 27-30mm with plastic base | 01070103 | ST | 10.40 | EUR | 1 | LH ZS 27 KS H10 V2A | 4013364152366 | 25 | 0.06 | 0.056 | 85389099 | DE | 65 | 55 | 35 | MM |
| 502 | 275250 | 68056 | Conductor holder for HVI/CUI Conductors | D 20-23mm with thread M8 StSt | 01070101 | ST | 9.00 | EUR | 1 | LH ZS 20 23 GM8 V2A | 4013364155602 | 25 | 0.049 | 0.046 | 85389099 | DE | 55 | 35 | 20 | MM |
| 503 | 2752S1 | 68057 | Conductor holder for HVI/CUI Conductors | D 20-23mm with thread M6 StSt | 01070101 | ST | 9.00 | EUR | 1 | LH ZS 20 23 GM6 V2A | 4013364155619 | 25 | 0.049 | 0.046 | 85389099 | DE | 55 | 35 | 20 | MM |
| 504 | 275252 | 68058 | Conductor holder for HVI/CUI Conductors | D 20-23mm with slot 10x5.5mm StSt | 01070101 | ST | 8.10 | EUR | 1 | LH ZS 20 23 B5.5X10 V2A | 4013364155626 | 25 | 0.049 | 0.046 | 85389099 | DE | 55 | 35 | 20 | MM |
| 505 | 275259 | 68059 | Conductor holder for HVI/CUI Conductors | D 20-23mm with plastic base StSt | 01070101 | ST | 9.80 | EUR | 1 | LH ZS 20 23 KS H10 V2A | 4013364155633 | 25 | 0.052 | 0.049 | 85389099 | DE | 55 | 45 | 35 | MM |
| 506 | 275260 | 45146 | Rod holder with cover plate | for Rd 16mm St-ZDC with mounting mat. | 01030103 | ST | 6.30 | EUR | 1 | SH ZS 16 KD8X40 STTZN ZG | 4013364095830 | 50 | 0.102 | 0.1 | 85389099 | DE | 95 | 58 | 30 | MM |
| 507 | 275319 | 3002169 | Conductor holder f. HVI Conductor StSt | D 20-23mm without tensioning strap | 01070101 | ST | 14.10 | EUR | 1 | LH ZS 20 23 SBH 25X0.3 V2A | 4013364229952 | 10 | 0.132 | 0.124 | 85389099 | DE | 70 | 65 | 35 | MM |
| 508 | 275320 | 3002161 | Conductor holder f. HVI Conductor StSt | D 20-23mm w. tension. strap D 50-300mm | 01070101 | ST | 25.40 | EUR | 1 | LH ZS 20 23 SB50.300 V2A | 4013364099876 | 1 | 0.25 | 0.25 | 85389099 | DE | 180 | 180 | 25 | MM |
| 509 | 275330 | 3017602 | Conductor holder for HVI cond., P/StSt | D 20mm with clamping range D 50-300mm | 01070101 | ST | 22.90 | EUR | 1 | LH ZS 20 SB50.300 PA V2A | 4013364105065 | 1 | 0.218 | 0.218 | 85389099 | DE | 230 | 200 | 35 | MM |
| 510 | 275333 | 3017605 | Conductor holder for HVI cond., P/StSt | D 23mm w. tensioning strap f. D 50-300mm | 01070101 | ST | 23.30 | EUR | 1 | LH ZS 23 SB50.300 PA V2A | 4013364105072 | 1 | 0.22 | 0.22 | 85389099 | DE | 230 | 200 | 35 | MM |
| 511 | 275339 | 70305 | Conductor holder f. HVI cond. D 27-30mm | w. tens. strap fastener D 50-300mm StSt | 01070101 | ST | 27.10 | EUR | 1 | LH ZS 27 SB50.300 V2A | 4013364223332 | 1 | 0.257 | 0.247 | 85389099 | DE | 250 | 230 | 30 | MM |
| 512 | 275359 | 3000367 | Conductor holder f. HVI cond. D 27-30mm | f. tens. strap fastener 25x0.3mm StSt | 01070101 | ST | 16.80 | EUR | 1 | LH ZS 27 30 SBH 25X0.3 V2A | 4013364223271 | 1 | 0.142 | 0.131 | 85389099 | DE | 70 | 65 | 60 | MM |
| 513 | 275440 | 3002140 | HVI Ex W70 holder f. Conductor D 20mm | distance 70mm w. fixing plate StSt | 01070101 | ST | 38.80 | EUR | 1 | LH ZS 20 EX W70 BP V2A | 4013364146914 | 10 | 0.165 | 0.152 | 85389099 | DE | 100 | 95 | 55 | MM |
| 514 | 275441 | 3002139 | HVI Ex W200 holder f. Conductor D 20mm | distance 200mm w. fixing plate StSt | 01070101 | ST | 57.70 | EUR | 1 | LH ZS 20 EX W200 BP V2A | 4013364146921 | 10 | 0.256 | 0.24 | 85389099 | DE | 220 | 100 | 55 | MM |
| 515 | 275442 | 3002142 | HVI Ex P200 holder StSt f. Conduc. D20mm | dist. 200mm w. bracket f. tubes 50-300mm | 01070101 | ST | 58.00 | EUR | 1 | LH ZS 20 EX P200 SBB V2A | 4013364146938 | 10 | 0.264 | 0.25 | 85389099 | DE | 250 | 64 | 40 | MM |
| 516 | 275444 | 3002143 | HVI Ex P70 holder StSt f. Conduc. D 20mm | dist. 70mm w. bracket f. tubes 50-300mm | 01070101 | ST | 38.70 | EUR | 1 | LH ZS 20 EX P70 SBB V2A | 4013364244252 | 10 | 0.173 | 0.158 | 85389099 | DE | 120 | 60 | 40 | MM |
| 517 | 275450 | 3002168 | HVI Ex W85 holder f. Conductor D 27mm | distance 85mm w. fixing plate StSt | 01070101 | ST | 46.20 | EUR | 1 | LH ZS 27 EX W85 BP V2A | 4013364244436 | 10 | 0.179 | 0.168 | 85389099 | DE | 112 | 100 | 64 | MM |
| 518 | 275451 | 3002170 | HVI Ex W240 holder f. Conductor D 27mm | distance 240mm w. fixing plate StSt | 01070101 | ST | 66.60 | EUR | 1 | LH ZS 27 EX W240 BP V2A | 4013364244498 | 10 | 0.291 | 0.273 | 85389099 | DE | 280 | 100 | 64 | MM |
| 519 | 275454 | 3002165 | HVI Ex P85 holder StSt f. Conduc. D 27mm | dist. 85mm w. bracket f. tubes 50-300mm | 01070101 | ST | 45.80 | EUR | 1 | LH ZS 27 EX P85 SBB V2A | 4013364244504 | 10 | 0.189 | 0.173 | 85389099 | DE | 137 | 64 | 40 | MM |
| 520 | 275455 | 3002166 | HVI Ex P240 holder StSt f. Conduc. D27mm | dist. 240mm w bracket f. tubes 50-300mm | 01070101 | ST | 66.30 | EUR | 1 | LH ZS 27 EX P240 SBB V2A | 4013364244535 | 10 | 0.296 | 0.277 | 85389099 | DE | 290 | 64 | 40 | MM |
| 521 | 275498 | 64254 | HVI Ex busbar 500 connecting brace f. | conductor holder spacings of 500mm StSt | 01070101 | ST | 44.30 | EUR | 1 | VS EX 500 V2A | 4013364146945 | 10 | 0.32 | 0.32 | 85389099 | DE | 450 | 30 | 3 | MM |
| 522 | 275711 | 54959 | Cond. holder PA f. Rd 6-11mm, fixing | part StSt f. tensioning strap 14x0.3mm | 01030102 | ST | 6.40 | EUR | 1 | LH ZS 6.11 SBB PA V2A | 4013364124233 | 50 | 0.037 | 0.037 | 85389099 | DE | 67 | 50 | 25 | MM |
| 523 | 275716 | 54958 | Rod holder PA f. Rd 16mm w. fixing part | StSt f. tensioning strap 14x0.3mm | 01030103 | ST | 6.80 | EUR | 1 | LH ZS 16 SBB PA V2A | 4013364124226 | 50 | 0.04 | 0.04 | 85389099 | DE | 67 | 70 | 25 | MM |
| 524 | 275730 | 54957 | Cond. holder PA Fl 30mm Rd 6-11mm | fixing part StSt f. tens. strap 14x0.3mm | 01030102 | ST | 6.60 | EUR | 1 | LH ZS 6.11 FL30 SBB PA V2A | 4013364124219 | 50 | 0.042 | 0.042 | 85389099 | DE | 67 | 50 | 25 | MM |
| 525 | 276006 | 11389 | Cover disc plastic,grey H 5mm, D 37mm | for conductor and rod holders | 01030102 | ST | 0.60 | EUR | 1 | AS 37 5 B7.5 UVS K GR | 4013364023291 | 100 | 0.002 | 0.002 | 85389099 | DE | 37 | 37 | 5 | MM |
| 526 | 276007 | 13411 | Cover disc plastic, brown H 5mm, D 37mm | for conductor and rod holders | 01030102 | ST | 0.60 | EUR | 1 | AS 37 5 B7.5 UVS K BR | 4013364028166 | 100 | 0.002 | 0.002 | 85389099 | DE | 37 | 37 | 5 | MM |
| 527 | 276009 | 40000 | Cover plate, StSt, H 5m, D 37mm | for conductor and rod holders | 01030102 | ST | 1.30 | EUR | 1 | AS 37 5 B8.5 V2A | 4013364083318 | 100 | 0.009 | 0.008 | 85389099 | DE | 37 | 37 | 5 | MM |
| 528 | 276016 | 57408 | Plastic base grey H 10mm D 35mm | f. conductor and rod holders | 01030102 | ST | 0.60 | EUR | 1 | KS 35 14 B8.5 UVS GR | 4013364123373 | 100 | 0.003 | 0.003 | 85389099 | DE | 35 | 35 | 14 | MM |
| 529 | 276017 | 54999 | Plastic base brown H 10mm D 35mm | f. conductor and rod holders | 01030102 | ST | 0.60 | EUR | 1 | KS 35 14 B8.5 UVS BR | 4013364126596 | 100 | 0.003 | 0.003 | 85389099 | DE | 35 | 35 | 14 | MM |
| 530 | 276056 | 48210 | Dripping water protective collar plastic | grey w. slot D 37mm H 4.7mm bore 7.5mm | 01060101 | ST | 1.30 | EUR | 1 | MS 37 4.7 B7.5 K GR | 4013364104983 | 100 | 0.002 | 0.002 | 39269097 | DE | 37 | 37 | 5 | MM |
| 531 | 276057 | 48212 | Dripping water protective collar plastic | brown w. slot D 37mm H 4.7mm bore 7.5mm | 01060101 | ST | 1.30 | EUR | 1 | MS 37 4.7 B7.5 K BR | 4013364104990 | 1 | 0.002 | 0.002 | 39269097 | DE | 37 | 37 | 5 | MM |
| 532 | 277130 | 11167 | Conductor holder plastic/grey for | Rd 6-13/Fl 30mm | 01030102 | ST | 4.20 | EUR | 1 | LH 6.13 FL30 B10 K GR | 4013364022669 | 50 | 0.03 | 0.028 | 85389099 | DE | 60 | 22 | 20 | MM |
| 533 | 277230 | 50245 | Flat strip a. round cond. holder St/tZn | f. Fl...11mm Rd 6.10mm wall dist. 11mm | 01050104 | ST | 7.30 | EUR | 1 | FRH 11 6.10 WA11 B7 STTZN | 4013364110984 | 25 | 0.124 | 0.12 | 85389099 | DE | 60 | 50 | 30 | MM |
| 534 | 277237 | 50246 | Flat strip a. round conducter holder Cu | f. Fl...11mm Rd 6.10mm wall dist. 11mm | 01050104 | ST | 16.20 | EUR | 1 | FRH 11 6.10 WA11 B7 CU | 4013364110991 | 25 | 0.13 | 0.126 | 85389099 | DE | 60 | 50 | 30 | MM |
| 535 | 277239 | 50247 | Flat strip a. round conductor hold. StSt | f. Fl...11mm Rd 6.10mm wall dist. 11mm | 01050104 | ST | 12.90 | EUR | 1 | FRH 11 6.10 WA11 B7 V2A | 4013364111004 | 25 | 0.121 | 0.117 | 85389099 | DE | 60 | 50 | 30 | MM |
| 536 | 277240 | 11123 | Flat strip a. round cond. hold. St/tZn | f. Fl...11mm Rd 6.10mm wall dist. 15mm | 01050104 | ST | 9.40 | EUR | 1 | FRH 11 6.10 WA15 B7 STTZN | 4013364022577 | 25 | 0.171 | 0.167 | 85389099 | DE | 70 | 50 | 30 | MM |
| 537 | 284030 | 46267 | Strip holder for Fl 30mm St/tZn | with slot 6.5x16mm | 01030102 | ST | 4.20 | EUR | 1 | FBH ZS 30 B6.5X16 STTZN | 4013364022485 | 100 | 0.055 | 0.054 | 85389099 | DE | 58 | 20 | 20 | MM |
| 538 | 284040 | 46268 | Strip holder for Fl 40mm St/tZn | with slot 6.5x16mm | 01030102 | ST | 4.70 | EUR | 1 | FBH ZS 40 B6.5X16 STTZN | 4013364022492 | 100 | 0.066 | 0.065 | 85389099 | DE | 70 | 20 | 20 | MM |
| 539 | 286030 | 46269 | Strip holder for Fl 30mm St/tZn | with wood screw 5x50mm | 01030102 | ST | 4.70 | EUR | 1 | FBH ZS 30 B6.5X16 HS5X50 STTZN | 4013364022508 | 50 | 0.062 | 0.06 | 85389099 | DE | 65 | 58 | 20 | MM |
| 540 | 286139 | 46271 | Strip holder for Fl 30mm StSt | with wood screw 5x45mm | 01030102 | ST | 8.70 | EUR | 1 | FBH ZS 30 B6.5X16 HS5X50 V2A | 4013364035393 | 50 | 0.047 | 0.045 | 85389099 | DE | 65 | 58 | 20 | MM |
| 541 | 286819 | 40986 | Conductor holder with StSt cleat, for | Rd 7-10/Fl 30mm w. wood screw and dowel | 01030102 | ST | 9.00 | EUR | 1 | LH ZS 7.10 FL30 AS KD8X40 V2A | 4013364085824 | 50 | 0.072 | 0.07 | 85389099 | DE | 85 | 58 | 37 | MM |
| 542 | 290001 | 13345 | Spacer, St/tZn, angled type | L 300mm f. Rd 8-10mm, Fl -40mm | 03010101 | ST | 8.90 | EUR | 1 | AH FE RF V G | 4013364027909 | 25 | 0.332 | 0.326 | 85389099 | DE | 300 | 65 | 40 | MM |
| 543 | 290002 | 13343 | Spacer, St/tZn, straight type | L 280mm for Rd 8-10mm, Fl -40mm | 03010101 | ST | 3.90 | EUR | 1 | AH FE RF | 4013364027893 | 50 | 0.092 | 0.089 | 85389099 | DE | 280 | 35 | 25 | MM |
| 544 | 297015 | 11418 | Fixing plate D 100mm St/tZn with | M8 threaded bolt w. 4 fixing bores | 01030101 | ST | 7.50 | EUR | 1 | BP D100 GBM8 4XB10 4XB4 STTZN | 4013364023383 | 25 | 0.135 | 0.131 | 85389099 | DE | 100 | 100 | 15 | MM |
| 545 | 297025 | 11420 | Fixing plate D 40mm plastic with | M8 threaded bolt w. 4 fixing holes | 01030101 | ST | 3.90 | EUR | 1 | BP D40 GBM8 4XB4 K GR | 4013364023390 | 100 | 0.005 | 0.005 | 85389099 | DE | 40 | 40 | 15 | MM |
| 546 | 297110 | 46200 | Roof conductor holder DEHNsnap H 36mm grey | with adhesive pad D 67mm f. Rd 8mm | 01030101 | ST | 8.80 | EUR | 1 | DLH DS 8 H36 KP67 K GR | 4013364100886 | 50 | 0.035 | 0.032 | 85389099 | DE | 67 | 67 | 62 | MM |
| 547 | 297120 | 46202 | Roof cond. holder DEHNgrip 32mm StSt | with adhesive pad D 67mm f. Rd 8mm | 01030101 | ST | 10.60 | EUR | 1 | DLH DG 8 H32 KP67 V2A K GR | 4013364100916 | 50 | 0.046 | 0.04 | 85389099 | DE | 67 | 67 | 54 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 548 | 297199 | 49420 | Special detergent f. roof cond. | holder with self-adhesive pad 1000ml | 01500103 | L | 34.70 | EUR | 1 | SR IPA 1L | 4013364107526 | 1 | 0.864 | 0.864 | 29051200 | DE | 170 | 100 | 100 | MM |
| 549 | 300002 | 11634 | KS connector M12 St/tZn f. Rd 8-12.5mm | one-piece | 01040102 | ST | 11.70 | EUR | 1 | KSV 8.12.5 STTZN | 4013364024052 | 25 | 0.118 | 0.115 | 85389099 | DE | 48 | 30 | 30 | MM |
| 550 | 300017 | 11639 | KS connector M12 Cu-RCB f. Rd 8-12.5mm | one-piece | 01040102 | ST | 34.70 | EUR | 1 | KSV 8.12.5 CU | 4013364024069 | 1 | 0.157 | 0.154 | 85389099 | DE | 48 | 30 | 30 | MM |
| 551 | 301000 | 39099 | KS connector St/tZn-ZDC f. Rd 7-10mm | one-iece | 01040102 | ST | 5.60 | EUR | 1 | KSV 7.10 STTZN | 4013364067035 | 100 | 0.062 | 0.061 | 85389099 | DE | 40 | 25 | 25 | MM |
| 552 | 301007 | 10667 | KS connector Cu-RCB f. Rd 6-10mm | one-piece | 01040102 | ST | 15.40 | EUR | 1 | KSV 6.10 CU | 4013364021358 | 100 | 0.076 | 0.075 | 85389099 | DE | 40 | 25 | 25 | MM |
| 553 | 301009 | 39032 | KS connector StSt f. Rd 6-10mm | single-part unit | 01040102 | ST | 10.80 | EUR | 1 | KSV 6.10 V2A | 4013364081284 | 100 | 0.062 | 0.061 | 85389099 | DE | 40 | 22 | 22 | MM |
| 554 | 301010 | 39100 | KS connector St/tZn-ZDC f. Rd 7-10mm | one-piece with spring washer | 01040102 | ST | 6.20 | EUR | 1 | KSV 7.10 FER STTZN | 4013364067028 | 100 | 0.062 | 0.061 | 85389099 | DE | 40 | 25 | 25 | MM |
| 555 | 301017 | 30405 | KS connector Cu-RCB f. Rd 6-10mm | one-piece with spring washer | 01040102 | ST | 15.90 | EUR | 1 | KSV 6.10 FER CU | 4013364053502 | 100 | 0.08 | 0.079 | 85389099 | DE | 40 | 25 | 25 | MM |
| 556 | 301019 | 39033 | KS connector StSt f. Rd 6-10mm single- | part unit with spring washer | 01040102 | ST | 11.50 | EUR | 1 | KSV 6.10 FER V2A | 4013364081277 | 100 | 0.064 | 0.063 | 85389099 | DE | 40 | 22 | 22 | MM |
| 557 | 301020 | 3017841 | KS connector StSt f. Rd 6-10mm, long | version<(>,<)> single-part unit with spring washer | 01040102 | ST | 16.70 | EUR | 1 | KSVL 6.10 FER V2A | 4013364481541 | 50 | 0.12 | 0.118 | 85389099 | DE | 200 | 120 | 80 | MM |
| 558 | 301089 | 3006840 | KS (clamping screw) connector StSt(V4A) | f. Rd 6-10mm one-piece | 01040102 | ST | 16.60 | EUR | 1 | KSV 6.10 V4A | 4013364304161 | 100 | 0.063 | 0.061 | 85389099 | DE | 40 | 22 | 22 | MM |
| 559 | 301099 | 3006841 | KS (clamping screw) connector StSt (V4A) | one-piece w. spring washer f. Rd 6-10 mm | 01040102 | ST | 17.30 | EUR | 1 | KSV 6.10 FER V4A | 4013364304178 | 100 | 0.065 | 0.063 | 85389099 | DE | 40 | 22 | 22 | MM |
| 560 | 301209 | 68278 | KS connector StSt 200kA f. Rd 10mm | single-part with spring washer | 01040102 | ST | 22.10 | EUR | 1 | KSV 200 10 FER V2A | 4013364158252 | 1 | 0.067 | 0.059 | 85389099 | DE | 202 | 110 | 15 | MM |
| 561 | 301229 | 46528 | Connection plate for HVI conductor head | piece with 2 KS connectors StSt | 01070101 | ST | 31.10 | EUR | 1 | AP 2X6.10 V2A | 4013364101562 | 1 | 0.167 | 0.167 | 85389099 | DE | 63 | 40 | 30 | MM |
| 562 | 302010 | 59289 | KS connector Zamak-steel/tZn | f. Rd 7-10mm, two-part distance 30mm | 01040101 | ST | 12.50 | EUR | 1 | KSV 2X7.10 STTZN | 4013364134904 | 50 | 0.139 | 0.137 | 85389099 | DE | 55 | 40 | 25 | MM |
| 563 | 305000 | 16877 | Parallel connector St/tZn for | different diameters Rd 4-10mm | 01040101 | ST | 7.50 | EUR | 1 | PV 4.10 SKM8X30 STTZN | 4013364041936 | 50 | 0.148 | 0.146 | 85389099 | DE | 50 | 39 | 35 | MM |
| 564 | 305007 | 16878 | Parallel connector Cu for | different diameters Rd 4-10mm | 01040101 | ST | 21.00 | EUR | 1 | PV 4.10 SKM8X30 CU | 4013364052307 | 50 | 0.153 | 0.151 | 85389099 | DE | 50 | 39 | 35 | MM |
| 565 | 306020 | 43275 | Parallel connector St/tZn for | Rd 7-10mm | 01040101 | ST | 5.30 | EUR | 1 | PV 7.10 FRM10X35 STTZN | 4013364096264 | 50 | 0.147 | 0.145 | 85389099 | DE | 46 | 40 | 40 | MM |
| 566 | 306029 | 57674 | Parallel connector StSt (V4A) | f. Rd 7-10mm | 01040101 | ST | 12.10 | EUR | 1 | PV 7.10 FRM10X35 V4A | 4013364129467 | 50 | 0.122 | 0.12 | 85389099 | DE | 46 | 40 | 40 | MM |
| 567 | 306100 | 11659 | Parallel connector Cu for different | diameters Rd 5-12.5mm / 16-95mm² | 01040101 | ST | 35.10 | EUR | 1 | PV 5.12.5 SKM8X45 CU | 4013364024113 | 25 | 0.238 | 0.238 | 85389099 | DE | 50 | 42 | 40 | MM |
| 568 | 306101 | 11660 | Parallel connector Cu for different | diameters Rd 5-16mm / 16-150mm² | 01040101 | ST | 65.90 | EUR | 1 | PV 5.16 SKM10X50 CU | 4013364024120 | 25 | 0.412 | 0.412 | 85389099 | DE | 55 | 52 | 50 | MM |
| 569 | 306105 | 3003890 | Parall. connect. Cu/gal Sn f. diff. cond. | Rd 5-12.5mm / 16-95mm² w. spring washer | 01050105 | ST | 74.20 | EUR | 1 | PV 5.12.5 SKM8X45 GSG CUGALSN | 4013364269125 | 1 | 0.25 | 0.242 | 85389099 | DE | 50 | 43 | 42 | MM |
| 570 | 306106 | 3003891 | Parall. connect. Cu/gal Sn f. diff. cond. | Rd 5-16mm / 16-150mm² w. spring washer | 01050105 | ST | 103.90 | EUR | 1 | PV 5.16 SKM10X50 GSG CUGALSN | 4013364269149 | 1 | 0.424 | 0.42 | 85389099 | DE | 55 | 52 | 50 | MM |
| 571 | 306121 | 3003598 | Parallel connector St/bare | for Rd 6-22mm | 03010101 | ST | 6.30 | EUR | 1 | PV 6.22 FRM10X40 STBLANK | 4013364284920 | 50 | 0.163 | 0.161 | 85389099 | DE | 61 | 45 | 35 | MM |
| 572 | 306122 | 3003599 | Parallel connector St/tZn | for Rd 6-22mm | 03010101 | ST | 7.40 | EUR | 1 | PV 6.22 FRM10X40 STTZN | 4013364284937 | 50 | 0.167 | 0.165 | 85389099 | DE | 61 | 45 | 35 | MM |
| 573 | 306200 | 3009026 | EB clamp 35 mm² for cable trays | Stainless steel: 1.4301/AISI304 M8 | 01050105 | ST | 23.90 | EUR | 1 | PAK 35 M8 EX KB ER | 4013364327368 | 50 | 0.113 | 0.074 | 85389099 | DE | 56 | 45 | 26 | MM |
| 574 | 306201 | 3009027 | EB clamp 50 mm² for cable trays | Stainless steel: 1.4301/AISI304 M8 | 01050105 | ST | 24.00 | EUR | 1 | PAK 50 M8 EX KB ER | 4013364327375 | 50 | 0.129 | 0.074 | 85389099 | DE | 56 | 45 | 26 | MM |
| 575 | 306202 | 3009025 | EB clamp 70 mm² for cable trays | Stainless steel: 1.4301/AISI304 M8 | 01050105 | ST | 24.20 | EUR | 1 | PAK 70 M8 EX KB ER | 4013364327351 | 50 | 0.11 | 0.071 | 85389099 | DE | 56 | 45 | 26 | MM |
| 576 | 306203 | 3009028 | EB clamp 35 mm² for wire trays | Stainless steel: 1.4301/AISI304 M8 | 01050105 | ST | 25.80 | EUR | 1 | PAK 35 M8 EX GI ER | 4013364327382 | 50 | 0.129 | 0.074 | 85389099 | DE | 56 | 26 | 45 | MM |
| 577 | 306204 | 3009508 | EB clamp 35 mm² for cable trays | Stainless steel: 1.4301/AISI304 M6 | 01050105 | ST | 23.10 | EUR | 1 | PAK 35 M6 EX KB ER | 4013364336766 | 50 | 0.098 | 0.075 | 85389099 | DE | 56 | 45 | 26 | MM |
| 578 | 306205 | 3009509 | EB clamp 50 mm² for cable trays | Stainless steel: 1.4301/AISI304 M6 | 01050105 | ST | 23.30 | EUR | 1 | PAK 50 M6 EX KB ER | 4013364336773 | 50 | 0.096 | 0.073 | 85389099 | DE | 56 | 45 | 26 | MM |
| 579 | 306206 | 3009510 | EB clamp 70 mm² for cable trays | Stainless steel: 1.4301/AISI304 M6 | 01050105 | ST | 23.40 | EUR | 1 | PAK 70 M6 EX KB ER | 4013364336780 | 50 | 0.094 | 0.071 | 85389099 | DE | 56 | 45 | 26 | MM |
| 580 | 306210 | 3009029 | Equipot. bonding plate f. cable trays | Stainless steel 1.4301 - AISI 304 | 01050105 | ST | 53.10 | EUR | 1 | PAP 1 EX KB ER | 4013364327399 | 15 | 0.374 | 0.356 | 85389099 | DE | 180 | 120 | 2 | MM |
| 581 | 306211 | 3009030 | Equipot. bonding plate f. cable trays | Stainless steel 1.4301 - AISI 304 | 01050105 | ST | 62.20 | EUR | 1 | PAP 2 EX KB ER | 4013364327405 | 15 | 0.401 | 0.34 | 85389099 | DE | 180 | 120 | 2 | MM |
| 582 | 306212 | 3009031 | Equipot. bonding plate for wire trays | Stainless steel 1.4301 - AISI 304 | 01050105 | ST | 78.70 | EUR | 1 | PAP 1 EX GI ER | 4013364327412 | 15 | 0.384 | 0.314 | 85389099 | DE | 180 | 120 | 2 | MM |
| 583 | 306213 | 3009032 | Equipot. bonding plate f. wire trays | Stainless steel 1.4301 - AISI 304 | 01050105 | ST | 84.40 | EUR | 1 | PAP 2 EX GI ER | 4013364327429 | 15 | 0.392 | 0.392 | 85389099 | DE | 180 | 120 | 2 | MM |
| 584 | 306220 | 3009035 | EB pipe clamp DN50 | Stainless steel 1.4301 - AISI 304 | 01050105 | ST | 61.60 | EUR | 1 | SBD 60 PAK 35 EX ER | 4013364327436 | 50 | 0.408 | 0.394 | 85389099 | DE | 130 | 110 | 30 | MM |
| 585 | 306230 | 3009036 | Cable clamp 35 mm² M6 | Stainless steel 1,4301 - AISI 304 | 01050105 | ST | 6.60 | EUR | 1 | MPE S 35 ER | 4013364327443 | 10 | 0.011 | 0.011 | 85389099 | DE | 30 | 21 | 6 | MM |
| 586 | 306231 | 3009037 | Cable clamp 50-70 mm² M6 | Stainless steel 1,4301 AISI 304 | 01050105 | ST | 6.80 | EUR | 1 | MPE S 50/70 ER | 4013364327450 | 10 | 0.012 | 0.011 | 85389099 | DE | 30.5 | 24 | 6 | MM |
| 587 | 306240 | 3009038 | Locknut M6 | Stainless steel 1.4301 - AISI 304 | 01050105 | ST | 0.90 | EUR | 1 | SM SS M6 ER | 4013364327467 | 20 | 0.002 | 0.002 | 85389099 | DE | 10 | 10 | 8 | MM |
| 588 | 307000 | 11677 | Parallel connector St/tZn for Rd 7-10mm | | 01040101 | ST | 4.90 | EUR | 1 | PV 7.10 SKM8X20 STTZN | 4013364024151 | 50 | 0.107 | 0.105 | 85389099 | DE | 56 | 37 | 25 | MM |
| 589 | 307007 | 11679 | Parallel connector Cu f. Rd 7-10mm | | 01040101 | ST | 12.00 | EUR | 1 | PV 7.10 SKM8X20 CU | 4013364024168 | 50 | 0.106 | 0.104 | 85389099 | DE | 56 | 37 | 25 | MM |
| 590 | 308001 | 13358 | Wedge connector, St/tZn for concrete | foundation for Rd 10mm / Fl -40x4mm | 03010101 | ST | 6.30 | EUR | 1 | KV FE UNI | 4013364027947 | 25 | 0.221 | 0.216 | 85389099 | DE | 130 | 62 | 35 | MM |
| 591 | 308025 | 16942 | Connecting clamp, St/tZn for building | reinforcements f. Rd 6-10/6-10mm/Fl 30mm | 03010101 | ST | 4.50 | EUR | 1 | VK A UNI ST | 4013364035881 | 50 | 0.102 | 0.1 | 85389099 | DE | 50 | 40 | 17 | MM |
| 592 | 308026 | 16941 | Connecting clamp, St/tZn for building | reinforcements for Rd 6-10mm/Fl 30mm | 03010101 | ST | 4.50 | EUR | 1 | VK 6.10 FL30 FL30 BSB STTZN | 4013364035874 | 25 | 0.111 | 0.107 | 85389099 | DE | 45 | 40 | 38 | MM |
| 593 | 308030 | 3011431 | Connecting clamp, St/bare for building | reinforcements for Rd 6-22mm/Fl 30-40mm | 03010101 | ST | 4.50 | EUR | 1 | VK A R22 F40 STBL | 4013364030749 | 50 | 0.13 | 0.125 | 85389099 | DE | 75 | 51 | 40 | MM |
| 594 | 308031 | 62403 | U-clamp St/bare | f. D 6-20mm or Fl 30x3-4mm | 03010101 | ST | 5.30 | EUR | 1 | VK DB 6.20 8.10 FL30 BSB STBL | 4013364136571 | 25 | 0.24 | 0.23 | 85389099 | DE | 95 | 65 | 42 | MM |
| 595 | 308032 | 66156 | Connecting clamp St/bare f. D 6-20mm | f.Rd 6-10mm o. Fl 30x3-4mm | 03010101 | ST | 4.90 | EUR | 1 | VK 6.20 FL30 BSB STBL | 4013364152823 | 25 | 0.179 | 0.169 | 85389099 | DE | 93 | 60 | 41 | MM |
| 596 | 308035 | 54399 | Connecting clamp f. Rd 6-22/Fl 40mm | St/bare with clamp. frame f. Rd 6-10mm | 03010101 | ST | 6.60 | EUR | 1 | VK 6.22 FL40 KB6.10 BSB STBL | 4013364123472 | 25 | 0.17 | 0.165 | 85389099 | DE | 80 | 51 | 40 | MM |
| 597 | 308036 | 62404 | U-clamp MAXI St/bare | for D 20-32mm or Fl 40x4-5mm | 03010101 | ST | 7.10 | EUR | 1 | VK DB 20.32 8.10 FL40 BSB STBL | 4013364136588 | 25 | 0.276 | 0.266 | 85389099 | DE | 108 | 62 | 52 | MM |
| 598 | 308037 | 66158 | Connecting clamp St/bare f. D 20-32mm | f.Rd 6-10mm o. Fl 40x4-5mm no press.clip | 03010101 | ST | 5.10 | EUR | 1 | VK 20.32 FL40 BSB STBL | 4013364154704 | 25 | 0.218 | 0.208 | 85389099 | DE | 104 | 62 | 51 | MM |
| 599 | 308040 | 30879 | MAXI MV clamp St/bare, Rd 8-16/15-25mm | with screw M12x65mm | 03010101 | ST | 8.90 | EUR | 1 | MAMVK 8.16 15.25 STBL | 4013364055902 | 20 | 0.462 | 0.45 | 85389099 | DE | 75 | 75 | 70 | MM |
| 600 | 308041 | 30880 | MAXI MV clamp St/tZn f. Rd 8-16 / | 15-25mm with screw M12x65mm | 03010101 | ST | 10.40 | EUR | 1 | MAMVK 8.16 15.25 STTZN | 4013364056411 | 20 | 0.483 | 0.471 | 85389099 | DE | 75 | 75 | 70 | MM |
| 601 | 308045 | 57467 | U-bolt clamp St/bare f. D 16-48mm | f. Rd 10mm a. Fl 30-40mm | 03010101 | ST | 26.00 | EUR | 1 | BVK 16.48 6.10 FL40 BSB STBL | 4013364124455 | 25 | 0.267 | 0.262 | 85389099 | DE | 92 | 88 | 30 | MM |
| 602 | 308046 | 57469 | U-clamp St/bare f. D 16-48mm f. Rd 10mm | Fl 30-40mm, 2 clamp. frames R10mm | 03010101 | ST | 28.40 | EUR | 1 | BVK 16.48 FL40 KB6.10 BSB STBL | 4013364124462 | 25 | 0.292 | 0.288 | 85389099 | DE | 92 | 88 | 33 | MM |
| 603 | 308060 | 31972 | SVP clamp St/tZn f. Rd 8-10/8-10mm - | Rd 8-10/Fl 30mm-Fl 30/30mm w/o int. pl. | 03010101 | ST | 5.20 | EUR | 1 | SVPK 8.10 8.10 FL30 STTZN | 4013364066281 | 50 | 0.14 | 0.138 | 85389099 | DE | 83 | 30 | 30 | MM |
| 604 | 308062 | 3009955 | SV clamp St/bare for Rd 6-28/Fl 30mm | | 03010101 | ST | 4.50 | EUR | 1 | SVK 6.28 FL30 STBL | 4013364344051 | 50 | 0.158 | 0.156 | 85389099 | DE | 83 | 50 | 30 | MM |
| 605 | 308070 | 31973 | SVP clamp St/tZn f. Rd 8-10/8-10mm - | Rd 8-10/Fl 30mm-Fl 30/30mm, interm. pl. | 03010101 | ST | 6.60 | EUR | 1 | SVPK 8.10 8.10 FL30 ZP STTZN | 4013364066298 | 1 | 0.2 | 0.197 | 85389099 | DE | 83 | 30 | 30 | MM |
| 606 | 308120 | 45918 | Connecting clamp, St/tZn f. Fl 30/Rd | 10mm f. cross and parallel connections | 03010101 | ST | 3.90 | EUR | 1 | VK EH R10 F30 ST | 4013364099258 | 25 | 0.138 | 0.134 | 85389099 | DE | 62 | 55 | 38 | MM |
| 607 | 308129 | 45919 | Connecting clamp, StSt f. Fl 30/Rd | 10mm f. cross and parallel connections | 03010101 | ST | 8.00 | EUR | 1 | VK EH R10 F30 V2A | 4013364099265 | 25 | 0.135 | 0.131 | 85389099 | DE | 62 | 55 | 38 | MM |
| 608 | 308130 | 3005916 | DEHNclip reinforcement clamp St/bare | f. Rd 6mm / Rd 10mm | 03010101 | ST | 3.40 | EUR | 1 | DC BK 6 RD10 STBLANK | 4013364288942 | 50 | 0.019 | 0.018 | 85389099 | DE | 41 | 30 | 13 | MM |
| 609 | 308131 | 3005920 | DEHNclip reinforcement clamp St/bare | f. Rd 8mm / Rd 10mm | 03010101 | ST | 3.40 | EUR | 1 | DC BK 8 RD10 STBLANK | 4013364288881 | 50 | 0.02 | 0.018 | 85389099 | DE | 41 | 30 | 13 | MM |
| 610 | 308132 | 3005923 | DEHNclip reinforcement clamp St/bare | f. Rd 10mm / Rd 10mm | 03010101 | ST | 3.40 | EUR | 1 | DC BK 10 RD10 STBLANK | 4013364288423 | 50 | 0.021 | 0.02 | 85389099 | DE | 41 | 30 | 13 | MM |
| 611 | 308133 | 3005926 | DEHNclip reinforcement clamp St/bare | f. Rd 12mm / Rd 10mm | 03010101 | ST | 3.40 | EUR | 1 | DC BK 12 RD10 STBLANK | 4013364288911 | 50 | 0.022 | 0.02 | 85389099 | DE | 41 | 30 | 13 | MM |
| 612 | 308134 | 3006803 | DEHNclip rebar clamp St/bare | for Rd 6 mm / Rd 6 mm | 03010101 | ST | 3.40 | EUR | 1 | DC BK 6 RD6 STBLANK | 4013364308091 | 50 | 0.019 | 0.018 | 85389099 | DE | 41 | 30 | 13 | MM |
| 613 | 308135 | 3006804 | DEHNclip rebar clamp St/bare | for Rd 8 mm / Rd 8 mm | 03010101 | ST | 3.40 | EUR | 1 | DC BK 8 RD8 STBLANK | 4013364308107 | 50 | 0.019 | 0.018 | 85389099 | DE | 41 | 30 | 13 | MM |
| 614 | 308136 | 3006805 | DEHNclip Bewehrungsklemme St/blank | für Rd 12 mm / Rd 12 mm | 03010101 | ST | 3.40 | EUR | 1 | DC BK 12 RD12 STBLANK | 4013364308114 | 50 | 0.019 | 0.018 | 85389099 | DE | 41 | 30 | 13 | MM |
| 615 | 308137 | 3006871 | DEHNclip rebar clamp St/bare | for Rd 8 mm / Rd 12 mm | 03010101 | ST | 3.40 | EUR | 1 | DC BK 8 RD12 STBLANK | 4013364308121 | 50 | 0.019 | 0.018 | 85389099 | DE | 41 | 30 | 13 | MM |
| 616 | 308140 | 3005929 | DEHNclip reinforcement clamp St/bare | f. Rd 6mm / Fl 30mm | 03010101 | ST | 3.50 | EUR | 1 | DC BK 6 FL30 STBLANK | 4013364288935 | 50 | 0.022 | 0.021 | 85389099 | DE | 55 | 30 | 20 | MM |
| 617 | 308141 | 3005932 | DEHNclip reinforcement clamp St/bare | f. Rd 8mm / Rd 10mm | 03010101 | ST | 3.50 | EUR | 1 | DC BK 8 FL30 STBLANK | 4013364288904 | 50 | 0.021 | 0.019 | 85389099 | DE | 55 | 30 | 20 | MM |
| 618 | 308142 | 3005935 | DEHNclip reinforcement clamp St/bare | f. Rd 10mm / Rd 10mm | 03010101 | ST | 3.50 | EUR | 1 | DC BK 10 FL30 STBLANK | 4013364288522 | 50 | 0.02 | 0.018 | 85389099 | DE | 55 | 30 | 20 | MM |
| 619 | 308143 | 3005938 | DEHNclip reinforcement clamp St/bare | f. Rd 12mm / Rd 10mm | 03010101 | ST | 3.50 | EUR | 1 | DC BK 12 FL30 STBLANK | 4013364289123 | 50 | 0.02 | 0.018 | 85389099 | DE | 55 | 30 | 20 | MM |
| 620 | 308150 | 49091 | Expansion strap 4x30x1mm L 700mm StSt | for bridging of expansion joints | 03010101 | ST | 31.80 | EUR | 1 | DB 700X30X4 V2A | 4013364106970 | 1 | 0.682 | 0.682 | 85389099 | DE | 700 | 85 | 45 | MM |
| 621 | 308230 | 39550 | SV clamp St/tZn f. Rd 7-10/7-10mm - | Rd 7-10/Fl 30mm-Fl 30/30mm | 03010101 | ST | 6.30 | EUR | 1 | SVK 7.10 7.10 FL30 STTZN | 4013364084216 | 25 | 0.254 | 0.25 | 85389099 | DE | 94 | 35 | 30 | MM |
| 622 | 308229 | 39548 | SV clamp StSt (V4A) f. Fl 30/30mm | Rd 7-10/7-10mm - Rd 7-10/Fl 30mm | 03010101 | ST | 14.80 | EUR | 1 | SVK 7.10 7.10 FL30 V4A | 4013364083745 | 25 | 0.194 | 0.19 | 85389099 | DE | 94 | 35 | 30 | MM |
| 623 | 308230 | 42101 | SV clamp St/tZn for Fl 30/Fl 30mm | | 03010101 | ST | 6.20 | EUR | 1 | SVK FL30 STTZN | 4013364090859 | 25 | 0.245 | 0.241 | 85389099 | DE | 94 | 35 | 30 | MM |
| 624 | 308239 | 42103 | SV clamp StSt(V4A) f. Fl 30/Fl 30mm | with screws and nuts (M10) | 03010101 | ST | 14.50 | EUR | 1 | SVK FL30 V4A | 4013364090866 | 25 | 0.201 | 0.197 | 85389099 | DE | 94 | 35 | 30 | MM |
| 625 | 308249 | 58250 | SV clamp StSt (V4A)f. Fl 30/Rd 7-10mm | | 03010101 | ST | 14.60 | EUR | 1 | SVK 7.10 FL30 V4A | 4013364129313 | 25 | 0.204 | 0.2 | 85389099 | DE | 94 | 35 | 30 | MM |
| 626 | 308320 | 34273 | SV clamp St/tZn f. Rd 7-10/7-10mm - | Rd 7-10/Fl 40mm - Fl 40/40mm | 03010101 | ST | 6.50 | EUR | 1 | SVK 7.10 7.10 FL40 STTZN | 4013364028531 | 25 | 0.27 | 0.266 | 85389099 | DE | 108 | 35 | 30 | MM |
| 627 | 308329 | 39183 | SV clamp StSt (V4A) f. Fl 40/40mm | Rd 7-10/7-10mm - Rd 7-10/Fl 40mm | 03010101 | ST | 15.90 | EUR | 1 | SVK 7.10 7.10 FL40 V4A | 4013364081338 | 25 | 0.224 | 0.22 | 85389099 | DE | 108 | 35 | 30 | MM |
| 628 | 308330 | 43329 | SV clamp St/tZn f. Rd 7-10/16mm - | Rd 16/Fl 40mm | 03010101 | ST | 6.90 | EUR | 1 | SVK 7.10 16 FL40 STTZN | 4013364096660 | 25 | 0.27 | 0.266 | 85389099 | DE | 108 | 35 | 30 | MM |
| 629 | 308403 | 34707 | Shield terminal StSt for anchor bar | clamping range 5-10mm | 04021001 | ST | 14.40 | EUR | 1 | SAK 10 AS V4A | 4013364070509 | 10 | 0.026 | 0.026 | 85369095 | CH | 48 | 40 | 16 | MM |
| 630 | 308404 | 34708 | Shield terminal StSt for anchor bar | clamping range 8-14mm | 04021001 | ST | 15.40 | EUR | 1 | SAK 14 AS V4A | 4013364070516 | 10 | 0.032 | 0.032 | 85369095 | CH | 50 | 40 | 20 | MM |
| 631 | 308405 | 34709 | Shield terminal StSt for anchor bar | clamping range 13-18mm | 04021001 | ST | 16.20 | EUR | 1 | SAK 18 AS V4A | 4013364070523 | 10 | 0.037 | 0.037 | 85369095 | CH | 56 | 40 | 24 | MM |
| 632 | 308406 | 34710 | Shield terminal StSt for anchor bar | clamping range 17-21mm | 04021001 | ST | 17.40 | EUR | 1 | SAK 21 AS V4A | 4013364070530 | 10 | 0.049 | 0.049 | 85369095 | CH | 59 | 40 | 29 | MM |
| 633 | 308407 | 34711 | Shield terminal StSt for anchor bar | clamping range 19-26mm | 04021001 | ST | 20.10 | EUR | 1 | SAK 26 AS V4A | 4013364070547 | 10 | 0.06 | 0.06 | 85369095 | CH | 74 | 40 | 37 | MM |
| 634 | 308408 | 34712 | Shield terminal StSt for anchor bar | clamping range | 04021001 | ST | 21.50 | EUR | 1 | SAK 33 AS V4A | 4013364070554 | 10 | 0.073 | 0.073 | 85369095 | CH | 82 | 40 | 45 | MM |
| 635 | 308411 | 34714 | Terminal 16mm² for anchor bar | | 04021001 | ST | 22.60 | EUR | 1 | AK 16 AS SAK MS | 4013364070578 | 5 | 0.056 | 0.056 | 85369095 | CH | 47 | 26 | 14 | MM |
| 636 | 308421 | 34713 | Anchor bar for shield terminals | L 1000mm StSt | 04021050 | ST | 104.90 | EUR | 1 | AS SAK 1000 V2A | 4013364070561 | 10 | 0.974 | 0.974 | 72224090 | CH | 1000 | 29 | 15 | MM |
| 637 | 308425 | 32268 | Busbar support for insulated fixing | of anchor bars | 04021001 | ST | 14.60 | EUR | 1 | ST AS SAK K | 4013364058798 | 10 | 0.019 | 0.019 | 39269097 | CH | 63 | 20 | 111 | MM |
| 638 | 309008 | 51521 | ES connector ZDC f. Rd 8mm | with truss head screw | 01040101 | ST | 7.90 | EUR | 1 | ESV 8 ZG | 4013364024229 | 50 | 0.142 | 0.14 | 85389099 | DE | 60 | 40 | 27 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 639 | 309087 | 11712 | ES connector RCB f. Rd 8mm | with truss head screw | 01040101 | ST | 12.70 | EUR | 1 | ESV 8 RG | 4013364024243 | 50 | 0.101 | 0.099 | 85389099 | DE | 60 | 40 | 27 | MM |
| 640 | 310008 | 51515 | EST connector ZDC for Rd 8mm | with truss head screw | 01040101 | ST | 7.30 | EUR | 1 | ESTV 8 RG | 4013364024328 | 50 | 0.126 | 0.124 | 85389099 | DE | 49 | 40 | 27 | MM |
| 641 | 314300 | 43272 | Cross unit St/tZn f. Rd 8-10/8-10mm | Rd 8-10/Fl 30mm without interm. plate | 01040101 | ST | 4.70 | EUR | 1 | KS 8.10 8.10 FL30 OV STTZN | 4013364096400 | 50 | 0.122 | 0.12 | 85389099 | DE | 50 | 50 | 25 | MM |
| 642 | 314307 | 43273 | Cross unit Cu f. Rd 8-10/8-10mm Rd 8- | 10/Fl 30mm Fl 30/30mm w/o interm. plate | 01040101 | ST | 13.10 | EUR | 1 | KS 8.10 8.10 FL30 OV CU | 4013364096417 | 50 | 0.134 | 0.132 | 85389099 | DE | 50 | 50 | 25 | MM |
| 643 | 314310 | 17422 | Cross unit St/tZn f. Rd 8-10/8-10mm | Rd 8-10/Fl 30mm Fl 30/30mm, interm. pl. | 01040101 | ST | 5.90 | EUR | 1 | KS 8.10 8.10 FL30 OV ZP STTZN | 4013364042841 | 50 | 0.177 | 0.175 | 85389099 | DE | 50 | 50 | 20 | MM |
| 644 | 315119 | 60243 | Universal connector StSt f. Rd 8-10mm | f. cross, T a. parallel connections | 01040101 | ST | 9.10 | EUR | 1 | UV 8.10 KTP V2A | 4013364134072 | 50 | 0.092 | 0.09 | 85389099 | DE | 40 | 34 | 34 | MM |
| 645 | 316163 | 11822 | Cross unit St/tZn f. Rd 16/8-10mm - | Rd 16/Fl 30mm w. intermediate plate | 01040101 | ST | 6.30 | EUR | 1 | KS 16 8.10 FL30 OV ZP STTZN | 4013364024502 | 1 | 0.195 | 0.191 | 85389099 | DE | 50 | 50 | 35 | MM |
| 646 | 316167 | 16612 | Cross unit Cu f. Rd 16/8-10mm - Rd 16/ | Fl 30mm with intermediate plate | 01040101 | ST | 18.40 | EUR | 1 | KS 16 8.10 FL30 OV ZP CU | 4013364035386 | 25 | 0.213 | 0.209 | 85389099 | DE | 50 | 50 | 35 | MM |
| 647 | 318033 | 33677 | Cross unit St/tZn f. Fl 30/30mm | without intermediate plate | 03010101 | ST | 7.80 | EUR | 1 | KS FL30 STTZN | 4013364021471 | 25 | 0.24 | 0.236 | 85389099 | DE | 60 | 60 | 30 | MM |
| 648 | 318201 | 33675 | Cross unit St/tZn f. Rd 8-10/Fl 30mm | Fl 30/30mm without intermediate plate | 03010101 | ST | 8.00 | EUR | 1 | KS 8.10 FL30 STTZN | 4013364021464 | 25 | 0.238 | 0.234 | 85389099 | DE | 60 | 60 | 25 | MM |
| 649 | 318203 | 66123 | Cross unit St/tZn f. Rd 8-10/8-10mm - | Rd 8-10/Fl 30mm-Fl 30/30mm w. interm. pl. | 03010101 | ST | 10.40 | EUR | 1 | KS 8.10 8.10 FL30 ZP FRSM8 STTZN | 4013364159914 | 1 | 0.333 | 0.329 | 85389099 | DE | 60 | 60 | 25 | MM |
| 650 | 318205 | 66132 | Cross unit St/tZn f. Rd 8-10/Fl 30mm | Fl 30/30mm without intermediate plate | 03010101 | ST | 9.10 | EUR | 1 | KS 8.10 FL30 FRSM8 STTZN | 4013364159921 | 25 | 0.249 | 0.242 | 85389099 | DE | 60 | 60 | 25 | MM |
| 651 | 318207 | 10750 | Cross unit Cu f. Rd 8-10/Fl 30mm | Fl 30/30mm without intermediate plate | 03010101 | ST | 25.90 | EUR | 1 | KS 8.10 FL30 CU | 4013364021488 | 1 | 0.257 | 0.253 | 85389099 | DE | 60 | 60 | 25 | MM |
| 652 | 318209 | 16992 | Cross unit StSt (V4A) f. Fl 30/30mm | Rd 8-10/Fl 30mm w/o intermediate plate | 03010101 | ST | 17.70 | EUR | 1 | KS 8.10 FL30 V4A | 4013364035973 | 25 | 0.249 | 0.245 | 85389099 | DE | 60 | 60 | 25 | MM |
| 653 | 318219 | 58249 | Cross unit StSt(V4A) f.Zx Rd 8-10mm | Dim. 60x60mm without intermediate plate | 03010101 | ST | 17.70 | EUR | 1 | KS 8.10 8.10 FL30 V4A | 4013364129320 | 25 | 0.239 | 0.235 | 85389099 | DE | 60 | 60 | 30 | MM |
| 654 | 318229 | 66125 | Cross unit StSt (V4A) f. Rd 8-10/8-10mm | Rd 8-10/Fl 30mm-Fl 30/30mm w. interm. pl. | 03010101 | ST | 22.90 | EUR | 1 | KS 8.10 8.10 FL30 ZP FRSM8 V4A | 4013364159938 | 25 | 0.327 | 0.323 | 85389099 | DE | 60 | 60 | 30 | MM |
| 655 | 318233 | 43327 | Cross unit StSt (V4A) f. Fl 30/30mm | Dim. 60x60mm w/o intermediate plate | 03010101 | ST | 17.70 | EUR | 1 | KS FL30 V4A | 4013364096646 | 25 | 0.229 | 0.225 | 85389099 | DE | 60 | 60 | 30 | MM |
| 656 | 318239 | 66134 | Cross unit StSt (V4A) f. Rd 8-10/Fl 30mm | Fl 30/30mm without intermediate plate | 03010101 | ST | 18.50 | EUR | 1 | KS 8.10 FL30 FRSM8 V4A | 4013364159945 | 25 | 0.244 | 0.24 | 85389099 | DE | 60 | 60 | 25 | MM |
| 657 | 318251 | 33674 | Cross unit St/tZn f. Rd 8-10/8-10mm - Rd | 8-10/Fl 30mm Fl 30/30mm w/o interm. pl. | 03010101 | ST | 8.60 | EUR | 1 | KS 8.10 8.10 FL30 STTZN | 4013364046559 | 25 | 0.245 | 0.241 | 85389099 | DE | 60 | 60 | 30 | MM |
| 658 | 318252 | 33676 | Cross unit St/tZn f. Rd 8-10/16mm - Rd | 16/Fl 30mm without intermediate plate | 03010101 | ST | 8.90 | EUR | 1 | KS 8.10 16 FL30 STTZN | 4013364048454 | 25 | 0.256 | 0.251 | 85389099 | DE | 60 | 60 | 30 | MM |
| 659 | 319201 | 33672 | Cross unit St/tZn f. Rd 8-10/8-10mm - Rd | 8-10/Fl 30mm-Fl 30/30mm, intermed. plate | 03010101 | ST | 10.00 | EUR | 1 | KS 8.10 8.10 FL30 ZP STTZN | 4013364024519 | 25 | 0.324 | 0.32 | 85389099 | DE | 60 | 60 | 32 | MM |
| 660 | 319202 | 33673 | Cross unit St/tZn f. Rd 8-10/16mm - | Rd 16/Fl 30mm, intermediate plate | 03010101 | ST | 10.60 | EUR | 1 | KS 8.10 16 FL30 ZP STTZN | 4013364024526 | 25 | 0.338 | 0.333 | 85389099 | DE | 60 | 60 | 32 | MM |
| 661 | 319207 | 10247 | Cross unit Cu f. Rd 8-10/8-10mm - Rd 8- | 10/Fl 30mm-Fl 30/30mm, intermediate pl. | 03010101 | ST | 34.10 | EUR | 1 | KS 8.10 8.10 FL30 ZP CU | 4013364020047 | 25 | 0.353 | 0.349 | 85389099 | DE | 60 | 60 | 32 | MM |
| 662 | 319209 | 16993 | Cross unit StSt(V4A) Rd 8-10/8-10mm | Rd 8-10/Fl 30mm-Fl 30/30mm, interm. pl. | 03010101 | ST | 22.40 | EUR | 1 | KS 8.10 8.10 FL30 ZP V4A | 4013364035980 | 25 | 0.317 | 0.313 | 85389099 | DE | 60 | 60 | 32 | MM |
| 663 | 319219 | 19094 | Cross unit StSt(316/Ti/L) f.Rd 8-10/16mm | Rd 16/Fl 30mm, intermediate plate | 03010101 | ST | 24.40 | EUR | 1 | KS 8.10 16 FL30 ZP V4A | 4013364069916 | 25 | 0.324 | 0.319 | 85389099 | DE | 60 | 60 | 32 | MM |
| 664 | 319229 | 46395 | Cross unit StSt f. Rd 7-10/7-10mm - | Rd 7-10/Fl 40mm-Fl 40/40mm, inter. plate | 03010101 | ST | 26.50 | EUR | 1 | KS 7.10 7.10 FL40 ZP V4A | 4013364108752 | 25 | 0.414 | 0.409 | 85389099 | DE | 70 | 70 | 35 | MM |
| 665 | 320044 | 10760 | Cross unit St/tZn f. Fl 30-40/30-40mm | without intermediate plate | 03010101 | ST | 10.20 | EUR | 1 | KS FL40 STTZN | 4013364021501 | 25 | 0.306 | 0.301 | 85389099 | DE | 70 | 70 | 35 | MM |
| 666 | 321045 | 10762 | Cross unit St/tZn f. Rd 8-10/Fl 30-40mm | Fl 30-40/30-40mm w. intermediate plate | 03010101 | ST | 13.40 | EUR | 1 | KS 8.10 FL40 STTZN | 4013364021518 | 25 | 0.418 | 0.413 | 85389099 | DE | 70 | 70 | 35 | MM |
| 667 | 321047 | 34872 | Cross unit Cu f. Rd 8-10/Fl 30-40mm | Fl 30-40/30-40mm, intermediate plate | 03010101 | ST | 44.70 | EUR | 1 | KS 8.10 FL40 CU | 4013364021525 | 25 | 0.458 | 0.453 | 85389099 | DE | 70 | 70 | 35 | MM |
| 668 | 336020 | 3011236 | Welding-type connector, with M12 | female thread St/galZn - KIT - | 05000401 | ST | 13.30 | EUR | 1 | AS SCHW M12 | 4013364003941 | 1 | 0.123 | 0.118 | 85389099 | DE | 30 | 30 | 25 | MM |
| 669 | 336025 | 3011237 | Welding-type connector, with M16 | female thread St/galZn - KIT - | 05000401 | ST | 19.20 | EUR | 1 | AS SCHW M16 | 4013364003958 | 1 | 0.257 | 0.252 | 85389099 | DE | 40 | 40 | 30 | MM |
| 670 | 338000 | 34213 | Gutter clamp St/tZn f. bead 13-25mm | with two-screw cleat for Rd 7-10mm | 01040102 | ST | 6.10 | EUR | 1 | DRK ZS 7.10 W13.25 STTZN | 4013364024847 | 25 | 0.175 | 0.171 | 85389099 | DE | 84 | 40 | 35 | MM |
| 671 | 338001 | 34216 | Gutter clamp Al f. bead 13-25mm | with two-screw cleat for Rd 7-10mm | 01040102 | ST | 5.10 | EUR | 1 | DRK ZS 7.10 W13.25 AL | 4013364054172 | 25 | 0.073 | 0.069 | 85389099 | DE | 84 | 40 | 35 | MM |
| 672 | 338007 | 34219 | Gutter clamp Cu f. bead 13-25mm | with two-screw cleat for Rd 7-10mm | 01040102 | ST | 16.80 | EUR | 1 | DRK ZS 7.10 W13.25 CU | 4013364024854 | 25 | 0.194 | 0.19 | 85389099 | DE | 84 | 40 | 35 | MM |
| 673 | 338009 | 34222 | Gutter clamp StSt f. bead 13-25mm | with two-screw cleat for Rd 7-10mm | 01040102 | ST | 9.90 | EUR | 1 | DRK ZS 7.10 W13.25 V2A | 4013364057982 | 25 | 0.14 | 0.136 | 85389099 | DE | 84 | 40 | 35 | MM |
| 674 | 339010 | 11960 | Gutter clamp St/tZn f. bead 13-25mm | width 60mm with cleat for Rd 7-10mm | 01040102 | ST | 6.10 | EUR | 1 | DRK ZS 7.10 W13.25 B60 STTZN | 4013364024823 | 25 | 0.199 | 0.195 | 85389099 | DE | 70 | 60 | 38 | MM |
| 675 | 339050 | 43286 | Gutter clamp St/tZn f. bead 16-22mm | with double cleat for Rd 8-10mm | 01040102 | ST | 4.90 | EUR | 1 | DRK DUL 8.10 W16.22 STTZN | 4013364096257 | 25 | 0.142 | 0.138 | 85389099 | DE | 58 | 45 | 40 | MM |
| 676 | 339051 | 57853 | Gutter clamp Al f. bead 16-22mm | with double cleat f. Rd 8-10mm | 01040102 | ST | 6.20 | EUR | 1 | DRK DUL 8.10 W16.22 AL | 4013364127388 | 25 | 0.099 | 0.095 | 85389099 | DE | 58 | 45 | 40 | MM |
| 677 | 339057 | 43289 | Gutter clamp Cu f. bead 16-22mm | with double cleat for Rd 8-10mm | 01040102 | ST | 13.80 | EUR | 1 | DRK DUL 8.10 W16.22 CU | 4013364096332 | 25 | 0.154 | 0.15 | 85389099 | DE | 58 | 45 | 40 | MM |
| 678 | 339059 | 43294 | Gutter clamp StSt f. bead 16-22mm | with double cleat for Rd 8-10mm | 01040102 | ST | 8.80 | EUR | 1 | DRK DUL 8.10 W16.22 V2A | 4013364096301 | 25 | 0.136 | 0.132 | 85389099 | DE | 58 | 45 | 40 | MM |
| 679 | 339060 | 17767 | Gutter clamp St/tZn f. bead 16-22mm | with clamping frame f. Rd 6-10mm | 01040102 | ST | 4.90 | EUR | 1 | DRK KB 6.10 W16.22 STTZN | 4013364046870 | 25 | 0.137 | 0.133 | 85389099 | DE | 58 | 45 | 40 | MM |
| 680 | 339061 | 57854 | Gutter clamp Al f. bead 16-22mm | with clamping frame f. Rd 8-10mm | 01040102 | ST | 5.80 | EUR | 1 | DRK KB 6.10 W16.22 AL | 4013364127395 | 25 | 0.087 | 0.083 | 85389099 | DE | 58 | 45 | 40 | MM |
| 681 | 339067 | 17768 | Gutter clamp Cu f. bead 16-22mm | with clamping frame for Rd 6-10mm | 01040102 | ST | 12.10 | EUR | 1 | DRK KB 6.10 W16.22 CU | 4013364046887 | 25 | 0.14 | 0.136 | 85389099 | DE | 58 | 45 | 40 | MM |
| 682 | 339069 | 38593 | Gutter clamp StSt f. bead 16-22mm | with clamping frame for Rd 6-10mm | 01040102 | ST | 8.90 | EUR | 1 | DRK KB 6.10 W16.22 V2A | 4013364079960 | 25 | 0.126 | 0.122 | 85389099 | DE | 58 | 45 | 40 | MM |
| 683 | 339100 | 41729 | Gutter clamp St/tZn f. bead 16-22mm | with clamping frame for Rd 8-10mm | 01040102 | ST | 5.10 | EUR | 1 | DRK KB 8.10 W16.22 EST STTZN | 4013364092068 | 25 | 0.185 | 0.18 | 85389099 | DE | 65 | 57 | 40 | MM |
| 684 | 339101 | 41731 | Gutter clamp Al for bead 16-22mm | with clamping frame for Rd 8-10mm | 01040102 | ST | 6.20 | EUR | 1 | DRK KB 8.10 W16.22 EST AL | 4013364092082 | 1 | 0.089 | 0.084 | 85389099 | DE | 65 | 57 | 40 | MM |
| 685 | 339110 | 41734 | Gutter clamp St/tZn for bead 16-22mm | with double cleat for Rd 8-10mm | 01040102 | ST | 5.00 | EUR | 1 | DRK DUL 8.10 W16.22 EST STTZN | 4013364092105 | 25 | 0.181 | 0.176 | 85389099 | DE | 65 | 57 | 40 | MM |
| 686 | 339111 | 41736 | Gutter clamp Al for bead 16-22mm | with double cleat for Rd 8-10mm | 01040102 | ST | 6.30 | EUR | 1 | DRK DUL 8.10 W16.22 EST AL | 4013364092129 | 25 | 0.097 | 0.092 | 85389099 | DE | 65 | 57 | 40 | MM |
| 687 | 339157 | 43288 | Bimetallic gutter clamp, Cu-St/tZn | with double cleat for Rd 8-10mm | 01040102 | ST | 13.60 | EUR | 1 | ZMDRK DUL 8.10 W16.22 CU STTZN | 4013364096325 | 25 | 0.146 | 0.142 | 85389099 | DE | 58 | 45 | 40 | MM |
| 688 | 339167 | 16269 | Bimetallic gutter clamp, Cu-St/tZn | with double cleat for Rd 6-10mm | 01040102 | ST | 13.80 | EUR | 1 | ZMDRK KB 6.10 W16.22 CU STTZN | 4013364034426 | 1 | 0.144 | 0.14 | 85389099 | DE | 58 | 45 | 40 | MM |
| 689 | 343000 | 11976 | Snow guard clamp St/tZn, clamping | range 3-13mm with cleat for Rd 7-10mm | 01040102 | ST | 6.70 | EUR | 1 | SGK ZS 7.10 KB3.13 STTZN | 4013364024861 | 25 | 0.171 | 0.167 | 85389099 | DE | 90 | 60 | 36 | MM |
| 690 | 343007 | 11978 | Snow guard clamp Cu, clamping range | 3-13mm with cleat for Rd 7-10mm | 01040102 | ST | 15.50 | EUR | 1 | SGK ZS 7.10 KB3.13 CU | 4013364024878 | 1 | 0.184 | 0.18 | 85389099 | DE | 90 | 60 | 36 | MM |
| 691 | 345008 | 45279 | Clamping shoe St/tZn with bore | D 11mm for Rd 8mm | 01040102 | ST | 1.60 | EUR | 1 | KS 8 B11 STTZN | 4013364025073 | 100 | 0.028 | 0.027 | 85389099 | DE | 40 | 38 | 10 | MM |
| 692 | 345010 | 45281 | Clamping shoe St/tZn with bore | D 11mm for Rd 10mm | 01040102 | ST | 1.70 | EUR | 1 | KS 10 B11 STTZN | 4013364025080 | 100 | 0.026 | 0.025 | 85389099 | DE | 40 | 38 | 12 | MM |
| 693 | 347205 | 60440 | Clamping shoe Al with bore | D 10.5mm for Rd 10mm | 01040102 | ST | 5.50 | EUR | 1 | KS 7.10 B10.5 AL | 4013364136601 | 100 | 0.026 | 0.025 | 85389099 | DE | 43 | 28 | 25 | MM |
| 694 | 363000 | 17534 | End piece Z-shaped St/tZn | with 3 bores D 11mm | 01040102 | ST | 2.40 | EUR | 1 | ES ZF 3XB11 STTZN | 4013364045750 | 50 | 0.068 | 0.066 | 85389099 | DE | 79 | 30 | 28 | MM |
| 695 | 363010 | 35623 | Z-shaped end piece St/tZn with 3 | boreholes D 11mm with 1 KS connector | 01040102 | ST | 7.80 | EUR | 1 | ES ZF 2XB11 KSV 7.10 STTZN | 4013364045743 | 50 | 0.126 | 0.124 | 85389099 | DE | 79 | 45 | 30 | MM |
| 696 | 365000 | 33873 | Saddle clamp ZDC clamping range 0.7-6mm | w. two-screw cleat for Rd 7-10mm | 01040102 | ST | 8.00 | EUR | 1 | FK ZS 7.10 KBF0.7 6 ZG | 4013364024731 | 50 | 0.111 | 0.109 | 85389099 | DE | 36 | 32 | 32 | MM |
| 697 | 365007 | 11928 | Saddle clamp RCB clamp. range 0.7-6mm | with double cleat for Rd 7-10mm | 01040102 | ST | 18.60 | EUR | 1 | FK ZS 7.10 KBF0.7 6 RG | 4013364024748 | 50 | 0.133 | 0.131 | 85389099 | DE | 36 | 32 | 32 | MM |
| 698 | 365010 | 43287 | Saddle clamp St/tZn clamping range | 0.7-8mm with double cleat for Rd 8-10mm | 01040102 | ST | 4.90 | EUR | 1 | FK DUL 8.10 KBF0.7 8 STTZN | 4013364096318 | 50 | 0.109 | 0.107 | 85389099 | DE | 45 | 39 | 37 | MM |
| 699 | 365017 | 43290 | Saddle clamp Cu clamping range 0.7-8mm | with double cleat for Rd 8-10mm | 01040102 | ST | 12.00 | EUR | 1 | FK DUL 8.10 KBF0.7 8 CU | 4013364096349 | 50 | 0.107 | 0.105 | 85389099 | DE | 45 | 39 | 37 | MM |
| 700 | 365019 | 43295 | Saddle clamp StSt clamping range 0.7-8mm | with double cleat for Rd 8-10mm | 01040102 | ST | 10.30 | EUR | 1 | FK DUL 6.10 KBF0.7 8 V2A | 4013364096295 | 50 | 0.085 | 0.083 | 85389099 | DE | 45 | 39 | 37 | MM |
| 701 | 365020 | 16488 | Saddle clamp St/tZn clamping range | 0.7-10mm with clamping frame f. Rd 6-10mm | 01040102 | ST | 4.50 | EUR | 1 | FK KB 6.10 KBF0.7 10 STTZN | 4013364035126 | 50 | 0.122 | 0.12 | 85389099 | DE | 59 | 47 | 30 | MM |
| 702 | 365027 | 16489 | Saddle clamp Cu clamping range 0.7-10mm | with clamping frame for Rd 6-10mm | 01040102 | ST | 11.90 | EUR | 1 | FK KB 6.10 KBF0.7 10 CU | 4013364035133 | 50 | 0.148 | 0.146 | 85389099 | DE | 59 | 47 | 30 | MM |
| 703 | 365030 | 17769 | Saddle clamp St/tZn clamping range | 0.7-8mm with clamping frame for Rd 6-10mm | 01040102 | ST | 4.80 | EUR | 1 | FK KB 6.10 KBF0.7 8 STTZN | 4013364046894 | 50 | 0.102 | 0.1 | 85389099 | DE | 40 | 39 | 37 | MM |
| 704 | 365031 | 31211 | Saddle clamp Al clamping range 0.7-8mm | with clamping frame for Rd 6-10mm | 01040102 | ST | 4.90 | EUR | 1 | FK KB 6.10 KBF0.7 8 AL | 4013364055438 | 50 | 0.051 | 0.049 | 85389099 | DE | 40 | 39 | 37 | MM |
| 705 | 365037 | 17770 | Saddle clamp Cu clamping range 0.7-8mm | with clamping frame for Rd 6-10mm | 01040102 | ST | 12.10 | EUR | 1 | FK KB 6.10 KBF0.7 8 CU | 4013364046900 | 50 | 0.105 | 0.103 | 85389099 | DE | 40 | 39 | 37 | MM |
| 706 | 365039 | 32460 | Saddle clamp StSt clamping range 0.7-8mm | with clamping frame for Rd 6-10mm | 01040102 | ST | 9.90 | EUR | 1 | FK KB 6.10 KBF0.7 8 V2A | 4013364057777 | 50 | 0.091 | 0.089 | 85389099 | DE | 40 | 39 | 37 | MM |
| 707 | 365040 | 34288 | Saddle clamp St/tZn clamping range | 0.7-10mm with cleat for Rd 7-10mm | 01040102 | ST | 4.50 | EUR | 1 | FK ZS 7.10 KBF0.7 10 STTZN | 4013364069053 | 50 | 0.126 | 0.124 | 85389099 | DE | 59 | 47 | 26 | MM |
| 708 | 365047 | 34289 | Saddle clamp Cu clamping range 0.7-10mm | with cleat for Rd 7-10mm | 01040102 | ST | 11.50 | EUR | 1 | FK ZS 7.10 KBF0.7 10 CU | 4013364069046 | 50 | 0.141 | 0.139 | 85389099 | DE | 59 | 47 | 26 | MM |
| 709 | 365050 | 41635 | Saddle clamp St/tZn clamping range 0.7- | 8mm, angled, w. cl. frame f. Rd 6-10mm | 01040102 | ST | 7.40 | EUR | 1 | FK KB 6.10 KBF0.7 8 W STTZN | 4013364091825 | 50 | 0.157 | 0.155 | 85389099 | DE | 67 | 50 | 47 | MM |
| 710 | 365051 | 42667 | Saddle clamp Al clamping range 0.7-8mm, | angled, w. clamping frame for Rd 6-10mm | 01040102 | ST | 7.30 | EUR | 1 | FK KB 6.10 KBF0.7 8 W AL | 4013364091832 | 50 | 0.077 | 0.075 | 85389099 | DE | 67 | 50 | 47 | MM |
| 711 | 365057 | 42669 | Saddle clamp Cu clamping range 0.7-8mm, | angled, w. clamping frame for Rd 6-10mm | 01040102 | ST | 17.20 | EUR | 1 | FK KB 6.10 KBF0.7 8 W CU | 4013364091849 | 50 | 0.167 | 0.165 | 85389099 | DE | 67 | 50 | 47 | MM |
| 712 | 365059 | 41637 | Saddle clamp StSt clamping range 0.7-8mm | angled, w. clamping frame for Rd 6-10mm | 01040102 | ST | 10.10 | EUR | 1 | FK KB 6.10 KBF0.7 8 W V2A | 4013364091856 | 50 | 0.136 | 0.134 | 85389099 | DE | 67 | 50 | 47 | MM |
| 713 | 365117 | 16607 | Bimetallic saddle clamp St/tZn-Cu | clamping range 0.7-8mm for Rd 6-10mm | 01040102 | ST | 11.70 | EUR | 1 | ZMFK KB 6.10 KBF0.7 8 STTZN CU | 4013364035331 | 50 | 0.117 | 0.115 | 85389099 | DE | 43 | 41 | 40 | MM |
| 714 | 365127 | 39014 | Bimetallic saddle clamp Cu-St/tZn | clamping range 0.7-8mm for Rd 6-10mm | 01040102 | ST | 9.40 | EUR | 1 | ZMFK KB 6.10 KBF0.7 8 CU STTZN | 4013364080317 | 1 | 0.106 | 0.104 | 85389099 | DE | 43 | 41 | 40 | MM |
| 715 | 365220 | 47702 | Saddle clamp St/tZn clamping range | 0.7-10mm f. Rd 8-10mm | 01040102 | ST | 5.30 | EUR | 1 | FK MV 8.10 KBF0.7 10 STTZN | 4013364096103 | 50 | 0.174 | 0.171 | 85389099 | DE | 55 | 50 | 48 | MM |
| 716 | 365221 | 47703 | Saddle clamp Al clamping range 0.7-10mm | for Rd 8-10mm | 01040102 | ST | 5.30 | EUR | 1 | FK MV 8.10 KBF0.7 10 AL | 4013364092396 | 50 | 0.094 | 0.091 | 85389099 | DE | 55 | 50 | 48 | MM |
| 717 | 365227 | 47704 | Saddle clamp Cu clamping range 0.7-10mm | for Rd 8-10mm | 01040102 | ST | 18.30 | EUR | 1 | FK MV 8.10 KBF0.7 10 CU | 4013364096127 | 50 | 0.2 | 0.197 | 85389099 | DE | 55 | 50 | 48 | MM |
| 718 | 365229 | 47705 | Saddle clamp StSt clamping range | 0.7-10mm for Rd 8-10mm | 01040102 | ST | 10.50 | EUR | 1 | FK MV 8.10 KBF0.7 10 V2A | 4013364096110 | 50 | 0.163 | 0.161 | 85389099 | DE | 55 | 50 | 48 | MM |
| 719 | 365250 | 64295 | UNI saddle clamp StSt/Al f. Rd 8-10mm | conductor 4-50mm² f. saddles 0.7-8mm | 01040102 | ST | 7.30 | EUR | 1 | UNI FK 8.10 KBF0.7 8 AL V2A | 4013364148307 | 50 | 0.085 | 0.083 | 85389099 | DE | 40 | 39 | 37 | MM |
| 720 | 365419 | 57664 | Bridging cable Cu 16mm² L 400mm | with 2 saddle clamps 0.7-10mm StSt | 01040103 | ST | 31.90 | EUR | 1 | UEBS 16 L400 CU FK0.7 10 V2A | 4013364128927 | 5 | 0.458 | 0.458 | 85389099 | DE | 455 | 60 | 50 | MM |
| 721 | 365509 | 63027 | Conn. set f. safety rope systems 16mm² | L 1000mm Cu, lug D 6mm StSt f. Rd 6-10mm | 01040103 | ST | 54.70 | EUR | 1 | ASSA D6 L1000 6.10 CU V2A | 4013364141773 | 1 | 0.335 | 0.335 | 85389099 | DE | 1040 | 50 | 36 | MM |
| 722 | 365519 | 59253 | Conn. set f. safety rope systems 16mm² | L 1000mm Cu, lug D 8mm StSt f. Rd 6-10mm | 01040103 | ST | 54.70 | EUR | 1 | ASSA D8 L1000 6.10 CU V2A | 4013364130869 | 1 | 0.333 | 0.333 | 85389099 | DE | 1040 | 52 | 36 | MM |
| 723 | 370014 | 43269 | Terminal MCI/tZn clamping range | Fl 1-12mm with KS screw for Rd 7-10mm | 01040102 | ST | 14.00 | EUR | 1 | AK 7.10 KSV KBF1 12 TGTZN | 4013364096387 | 25 | 0.192 | 0.188 | 85389099 | DE | 54 | 42 | 30 | MM |
| 724 | 370018 | 39103 | Connection clamp MCI/tZn clamping range | Fl 8-18mm with KS screw for Rd 7-10mm | 01040102 | ST | 17.70 | EUR | 1 | AK 7.10 KSV KBF8 18 TGTZN | 4013364024724 | 25 | 0.294 | 0.29 | 85389099 | DE | 56 | 45 | 45 | MM |
| 725 | 371007 | 64504 | Connection clamp RCB clamping range | Fl 0.4-12mm f. Rd 7-10mm | 01040102 | ST | 24.70 | EUR | 1 | AK 7.10 FRM10X45 KBF0.4 12 RG | 4013364024663 | 1 | 0.235 | 0.231 | 85389099 | DE | 58 | 50 | 36 | MM |
| 726 | 371008 | 64502 | Connection clamp MCI/tZn clamping range | Fl 0.4-12mm f. Rd 4-10mm longitudinal | 01040102 | ST | 11.00 | EUR | 1 | AK 4.10 FRM10X45 KBF0.4 12 TGTZN | 4013364024670 | 50 | 0.15 | 0.148 | 85389099 | DE | 50 | 50 | 27 | MM |
| 727 | 371009 | 64503 | Connection clamp MCI/tZn clamping range | Fl 0.4-12mm f. Rd 7-10mm | 01040102 | ST | 11.70 | EUR | 1 | AK 7.10 FRM10X45 KBF0.4 12 TGTZN | 4013364024656 | 20 | 0.21 | 0.208 | 85389099 | DE | 58 | 50 | 36 | MM |
| 728 | 372018 | 47735 | Connection clamp St/tZn | clamping range Fl 5-18mm for Rd 6-10mm | 01040102 | ST | 7.40 | EUR | 1 | AK 6.10 DS KBF5 18 STTZN | 4013364104624 | 25 | 0.162 | 0.158 | 85389099 | DE | 65 | 40 | 24 | MM |
| 729 | 372019 | 47736 | Connection clamp StSt | clamping range Fl 5-18mm for Rd 6-10mm | 01040102 | ST | 12.50 | EUR | 1 | AK 6.10 DS KBF5 18 V2A | 4013364104631 | 25 | 0.158 | 0.154 | 85389099 | DE | 65 | 40 | 24 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 730 | 372035 | 47737 | Connection clamp St/tZn | clamping range Fl 18-35mm f. Rd 6-10mm | 01040102 | ST | 8.80 | EUR | 1 | AK 6.10 DS KBF18 35 STTZN | 4013364104648 | 25 | 0.181 | 0.177 | 85389099 | DE | 82 | 40 | 24 | MM |
| 731 | 372110 | 68295 | Connection clamp St/tZn, vertical type | f. profiles 3-18mm with clamping frame | 01040102 | ST | 8.50 | EUR | 1 | AK 6.10 KB S KBF3 18 STTZN | 4013364119055 | 25 | 0.288 | 0.283 | 85389099 | DE | 75 | 63 | 45 | MM |
| 732 | 372119 | 54313 | Clamp StSt, vertical type, for | profiles 3-18mm with clamping frame | 01040102 | ST | 18.30 | EUR | 1 | AK 6.10 KB S KBF3 18 V2A | 4013364119178 | 25 | 0.282 | 0.277 | 85389099 | DE | 75 | 63 | 45 | MM |
| 733 | 372120 | 68296 | Terminal St/tZn, vertical type, for | profiles 3-18mm with KS connector | 01040102 | ST | 10.10 | EUR | 1 | AK 7.10 KSV S KBF3 18 STTZN | 4013364119062 | 25 | 0.292 | 0.288 | 85389099 | DE | 75 | 63 | 55 | MM |
| 734 | 372129 | 54314 | Clamp StSt, vertical type, for | profiles 3-18mm with KS connector | 01040102 | ST | 21.70 | EUR | 1 | AK 6.10 KSV S KBF3 18 V2A | 4013364119185 | 25 | 0.288 | 0.283 | 85389099 | DE | 75 | 63 | 55 | MM |
| 735 | 372140 | 68297 | Terminal St/tZn, vertical type, for | profiles 18-35mm with clamping frame | 01040102 | ST | 9.90 | EUR | 1 | AK 6.10 KB S KBF18 35 STTZN | 4013364119086 | 25 | 0.34 | 0.336 | 85389099 | DE | 75 | 63 | 63 | MM |
| 736 | 372149 | 54316 | Clamp StSt, vertical type, for | profiles 18-35mm with clamping frame | 01040102 | ST | 20.10 | EUR | 1 | AK 6.10 KB S KBF18 35 V2A | 4013364119208 | 25 | 0.331 | 0.327 | 85389099 | DE | 75 | 63 | 63 | MM |
| 737 | 372150 | 68298 | Terminal St/tZn, vertical type, for | profiles 18-35mm with KS connector | 01040102 | ST | 11.70 | EUR | 1 | AK 7.10 KSV S KBF18 35 STTZN | 4013364119093 | 25 | 0.344 | 0.339 | 85389099 | DE | 75 | 70 | 63 | MM |
| 738 | 372159 | 54317 | Clamp StSt, vertical type, for | profiles 18-35mm with KS connector | 01040102 | ST | 21.80 | EUR | 1 | AK 6.10 KSV S KBF18 35 V2A | 4013364119215 | 25 | 0.338 | 0.333 | 85389099 | DE | 75 | 70 | 63 | MM |
| 739 | 372169 | 3016010 | Connection clamp vert. for Ex zone 2/22 | for profiles 3-18mm with KS connector StSt | 01040102 | ST | 24.60 | EUR | 1 | AK 6.10 KSV FER S KBF3 18 V2A | 4013364463660 | 10 | 0.29 | 0.28 | 85389099 | DE | 75 | 63 | 55 | MM |
| 740 | 372179 | 3016026 | Connection clamp vert. for Ex zone 2/22 | for profiles 18-35mm with KS connector StSt | 01040102 | ST | 24.70 | EUR | 1 | AK 6.10 KSV FER S KBF18 35 V2A | 4013364463684 | 10 | 0.343 | 0.333 | 85389099 | DE | 75 | 70 | 63 | MM |
| 741 | 372210 | 68299 | Terminal St/tZn, horizontal type<>,<> | f. profiles 3-18mm with clamping frame | 01040102 | ST | 8.40 | EUR | 1 | AK 6.10 KB W KBF3 18 STTZN | 4013364119116 | 25 | 0.288 | 0.284 | 85389099 | DE | 75 | 63 | 43 | MM |
| 742 | 372219 | 54325 | Clamp StSt, horizontal type, | f. profiles 3-18mm with clamping frame | 01040102 | ST | 18.10 | EUR | 1 | AK 6.10 KB W KBF3 18 V2A | 4013364119239 | 25 | 0.283 | 0.278 | 85389099 | DE | 75 | 63 | 43 | MM |
| 743 | 372220 | 70431 | Terminal St/tZn, horizontal type<>,<> | f. profiles 3-18mm with KS connector | 01040102 | ST | 9.70 | EUR | 1 | AK 7.10 KSV W KBF3 18 STTZN | 4013364119123 | 25 | 0.292 | 0.288 | 85389099 | DE | 75 | 63 | 48 | MM |
| 744 | 372229 | 54326 | Clamp StSt, horizontal type, | f. profiles 3-18mm with KS connector | 01040102 | ST | 21.60 | EUR | 1 | AK 6.10 KSV W KBF3 18 V2A | 4013364119246 | 25 | 0.288 | 0.283 | 85389099 | DE | 75 | 63 | 48 | MM |
| 745 | 372240 | 70432 | Terminal St/tZn, horizontal type<>,<> | f. profiles 18-35mm with clamping frame | 01040102 | ST | 9.40 | EUR | 1 | AK 6.10 KB W KBF18 35 STTZN | 4013364119147 | 25 | 0.34 | 0.335 | 85389099 | DE | 80 | 75 | 43 | MM |
| 746 | 372249 | 54328 | Clamp StSt, horizontal type, | f. profiles 18-35mm with clamping frame | 01040102 | ST | 20.10 | EUR | 1 | AK 6.10 KB W KBF18 35 V2A | 4013364119260 | 1 | 0.331 | 0.326 | 85389099 | DE | 80 | 75 | 43 | MM |
| 747 | 372250 | 70433 | Terminal St/tZn, horizontal type<>,<> | f. profiles 18-35mm with KS connector | 01040102 | ST | 11.60 | EUR | 1 | AK 7.10 KSV W KBF18 35 STTZN | 4013364119154 | 25 | 0.343 | 0.338 | 85389099 | DE | 80 | 75 | 48 | MM |
| 748 | 372259 | 54329 | Clamp StSt, horizontal type, | f. profiles 18-35mm with KS connector | 01040102 | ST | 22.10 | EUR | 1 | AK 6.10 KSV W KBF18 35 V2A | 4013364119277 | 25 | 0.336 | 0.331 | 85389099 | DE | 80 | 75 | 48 | MM |
| 749 | 372269 | 3016012 | Connection clamp horiz. for Ex zone 2/22 | for profiles 3-18mm with KS connector StSt | 01040102 | ST | 24.20 | EUR | 1 | AK 6.10 KSV FER W KBF3 18 V2A | 4013364463677 | 10 | 0.29 | 0.281 | 85389099 | DE | 75 | 63 | 43 | MM |
| 750 | 372279 | 3016027 | Connection clamp horiz. for Ex zone 2/22 | for profiles 18-35mm with KS connector StSt | 01040102 | ST | 24.70 | EUR | 1 | AK 6.10 KSV FER W KBF18 35 V2A | 4013364463691 | 10 | 0.342 | 0.332 | 85389099 | DE | 80 | 75 | 43 | MM |
| 751 | 374011 | 14187 | Expansion piece round Al 8mm | | 01040103 | ST | 5.80 | EUR | 1 | DS 8 L395 AL | 4013364030701 | 25 | 0.09 | 0.08 | 85389099 | DE | 395 | 158 | 8 | MM |
| 752 | 374020 | 39066 | Expansion piece flat Al 30x2mm | | 01040103 | ST | 2.90 | EUR | 1 | DS 30X2 L170 3XB11 AL | 4013364030725 | 50 | 0.039 | 0.037 | 85389099 | DE | 170 | 52 | 30 | MM |
| 753 | 377005 | 45286 | Connection lug Z-shaped Al | holes for riveting or screwing | 01040102 | ST | 1.60 | EUR | 1 | AL ZF B11.11 B5.2 6.5 L81 AL | 4013364024908 | 50 | 0.024 | 0.022 | 85389099 | DE | 81 | 30 | 27 | MM |
| 754 | 377006 | 43338 | Bridging bracket L 170mm Al with | central bore | 01040103 | ST | 2.90 | EUR | 1 | UEBL L170 B11 B5.2 6.5 AL | 4013364024922 | 50 | 0.039 | 0.037 | 85389099 | DE | 170 | 52 | 30 | MM |
| 755 | 377007 | 41715 | Bridging braid Cu, 50mm² L 180mm | | 01040103 | ST | 15.70 | EUR | 1 | UEBB L180 B10.5 B5.2 CU | 4013364092686 | 10 | 0.107 | 0.107 | 85389099 | DE | 180 | 33 | 4 | MM |
| 756 | 377009 | 54341 | Z-shaped connection lug, StSt, | holes for riveting or screwing | 01040102 | ST | 4.70 | EUR | 1 | AL ZF B11.11 B5.2 6.5 L81 V2A | 4013364119284 | 50 | 0.054 | 0.052 | 85389099 | DE | 81 | 30 | 27 | MM |
| 757 | 377015 | 41718 | Bridging braid Al, 50mm² L 180mm | | 01040103 | ST | 9.80 | EUR | 1 | UEBB L180 B10.5 B5.2 AL | 4013364092693 | 10 | 0.036 | 0.036 | 85389099 | DE | 180 | 33 | 5 | MM |
| 758 | 377016 | 43339 | Bridging bracket L 170mm, Al | without central bore | 01040103 | ST | 2.90 | EUR | 1 | UEBL L170 B5.2 6.5 AL | 4013364083417 | 50 | 0.038 | 0.036 | 85389099 | DE | 170 | 52 | 30 | MM |
| 759 | 377017 | 45285 | Connnection lug Z-shaped Cu, | holes for riveting or screwing | 01040102 | ST | 5.00 | EUR | 1 | AL ZF B11.11 B5.2 6.5 L81 CU | 4013364024915 | 50 | 0.051 | 0.049 | 85389099 | DE | 81 | 30 | 27 | MM |
| 760 | 377026 | 43342 | Bridging bracket L 220mm, Al | | 01040103 | ST | 3.00 | EUR | 1 | UEBL L220 B11 B5.2 6.5 AL | 4013364068582 | 50 | 0.048 | 0.045 | 85389099 | DE | 220 | 52 | 30 | MM |
| 761 | 377027 | 43343 | Bridging bracket L 170mm, Cu | with central bore 11mm | 01040103 | ST | 10.30 | EUR | 1 | UEBL L170 B11 B5.2 6.5 CU | 4013364034204 | 50 | 0.114 | 0.112 | 85389099 | DE | 170 | 52 | 28 | MM |
| 762 | 377045 | 41719 | Bridging braid Al 50mm² L 180mm | with fixing bores 1x10.5 2x6.5mm | 01040103 | ST | 9.80 | EUR | 1 | UEBB L180 B10.5 B6.5 AL | 4013364099296 | 100 | 0.037 | 0.036 | 85389099 | DE | 180 | 33 | 5 | MM |
| 763 | 377100 | 45284 | Connection lug Z-shaped Al with | clamping frame for Rd 6-10mm St/tZn | 01040102 | ST | 4.50 | EUR | 1 | AL ZF KB 6.10STTZN B5.2 6.5 L81 AL | 4013364078604 | 50 | 0.076 | 0.074 | 85389099 | DE | 85 | 40 | 30 | MM |
| 764 | 377107 | 45273 | Bridging braid Cu 50mm² L 300mm | with fixing bores 8x5.2 3x10.5mm | 01040103 | ST | 23.40 | EUR | 1 | UEBB L300 3XB10.5 B5.2 CU | 4013364092709 | 10 | 0.172 | 0.172 | 85389099 | DE | 300 | 33 | 4 | MM |
| 765 | 377115 | 45275 | Bridging braid Al 50mm² L 300mm | with fixing bores 3x10.5 8x5.2mm | 01040103 | ST | 14.50 | EUR | 1 | UEBB L300 3XB10.5 B5,2 AL | 4013364092716 | 10 | 0.059 | 0.059 | 85389099 | DE | 300 | 33 | 5 | MM |
| 766 | 377200 | 60438 | Connection lug Z-shaped Al | with double cleat f. Rd 8-10mm Al | 01040102 | ST | 4.50 | EUR | 1 | AL ZF DUL 6.10 B5.2 6.5 L81 AL | 4013364136465 | 50 | 0.072 | 0.07 | 85389099 | DE | 85 | 40 | 30 | MM |
| 767 | 377210 | 45274 | Bridging cable Cu 16mm² L 200mm with | 2 cable lugs, bore 10.5, and 2x6.5mm | 01040103 | ST | 9.90 | EUR | 1 | UEBS 16 L200 B10.5 B6.5 AL CU | 4013364083028 | 10 | 0.053 | 0.053 | 85389099 | DE | 232 | 22 | 15 | MM |
| 768 | 377310 | 45291 | Bridging cable Cu 16mm² L 300mm with | 2 cable lugs, bore 10.5, and 2x6.5mm | 01040103 | ST | 10.50 | EUR | 1 | UEBS 16 L300 B10.5 B6.5 AL CU | 4013364033382 | 100 | 0.089 | 0.073 | 85389099 | DE | 332 | 22 | 15 | MM |
| 769 | 377410 | 45276 | Bridging cable Cu 16mm² L 400mm with | 2 cable lugs, bore 10.5, and 2x6.5mm | 01040103 | ST | 11.50 | EUR | 1 | UEBS 16 L400 B10.5 B6.5 AL CU | 4013364083035 | 10 | 0.09 | 0.09 | 85389099 | DE | 432 | 22 | 15 | MM |
| 770 | 377510 | 45278 | Bridging cable Cu 16mm² L 500mm with | 2 cable lugs, bore 10.5, and 2x6.5mm | 01040103 | ST | 11.90 | EUR | 1 | UEBS 16 L500 B10.5 B6.5 AL CU | 4013364033399 | 10 | 0.11 | 0.11 | 85389099 | DE | 532 | 22 | 15 | MM |
| 771 | 380020 | 31939 | Rod clamp St/tZn for Rd 8-10/Rd 16mm | | 01040101 | ST | 3.50 | EUR | 1 | FSK 8.10 16 SKM10X25 STTZN | 4013364066373 | 50 | 0.088 | 0.086 | 85389099 | DE | 55 | 30 | 25 | MM |
| 772 | 380029 | 31941 | Rod clamp StSt for Rd 8-10/Rd 16mm | | 01040101 | ST | 6.20 | EUR | 1 | FSK 8.10 16 SKM10X25 V2A | 4013364066359 | 50 | 0.072 | 0.07 | 85389099 | DE | 55 | 30 | 25 | MM |
| 773 | 380110 | 64505 | FS clamp (air-term. rod clamp) D 10mm | Al f. 2-fold connection f. Rd 8-10mm | 01040101 | ST | 5.10 | EUR | 1 | FSK 3X8.10 FRM10X50 AL | 4013364133273 | 50 | 0.102 | 0.1 | 85389099 | DE | 55 | 55 | 48 | MM |
| 774 | 380116 | 64506 | FS clamp (air-term. rod clamp D 16mm | Al f. 2-fold connection f. Rd 8-10mm | 01040101 | ST | 6.20 | EUR | 1 | FSK 2X8.10 16 FRM10X50 AL | 4013364133280 | 50 | 0.102 | 0.1 | 85389099 | DE | 55 | 55 | 51 | MM |
| 775 | 380129 | 55759 | Clamping piece StSt with square hole | D 11mm for Fl -30x4mm | 01040102 | ST | 16.60 | EUR | 1 | KS B11.11 FL30X4 V2A | 4013364150416 | 50 | 0.102 | 0.1 | 85389099 | DE | 73 | 58 | 21 | MM |
| 776 | 380209 | 68276 | Clamping piece StSt 200kA f. Fl -30x4mm | w. square hole D 11mm | 01040102 | ST | 25.10 | EUR | 1 | KS 200 B11.11 FL30X4 V2A | 4013364158269 | 1 | 0.11 | 0.102 | 85389099 | DE | 70 | 55 | 25 | MM |
| 777 | 385202 | 33865 | Connecting sleeve ZDC f. Rd 7-10mm | with 4 screws M6x12mm | 01040101 | ST | 5.90 | EUR | 1 | VM 7.10 SKM6X12 ZG | 4013364068131 | 50 | 0.071 | 0.069 | 85389099 | DE | 75 | 25 | 18 | MM |
| 778 | 385203 | 33883 | Connecting sleeve ZDC f. Rd 8mm | with 4 screws M6x10mm | 01040101 | ST | 5.60 | EUR | 1 | VM 8 SKM6X10 ZG | 4013364035669 | 50 | 0.066 | 0.064 | 85389099 | DE | 75 | 22 | 14 | MM |
| 779 | 385207 | 17148 | Connecting sleeve Cu f. Rd 8mm | with 4 screws M6x8mm | 01040101 | ST | 9.80 | EUR | 1 | VM 8 SKM6X8 CU | 4013364049093 | 50 | 0.066 | 0.064 | 85389099 | DE | 75 | 20 | 13 | MM |
| 780 | 385213 | 40309 | Connecting sleeve Al f. Rd 8mm | with 4 screws M6x8mm | 01040101 | ST | 4.50 | EUR | 1 | VM 8 SKM6X8 AL | 4013364090873 | 50 | 0.04 | 0.038 | 85389099 | DE | 75 | 25 | 16 | MM |
| 781 | 385216 | 46456 | Connecting sleeve Al f. Rd 16/16mm | with 4 screws M8x12mm | 01040101 | ST | 15.10 | EUR | 1 | VM 16 SKM8X12 AL | 4013364100565 | 10 | 0.141 | 0.133 | 85389099 | DE | 90 | 40 | 28 | MM |
| 782 | 390050 | 45139 | MV clamp St/tZn f. Rd 8-10mm | with hexagon screw | 01040101 | ST | 3.50 | EUR | 1 | MVK 8.10 SKM10X30 STTZN | 4013364095991 | 50 | 0.101 | 0.099 | 85389099 | DE | 40 | 40 | 35 | MM |
| 783 | 390051 | 45107 | MV clamp Al f. Rd 8-10mm | with hexagon screw | 01040101 | ST | 3.90 | EUR | 1 | MVK 8.10 SKM10X30 AL | 4013364096219 | 50 | 0.057 | 0.055 | 85389099 | DE | 40 | 40 | 35 | MM |
| 784 | 390057 | 45131 | MV clamp Cu f. Rd 8mm | with hexagon screw | 01040101 | ST | 11.70 | EUR | 1 | MVK 8 SKM10X30 CU | 4013364096073 | 50 | 0.12 | 0.118 | 85389099 | DE | 40 | 40 | 35 | MM |
| 785 | 390059 | 45140 | MV clamp StSt f. Rd 8-10mm | with hexagon screw | 01040101 | ST | 8.10 | EUR | 1 | MVK 8.10 SKM10X30 V2A | 4013364096004 | 50 | 0.094 | 0.092 | 85389099 | DE | 40 | 40 | 35 | MM |
| 786 | 390060 | 45138 | MV clamp St/tZn f. Rd 8-10mm w. | truss head screw M10x35mm and nut | 01040101 | ST | 3.90 | EUR | 1 | MVK 8.10 FRM10X35 STTZN | 4013364096011 | 50 | 0.11 | 0.108 | 85389099 | DE | 40 | 40 | 40 | MM |
| 787 | 390061 | 45102 | MV clamp Al f. Rd 8-10mm | with truss head screw | 01040101 | ST | 6.10 | EUR | 1 | MVK 8.10 FRM10X35 AL | 4013364096196 | 50 | 0.069 | 0.067 | 85389099 | DE | 40 | 40 | 40 | MM |
| 788 | 390063 | 45137 | MV clamp St/tZn f. Rd 8-10mm w. | truss head screw M10x35mm a. nut V2A | 01040101 | ST | 6.90 | EUR | 1 | MVK 8.10 FRM10X35V2A STTZN | 4013364159396 | 50 | 0.105 | 0.103 | 85389099 | DE | 40 | 40 | 40 | MM |
| 789 | 390067 | 45132 | MV clamp Cu f. Rd 8mm | with truss head screw | 01040101 | ST | 12.10 | EUR | 1 | MVK 8 FRM10X35 CU | 4013364096080 | 50 | 0.124 | 0.122 | 85389099 | DE | 40 | 40 | 40 | MM |
| 790 | 390079 | 58229 | MV clamp StSt (V4A) f. Rd 8-10mm | with hexagon screw | 01040101 | ST | 11.20 | EUR | 1 | MVK 8.10 SKM10X35 V4A | 4013364128996 | 50 | 0.098 | 0.096 | 85389099 | DE | 40 | 40 | 35 | MM |
| 791 | 390110 | 48204 | Clamping frame Rd 6-10mm St/tZn | with borehole D 9mm | 01040102 | ST | 1.10 | EUR | 1 | KB 6.10 B9 STTZN | 4013364104921 | 100 | 0.019 | 0.018 | 85389099 | DE | 33 | 26 | 9 | MM |
| 792 | 390119 | 48206 | Clamping frame Rd 6-10mm StSt | with borehole D 9mm | 01040102 | ST | 1.70 | EUR | 1 | KB 6.10 B9 V2A | 4013364104945 | 100 | 0.019 | 0.018 | 85389099 | DE | 33 | 26 | 9 | MM |
| 793 | 390120 | 3010043 | Conductor holder DEHNQUICK StSt | with nail dowel 6x60mm for Rd 6-10mm | 01030102 | ST | 2.90 | EUR | 1 | LH DQ 6.10 NDK6X60 V2A | 4013364346901 | 50 | 0.014 | 0.012 | 85389099 | DE | 90 | 30 | 20 | MM |
| 794 | 390121 | 3010044 | Conductor holder DEHNQUICK St/tZn | with nail dowel 8x80mm für Rd 6-10mm | 01030102 | ST | 2.70 | EUR | 1 | LH DQ 6.10 NDBX80 STTZN | 4013364346918 | 50 | 0.022 | 0.02 | 85389099 | DE | 125 | 30 | 20 | MM |
| 795 | 390122 | 3010045 | Conductor holder DEHNQUICK StSt | with nail dowel 8x80mm for Rd 6-10mm | 01030102 | ST | 3.50 | EUR | 1 | LH DQ 6.10 NDBX80 V2A | 4013364346925 | 50 | 0.02 | 0.018 | 85389099 | DE | 125 | 30 | 20 | MM |
| 796 | 390150 | 34269 | Clamping frame Rd 6-10mm St/tZn | with truss head screw and M10 nut | 01040102 | ST | 2.70 | EUR | 1 | KB 6.10 FRM10X35 STTZN | 4013364032187 | 100 | 0.054 | 0.053 | 85389099 | DE | 40 | 33 | 28 | MM |
| 797 | 390157 | 14692 | Clamping frame Rd 6-10mm Cu | with truss head screw and M10 nut StSt | 01040102 | ST | 6.30 | EUR | 1 | KB 6.10 FRM10X35 CU | 4013364032194 | 1 | 0.054 | 0.053 | 85389099 | DE | 40 | 33 | 28 | MM |
| 798 | 390159 | 14694 | Clamping frame Rd 6-10mm StSt | with truss head screw and M10 nut | 01040102 | ST | 5.10 | EUR | 1 | KB 6.10 FRM10X35 V2A | 4013364032200 | 100 | 0.062 | 0.061 | 85389099 | DE | 40 | 33 | 28 | MM |
| 799 | 390209 | 68280 | MV clamp StSt 200kA f. Rd 8-10mm | w. hexagon screw | 01040101 | ST | 16.80 | EUR | 1 | MVK 200 8.10 SKM10X30 V2A | 4013364158245 | 1 | 0.104 | 0.104 | 85389099 | DE | 40 | 40 | 37 | MM |
| 800 | 390250 | 34270 | MMV clamp St/tZn f. Rd 6-8mm with | with truss head screw and nut | 01040101 | ST | 3.20 | EUR | 1 | MMVK 6.8 FRM10X35 STTZN | 4013364031791 | 50 | 0.076 | 0.074 | 85389099 | DE | 40 | 33 | 33 | MM |
| 801 | 390257 | 14564 | MMV clamp Cu f. Rd 6-8mm | with truss head screw and nut | 01040101 | ST | 9.00 | EUR | 1 | MMVK 6.8 FRM10X35 CU | 4013364031807 | 50 | 0.08 | 0.078 | 85389099 | DE | 40 | 33 | 33 | MM |
| 802 | 390259 | 14565 | MMV clamp StSt f. Rd 6-8mm | with truss head screw | 01040101 | ST | 7.50 | EUR | 1 | MMVK 6.8 FRM10X35 V2A | 4013364031814 | 50 | 0.073 | 0.071 | 85389099 | DE | 40 | 33 | 33 | MM |
| 803 | 390267 | 16767 | MMV clamp Cu-St/tZn f. Rd 6-8mm | with truss head screw and nut | 01040101 | ST | 9.10 | EUR | 1 | ZMMVK 6.8 FRM10X35 CU STTZN | 4013364034402 | 50 | 0.081 | 0.079 | 85389099 | DE | 40 | 35 | 33 | MM |
| 804 | 390479 | 16606 | End piece Z-shape with 2 square holes | D 11mm and 1 round hole D 13mm StSt | 01040102 | ST | 4.80 | EUR | 1 | ES ZF 2X11.11 1XB13 V2A | 4013364035324 | 50 | 0.076 | 0.074 | 85389099 | DE | 100 | 30 | 28 | MM |
| 805 | 390499 | 57648 | Z-shaped end piece with 1 hole each | D 10.5mm a. D 12.5mm StSt | 01040102 | ST | 4.50 | EUR | 1 | ES ZF 2XB18 V2A | 4013364127517 | 50 | 0.058 | 0.057 | 85389099 | DE | 70 | 30 | 28 | MM |
| 806 | 390550 | 45135 | MV clamp St/tZn f. Rd 8-10mm | with hexagon screw and spring washer | 01040101 | ST | 3.70 | EUR | 1 | MVK 8.10 SKM10X30 FSC STTZN | 4013364096042 | 50 | 0.103 | 0.101 | 85389099 | DE | 40 | 40 | 35 | MM |
| 807 | 390551 | 45106 | MV clamp Al f. Rd 8-10mm | with hexagon screw and spring washer | 01040101 | ST | 4.30 | EUR | 1 | MVK 8.10 SKM10X30 FSC AL | 4013364096202 | 50 | 0.06 | 0.058 | 85389099 | DE | 40 | 40 | 35 | MM |
| 808 | 390557 | 45129 | MV clamp Cu f. Rd 8mm | with hexagon screw and spring washer | 01040101 | ST | 12.00 | EUR | 1 | MVK 8 SKM10X30 FSC CU | 4013364096097 | 50 | 0.12 | 0.118 | 85389099 | DE | 40 | 40 | 35 | MM |
| 809 | 390559 | 45136 | MV clamp StSt f. Rd 8-10mm | with hexagon screw and spring washer | 01040101 | ST | 8.50 | EUR | 1 | MVK 8.10 SKM10X30 FSC V2A | 4013364096035 | 50 | 0.1 | 0.098 | 85389099 | DE | 40 | 40 | 35 | MM |
| 810 | 390565 | 3011447 | MMV clamp St bare f. Rd 3-10mm | with hexagon screw M8x30 mm St | 01040101 | ST | 2.90 | EUR | 1 | MMVK 3.5 8.10 SKM8X30 STBLANK | 4013364385313 | 50 | 0.052 | 0.05 | 85389099 | DE | 40 | 33 | 30 | MM |
| 811 | 390657 | 45104 | MV clamp Cu-Al f. Rd 8mm / Rd 8-10mm | with hexagon screw | 01040101 | ST | 10.80 | EUR | 1 | ZMMVK 8 8.10 SKM10X30 CU AL | 4013364096165 | 50 | 0.102 | 0.1 | 85389099 | DE | 40 | 40 | 35 | MM |
| 812 | 391050 | 39914 | MV clamp St/tZn f. Rd 10mm | with hexagon screw | 01040101 | ST | 3.60 | EUR | 1 | MVK 10 SKM10X35 STTZN | 4013364087064 | 50 | 0.103 | 0.101 | 85389099 | DE | 40 | 40 | 40 | MM |
| 813 | 391058 | 3006314 | MV clamp StSt (V4A) f. Rd 10mm | w. hexagon screw | 01040101 | ST | 11.20 | EUR | 1 | MVK 10 SKM10X35 V4A | 4013364293236 | 50 | 0.1 | 0.098 | 85389099 | DE | 40 | 40 | 40 | MM |
| 814 | 391059 | 39919 | MV clamp StSt f. Rd 10mm | with hexagon screw | 01040101 | ST | 8.10 | EUR | 1 | MVK 10 SKM10X35 V2A | 4013364087071 | 50 | 0.1 | 0.098 | 85389099 | DE | 40 | 40 | 40 | MM |
| 815 | 391060 | 39916 | MV clamp St/tZn f. Rd 10mm | with truss head screw | 01040101 | ST | 3.90 | EUR | 1 | MVK 10 FRM10X35 STTZN | 4013364088009 | 50 | 0.115 | 0.113 | 85389099 | DE | 40 | 40 | 40 | MM |
| 816 | 391066 | 3005986 | MV clamp StSt f. Rd 10mm | with truss head screw | 01040101 | ST | 12.50 | EUR | 1 | MVK 10 FRM10X35 V4A | 4013364288577 | 50 | 0.113 | 0.111 | 85389099 | DE | 40 | 40 | 40 | MM |
| 817 | 391068 | 3011591 | MV clamp StSt f. Rd 10mm | with truss head screw | 01040101 | ST | 12.90 | EUR | 1 | MVK 10 FRM10X45 V4A | 4013364385320 | 50 | 0.116 | 0.114 | 85389099 | DE | 50 | 40 | 40 | MM |
| 818 | 391069 | 39921 | MV clamp StSt f. Rd 10mm | with truss head screw | 01040101 | ST | 9.40 | EUR | 1 | MVK 10 FRM10X35 V2A | 4013364087095 | 50 | 0.108 | 0.106 | 85389099 | DE | 40 | 40 | 40 | MM |
| 819 | 391550 | 39915 | MV clamp St/tZn f. Rd 10mm | with hexagon screw and spring washer | 01040101 | ST | 3.90 | EUR | 1 | MVK 10 SKM10X35 FSC STTZN | 4013364088016 | 50 | 0.107 | 0.105 | 85389099 | DE | 40 | 40 | 40 | MM |
| 820 | 391559 | 39920 | MV clamp StSt f. Rd 10mm | with hexagong screw and spring washer | 01040101 | ST | 8.50 | EUR | 1 | MVK 10 SKM10X35 FSC V2A | 4013364087088 | 50 | 0.102 | 0.1 | 85389099 | DE | 40 | 40 | 40 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 821 | 392050 | 45133 | MV clamp St/tZn f. Rd 8-10/16mm | with hexagon screw and spring washer | 01040101 | ST | 4.30 | EUR | 1 | MVK 8.10 16 SKM10X40 FSC STTZN | 4013364096066 | 50 | 0.123 | 0.121 | 85389099 | DE | 48 | 45 | 44 | MM |
| 822 | 392059 | 45134 | MV clamp StSt f. Rd 8-10/16mm with | hexagon screw and spring washer | 01040101 | ST | 9.50 | EUR | 1 | MVK 8.10 16 SKM10X40 FSC V2A | 4013364096059 | 50 | 0.121 | 0.119 | 85389099 | DE | 48 | 45 | 44 | MM |
| 823 | 392060 | 45123 | MV clamp St/tZn f. Rd 8-10/16mm | with truss head screw and nut | 01040101 | ST | 4.70 | EUR | 1 | MVK 8.10 16 FRM10X40 STTZN | 4013364096141 | 50 | 0.132 | 0.13 | 85389099 | DE | 48 | 45 | 44 | MM |
| 824 | 392069 | 45124 | MV clamp StSt f. Rd 8-10/16mm | with truss head screw and nut | 01040101 | ST | 10.90 | EUR | 1 | MVK 8.10 16 FRM10X40 V2A | 4013364096158 | 50 | 0.128 | 0.126 | 85389099 | DE | 48 | 45 | 44 | MM |
| 825 | 392209 | 68274 | MV clamp StSt 200kA f. Rd 8-10/16mm | w. hexagon screw and spring washer | 01040101 | ST | 18.00 | EUR | 1 | MVK 200 8.10 16 SKM10X40 FSC V2A | 4013364158238 | 1 | 0.14 | 0.14 | 85389099 | DE | 50 | 45 | 40 | MM |
| 826 | 393069 | 43507 | MV clamp StSt f. Rd 16/16 mm with | truss head screw for DEHNiso | 01040101 | ST | 12.10 | EUR | 1 | MVK 16 16 FRM10X50 V2A | 4013364094079 | 50 | 0.152 | 0.15 | 85389099 | DE | 50 | 46 | 44 | MM |
| 827 | 405020 | 46598 | EB clamp for HVI Cond., St/tZn StSt | D 20mm, cross-sectional area 4-95 mm² | 01070101 | ST | 8.00 | EUR | 1 | PAK 20 AQ4 95 STTZN | 4013364098459 | 1 | 0.084 | 0.081 | 85389099 | DE | 70 | 38 | 20 | MM |
| 828 | 407012 | 12557 | Earthing pipe clamp D 21mm w. connect. | clamp Rd 4-10mm MCI / St/tZn | 01050102 | ST | 25.30 | EUR | 1 | ERS 21 AS4.10 TG STTZN | 4013364026100 | 10 | 0.442 | 0.432 | 85389099 | DE | 80 | 70 | 40 | MM |
| 829 | 407034 | 12559 | Earthing pipe clamp D 27mm w. connect. | clamp Rd 4-10mm MCI / St/tZn | 01050102 | ST | 25.50 | EUR | 1 | ERS 27 AS4.10 TG STTZN | 4013364026117 | 10 | 0.453 | 0.443 | 85389099 | DE | 83 | 70 | 40 | MM |
| 830 | 407100 | 12561 | Earthing pipe clamp D 34mm w. connect. | clamp Rd 4-10mm MCI / St/tZn | 01050102 | ST | 26.00 | EUR | 1 | ERS 34 AS4.10 TG STTZN | 4013364026124 | 10 | 0.467 | 0.457 | 85389099 | DE | 85 | 70 | 40 | MM |
| 831 | 407112 | 12565 | Earthing pipe clamp D 48mm w. connect. | clamp Rd 4-10mm MCI / St/tZn | 01050102 | ST | 28.30 | EUR | 1 | ERS 48 AS4.10 TG STTZN | 4013364026148 | 10 | 0.512 | 0.502 | 85389099 | DE | 95 | 80 | 40 | MM |
| 832 | 407114 | 12563 | Earthing pipe clamp D 42mm w. connect. | clamp Rd 4-10mm MCI / St/tZn | 01050102 | ST | 27.70 | EUR | 1 | ERS 42 AS4.10 TG STTZN | 4013364026131 | 10 | 0.49 | 0.48 | 85389099 | DE | 100 | 85 | 40 | MM |
| 833 | 407200 | 12569 | Earthing pipe clamp D 60mm w. connect. | clamp Rd 4-10mm MCI / St/tZn | 01050102 | ST | 31.50 | EUR | 1 | ERS 60 AS4.10 TG STTZN | 4013364026162 | 1 | 0.568 | 0.556 | 85389099 | DE | 113 | 95 | 40 | MM |
| 834 | 410003 | 13615 | Earthing cable 10mm² / L 0.3m black | w. two open cable lugs (B) M8/M10 | 03070101 | ST | 34.60 | EUR | 1 | EL10 L0.35M 2KSO 8.10 | 4013364028722 | 1 | 0.105 | 0.105 | 85389099 | DE | 0 | 0 | 0 | |
| 835 | 410005 | 13614 | Earthing cable 10mm² / L 0.5m black | w. two open cable lugs (B) M8/M10 | 03070101 | ST | 38.30 | EUR | 1 | EL10 L0.55M 2KSO 8.10 | 4013364028715 | 1 | 0.12 | 0.12 | 85389099 | DE | 0 | 0 | 0 | |
| 836 | 410006 | 13613 | Earthing cable 10mm² / L 0.6m black | w. two open cable lugs (B) M8/M10 | 03070101 | ST | 39.80 | EUR | 1 | EL10 L0.65M 2KSO 8.10 | 4013364028708 | 1 | 0.14 | 0.14 | 85389099 | DE | 0 | 0 | 0 | |
| 837 | 410010 | 13612 | Earthing cable 10mm² / L 1.0m black | w. two open cable lugs (B) M8/M10 | 03070101 | ST | 46.40 | EUR | 1 | EL10 L1.05M 2KSO 8.10 | 4013364028692 | 1 | 0.19 | 0.19 | 85389099 | DE | 0 | 0 | 0 | |
| 838 | 410012 | 12597 | Earthing pipe clamp D 21mm | with bore D 11mm St/tZn | 01050102 | ST | 6.10 | EUR | 1 | ERS 21 AB11 STTZN | 4013364026186 | 25 | 0.238 | 0.234 | 85389099 | DE | 115 | 40 | 25 | MM |
| 839 | 410015 | 13611 | Earthing cable 10mm² / L 1.5m black | w. two open cable lugs (B) M8/M10 | 03070101 | ST | 66.90 | EUR | 1 | EL10 L1.55M 2KSO 8.10 | 4013364028685 | 1 | 0.248 | 0.248 | 85389099 | DE | 0 | 0 | 0 | |
| 840 | 410020 | 13610 | Earthing cable 10mm² / L 2.0m black | w. two open cable lugs (B) M8/M10 | 03070101 | ST | 75.00 | EUR | 1 | EL10 L2.05M 2KSO 8.10 | 4013364028678 | 1 | 0.3 | 0.3 | 85389099 | DE | 0 | 0 | 0 | |
| 841 | 410025 | 13609 | Earthing cable 10mm² / L 2.5m black | w. two open cable lugs (B) M8/M10 | 03070101 | ST | 85.30 | EUR | 1 | EL10 L2.55M 2KSO 8.10 | 4013364028661 | 1 | 0.37 | 0.37 | 85389099 | DE | 0 | 0 | 0 | |
| 842 | 410030 | 13608 | Earthing cable 10mm² / L 3.0m black | w. two open cable lugs (B) M8/M10 | 03070101 | ST | 94.10 | EUR | 1 | EL10 L3.05M 2KSO 8.10 | 4013364028654 | 1 | 0.438 | 0.438 | 85389099 | DE | 0 | 0 | 0 | |
| 843 | 410034 | 12619 | Earthing pipe clamp D 26.9mm St/tZn | with hole D 11mm | 01050102 | ST | 6.60 | EUR | 1 | ERS 27 AB11 STTZN | 4013364026247 | 25 | 0.235 | 0.231 | 85389099 | DE | 115 | 40 | 30 | MM |
| 844 | 410035 | 13607 | Earthing cable 10mm² / L 3.5m black | w. two open cable lugs (B) M8/M10 | 03070101 | ST | 105.90 | EUR | 1 | EL10 L3.55M 2KSO 8.10 | 4013364028647 | 1 | 0.49 | 0.49 | 85389099 | DE | 0 | 0 | 0 | |
| 845 | 410038 | 12615 | Earthing pipe clamp D 17mm | with bore D 11mm St/tZn | 01050102 | ST | 5.80 | EUR | 1 | ERS 17 AB11 STTZN | 4013364026223 | 25 | 0.215 | 0.211 | 85389099 | DE | 110 | 40 | 28 | MM |
| 846 | 410040 | 13606 | Earthing cable 10mm² / L 4.0m black | w. two open cable lugs (B) M8/M10 | 03070101 | ST | 119.00 | EUR | 1 | EL10 L4.05M 2KSO 8.10 | 4013364028630 | 1 | 0.55 | 0.55 | 85389099 | DE | 0 | 0 | 0 | |
| 847 | 410050 | 13605 | Earthing cable 10mm² / L 5.0m black | w. two open cable lugs (B) M8/M10 | 03070101 | ST | 136.00 | EUR | 1 | EL10 L5.05M 2KSO 8.10 | 4013364028623 | 1 | 0.68 | 0.68 | 85389099 | DE | 0 | 0 | 0 | |
| 848 | 410060 | 13604 | Earthing cable 10mm² / L 6.0m black | w. two open cable lugs (B) M8/M10 | 03070101 | ST | 151.40 | EUR | 1 | EL10 L6.05M 2KSO 8.10 | 4013364028616 | 1 | 0.8 | 0.8 | 85389099 | DE | 0 | 0 | 0 | |
| 849 | 410070 | 13603 | Earthing cable 10mm² / L 7.0m black | w. two open cable lugs (B) M8/M10 | 03070101 | ST | 172.60 | EUR | 1 | EL10 L7.05M 2KSO 8.10 | 4013364028609 | 1 | 0.92 | 0.92 | 85389099 | DE | 0 | 0 | 0 | |
| 850 | 410099 | 13602 | Earthing cable 10mm² / L 10.0m black | w. two open cable lugs (B) M8/M10 | 03070101 | ST | 234.60 | EUR | 1 | EL10 L10.0M 2KSO 8.10 | 4013364028593 | 1 | 1.27 | 1.27 | 85389099 | DE | 0 | 0 | 0 | |
| 851 | 410100 | 12621 | Earthing pipe clamp D 34mm | with bore D 11mm St/tZn | 01050102 | ST | 6.60 | EUR | 1 | ERS 34 AB11 STTZN | 4013364026254 | 25 | 0.251 | 0.246 | 85389099 | DE | 124 | 40 | 40 | MM |
| 852 | 410112 | 12625 | Earthing pipe clamp D 48mm | with bore D 11mm St/tZn | 01050102 | ST | 7.10 | EUR | 1 | ERS 48 AB11 STTZN | 4013364026278 | 25 | 0.302 | 0.296 | 85389099 | DE | 141 | 53 | 40 | MM |
| 853 | 410114 | 12623 | Earthing pipe clamp D 42mm | with bore D 11mm St/tZn | 01050102 | ST | 6.90 | EUR | 1 | ERS 42 AB11 STTZN | 4013364026261 | 25 | 0.281 | 0.276 | 85389099 | DE | 133 | 48 | 40 | MM |
| 854 | 410134 | 12627 | Earthing pipe clamp D 54.5mm St/tZn | with hole D 11mm | 01050102 | ST | 7.80 | EUR | 1 | ERS 55 AB11 STTZN | 4013364026285 | 1 | 0.318 | 0.312 | 85389099 | DE | 145 | 60 | 40 | MM |
| 855 | 410140 | 13601 | Earthing cable 10mm² / L 14.0m black | w. two open cable lugs (B) M8/M10 | 03070101 | ST | 321.00 | EUR | 1 | EL10 L14.0M 2KSO 8.10 | 4013364028586 | 1 | 1.78 | 1.78 | 85389099 | DE | 0 | 0 | 0 | |
| 856 | 410150 | 13600 | Earthing cable 10mm² / L 15.0m black | w. two open cable lugs (B) M8/M10 | 03070101 | ST | 346.20 | EUR | 1 | EL10 L15.0M 2KSO 8.10 | 4013364028579 | 1 | 1.87 | 1.87 | 85389099 | DE | 0 | 0 | 0 | |
| 857 | 410199 | 13599 | Earthing cable 10mm² / L 20.0m black | w. two open cable lugs (B) M8/M10 | 03070101 | ST | 450.00 | EUR | 1 | EL10 L20.0M 2KSO 8.10 | 4013364028562 | 1 | 2.48 | 2.48 | 85389099 | DE | 0 | 0 | 0 | |
| 858 | 410200 | 12629 | Earthing pipe clamp D 60mm | with bore D 11mm St/tZn | 01050102 | ST | 8.00 | EUR | 1 | ERS 60 AB11 STTZN | 4013364026292 | 25 | 0.33 | 0.324 | 85389099 | DE | 151 | 65 | 40 | MM |
| 859 | 410212 | 12631 | Earthing pipe clamp D 76mm | with bore D 11mm St/tZn | 01050102 | ST | 8.50 | EUR | 1 | ERS 76 AB11 STTZN | 4013364026308 | 1 | 0.41 | 0.402 | 85389099 | DE | 169 | 80 | 40 | MM |
| 860 | 410219 | 54257 | EB terminal element StSt | f. HVI light Conductor D 20mm grey | 01070102 | ST | 27.50 | EUR | 1 | PAE 17 20 AB11 V2A | 4013364118829 | 1 | 0.074 | 0.074 | 85389099 | DE | 49 | 46 | 27 | MM |
| 861 | 410229 | 49422 | EB terminal element StSt | f. HVI long Conductor D 20/23mm | 01070101 | ST | 29.10 | EUR | 1 | PAE 20 23 AB11 V2A | 4013364107731 | 1 | 0.072 | 0.072 | 85389099 | DE | 49 | 49 | 27 | MM |
| 862 | 410239 | 67468 | EB connecting element StSt | for HVI power Conductor D 27mm | 01070101 | ST | 34.20 | EUR | 1 | PAE 27 AB11 V2A | 4013364152465 | 1 | 0.08 | 0.08 | 85389099 | DE | 56 | 50 | 36 | MM |
| 863 | 410299 | 13598 | Earthing cable 10mm² / L 30.0m black | w. two open cable lugs (B) M8/M10 | 03070101 | ST | 653.50 | EUR | 1 | EL10 L30.0M 2KSO 8.10 | 4013364028555 | 1 | 3.66 | 3.66 | 85389099 | DE | 0 | 0 | 0 | |
| 864 | 410300 | 12633 | Earthing cable 10mm² / L 0.3m black | with bore D 11mm St/tZn | 01050102 | ST | 9.00 | EUR | 1 | ERS 89 AB11 STTZN | 4013364026315 | 1 | 0.426 | 0.416 | 85389099 | DE | 183 | 93 | 40 | MM |
| 865 | 410309 | 38769 | Earthing pipe clamp D 17mm | with bore D 11mm StSt | 01050102 | ST | 10.00 | EUR | 1 | ERS 17 AB11 V2A | 4013364081451 | 1 | 0.184 | 0.18 | 85389099 | DE | 110 | 40 | 25 | MM |
| 866 | 410319 | 38770 | Earthing pipe clamp D 21mm | with bore D 11mm StSt | 01050102 | ST | 10.40 | EUR | 1 | ERS 21 AB11 V2A | 4013364081505 | 25 | 0.192 | 0.188 | 85389099 | DE | 115 | 40 | 28 | MM |
| 867 | 410329 | 38771 | Earthing pipe clamp D 27mm | with bore D 11mm StSt | 01050102 | ST | 10.80 | EUR | 1 | ERS 27 AB11 V2A | 4013364081512 | 25 | 0.196 | 0.192 | 85389099 | DE | 116 | 40 | 30 | MM |
| 868 | 410339 | 38772 | Earthing pipe clamp D 34mm | with bore D 11mm StSt | 01050102 | ST | 11.50 | EUR | 1 | ERS 34 AB11 V2A | 4013364081550 | 25 | 0.211 | 0.206 | 85389099 | DE | 124 | 40 | 40 | MM |
| 869 | 410349 | 38773 | Earthing pipe clamp D 42mm | with bore D 11mm StSt | 01050102 | ST | 12.60 | EUR | 1 | ERS 42 AB11 V2A | 4013364081604 | 1 | 0.237 | 0.232 | 85389099 | DE | 133 | 48 | 40 | MM |
| 870 | 410359 | 38774 | Earthing pipe clamp D 48mm | with bore D 11mm StSt | 01050102 | ST | 12.90 | EUR | 1 | ERS 48 AB11 V2A | 4013364081468 | 1 | 0.254 | 0.248 | 85389099 | DE | 141 | 53 | 40 | MM |
| 871 | 410369 | 38775 | Earthing pipe clamp D 54.5mm | with bore D 11mm StSt | 01050102 | ST | 13.60 | EUR | 1 | ERS 55 AB11 V2A | 4013364081529 | 25 | 0.266 | 0.26 | 85389099 | DE | 145 | 60 | 40 | MM |
| 872 | 410379 | 38776 | Earthing pipe clamp D 60mm | with bore D 11mm StSt | 01050102 | ST | 14.30 | EUR | 1 | ERS 60 AB11 V2A | 4013364081475 | 1 | 0.278 | 0.272 | 85389099 | DE | 151 | 65 | 40 | MM |
| 873 | 410389 | 38777 | Earthing pipe clamp D 76mm | with bore D 11mm | 01050102 | ST | 15.90 | EUR | 1 | ERS 76 AB11 V2A | 4013364081482 | 1 | 0.323 | 0.315 | 85389099 | DE | 169 | 80 | 40 | MM |
| 874 | 410399 | 38778 | Earthing pipe clamp D 89mm | with bore D 11mm | 01050102 | ST | 18.00 | EUR | 1 | ERS 89 AB11 V2A | 4013364081499 | 1 | 0.37 | 0.36 | 85389099 | DE | 183 | 93 | 40 | MM |
| 875 | 410401 | 13668 | Earthing cable 10mm² / L 0.15m black | w. 1 open cable lug (C) M8 a.(B) M8/M10 | 03070101 | ST | 33.90 | EUR | 1 | EL10 L0.20M 1KSO 8.10 1KSG 8 | 4013364029200 | 1 | 0.09 | 0.09 | 85389099 | DE | 0 | 0 | 0 | |
| 876 | 410403 | 13667 | Earthing cable 10mm² / L 0.3m black | w. 1 open cable lug (C) M8 a.(B) M8/M10 | 03070101 | ST | 33.90 | EUR | 1 | EL10 L0.35M 1KSO 8.10 1KSG 8 | 4013364029194 | 1 | 0.109 | 0.109 | 85389099 | DE | 0 | 0 | 0 | |
| 877 | 410404 | 13666 | Earthing cable 10mm² / L 0.4m black | w. 1 open cable lug (C) M8 a.(B) M8/M10 | 03070101 | ST | 36.10 | EUR | 1 | EL10 L0.45M 1KSO 8.10 1KSG 8 | 4013364029187 | 1 | 0.122 | 0.122 | 85389099 | DE | 0 | 0 | 0 | |
| 878 | 410405 | 13674 | Earthing cable 10mm² / L 0.5m black | w. 1 open cable lug (D) M10 a.(B) M8/M10 | 03070101 | ST | 38.40 | EUR | 1 | EL10 L0.55M 1KSO 8.10 1KSG 10 | 4013364029262 | 1 | 0.14 | 0.14 | 85389099 | DE | 0 | 0 | 0 | |
| 879 | 410406 | 13664 | Earthing cable 10mm² / L 0.6m black | w. 1 open cable lug (C) M8 a.(B) M8/M10 | 03070101 | ST | 40.50 | EUR | 1 | EL10 L0.65M 1KSO 8.10 1KSG 8 | 4013364029163 | 1 | 0.147 | 0.147 | 85389099 | DE | 0 | 0 | 0 | |
| 880 | 410407 | 13673 | Earthing cable 10mm² / L 0.6m black | w. 1 open cable lug (D) M10 a.(B) M8/M10 | 03070101 | ST | 40.20 | EUR | 1 | EL10 L0.65M 1KSO 8.10 1KSG 10 | 4013364029255 | 1 | 0.145 | 0.145 | 85389099 | DE | 0 | 0 | 0 | |
| 881 | 410410 | 13672 | Earthing cable 10mm² / L 1.0m black | w. 1 open cable lug (D) M10 a.(B) M8/M10 | 03070101 | ST | 46.80 | EUR | 1 | EL10 L1.05M 1KSO 8.10 1KSG 10 | 4013364029248 | 1 | 0.2 | 0.2 | 85389099 | DE | 0 | 0 | 0 | |
| 882 | 410411 | 13663 | Earthing cable 10mm² / L 1.0m black | w. 1 open cable lug (C) M8 a.(B) M8/M10 | 03070101 | ST | 46.80 | EUR | 1 | EL10 L1.05M 1KSO 8.10 1KSG 8 | 4013364029156 | 1 | 0.197 | 0.197 | 85389099 | DE | 0 | 0 | 0 | |
| 883 | 410413 | 13675 | Earthing cable 10mm² / L 0.3m black | w. 1 open cable lug (D) M10 a.(B) M8/M10 | 03070101 | ST | 33.90 | EUR | 1 | EL10 L0.35M 1KSO 8.10 1KSG 10 | 4013364029279 | 1 | 0.11 | 0.11 | 85389099 | DE | 0 | 0 | 0 | |
| 884 | 410415 | 13662 | Earthing cable 10mm² / L 1.5m black | w. 1 open cable lug (C) M8 a.(B) M8/M10 | 03070101 | ST | 66.90 | EUR | 1 | EL10 L1.55M 1KSO 8.10 1KSG 8 | 4013364029149 | 1 | 0.261 | 0.261 | 85389099 | DE | 0 | 0 | 0 | |
| 885 | 410416 | 13671 | Earthing cable 10mm² / L 1.5m black | w. 1 open cable lug (D) M10 a.(B) M8/M10 | 03070101 | ST | 66.90 | EUR | 1 | EL10 L1.55M 1KSO 8.10 1KSG 10 | 4013364029231 | 1 | 0.25 | 0.25 | 85389099 | DE | 0 | 0 | 0 | |
| 886 | 410420 | 13661 | Earthing cable 10mm² / L 2.0m black | w. 1 open cable lug (C) M8 a.(B) M8/M10 | 03070101 | ST | 74.40 | EUR | 1 | EL10 L2.05M 1KSO 8.10 1KSG 8 | 4013364029132 | 1 | 0.32 | 0.32 | 85389099 | DE | 0 | 0 | 0 | |
| 887 | 410421 | 13670 | Earthing cable 10mm² / L 2.0m black | w. 1 open cable lug (D) M10 a.(B) M8/M10 | 03070101 | ST | 74.40 | EUR | 1 | EL10 L2.05M 1KSO 8.10 1KSG 10 | 4013364029224 | 1 | 0.32 | 0.32 | 85389099 | DE | 0 | 0 | 0 | |
| 888 | 410425 | 13660 | Earth conductor 10mm² / L 2.5m black | w. 1 open cable lug (C) M8 a.(B) M8/M10 | 03070101 | ST | 83.10 | EUR | 1 | EL10 L2.55M 1KSO 8.10 1KSG 8 | 4013364029125 | 1 | 0.385 | 0.385 | 85389099 | DE | 0 | 0 | 0 | |
| 889 | 410426 | 13669 | Earthing cable 10mm² / L 2.5m black | with 1 open cable lug (D) M10 | 03070101 | ST | 83.80 | EUR | 1 | EL10 L2.55M 1KSO 8.10 1KSG 10 | 4013364029217 | 1 | 0.37 | 0.37 | 85389099 | DE | 0 | 0 | 0 | |
| 890 | 410430 | 13659 | Earth conductor 10mm² / L 3.0m black | w. 1 open cable lug (C) M8 a.(B) M8/M10 | 03070101 | ST | 91.30 | EUR | 1 | EL10 L3.05M 1KSO 8.10 1KSG 8 | 4013364029118 | 1 | 0.445 | 0.445 | 85389099 | DE | 0 | 0 | 0 | |
| 891 | 410431 | 13742 | Earthing cable 10mm² / L 3.0m black | w. 1 cable lug (D) M10 a.(B) M8/M10 | 03070101 | ST | 91.30 | EUR | 1 | EL10 L3.05M 1KSO 8.10 1KSG 10 | 4013364029590 | 1 | 0.43 | 0.43 | 85389099 | DE | 0 | 0 | 0 | |
| 892 | 410450 | 13665 | Earthing cable 10mm² / L 0.5m black | w. 1 open cable lug (C) M8 a.(B) M8/M10 | 03070101 | ST | 38.30 | EUR | 1 | EL10 L0.55M 1KSO 8.10 1KSG 8 | 4013364029170 | 1 | 0.135 | 0.135 | 85389099 | DE | 0 | 0 | 0 | |
| 893 | 410503 | 13710 | Earthing cable 10mm² / L 0.3m black w. | 1 open cable lug (C) M8 a.(A) M5/M6 | 03070101 | ST | 33.90 | EUR | 1 | EL10 L0.35M 1KSO 5.6 1KSG 8 | 4013364029408 | 1 | 0.1 | 0.1 | 85389099 | DE | 0 | 0 | 0 | |
| 894 | 410506 | 13711 | Earth conductor 10mm² / L 0.6m black | w. 1 open cable lug (C) M8 a.(A) M5/M6 | 03070101 | ST | 38.30 | EUR | 1 | EL10 L0.65M 1KSO 5.6 1KSG 8 | 4013364029415 | 1 | 0.116 | 0.116 | 85389099 | DE | 0 | 0 | 0 | |
| 895 | 410510 | 13712 | Earthing cable 10mm² / L 1.0m black w. | 1 open cable lug (C) M8 a. (A) M5/M6 | 03070101 | ST | 47.10 | EUR | 1 | EL10 L1.05M 1KSO 5.6 1KSG 8 | 4013364029422 | 1 | 0.185 | 0.185 | 85389099 | DE | 0 | 0 | 0 | |
| 896 | 410515 | 13713 | Earthing cable 10mm² / L 1.5m black w. | 1 open cable lug (C) M8 a.(A) M5/M6 | 03070101 | ST | 65.50 | EUR | 1 | EL10 L1.55M 1KSO 5.6 1KSG 8 | 4013364029439 | 1 | 0.25 | 0.25 | 85389099 | DE | 0 | 0 | 0 | |
| 897 | 410520 | 13714 | Earthing cable 10mm² / L 2.0m black w. | 1 open cable lug (C) M8 a.(A) M5/M6 | 03070101 | ST | 75.00 | EUR | 1 | EL10 L2.05M 1KSO 5.6 1KSG 8 | 4013364029446 | 1 | 0.3 | 0.3 | 85389099 | DE | 0 | 0 | 0 | |
| 898 | 410525 | 13715 | Earthing cable 10mm² / L 2.5m black w. | 1 open cable lug (C) M8 a.(A) M5/M6 | 03070101 | ST | 80.80 | EUR | 1 | EL10 L2.55M 1KSO 5.6 1KSG 8 | 4013364029453 | 1 | 0.365 | 0.365 | 85389099 | DE | 0 | 0 | 0 | |
| 899 | 410530 | 13716 | Earthing cable 10mm² / L 3.0m black w. | 1 open cable lug (C) M8 a.(A) M5/M6 | 03070101 | ST | 89.80 | EUR | 1 | EL10 L3.05M 1KSO 5.6 1KSG 8 | 4013364029460 | 1 | 0.425 | 0.425 | 85389099 | DE | 0 | 0 | 0 | |
| 900 | 410603 | 13703 | Earthing cable 10mm² / L 0.35m black | Cable lug 2x open, 1x M8/M10, 1x M5/M6 | 03070101 | ST | 34.60 | EUR | 1 | EL10 L0.35M 1KSO 8.10 1KSO 5.6 | 4013364029330 | 1 | 0.1 | 0.1 | 85389099 | DE | 0 | 0 | 0 | |
| 901 | 410605 | 13704 | Earthing cable 10mm² / L 0.5m black w. | 1 open cable lug (B) M8/10 a. (A) M5/6 | 03070101 | ST | 38.30 | EUR | 1 | EL10 L0.55M 1KSO 8.10 1KSO 5.6 | 4013364029347 | 1 | 0.12 | 0.12 | 85389099 | DE | 0 | 0 | 0 | |
| 902 | 410606 | 13721 | Earthing cable 10mm² / L 0.6m black w. | 1 cable lug (B)M8/10 a. 1 pin cable lug | 03070101 | ST | 36.10 | EUR | 1 | EL10 L0.65M 1KSG 8 1SKS 10 | 4013364029491 | 1 | 0.114 | 0.114 | 85389099 | DE | 0 | 0 | 0 | |
| 903 | 410610 | 13705 | Earthing cable 10mm² / L 1.0m black w. | 1 cable lug (B) M8/M10 a. (A) M5/M6 | 03070101 | ST | 47.10 | EUR | 1 | EL10 L1.05M 1KSO 8.10 1KSO 5.6 | 4013364029354 | 1 | 0.185 | 0.185 | 85389099 | DE | 0 | 0 | 0 | |
| 904 | 410615 | 13706 | Earth conductor 10mm² / L 1.5m black w. | 1 cable lug (B) M8/M10 a. (A) M5/M6 | 03070101 | ST | 66.90 | EUR | 1 | EL10 L1.55M 1KSO 8.10 1KSO 5.6 | 4013364029361 | 1 | 0.24 | 0.24 | 85389099 | DE | 0 | 0 | 0 | |
| 905 | 410620 | 13707 | Earthing cable 10mm² / L 2.0m black | w. 1 cable lug (B) M8/10 a. (A) M5/6 | 03070101 | ST | 75.00 | EUR | 1 | EL10 L2.05M 1KSO 8.10 1KSO 5.6 | 4013364029378 | 1 | 0.305 | 0.305 | 85389099 | DE | 0 | 0 | 0 | |
| 906 | 410625 | 13708 | Earthing cable 10mm² / L 2.5m black w. | 1 cable lug (B)M8/M10 a. (A)M5/M6 | 03070101 | ST | 83.80 | EUR | 1 | EL10 L2.55M 1KSO 8.10 1KSO 5.6 | 4013364029385 | 1 | 0.365 | 0.365 | 85389099 | DE | 0 | 0 | 0 | |
| 907 | 410630 | 13709 | Earthing cable 10mm² / L 3.0m black w. | 1 cable lug (B)M8/M10 a. (A)M5/M6 | 03070101 | ST | 91.80 | EUR | 1 | EL10 L3.05M 1KSO 8.10 1KSO 5.6 | 4013364029392 | 1 | 0.43 | 0.43 | 85389099 | DE | 0 | 0 | 0 | |
| 908 | 410720 | 14766 | Earthing cable 10mm² / L 2.0m black w. | 1 cable lug (B)M8/M10, 1 pin cable lug | 03070101 | ST | 70.60 | EUR | 1 | EL10 L2.05M 1KSO 8.10 1SKS 10 | 4013364032415 | 1 | 0.292 | 0.292 | 85389099 | DE | 0 | 0 | 0 | |
| 909 | 410903 | 13651 | Earth conductor 10mm² / L 0.3m black | w. 2 closed cable lugs (D) M10 | 03070101 | ST | 33.90 | EUR | 1 | EL10 L0.35M 2KSG 10 | 4013364029033 | 1 | 0.11 | 0.11 | 85389099 | DE | 0 | 0 | 0 | |
| 910 | 410905 | 13652 | Earth conductor 10mm² / L 0.5m black | w. 2 closed cable lugs (D) M10 | 03070101 | ST | 39.00 | EUR | 1 | EL10 L0.55M 2KSG 10 | 4013364029040 | 1 | 0.14 | 0.14 | 85389099 | DE | 0 | 0 | 0 | |
| 911 | 410906 | 13653 | Earth conductor 10mm² / L 0.6m black | w. 2 closed cable lugs (D) M10 | 03070101 | ST | 40.50 | EUR | 1 | EL10 L0.65M 2KSG 10 | 4013364029057 | 1 | 0.14 | 0.14 | 85389099 | DE | 0 | 0 | 0 | |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 912 | 410910 | 13654 | Earth conductor 10mm² / L 1.0m black | w. 2 closed cable lugs (D) M10 | 03070101 | ST | 46.40 | EUR | 1 | EL10 L1.05M 2KSG 10 | 4013364029064 | 1 | 0.2 | 0.2 | 85389099 | DE | 0 | 0 | 0 | |
| 913 | 410915 | 13655 | Earth conductor 10mm² / L 1.5m black | w. 2 closed cable lugs (D) M10 | 03070101 | ST | 66.30 | EUR | 1 | EL10 L1.55M 2KSG 10 | 4013364029071 | 1 | 0.26 | 0.26 | 85389099 | DE | 0 | 0 | 0 | |
| 914 | 410920 | 13656 | Earth conductor 10mm² / L 2.0m black | w. 2 closed cable lugs (D) M10 | 03070101 | ST | 74.40 | EUR | 1 | EL10 L2.05M 2KSG 10 | 4013364029088 | 1 | 0.32 | 0.32 | 85389099 | DE | 0 | 0 | 0 | |
| 915 | 410925 | 13657 | Earth conductor 10mm² / L 2.5m black | w. 2 closed cable lugs (D) M10 | 03070101 | ST | 83.10 | EUR | 1 | EL10 L2.55M 2KSG 10 | 4013364029095 | 1 | 0.38 | 0.38 | 85389099 | DE | 0 | 0 | 0 | |
| 916 | 410930 | 13658 | Earth conductor 10mm² / L 3.0m black | w. 2 closed cable lugs (D) M10 | 03070101 | ST | 91.30 | EUR | 1 | EL10 L3.05M 2KSG 10 | 4013364029101 | 1 | 0.44 | 0.44 | 85389099 | DE | 0 | 0 | 0 | |
| 917 | 416003 | 13637 | Earth conductor 16mm² / L 0.3m black | w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 36.10 | EUR | 1 | EL16 L0.35M 2KSO 8.10 | 4013364028937 | 1 | 0.126 | 0.126 | 85389099 | DE | 0 | 0 | 0 | |
| 918 | 416005 | 13636 | Earth conductor 16mm² / L 0.5m black | w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 41.10 | EUR | 1 | EL16 L0.55M 2KSO 8.10 | 4013364028920 | 1 | 0.165 | 0.165 | 85389099 | DE | 0 | 0 | 0 | |
| 919 | 416006 | 13635 | Earth conductor 16mm² / L 0.6m black | w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 42.70 | EUR | 1 | EL16 L0.65M 2KSO 8.10 | 4013364028913 | 1 | 0.184 | 0.184 | 85389099 | DE | 0 | 0 | 0 | |
| 920 | 416010 | 13634 | Earthing cable 16mm² / L 1.0m black | w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 55.20 | EUR | 1 | EL16 L1.05M 2KSO 8.10 | 4013364028906 | 1 | 0.262 | 0.262 | 85389099 | DE | 0 | 0 | 0 | |
| 921 | 416015 | 13633 | Earthing cable 16mm² / L 1.5m black | w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 77.20 | EUR | 1 | EL16 L1.55M 2KSO 8.10 | 4013364028890 | 1 | 0.36 | 0.36 | 85389099 | DE | 0 | 0 | 0 | |
| 922 | 416016 | 13720 | Earthing cable 16mm² / L 1.5m black w. | 1 cable lug (B) M8/M10, 1 pin cable lug | 03070101 | ST | 72.10 | EUR | 1 | EL16 L1.55M 1KSO 8.10 1SKS 16 | 4013364029484 | 1 | 0.34 | 0.34 | 85389099 | DE | 0 | 0 | 0 | |
| 923 | 416020 | 13632 | Earthing cable 16mm² / L 2.0m black | w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 88.20 | EUR | 1 | EL16 L2.05M 2KSO 8.10 | 4013364028883 | 1 | 0.461 | 0.461 | 85389099 | DE | 0 | 0 | 0 | |
| 924 | 416025 | 13631 | Earthing cable 16mm² / L 2.5m black | w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 99.90 | EUR | 1 | EL16 L2.55M 2KSO 8.10 | 4013364028876 | 1 | 0.545 | 0.545 | 85389099 | DE | 0 | 0 | 0 | |
| 925 | 416030 | 13630 | Earthing cable 16mm² / L 3.0m black | w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 111.80 | EUR | 1 | EL16 L3.05M 2KSO 8.10 | 4013364028869 | 1 | 0.65 | 0.65 | 85389099 | DE | 0 | 0 | 0 | |
| 926 | 416035 | 13629 | Earthing cable 16mm² / L 3.5m black | w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 122.70 | EUR | 1 | EL16 L3.55M 2KSO 8.10 | 4013364028852 | 1 | 0.748 | 0.748 | 85389099 | DE | 0 | 0 | 0 | |
| 927 | 416040 | 13628 | Earthing cable 16mm² / L 4.0m black | w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 135.10 | EUR | 1 | EL16 L4.05M 2KSO 8.10 | 4013364028845 | 1 | 0.83 | 0.83 | 85389099 | DE | 0 | 0 | 0 | |
| 928 | 416050 | 13627 | Earthing cable 16mm² / L 5.0m black | w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 156.50 | EUR | 1 | EL16 L5.05M 2KSO 8.10 | 4013364028838 | 1 | 1.04 | 1.04 | 85389099 | DE | 0 | 0 | 0 | |
| 929 | 416060 | 13626 | Earthing cable 16mm² / L 6.0m black | w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 176.30 | EUR | 1 | EL16 L6.05M 2KSO 8.10 | 4013364028821 | 1 | 1.24 | 1.24 | 85389099 | DE | 0 | 0 | 0 | |
| 930 | 416070 | 13625 | Earthing cable 16mm² / L 7.0m black | w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 203.50 | EUR | 1 | EL16 L7.05M 2KSO 8.10 | 4013364028814 | 1 | 1.44 | 1.44 | 85389099 | DE | 0 | 0 | 0 | |
| 931 | 416080 | 13624 | Earthing cable 16mm² / L 8.0m black | w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 226.60 | EUR | 1 | EL16 L8.05M 2KSO 8.10 | 4013364028807 | 1 | 1.6 | 1.6 | 85389099 | DE | 0 | 0 | 0 | |
| 932 | 416100 | 13623 | Earthing cable 16mm² / L 10.0m black | w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 273.80 | EUR | 1 | EL16 L10.05M 2KSO 8.10 | 4013364042933 | 1 | 2.01 | 2.01 | 85389099 | DE | 0 | 0 | 0 | |
| 933 | 416120 | 13622 | Earthing cable 16mm² / L 12.0m black | w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 307.40 | EUR | 1 | EL16 L12.05M 2KSO 8.10 | 4013364028791 | 1 | 2.43 | 2.43 | 85389099 | DE | 0 | 0 | 0 | |
| 934 | 416140 | 13621 | Earthing cable 16mm² / L 14.0m black | w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 355.60 | EUR | 1 | EL16 L14.05M 2KSO 8.10 | 4013364028784 | 1 | 2.73 | 2.73 | 85389099 | DE | 0 | 0 | 0 | |
| 935 | 416150 | 13620 | Earthing cable 16mm² / L 15.0m black | w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 382.90 | EUR | 1 | EL16 L15.05M 2KSO 8.10 | 4013364028777 | 1 | 3.01 | 3.01 | 85389099 | DE | 0 | 0 | 0 | |
| 936 | 416200 | 13619 | Earthing cable 16mm² / L 20.0m black | w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 483.60 | EUR | 1 | EL16 L20.05M 2KSO 8.10 | 4013364028760 | 1 | 3.95 | 3.95 | 85389099 | DE | 0 | 0 | 0 | |
| 937 | 416220 | 13618 | Earthing cable 16mm² / L 22.0m black | w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 546.50 | EUR | 1 | EL16 L22.05M 2KSO 8.10 | 4013364028753 | 1 | 4.38 | 4.38 | 85389099 | DE | 0 | 0 | 0 | |
| 938 | 416280 | 13617 | Earthing cable 16mm² / L 28.0m black | w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 668.20 | EUR | 1 | EL16 L28.05M 2KSO 8.10 | 4013364028746 | 1 | 5.64 | 5.64 | 85389099 | DE | 0 | 0 | 0 | |
| 939 | 416300 | 13616 | Earthing cable 16mm² / L 30.0m black | w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 714.40 | EUR | 1 | EL16 L30.05M 2KSO 8.10 | 4013364028739 | 1 | 5.94 | 5.94 | 85389099 | DE | 0 | 0 | 0 | |
| 940 | 416403 | 13676 | Earthing cable 16mm² / L 0.3m black | w. 1 cable lug (D) M10 a. (B) M8/10 | 03070101 | ST | 35.40 | EUR | 1 | EL16 L0.35M 1KSO 8.10 1KSG 10 | 4013364029286 | 1 | 0.13 | 0.13 | 85389099 | DE | 0 | 0 | 0 | |
| 941 | 416410 | 14771 | Earthing cable 16mm² / L 1.0m black | w. 1 cable lug (D) M10 a. (B) M8/10 | 03070101 | ST | 55.90 | EUR | 1 | EL16 L1.05M 1KSO 8.10 1KSG 10 | 4013364032422 | 1 | 0.265 | 0.265 | 85389099 | DE | 0 | 0 | 0 | |
| 942 | 416411 | 14784 | Earthing cable 16mm² / L 1.0m black | w. 1 cable lug (C) M8 a. (B) M8/10 | 03070101 | ST | 55.20 | EUR | 1 | EL16 L1.05M 1KSO 8.10 1KSG 8 | 4013364032545 | 1 | 0.266 | 0.266 | 85389099 | DE | 0 | 0 | 0 | |
| 943 | 416415 | 14772 | Earthing cable 16mm²/L 1.5m black with | 1 cable lug (C)M8 and (B)M8/M10 | 03070101 | ST | 75.00 | EUR | 1 | EL16 L1.55M KSO 8.10 KSG 8 | 4013364032439 | 1 | 0.364 | 0.364 | 85389099 | DE | 0 | 0 | 0 | |
| 944 | 416416 | 14774 | Earthing cable 16mm² / L 1.5m black | w. 1 cable lug (D) M10 a. (B) M8/M10 | 03070101 | ST | 75.00 | EUR | 1 | EL16 L1.55M 1KSO 8.10 1KSG 10 | 4013364032453 | 1 | 0.364 | 0.364 | 85389099 | DE | 0 | 0 | 0 | |
| 945 | 416420 | 14773 | Earth conductor 16mm² / L 2.0m black | w. 1 cable lug (C) M8 a. (B) M8/M10 | 03070101 | ST | 86.90 | EUR | 1 | EL16 L2.05M 1KSO 8.10 1KSG 8 | 4013364032446 | 1 | 0.464 | 0.464 | 85389099 | DE | 0 | 0 | 0 | |
| 946 | 416421 | 17774 | Earthing cable 16mm² / L 2.05m black | Cable lug 1x op. M8/M10, 1x closed M10 | 03070101 | ST | 88.20 | EUR | 1 | EL16 L2.05M 1KSO 8.10 1KSG 10 | 4013364036116 | 1 | 0.461 | 0.461 | 85389099 | DE | 0 | 0 | 0 | |
| 947 | 416425 | 14775 | Earthing cable 16mm² / L 2.5m black | w. 1 cable lug (C) M8 a. (B) M8/M10 | 03070101 | ST | 98.40 | EUR | 1 | EL16 L2.55M 1KSO 8.10 1KSG 8 | 4013364032460 | 1 | 0.558 | 0.558 | 85389099 | DE | 0 | 0 | 0 | |
| 948 | 416426 | 14776 | Earthing cable 16mm² / L 2.5m black | w. 1 cable lug (D) M10 a. (B) M8/M10 | 03070101 | ST | 98.40 | EUR | 1 | EL16 L2.55M 1KSO 8.10 1KSG 10 | 4013364032477 | 1 | 0.558 | 0.558 | 85389099 | DE | 0 | 0 | 0 | |
| 949 | 416430 | 14777 | Earthing cable 16mm² / L 3.0m black | w. 1 cable lug (C) M8 a. (B) M8/M10 | 03070101 | ST | 108.80 | EUR | 1 | EL16 L3.05M 1KSO 8.10 1KSG 8 | 4013364032484 | 1 | 0.654 | 0.654 | 85389099 | DE | 0 | 0 | 0 | |
| 950 | 416431 | 14778 | Earthing cable 16mm² / L 3.0m black | w. 1 cable lug (D) M10 a. (B) M8/M10 | 03070101 | ST | 108.80 | EUR | 1 | EL16 L3.05M 1KSO 8.10 1KSG 10 | 4013364032491 | 1 | 0.655 | 0.655 | 85389099 | DE | 0 | 0 | 0 | |
| 951 | 416440 | 14779 | Earthing cable 16mm² / L 4.0m black | w. 1 cable lug (C) M8 a. (B) M8/M10 | 03070101 | ST | 133.60 | EUR | 1 | EL16 L4.05M 1KSO 8.10 1KSG 8 | 4013364032507 | 1 | 0.849 | 0.849 | 85389099 | DE | 0 | 0 | 0 | |
| 952 | 416441 | 14780 | Earthing cable 16mm² / L 4.0m black | w. 1 cable lug (D) M10 a. (B) M8/M10 | 03070101 | ST | 132.40 | EUR | 1 | EL16 L4.05M 1KSO 8.10 1KSG 10 | 4013364032514 | 1 | 0.849 | 0.849 | 85389099 | DE | 0 | 0 | 0 | |
| 953 | 416450 | 14781 | Earthing cable 16mm²/L 5.0m black | w. 1 cable lug (C)M8 a. (B)M8/M10 | 03070101 | ST | 156.50 | EUR | 1 | EL16 L5.05M 1KSO 8.10 1KSG 8 | 4013364032521 | 1 | 1.04 | 1.04 | 85389099 | DE | 0 | 0 | 0 | |
| 954 | 416451 | 14782 | Earthing cable 16mm²/L 5.0m black | w. 1 cable lug (D)M10 a. (B)M8/M10 | 03070101 | ST | 156.50 | EUR | 1 | EL16 L5.05M 1KSO 8.10 1KSG 10 | 4013364032538 | 1 | 1.04 | 1.04 | 85389099 | DE | 0 | 0 | 0 | |
| 955 | 416505 | 13717 | Earthing cable 16mm² / L 0.5m black w. | 1 cable lug (C) M8 a. (A) M5/M6 | 03070101 | ST | 40.50 | EUR | 1 | EL16 L0.55M 1KSO 5.6 1KSG 8 | 4013364029477 | 1 | 0.158 | 0.158 | 85389099 | DE | 0 | 0 | 0 | |
| 956 | 416516 | 14765 | Earth conductor 16mm² / L 1.5m black | w. 1 cable lug (B) M8/M10 a. (A) M5/M6 | 03070101 | ST | 67.70 | EUR | 1 | EL16 L1.55M 1KSO 8.10 1KSO 5.6 | 4013364032408 | 1 | 0.341 | 0.341 | 85389099 | DE | 0 | 0 | 0 | |
| 957 | 416903 | 13642 | Erdungsleitung 16mm²/L 0,35m schw. | m.2 Kabelschuhe (D) geschl. M10 | 03070101 | ST | 35.40 | EUR | 1 | EL16 L0.35M 2KSG 10 | 4013364028944 | 1 | 0.132 | 0.132 | 85389099 | DE | 0 | 0 | 0 | |
| 958 | 416905 | 13643 | Earth conductor 16mm² / L 0.5m black | w. 2 closed cable lugs (D) M10 | 03070101 | ST | 40.50 | EUR | 1 | EL16 L0.55M 2KSG 10 | 4013364028951 | 1 | 0.18 | 0.18 | 85389099 | DE | 0 | 0 | 0 | |
| 959 | 416906 | 13644 | Earth conductor 16mm² / L 0.6m black | w. 2 closed cable lugs (D) M10 | 03070101 | ST | 42.70 | EUR | 1 | EL16 L0.65M 2KSG 10 | 4013364028968 | 1 | 0.19 | 0.19 | 85389099 | DE | 0 | 0 | 0 | |
| 960 | 416910 | 13645 | Earth conductor 16mm² / L 1.0m black | w. 2 closed cable lugs (D) M10 | 03070101 | ST | 55.20 | EUR | 1 | EL16 L1.05M 2KSG 10 | 4013364028975 | 1 | 0.265 | 0.265 | 85389099 | DE | 0 | 0 | 0 | |
| 961 | 416915 | 13646 | Earth conductor 16mm² / L 1.5m black | w. 2 closed cable lugs (D) M10 | 03070101 | ST | 75.70 | EUR | 1 | EL16 L1.55M 2KSG 10 | 4013364028982 | 1 | 0.365 | 0.365 | 85389099 | DE | 0 | 0 | 0 | |
| 962 | 416920 | 13647 | Earth conductor 16mm² / L 2.0m black | w. 2 closed cable lugs (D) M10 | 03070101 | ST | 88.20 | EUR | 1 | EL16 L2.05M 2KSG 10 | 4013364028999 | 1 | 0.455 | 0.455 | 85389099 | DE | 0 | 0 | 0 | |
| 963 | 416925 | 13648 | Earth conductor 16mm² / L 2.5m black | w. 2 closed cable lugs (D) M10 | 03070101 | ST | 98.40 | EUR | 1 | EL16 L2.55M 2KSG 10 | 4013364029002 | 1 | 0.55 | 0.55 | 85389099 | DE | 0 | 0 | 0 | |
| 964 | 416930 | 13649 | Earth conductor 16mm² / L 3.0m black | w. 2 closed cable lugs (D) M10 | 03070101 | ST | 109.50 | EUR | 1 | EL16 L3.05M 2KSG 10 | 4013364029019 | 1 | 0.66 | 0.66 | 85389099 | DE | 0 | 0 | 0 | |
| 965 | 416940 | 3010500 | Connection kit 16mm² L 600mm with | connect. clamp a. fixed earth. terminal | 03010101 | ST | 41.00 | EUR | 1 | UES 16 L600 VK RD14 28 EFP | 4013364360280 | 25 | 0.53 | 0.513 | 85389099 | DE | 0 | 0 | 0 | MM |
| 966 | 416941 | 3010501 | Bridging kit 16mm² L 600mm with two | connecting clamps for Rd 16.5-28mm | 03010101 | ST | 28.50 | EUR | 1 | UES 16 L600 2VK RD14 28 | 4013364360273 | 25 | 0.513 | 0.497 | 85389099 | DE | 0 | 0 | 0 | MM |
| 967 | 416970 | 13650 | Earth conductor 16mm² / L 7.0m black | w. 2 closed cable lugs (D) M10 | 03070101 | ST | 199.70 | EUR | 1 | EL16 L7.05M 2KSG 10 | 4013364029026 | 1 | 1.46 | 1.46 | 85389099 | DE | 0 | 0 | 0 | |
| 968 | 417005 | 14604 | Earthing cable 16mm² / L 0.5m green/ | yellow w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 42.00 | EUR | 1 | EL16 L0.55M 2KSO 8.10 GG | 4013364031982 | 1 | 0.168 | 0.168 | 85389099 | DE | 0 | 0 | 0 | |
| 969 | 417010 | 14603 | Earthing cable 16mm² / L 1.0m green/ | yellow w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 55.20 | EUR | 1 | EL16 L1.05M 2KSO 8.10 GG | 4013364031975 | 1 | 0.259 | 0.259 | 85389099 | DE | 0 | 0 | 0 | |
| 970 | 417015 | 14602 | Earthing cable 16mm² / L 1.5m green/ | yellow w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 68.50 | EUR | 1 | EL16 L1.55M 2KSO 8.10 GG | 4013364031968 | 1 | 0.353 | 0.353 | 85389099 | DE | 0 | 0 | 0 | |
| 971 | 417020 | 14601 | Earthing cable 16mm² / L 2.0m green/ | yellow w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 77.90 | EUR | 1 | EL16 L2.05M 2KSO 8.10 GG | 4013364031951 | 1 | 0.447 | 0.447 | 85389099 | DE | 0 | 0 | 0 | |
| 972 | 417030 | 14600 | Earthing cable 16mm² / L 3.0m green/ | yellow w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 93.50 | EUR | 1 | EL16 L3.05M 2KSO 8.10 GG | 4013364031944 | 1 | 0.635 | 0.635 | 85389099 | DE | 0 | 0 | 0 | |
| 973 | 417050 | 14599 | Earthing cable 16mm² / L 5.0m green/ | yellow w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 132.90 | EUR | 1 | EL16 L5.05M 2KSO 8.10 GG | 4013364031937 | 1 | 1.01 | 1.01 | 85389099 | DE | 0 | 0 | 0 | |
| 974 | 417100 | 14598 | Earthing cable 16mm² / L 10.0m green/ | yellow w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 235.00 | EUR | 1 | EL16 L10.05M 2KSO 8.10 GG | 4013364031920 | 1 | 1.95 | 1.95 | 85389099 | DE | 0 | 0 | 0 | |
| 975 | 417115 | 14597 | Earthing cable 16mm² / L 15.0m green/ | yellow w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 338.80 | EUR | 1 | EL16 L15.05M 2KSO 8.10 GG | 4013364031913 | 1 | 2.89 | 2.89 | 85389099 | DE | 0 | 0 | 0 | |
| 976 | 417120 | 14596 | Earthing cable 16mm² / L 20.0m green/ | yellow w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 443.70 | EUR | 1 | EL16 L20.05M 2KSO 8.10 GG | 4013364031906 | 1 | 3.83 | 3.83 | 85389099 | DE | 0 | 0 | 0 | |
| 977 | 417125 | 14595 | Earth conductor 16mm² / L 25.0m green/ | yellow w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 547.60 | EUR | 1 | EL16 L25.05M 2KSO 8.10 GG | 4013364031890 | 1 | 4.77 | 4.77 | 85389099 | DE | 0 | 0 | 0 | |
| 978 | 417130 | 14594 | Earthing cable 16mm² / L 30.0m green/ | yellow w. 2 open cable lugs (B) M8/M10 | 03070101 | ST | 648.30 | EUR | 1 | EL16 L30.05M 2KSO 8.10 GG | 4013364031883 | 1 | 5.71 | 5.71 | 85389099 | DE | 0 | 0 | 0 | |
| 979 | 417150 | 14593 | Earthing cable 16mm²/L 50.05m green/yellow | Cable lug 2x open, 2x M8/M10 | 03070101 | ST | 1060.50 | EUR | 1 | EL16 L50.05M 2KSO 8.10 GG | 4013364031876 | 1 | 9.47 | 9.47 | 85389099 | DE | 0 | 0 | 0 | |
| 980 | 419000 | 3014096 | Stainless steel earthing bridge | with M16 thread D 50mm H 63mm | 03090101 | ST | 45.50 | EUR | 1 | D BEB 0 - 63 / EBS 15-03-19 | 4013364439412 | 1 | 0.84 | 0.84 | 85389099 | DE | 63 | 50 | 50 | MM |
| 981 | 419001 | 3014104 | Stainless steel earthing bridge | with M16 thread D 50mm H 70mm | 03090101 | ST | 46.30 | EUR | 1 | D BEB 0 - 70 / EBS 15-03-19 | 4013364439429 | 1 | 0.95 | 0.95 | 85389099 | DE | 70 | 50 | 50 | MM |
| 982 | 419002 | 3014106 | Stainless steel earthing bridge | with M16 thread D 50mm H 77mm | 03090101 | ST | 46.70 | EUR | 1 | D BEB 0 - 77 / EBS 15-03-19 | 4013364439436 | 1 | 1.05 | 1.05 | 85389099 | DE | 77 | 50 | 50 | MM |
| 983 | 419010 | 3014107 | Flat steel earthing bridge, conn. plate | with M16 thread D 50mm H 58mm L 400mm | 03090101 | ST | 20.70 | EUR | 1 | D BEB 1 / EBS 15-03-19 | 4013364439443 | 1 | 0.76 | 0.76 | 85389099 | DE | 405 | 63 | 50 | MM |
| 984 | 419011 | 3014108 | Flat steel earthing bridge, conn. plate | with M16 thread D 50mm h 402mm | 03090101 | ST | 24.30 | EUR | 1 | D BEB 1-L / EBS 15-03-19 | 4013364439450 | 1 | 0.74 | 0.74 | 85389099 | DE | 410 | 55 | 50 | MM |
| 985 | 419012 | 3014110 | Flat steel earthing bridge, with conn. | el. + M16 thread D 50mm H 63mm L 400mm | 03090101 | ST | 52.60 | EUR | 1 | D BEB 1-NR / EBS 15-03-19 | 4013364439467 | 1 | 1.46 | 1.46 | 85389099 | DE | 400 | 63 | 50 | MM |
| 986 | 419020 | 3014111 | Reinf. steel earthing bridge, angled, | conn. plate with M16 thread D 50mm | 03090101 | ST | 22.10 | EUR | 1 | D BEB 2 / EBS 15-03-19 | 4013364439405 | 1 | 0.95 | 0.95 | 85389099 | DE | 417 | 160 | 50 | MM |
| 987 | 419030 | 3014112 | Reinforc. steel earthing bridge, conn. | plate w. M16 thread D 50mm L 400mm | 03090101 | ST | 19.70 | EUR | 1 | D BEB 3 / EBS 15-03-19 | 4013364439474 | 1 | 0.75 | 0.75 | 85389099 | DE | 400 | 50 | 50 | MM |
| 988 | 419040 | 3014113 | Copper cable earthing bridge NYY-O, | conn. plate M16, lug 80X30mm L 500mm | 03090101 | ST | 46.70 | EUR | 1 | D BEB 4 / EBS 15-03-19 | 4013364439481 | 1 | 0.61 | 0.61 | 85389099 | DE | 500 | 50 | 50 | MM |
| 989 | 419041 | 3014114 | Copper cable earthing bridge H07V-K, | conn. plate M16, lug 80X30mm L 500mm | 03090101 | ST | 55.00 | EUR | 1 | D BEB 4-FLEX / EBS 15-03-19 | 4013364439498 | 1 | 0.56 | 0.56 | 85389099 | DE | 500 | 50 | 50 | MM |
| 990 | 419050 | 3014115 | Copper cable earthing bridge NYY-O, | conn. plate M16, lug 80X30mm L 500mm | 03090101 | ST | 50.40 | EUR | 1 | D BEB 5 / EBS 15-03-19 | 4013364439504 | 1 | 0.7 | 0.7 | 85389099 | DE | 500 | 50 | 50 | MM |
| 991 | 419051 | 3014117 | Copper cable earthing bridge H07V-K w. | conn. plate M16 and lug 80X30mm L 500mm | 03090101 | ST | 58.80 | EUR | 1 | D BEB 5-FLEX / EBS 15-03-19 | 4013364439511 | 1 | 0.63 | 0.63 | 85389099 | DE | 500 | 50 | 50 | MM |
| 992 | 419060 | 3014119 | Copper cable earthing bridge NYY-O, | conn. pl. M16 both ends, D 50mm L 500mm | 03090101 | ST | 47.80 | EUR | 1 | D BEB 6 / EBS 15-03-19 | 4013364439528 | 1 | 0.59 | 0.59 | 85389099 | DE | 500 | 50 | 50 | MM |
| 993 | 419061 | 3014121 | Copper cable earthing bridge H07V-K, | conn. pl. M16 both ends, D50mm L500mm | 03090101 | ST | 55.90 | EUR | 1 | D BEB 6-FLEX / EBS 15-03-19 | 4013364439535 | 1 | 0.53 | 0.53 | 85389099 | DE | 500 | 50 | 50 | MM |
| 994 | 419070 | 3014122 | Copper cable earthing bridge NYY-O, | conn. pl. M16 both ends, D 50mm L 500mm | 03090101 | ST | 51.00 | EUR | 1 | D BEB 7 / EBS 15-03-19 | 4013364439542 | 1 | 0.7 | 0.7 | 85389099 | DE | 500 | 50 | 50 | MM |
| 995 | 419071 | 3014123 | Copper cable earthing bridge H07V-K, | conn. pl. M16 both ends, D 50mm L 500mm | 03090101 | ST | 59.80 | EUR | 1 | D BEB 7-FLEX / EBS 15-03-19 | 4013364439559 | 1 | 0.62 | 0.62 | 85389099 | DE | 500 | 50 | 50 | MM |
| 996 | 419080 | 3014124 | Reinf. steel earthing bridge, conn. | plate M16 on both ends D 50mm L 500mm | 03090101 | ST | 45.80 | EUR | 1 | D BEB 8 / EBS 15-03-19 | 4013364439566 | 1 | 1 | 1 | 85389099 | DE | 500 | 50 | 50 | MM |
| 997 | 419090 | 3014125 | Copper cable earthing bridge NYY-O, | lug on both ends 80X30mm L 500mm | 03090101 | ST | 43.00 | EUR | 1 | D BEB 9 / EBS 15-03-19 | 4013364439573 | 1 | 0.61 | 0.61 | 85389099 | DE | 500 | 30 | 30 | MM |
| 998 | 419091 | 3014127 | Copper cable earthing bridge H07V-K, | lug on both ends 80X30mm L 500mm | 03090101 | ST | 50.20 | EUR | 1 | D BEB 9-FLEX / EBS 15-03-19 | 4013364439580 | 1 | 0.57 | 0.57 | 85389099 | DE | 500 | 30 | 30 | MM |
| 999 | 419100 | 3014128 | Copper cable earthing bridge NYY-O, | lug on both ends 80X30mm L 500mm | 03090101 | ST | 46.70 | EUR | 1 | D BEB 10 / EBS 15-03-19 | 4013364439597 | 1 | 0.7 | 0.7 | 85389099 | DE | 500 | 30 | 30 | MM |
| 1000 | 419101 | 3014129 | Copper cable earthing bridge H07V-K, | lug on both ends 80X30mm L 500mm | 03090101 | ST | 54.50 | EUR | 1 | D BEB 10-FLEX / EBS 15-03-19 | 4013364439603 | 1 | 0.64 | 0.64 | 85389099 | DE | 500 | 30 | 30 | MM |
| 1001 | 419110 | 3014135 | E. br. f. earthing large pipes L 500mm<(>,<)> | conn. plate M16 and cable lug B 13mm | 03090101 | ST | 49.10 | EUR | 1 | D BEB 11 / EBS 15-03-27 | 4013364439665 | 1 | 0.55 | 0.55 | 85389099 | DE | 500 | 50 | 50 | MM |
| 1002 | 419260 | 3014130 | Steel rope earthing connector, cable | lug on both ends D 17mm L 500mm | 03090102 | ST | 53.80 | EUR | 1 | D BEB 26 / EBS 15-03-17 | 4013364439610 | 1 | 0.63 | 0.63 | 85389099 | DE | 530 | 30 | 30 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 1003 | 419290 | 3014131 | CuStAl earthing connector, cable | lug on both ends D 17mm L 500mm | 03090102 | ST | 56.50 | EUR | 1 | D BEB 29 / EBS 15-03-17 | 4013364439627 | 1 | 0.4 | 0.4 | 85389099 | DE | 530 | 30 | 30 | MM |
| 1004 | 419291 | 3014132 | Steel rope earthing connector, cable | lug on both ends D 17mm L 500mm | 03090102 | ST | 66.20 | EUR | 1 | D BEB 29-NF / EBS 15-03-17 | 4013364439634 | 1 | 0.4 | 0.4 | 85389099 | DE | 530 | 30 | 30 | MM |
| 1005 | 419400 | 3014136 | Earthing conn. f. earthing large pipes, | cable lug D 17mm, lug 80X30mm L 500mm | 03090102 | ST | 55.00 | EUR | 1 | D BEB 40 / EBS 15-03-25 | 4013364439672 | 1 | 0.7 | 0.7 | 85389099 | DE | 500 | 30 | 30 | MM |
| 1006 | 419500 | 3015407 | Flat steel earthing bridge, conn. plate | with M16 thread D 50mm H 58mm L 100mm | 03090101 | ST | 16.80 | EUR | 1 | D BEB 1 - L100 / EBS 15-03-19 | 4013364458383 | 1 | 0.205 | 0.205 | 85389099 | DE | 110 | 63 | 50 | MM |
| 1007 | 419501 | 3015408 | Copper cable earthing bridge NYY-O<(>,<|> | conn. plate M16, lug 80X30mm L 700mm | 03090101 | ST | 56.70 | EUR | 1 | D BEB 5 - L700 / EBS 15-03-19 | 4013364458390 | 1 | 0.98 | 0.98 | 85389099 | DE | 700 | 50 | 50 | MM |
| 1008 | 419502 | 3015409 | Copper cable earthing bridge NYY-O<(>,<|> | conn. plate M16, lug 80X30mm L 1000mm | 03090101 | ST | 66.30 | EUR | 1 | D BEB 5 - L1000 / EBS 15-03-19 | 4013364458406 | 1 | 1.4 | 1.4 | 85389099 | DE | 1000 | 50 | 50 | MM |
| 1009 | 419503 | 3015410 | Copper cable earthing bridge NYY-O<(>,<|> | conn. plate M16, lug 80X30mm L 1500mm | 03090101 | ST | 82.30 | EUR | 1 | D BEB 5 - L1500 / EBS 15-03-19 | 4013364458413 | 1 | 2.1 | 2.1 | 85389099 | DE | 1500 | 50 | 50 | MM |
| 1010 | 419504 | 3015411 | Copper cable earthing bridge NYY-O<(>,<|> | conn. plate M16, lug 80X30mm L 2000mm | 03090101 | ST | 98.30 | EUR | 1 | D BEB 5 - L2000 / EBS 15-03-19 | 4013364458420 | 1 | 2.8 | 2.8 | 85389099 | DE | 2000 | 50 | 50 | MM |
| 1011 | 419505 | 3015412 | Copper cable earthing bridge NYY-O<(>,<|> | lug on both ends 80X30mm L 800mm | 03090101 | ST | 56.40 | EUR | 1 | D BEB 10 - L800 / EBS 15-03-19 | 4013364458437 | 1 | 1.12 | 1.12 | 85389099 | DE | 800 | 30 | 30 | MM |
| 1012 | 419506 | 3015413 | E. br. f. earthing large pipes L 1000mm<(>,<|> | conn. plate M16 and cable lug B 13mm | 03090101 | ST | 60.90 | EUR | 1 | D BEB 11 - L1000 / EBS 15-03-27 | 4013364458444 | 1 | 1.1 | 1.1 | 85389099 | DE | 1000 | 50 | 50 | MM |
| 1013 | 419507 | 3015414 | CuSCuStAl earthing connector, cable | lug on both ends D 17mm L 350mm | 03090102 | ST | 48.00 | EUR | 1 | D BEB 29 - L350 / EBS 15-03-17 | 4013364458451 | 1 | 0.28 | 0.28 | 85389099 | DE | 380 | 30 | 30 | MM |
| 1014 | 419508 | 3015415 | CuStAl earthing connector, cable | lug on both ends D 17mm L 800mm | 03090102 | ST | 78.00 | EUR | 1 | D BEB 29 - L800 / EBS 15-03-17 | 4013364458468 | 1 | 0.64 | 0.64 | 85389099 | DE | 830 | 30 | 30 | MM |
| 1015 | 419511 | 3017997 | CuStAl earthing connector, cable | lug on both ends D 13/17mm L 500mm | 03090102 | ST | 56.50 | EUR | 1 | D BEB 29 M12 M16 / EBS 15-03-17 | 4013364480513 | 1 | 0.396 | 0.396 | 85389099 | DE | 530 | 30 | 30 | MM |
| 1016 | 419512 | 3017998 | Steel rope earthing connector, cable | lug on both ends D 13/17mm L 500mm | 03090102 | ST | 66.20 | EUR | 1 | D BEB 29-NF M12 M16 / EBS 15-03-17 | 4013364480520 | 1 | 0.414 | 0.414 | 85389099 | DE | 530 | 30 | 30 | MM |
| 1017 | 419513 | 3017999 | CuStAl earthing connector, cable | lug on both ends D 17mm L 500mm | 03090102 | ST | 56.50 | EUR | 1 | D BEB 29 R / EBS 15-03-17 | 4013364480506 | 1 | 0.398 | 0.398 | 85389099 | DE | 530 | 30 | 30 | MM |
| 1018 | 419514 | 3018030 | CuStAl earthing connector, cable | lug on both ends D 17mm L 500mm | 03090102 | ST | 56.50 | EUR | 1 | D BEB 29 L / EBS 15-03-17 | 4013364480537 | 1 | 0.398 | 0.398 | 85389099 | DE | 530 | 30 | 30 | MM |
| 1019 | 419900 | 3014133 | Adhesive pad for railway earthing | products D 50mm | 03090103 | ST | 2.20 | EUR | 1 | D KLP D50 BEB | 4013364439641 | 1 | 0.002 | 0.002 | 39191080 | DE | 50 | 50 | 3 | MM |
| 1020 | 419901 | 3014134 | Earthing sticker for marking railway | earthing products D 50mm | 03090103 | ST | 0.90 | EUR | 1 | D EAK D50 BEB | 4013364439658 | 1 | 0.003 | 0.003 | 39191080 | DE | 50 | 50 | 2 | MM |
| 1021 | 419902 | 3014137 | Hexagon screw M16x30mm | StSt A4-70 | 03090103 | ST | 2.90 | EUR | 1 | D SKS M16X30 V4A | 4013364439689 | 1 | 0.077 | 0.077 | 85389099 | DE | 40 | 24 | 24 | MM |
| 1022 | 419903 | 3014138 | Hexagon nut M16 StSt A4-70 | | 03090103 | ST | 2.30 | EUR | 1 | D SKM M16 V4A | 4013364439696 | 1 | 0.034 | 0.034 | 85389099 | DE | 24 | 24 | 10 | MM |
| 1023 | 419904 | 3014139 | Washer A17 StSt A4-70 | | 03090103 | ST | 0.70 | EUR | 1 | D SCH A17 V4A | 4013364439702 | 1 | 0.009 | 0.009 | 85389099 | DE | 30 | 30 | 3 | MM |
| 1024 | 420100 | 11229 | Downpipe clamp D 100mm, St/tZn | with connection bore D 11mm | 01040104 | ST | 5.50 | EUR | 1 | RRS 100 B11 STTZN | 4013364022805 | 50 | 0.142 | 0.137 | 85389099 | DE | 210 | 175 | 40 | MM |
| 1025 | 420107 | 17543 | Downpipe clamp D 100mm, Cu | with connection bore D 11mm | 01040104 | ST | 13.60 | EUR | 1 | RRS 100 B11 CU | 4013364045828 | 1 | 0.163 | 0.158 | 85389099 | DE | 210 | 175 | 40 | MM |
| 1026 | 420120 | 11233 | Downpipe clamp D 120mm, St/tZn | with connection bore D 11mm | 01040104 | ST | 5.80 | EUR | 1 | RRS 120 B11 STTZN | 4013364022829 | 1 | 0.17 | 0.16 | 85389099 | DE | 270 | 190 | 40 | MM |
| 1027 | 420127 | 17545 | Downpipe clamp D 120mm, Cu | with connection bore D 11mm | 01040104 | ST | 15.70 | EUR | 1 | RRS 120 B11 CU | 4013364045804 | 1 | 0.191 | 0.186 | 85389099 | DE | 270 | 190 | 40 | MM |
| 1028 | 420207 | 17548 | Downpipe clamp D 100mm Cu-St/tZn | bimetallic with clamping frame 6-10mm | 01040104 | ST | 19.80 | EUR | 1 | ZMRRS 100 KB 6.10 CU STTZN | 4013364045873 | 1 | 0.22 | 0.215 | 85389099 | DE | 210 | 175 | 40 | MM |
| 1029 | 423010 | 30556 | Downpipe clamp D 60-100mm, St/tZn | with connection bore D 10.5mm | 01040104 | ST | 3.50 | EUR | 1 | RRS V 60.100 B10.5 STTZN | 4013364054325 | 50 | 0.118 | 0.113 | 85389099 | DE | 360 | 56 | 30 | MM |
| 1030 | 423011 | 30557 | Downpipe clamp 60-100mm, Al | with connection bore D 10.5mm | 01040104 | ST | 3.40 | EUR | 1 | RRS V 60.100 B10.5 AL | 4013364054332 | 50 | 0.053 | 0.049 | 85389099 | DE | 360 | 56 | 30 | MM |
| 1031 | 423017 | 30558 | Downpipe clamp 60-100mm, Cu | with connection bore D 10.5mm | 01040104 | ST | 8.90 | EUR | 1 | RRS V 60.100 B10.5 CU | 4013364054349 | 1 | 0.124 | 0.119 | 85389099 | DE | 360 | 56 | 30 | MM |
| 1032 | 423019 | 30559 | Downpipe clamp 60-100mm, StSt | with connection bore D 10.5mm | 01040104 | ST | 5.70 | EUR | 1 | RRS V 60.100 B10.5 V2A | 4013364054356 | 50 | 0.114 | 0.109 | 85389099 | DE | 360 | 56 | 30 | MM |
| 1033 | 423020 | 30560 | Downpipe clamp 60-150mm, St/tZn | with connection bore D 10.5mm | 01040104 | ST | 3.90 | EUR | 1 | RRS V 60.150 B10.5 STTZN | 4013364054288 | 50 | 0.144 | 0.138 | 85389099 | DE | 520 | 56 | 30 | MM |
| 1034 | 423021 | 30561 | Downpipe clamp 60-150mm, Al | with connection bore D 10.5mm | 01040104 | ST | 3.90 | EUR | 1 | RRS V 60.150 B10.5 AL | 4013364054295 | 50 | 0.068 | 0.061 | 85389099 | DE | 520 | 56 | 30 | MM |
| 1035 | 423027 | 30562 | Downpipe clamp 60-150mm, Cu | with connection bore D 10.5mm | 01040104 | ST | 12.20 | EUR | 1 | RRS V 60.150 B10.5 CU | 4013364054301 | 50 | 0.162 | 0.156 | 85389099 | DE | 520 | 56 | 30 | MM |
| 1036 | 423029 | 30563 | Downpipe clamp 60-150mm, StSt | with connection bore D 10.5mm | 01040104 | ST | 7.10 | EUR | 1 | RRS V 60.150 B10.5 V2A | 4013364054318 | 50 | 0.157 | 0.151 | 85389099 | DE | 520 | 56 | 30 | MM |
| 1037 | 425076 | 11179 | Conduc. holder St/tZn w. spacer a. ela. | seal. f. Rd 8-10mm f. roof poles D 76mm | 01040104 | ST | 10.00 | EUR | 1 | LH KD 8.10 D76 STTZN | 4013364022683 | 50 | 0.213 | 0.208 | 85389099 | DE | 148 | 84 | 35 | MM |
| 1038 | 425089 | 11183 | Conduc. holder St/tZn w. spacer a ela. | seal. f. Rd 8-10mm f. roof pole D 89mm | 01040104 | ST | 10.60 | EUR | 1 | LH KD 8.10 D89 STTZN | 4013364022706 | 1 | 0.239 | 0.231 | 85389099 | DE | 161 | 95 | 35 | MM |
| 1039 | 435803 | 13807 | Earthing clamp 1/2-2 6-16mm² | for pipelines D 10-60mm MCI/tZn | 03070101 | ST | 89.40 | EUR | 1 | EK 12.60 AQ6 16 TGTZN | 4013364029781 | 1 | 0.468 | 0.468 | 85389099 | DE | 0 | 0 | 0 | |
| 1040 | 435805 | 13808 | Earthing clamp 3/8 - 1 1/4 6-16mm² | for pipelines D 5-45mm MCI/tZn | 03070101 | ST | 50.60 | EUR | 1 | EK 4.45 AQ6 16 TGTZN | 4013364029798 | 1 | 0.317 | 0.317 | 85389099 | DE | 140 | 85 | 20 | MM |
| 1041 | 444006 | 13684 | Earthing cable lug 6-16mm² | type (A) open M5/M6 | 03070101 | ST | 7.90 | EUR | 1 | EKSO 5.10 AQ6 16 CUGALZN | 4013364029323 | 100 | 0.03 | 0.029 | 85389099 | DE | 46 | 25 | 15 | MM |
| 1042 | 444008 | 13679 | Earthing cable lug 6-16mm² | type (C) closed M8 | 03070101 | ST | 7.90 | EUR | 1 | EKSG 8 AQ6 16 CUGALZN | 4013364029293 | 1 | 0.037 | 0.036 | 85389099 | DE | 64 | 25 | 15 | MM |
| 1043 | 444009 | 13680 | Earthing cable lug 6-16mm² | type (D) closed M10 | 03070101 | ST | 7.90 | EUR | 1 | EKSG 10 AQ6 16 CUGALZN | 4013364029309 | 1 | 0.037 | 0.036 | 85389099 | DE | 64 | 25 | 15 | MM |
| 1044 | 444010 | 13681 | Earthing cable lug 6-16mm² | type (B) open M8/M10 | 03070101 | ST | 7.90 | EUR | 1 | EKSO 8.10 AQ6 16 CUGALZN | 4013364029316 | 100 | 0.035 | 0.034 | 85389099 | DE | 64 | 25 | 15 | MM |
| 1045 | 444050 | 3016839 | Wire end splice 50mm² L22mm Cu/galSn | | 03070101 | PAK | 14.50 | EUR | 1 | AEH 50 L22 CUGALSN | 4013364291218 | 1 | 0.026 | 0.024 | 85389099 | DE | 90 | 70 | 20 | MM |
| 1046 | 450000 | 33869 | Disconnecting sleeve ZDC f. Rd 7-10/16mm | and two hexagon screws M8x16mm | 01040103 | ST | 8.30 | EUR | 1 | TM 7.10 16 ZG | 4013364025158 | 50 | 0.124 | 0.122 | 85389099 | DE | 50 | 40 | 30 | MM |
| 1047 | 450001 | 40319 | Disconnecting sleeve f. Rd 16/8-10mm Al | | 01040103 | ST | 5.00 | EUR | 1 | TM 7.10 16 AL | 4013364090903 | 50 | 0.065 | 0.063 | 85389099 | DE | 45 | 40 | 25 | MM |
| 1048 | 450007 | 12074 | Disconnecting sleeve | f. Rd 16/7-10mm RCB | 01040103 | ST | 15.10 | EUR | 1 | TM 7.10 16 RG | 4013364025165 | 1 | 0.135 | 0.133 | 85389099 | DE | 50 | 40 | 30 | MM |
| 1049 | 450011 | 33871 | Disconnecting sleeve f. Rd 16/7-10mm | ZDC closed design | 01040103 | ST | 8.90 | EUR | 1 | TM G 7.10 16 ZG | 4013364025172 | 50 | 0.137 | 0.135 | 85389099 | DE | 50 | 43 | 30 | MM |
| 1050 | 450101 | 43653 | Disconnecting sleeve f. Rd 8/8-10mm Al | | 01040103 | ST | 4.70 | EUR | 1 | TM 8.10 8 AL | 4013364094093 | 50 | 0.045 | 0.044 | 85389099 | DE | 40 | 35 | 17 | MM |
| 1051 | 453100 | 12244 | FIX test joint with insulating piece | f. Rd 8-10mm Fl 30-40mm | 01040103 | ST | 23.10 | EUR | 1 | FTS 8.10 FL30.40 IS STTZN | 4013364025523 | 10 | 0.343 | 0.333 | 85389099 | DE | 136 | 70 | 30 | MM |
| 1052 | 453102 | 35822 | FIX test joint with insulating piece | for Rd 2x 8-10mm St/tZn | 01040103 | ST | 23.10 | EUR | 1 | FTS 2X8.10 IS STTZN | 4013364156647 | 10 | 0.343 | 0.333 | 85389099 | DE | 0 | 0 | 0 | |
| 1053 | 454000 | 12166 | Connecting/disconnecting clamp St/tZn | intermed. plate f. Rd 5-10/Fl 30-40mm | 01040103 | ST | 7.30 | EUR | 1 | VTK 5.10 FL30 ZP STTZN | 4013364025387 | 25 | 0.265 | 0.261 | 85389099 | DE | 70 | 40 | 35 | MM |
| 1054 | 454100 | 16948 | Connecting/disconnecting clamp St/tZn | for Rd 7-10/Fl 30-40mm | 01040103 | ST | 5.30 | EUR | 1 | VTK 7.10 FL30.40 STTZN | 4013364035904 | 25 | 0.181 | 0.177 | 85389099 | DE | 70 | 40 | 25 | MM |
| 1055 | 454107 | 16949 | Connecting/disconnecting clamp Cu | for Rd 7-10/Fl 30-40mm | 01040103 | ST | 17.30 | EUR | 1 | VTK 7.10 FL30.40 CU | 4013364035911 | 25 | 0.202 | 0.198 | 85389099 | DE | 70 | 40 | 25 | MM |
| 1056 | 455000 | 12171 | Connecting/disconnecting clamp | Fl 30mm MCI/tZn | 01040103 | ST | 15.90 | EUR | 1 | VTK FL30 TGTZN | 4013364025394 | 1 | 0.254 | 0.25 | 85389099 | DE | 68 | 54 | 30 | MM |
| 1057 | 459000 | 12089 | UNI disconnecting clamp, St/tZn with | intermediate plate for Rd 16/7-10mm | 01040103 | ST | 9.10 | EUR | 1 | UTK 7.10 16 S ZP STTZN | 4013364025189 | 50 | 0.129 | 0.127 | 85389099 | DE | 50 | 30 | 30 | MM |
| 1058 | 459003 | 12095 | UNI disconnecting clamp, St/tZn with | intermediate plate for 2x Rd 7-10mm | 01040103 | ST | 9.10 | EUR | 1 | UTK 7.10 7.10 S ZP STTZN | 4013364025202 | 50 | 0.128 | 0.126 | 85389099 | DE | 50 | 30 | 30 | MM |
| 1059 | 459010 | 45961 | UNI disconnecting clamp, St/tZn | for Rd 16/8-10mm | 01040103 | ST | 5.80 | EUR | 1 | UTK 8.10 16 STTZN | 4013364099838 | 1 | 0.112 | 0.11 | 85389099 | DE | 58 | 30 | 25 | MM |
| 1060 | 459019 | 14351 | UNI disconnecting clamp, StSt | for Rd 16/8-10mm | 01040103 | ST | 7.90 | EUR | 1 | UTK 8.10 16 V2A | 4013364031272 | 50 | 0.089 | 0.087 | 85389099 | DE | 58 | 30 | 25 | MM |
| 1061 | 459020 | 45962 | UNI disconnecting clamp, St/tZn | for 2x Rd 8-10mm | 01040103 | ST | 5.50 | EUR | 1 | UTK 8.10 8.10 STTZN | 4013364099845 | 50 | 0.105 | 0.103 | 85389099 | DE | 58 | 30 | 25 | MM |
| 1062 | 459029 | 18000 | UNI disconnecting clamp, StSt | for 2x Rd 8-10mm | 01040103 | ST | 7.50 | EUR | 1 | UTK 8.10 8.10 V2A | 4013364047587 | 50 | 0.089 | 0.087 | 85389099 | DE | 58 | 30 | 25 | MM |
| 1063 | 459030 | 45963 | UNI disconnecting clamp, St/tZn | for Rd 8-10/Fl 30mm | 01040103 | ST | 5.50 | EUR | 1 | UTK 8.10 FL30 STTZN | 4013364099852 | 50 | 0.103 | 0.101 | 85389099 | DE | 58 | 30 | 25 | MM |
| 1064 | 459039 | 18001 | UNI disconnecting clamp, StSt | for Rd 8-10/Fl 30mm | 01040103 | ST | 6.80 | EUR | 1 | UTK 8.10 FL30 V2A | 4013364047594 | 50 | 0.09 | 0.088 | 85389099 | DE | 58 | 30 | 25 | MM |
| 1065 | 459119 | 18763 | UNI disconnecting clamp, StSt for | Rd 8-10/16mm with intermediate plate | 01040103 | ST | 8.90 | EUR | 1 | UTK 8.10 16 ZP V2A | 4013364051379 | 50 | 0.126 | 0.124 | 85389099 | DE | 58 | 30 | 30 | MM |
| 1066 | 459127 | 56016 | UNI disconnecting clamp Cu | with intermediate plate f. 2 x Rd 8-10mm | 01040103 | ST | 14.50 | EUR | 1 | UTK 8.10 8.10 ZP CU | 4013364119291 | 1 | 0.154 | 0.152 | 85389099 | DE | 58 | 30 | 25 | MM |
| 1067 | 459129 | 18764 | UNI disconnecting clamp, StSt with | intermediate plate for 2x Rd 8-10mm | 01040103 | ST | 8.50 | EUR | 1 | UTK 8.10 8.10 ZP V2A | 4013364051386 | 50 | 0.122 | 0.12 | 85389099 | DE | 58 | 30 | 25 | MM |
| 1068 | 459139 | 38428 | UNI disconnecting clamp, StSt with | intermediate plate for Rd 8-10/Fl 30mm | 01040103 | ST | 8.50 | EUR | 1 | UTK 8.10 FL30 ZP V2A | 4013364078628 | 50 | 0.124 | 0.122 | 85389099 | DE | 58 | 30 | 25 | MM |
| 1069 | 459159 | 66152 | UNI disconnecting clamp StSt | w. intermediate plate f. Rd 16/Fl 30mm | 01040103 | ST | 8.40 | EUR | 1 | UTK 16 FL30 ZP V2A | 4013364152830 | 50 | 0.122 | 0.122 | 85389099 | DE | 60 | 30 | 30 | MM |
| 1070 | 459200 | 68253 | UNI disconn. clamp StSt 200kA w. interm. | plate f. 2xRd 10mm or 1xRd 10mm/Fl 30mm | 01040103 | ST | 15.50 | EUR | 1 | UTK 200 2X10 FL30 ZP V2A | 4013364155527 | 1 | 0.132 | 0.132 | 85389099 | DE | 60 | 30 | 30 | MM |
| 1071 | 459219 | 68272 | UNI disconnecting clamp StSt 200 kA | f. Rd 8-10/16mm w. intermediate plate | 01040103 | ST | 17.70 | EUR | 1 | UTK 200 8.10 16 ZP V2A | 4013364158221 | 1 | 0.136 | 0.126 | 85389099 | DE | 60 | 32 | 30 | MM |
| 1072 | 460147 | 12149 | Bimetallic discon. clamp Cu-St/tZn w. | KS connector f. 6-10/Fl 30-40mm w. shield | 01040103 | ST | 42.00 | EUR | 1 | ZMTK 6.10 FL30.40 CU STTZN | 4013364025349 | 1 | 0.35 | 0.34 | 85389099 | DE | 109 | 70 | 55 | MM |
| 1073 | 460213 | 49468 | Disconnecting clamp - Austrian standard | ZDC for 2 x Rd 7-10mm | 01040103 | ST | 13.30 | EUR | 1 | OENTK 7.10 7.10 ZG | 4013364034358 | 50 | 0.168 | 0.166 | 85389099 | DE | 117 | 30 | 23 | MM |
| 1074 | 460507 | 16170 | Bimetallic UNI disconnecting clamp | Cu-St/tZn for Rd 8-10/16mm | 01040103 | ST | 11.30 | EUR | 1 | ZMTK 8.10 16 CU STTZN | 4013364034266 | 1 | 0.128 | 0.126 | 85389099 | DE | 58 | 30 | 30 | MM |
| 1075 | 460517 | 16169 | Bimetallic UNI disconnecting clamp | Cu-St/tZn for 2x Rd 8-10mm | 01040103 | ST | 11.20 | EUR | 1 | ZMTK 8.10 8.10 CU STTZN | 4013364034259 | 50 | 0.107 | 0.105 | 85389099 | DE | 58 | 30 | 25 | MM |
| 1076 | 460557 | 16168 | Bimetallic UNI disconnecting clamp | Cu-St/tZn for Rd 8-10mm/Fl 30mm | 01040103 | ST | 11.20 | EUR | 1 | ZMTK 8.10 FL30 CU STTZN | 4013364034242 | 50 | 0.082 | 0.08 | 85389099 | DE | 58 | 30 | 25 | MM |
| 1077 | 463010 | 60409 | ES disconnecting clamp ZDC f. Rd 8/10mm | | 01040103 | ST | 13.30 | EUR | 1 | ESTK 8.10 ZG | 4013364025493 | 50 | 0.14 | 0.138 | 85389099 | DE | 60 | 35 | 27 | MM |
| 1078 | 465801 | 13883 | Earthing busbar St/tZn L 180mm | f. 3 earthing cond., screws M10x35 | 03070101 | ST | 70.20 | EUR | 1 | ESS 3P M10X35 STTZN | 4013364030091 | 1 | 0.321 | 0.321 | 85389099 | DE | 181 | 40 | 30 | MM |
| 1079 | 466192 | 13882 | Earthing busbar St/tZn L 290mm | f. 5 earthing cond., screws M10x35 | 03070101 | ST | 99.90 | EUR | 1 | ESS 5P M10X35 STTZN | 4013364030084 | 1 | 0.55 | 0.55 | 85389099 | DE | 290 | 40 | 30 | MM |
| 1080 | 466203 | 3008617 | Anchoring pole made of TG/tZn | L405mm for bracing rod parts | 03070101 | ST | 60.10 | EUR | 1 | AP L405 TGTZN | 4013364033009 | 1 | 0.813 | 0.813 | 85389099 | DE | 405 | 90 | 32 | MM |
| 1081 | 472021 | 3008606 | Earthing busbar St/tZn f. equipotential | bonding with 2 x 6 terminals | 01050103 | ST | 27.30 | EUR | 1 | ES 2X6 ASB11 STTZN | 4013364027879 | 1 | 0.866 | 0.866 | 85389099 | DE | 393 | 60 | 54 | MM |
| 1082 | 472022 | 3008602 | Earthing busbar St/tZn f. equipotential | bonding with 2 x 3 terminals | 01050103 | ST | 23.00 | EUR | 1 | ES 2X3 ASB11 STTZN | 4013364030305 | 1 | 0.588 | 0.588 | 85389099 | DE | 242 | 60 | 54 | MM |
| 1083 | 472023 | 3007315 | Earthing busbar St/tZn f. equipotential | bonding with 2 x 2 terminals | 01050103 | ST | 20.00 | EUR | 1 | ES 2X2 ASB11 STTZN | 4013364030312 | 1 | 0.517 | 0.517 | 85389099 | DE | 196 | 60 | 54 | MM |
| 1084 | 472024 | 3008604 | Earthing busbar St/tZn f. equipotential | bonding with 2 x 4 terminals | 01050103 | ST | 23.90 | EUR | 1 | ES 2X4 ASB11 STTZN | 4013364034495 | 1 | 0.677 | 0.677 | 85389099 | DE | 293 | 60 | 54 | MM |
| 1085 | 472109 | 54232 | Earthing busbar StSt f. equipotential | bonding with 2 x 2 terminals | 01050103 | ST | 35.00 | EUR | 1 | ES 2X2 ASB11 V2A | 4013364074477 | 1 | 0.604 | 0.604 | 85389099 | DE | 196 | 60 | 55 | MM |
| 1086 | 472119 | 54234 | Earthing busbar StSt f. equipotential | bonding with 2 x 3 terminals | 01050103 | ST | 40.20 | EUR | 1 | ES 2X3 ASB11 V2A | 4013364074484 | 1 | 0.74 | 0.74 | 85389099 | DE | 242 | 60 | 55 | MM |
| 1087 | 472129 | 54236 | Earthing busbar StSt f. equipotential | bonding with 2 x 4 terminals | 01050103 | ST | 43.00 | EUR | 1 | ES 2X4 ASB11 V2A | 4013364074491 | 1 | 0.841 | 0.841 | 85389099 | DE | 293 | 60 | 55 | MM |
| 1088 | 472139 | 54238 | Earthing busbar StSt f. equipotential | bonding with 2 x 6 terminals | 01050103 | ST | 52.80 | EUR | 1 | ES 2X6 ASB11 V2A | 4013364074507 | 1 | 1.1 | 1.1 | 85389099 | DE | 393 | 60 | 55 | MM |
| 1089 | 472201 | 41630 | Fixing set with 2 rigid screws | M10x20mm and 2 plastic dowels D 12mm | 01060101 | ST | 4.10 | EUR | 1 | BFS M10X20 PAS STTZN | 4013364089631 | 1 | 0.066 | 0.066 | 73181558 | DE | 80 | 22 | 12 | MM |
| 1090 | 472202 | 64289 | Fixing set w. 2 hanger bolts M 10x20mm | StSt and 2 plastic dowels D 12mm | 01060101 | ST | 10.30 | EUR | 1 | BFS M10X20 PAS V2A | 4013364147331 | 1 | 0.07 | 0.07 | 73181558 | DE | 0 | 0 | 0 | |
| 1091 | 472207 | 43349 | Equipotential bonding bar without cover | Cu with M10 screws for 6 terminals | 01050103 | ST | 84.20 | EUR | 1 | PAS I 6AP M10 CU | 4013364090927 | 1 | 0.964 | 0.964 | 85389099 | DE | 295 | 70 | 40 | MM |
| 1092 | 472209 | 43350 | Equipotential bonding bar without cover | StSt with M10 screws for 6 connections | 01050103 | ST | 75.40 | EUR | 1 | PAS I 6AP M10 V2A | 4013364090934 | 1 | 1.01 | 1.01 | 85389099 | DE | 295 | 70 | 40 | MM |
| 1093 | 472210 | 43264 | Insulator for equipotential bonding bar | H40 A/F36 M10/M10 UV-resistant | 01505001 | ST | 17.00 | EUR | 1 | IS PAS M10 | 4013364096790 | 1 | 0.092 | 0.092 | 85469010 | TR | 40 | 40 | 36 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 1094 | 472217 | 43351 | Equipotential bonding bar without cover | Cu with M10 screws for 10 connections | 01050103 | ST | 113.10 | EUR | 1 | PAS I 10AP M10 CU | 4013364090941 | 1 | 1.35 | 1.35 | 85389099 | DE | 435 | 70 | 40 | MM |
| 1095 | 472219 | 43352 | Equipotential bonding bar without cover | StSt with M10 screws for 10 connections | 01050103 | ST | 107.10 | EUR | 1 | PAS I 10AP M10 V2A | 4013364090958 | 1 | 1.41 | 1.41 | 85389099 | DE | 435 | 70 | 40 | MM |
| 1096 | 472227 | 43251 | Equipotential bonding bar without cover | Cu with M10 screws for 8 connections | 01050103 | ST | 102.90 | EUR | 1 | PAS I 8AP M10 CU | 4013364096424 | 1 | 1.14 | 1.14 | 85389099 | DE | 365 | 70 | 40 | MM |
| 1097 | 472229 | 43253 | Equipotential bonding bar without cover | StSt with M10 screws for 8 connections | 01050103 | ST | 94.80 | EUR | 1 | PAS I 8AP M10 V2A | 4013364096431 | 1 | 1.18 | 1.18 | 85389099 | DE | 365 | 70 | 40 | MM |
| 1098 | 472237 | 43254 | Equipotential bonding bar without cover | Cu with M10 screws for 12 connections | 01050103 | ST | 127.70 | EUR | 1 | PAS I 12AP M10 CU | 4013364096448 | 1 | 1.53 | 1.53 | 85389099 | DE | 505 | 70 | 40 | MM |
| 1099 | 472239 | 43255 | Equipotential bonding bar without cover | StSt with M10 screws for 12 connections | 01050103 | ST | 126.60 | EUR | 1 | PAS I 12AP M10 V2A | 4013364096455 | 1 | 1.59 | 1.59 | 85389099 | DE | 505 | 70 | 40 | MM |
| 1100 | 472269 | 43256 | Cover for equipotential bonding bar, | StSt with 8 terminals | 01050103 | ST | 33.90 | EUR | 1 | AD PAS 8AP V2A | 4013364096462 | 1 | 0.322 | 0.322 | 85389099 | DE | 371 | 65 | 60 | MM |
| 1101 | 472279 | 41624 | Cover for equipotential bonding bar, | StSt with 6 connections | 01050103 | ST | 30.70 | EUR | 1 | AD PAS 6AP V2A | 4013364090972 | 1 | 0.285 | 0.285 | 85389099 | DE | 301 | 65 | 60 | MM |
| 1102 | 472289 | 41625 | Cover for equipotential bonding bar, | StSt with 10 connections | 01050103 | ST | 37.40 | EUR | 1 | AD PAS 10AP V2A | 4013364090989 | 1 | 0.366 | 0.366 | 85389099 | DE | 441 | 65 | 60 | MM |
| 1103 | 472299 | 43258 | Cover for equipotential bonding bar, | StSt with 12 terminals | 01050103 | ST | 42.60 | EUR | 1 | AD PAS 12AP V2A | 4013364096479 | 1 | 0.403 | 0.403 | 85389099 | DE | 511 | 65 | 60 | MM |
| 1104 | 472309 | 68267 | Earthing busbar StSt f. equipotential | bonding w. 1 x 4 terminals | 01050103 | ST | 31.60 | EUR | 1 | ES 4AP 11X11 V2A | 4013364157170 | 1 | 0.235 | 0.226 | 85389099 | DE | 230 | 44 | 30 | MM |
| 1105 | 472319 | 68268 | Earthing busbar StSt f. equipotential | bonding w. 1 x 6 terminals | 01050103 | ST | 37.60 | EUR | 1 | ES 6AP 11X11 V2A | 4013364157187 | 1 | 0.278 | 0.267 | 85389099 | DE | 290 | 44 | 30 | MM |
| 1106 | 472329 | 68269 | Earthing busbar StSt f. equipotential | bonding w. 1 x 8 terminals | 01050103 | ST | 44.20 | EUR | 1 | ES 8AP 11X11 V2A | 4013364157194 | 1 | 0.319 | 0.307 | 85389099 | DE | 350 | 44 | 30 | MM |
| 1107 | 472339 | 68270 | Earthing busbar StSt f. equipotential | bonding w. 1 x 10 terminals | 01050103 | ST | 51.10 | EUR | 1 | ES 10AP 11X11 V2A | 4013364157200 | 1 | 0.363 | 0.348 | 85389099 | DE | 410 | 45 | 30 | MM |
| 1108 | 472349 | 68271 | Earthing busbar StSt f. equipotential | bonding w. 1 x 12 terminals | 01050103 | ST | 57.60 | EUR | 1 | ES 12AP 11X11 V2A | 4013364157217 | 1 | 0.403 | 0.387 | 85389099 | DE | 470 | 44 | 30 | MM |
| 1109 | 472410 | 3015930 | Equipotential bonding bar for Ex areas of zone 1/21, 2/22 | 1x flat and 5x cable lug | 01050105 | ST | 172.90 | EUR | 1 | PAS EX 1+5AP M10 V2A | 4013364470521 | 1 | 1.964 | 1.751 | 85389099 | DE | 534 | 78 | 62 | MM |
| 1110 | 472411 | 3015912 | Equipotential bonding bar for Ex areas of zone 1/21, 2/22 | for 7x cable lug | 01050105 | ST | 111.10 | EUR | 1 | PAS EX 7AP M10 V2A | 4013364470460 | 1 | 1.648 | 1.436 | 85389099 | DE | 545 | 90 | 70 | MM |
| 1111 | 472412 | 3015916 | Cover StSt with distance bolts | and label for PAS EX 1+5(7)AP.. | 01050105 | ST | 42.00 | EUR | 1 | PAS EX AD 7 AP | 4013364470491 | 1 | 0.576 | 0.364 | 85389099 | DE | 534 | 78 | 62 | MM |
| 1112 | 472415 | 3016779 | EB bar for Ex areas of zone 1/21, 2/22 | Kit with push-in adapter & round adapter | 01050105 | ST | 325.90 | EUR | 1 | PAS EX 7AP SET | 4013364470590 | 1 | 3.23 | 2.594 | 85389099 | DE | 0 | 0 | 0 | MM |
| 1113 | 472420 | 3015931 | Equipotential bonding bar for Ex areas of zone 1/21, 2/22 | 1x flat and 9 x cable lug | 01050105 | ST | 259.10 | EUR | 1 | PAS EX 1+9AP M10 V2A | 4013364476059 | 1 | 2.496 | 2.284 | 85389099 | DE | 534 | 78 | 62 | MM |
| 1114 | 472421 | 3015913 | Equipotential bonding bar for Ex areas of zone 1/21, 2/22 | for 11x cable lug | 01050105 | ST | 191.30 | EUR | 1 | PAS EX 11AP M10 V2A | 4013364470477 | 1 | 2.162 | 1.95 | 85389099 | DE | 545 | 90 | 70 | MM |
| 1115 | 472422 | 3015917 | Cover StSt with distance bolts | and label for PAS EX 1+9(11)AP.. | 01050105 | ST | 49.40 | EUR | 1 | PAS EX AD 11 AP | 4013364470507 | 1 | 0.658 | 0.446 | 85389099 | DE | 534 | 78 | 62 | MM |
| 1116 | 472425 | 3016780 | EB bar for Ex areas of zone 1/21, 2/22 | Kit with push-in adapter & round adapter | 01050105 | ST | 413.60 | EUR | 1 | PAS EX 11AP SET | 4013364470606 | 1 | 3.818 | 3.18 | 85389099 | DE | 0 | 0 | 0 | MM |
| 1117 | 472432 | 3016499 | Crimped cable lug DIN 46235 16 mm² | M10 Cu/gal Sn with nickel barrier layer | 01050105 | ST | 4.70 | EUR | 1 | PKS 16 10 CUGALSN | 4013364470538 | 3 | 0.016 | 0.013 | 85389099 | DE | 52 | 17 | 9 | MM |
| 1118 | 472433 | 3016500 | Crimped cable lug DIN 46235 25 mm² | M10 Cu/gal Sn with nickel barrier layer | 01050105 | ST | 5.00 | EUR | 1 | PKS 25 10 CUGALSN | 4013364470545 | 3 | 0.02 | 0.017 | 85389099 | DE | 54 | 18 | 11 | MM |
| 1119 | 472434 | 3016501 | Crimped cable lug DIN 46235 35 mm² | M10 Cu/gal Sn with nickel barrier layer | 01050105 | ST | 6.10 | EUR | 1 | PKS 35 10 CUGALSN | 4013364470552 | 3 | 0.034 | 0.032 | 85389099 | DE | 57 | 20 | 14 | MM |
| 1120 | 472435 | 3016502 | Crimped cable lug DIN 46235 50 mm² | M10 Cu/gal Sn with nickel barrier layer | 01050105 | ST | 7.50 | EUR | 1 | PKS 50 10 CUGALSN | 4013364470569 | 3 | 0.052 | 0.049 | 85389099 | DE | 67 | 23 | 15 | MM |
| 1121 | 472436 | 3016504 | Crimped cable lug DIN 46235 70 mm² M10 | Cu/gal Sn with nickel barrier layer | 01050105 | ST | 9.10 | EUR | 1 | PKS 70 10 CUGALSN | 4013364470576 | 3 | 0.068 | 0.065 | 85389099 | DE | 70 | 24 | 18 | MM |
| 1122 | 472437 | 3016505 | Crimped cable lug DIN 46235 95 mm² | M10 Cu/gal Sn with nickel barrier layer | 01050105 | ST | 11.30 | EUR | 1 | PKS 95 10 CUGALSN | 4013364470583 | 3 | 0.098 | 0.093 | 85389099 | DE | 80 | 28 | 20 | MM |
| 1123 | 472497 | 3015914 | Push-in adapter 4x 4-16 mm² for | EB-bar for Ex areas of zone 1/21, 2/22 | 01050105 | ST | 86.40 | EUR | 1 | PAS EX CC | 4013364470484 | 1 | 0.196 | 0.174 | 85389099 | DE | 105 | 94 | 67 | MM |
| 1124 | 472498 | 3015928 | Connection kit, Rd 10 mm for EB-bar | Ex area zone 1/21, 2/22 | 01050105 | ST | 86.40 | EUR | 1 | PAS EX R | 4013364476042 | 1 | 0.79 | 0.756 | 85389099 | DE | 123 | 115 | 91 | MM |
| 1125 | 472499 | 3015927 | Connection kit FL 30/40 mm for | EB-bar for Ex areas of zone 1/21, 2/22 | 01050105 | ST | 48.10 | EUR | 1 | PAS EX FL | 4013364470514 | 1 | 0.408 | 0.386 | 85389099 | DE | 105 | 94 | 67 | MM |
| 1126 | 476001 | 13513 | Inspection door St/tZn with square | spanner 230x180mm | 01040103 | ST | 41.10 | EUR | 1 | RTUP 230X180 VKS STTZN | 4013364028548 | 10 | 0.468 | 0.468 | 85389099 | SK | 230 | 180 | 25 | MM |
| 1127 | 476010 | 12288 | Test joint box 160x160x68mm | with terminal lugs Rd 8/10mm L 200mm | 01040103 | ST | 82.70 | EUR | 1 | TSK 140X140 V2A AF8 10 L200 STTZN | 4013364025578 | 1 | 0.797 | 0.797 | 85389099 | DE | 540 | 160 | 72 | MM |
| 1128 | 476016 | 54975 | Test joint box 160x160x68mm with | 2 Cu conductors 16mm² L approx. 230mm | 01040103 | ST | 110.80 | EUR | 1 | TSK 140X140 V2A AL16CU | 4013364125216 | 1 | 0.559 | 0.559 | 85389099 | DE | 540 | 160 | 72 | MM |
| 1129 | 476020 | 59260 | Inspection door StSt with square | spanner 290x230mm | 01040103 | ST | 135.60 | EUR | 1 | RTUP 290X230 VKS V2A | 4013364126916 | 1 | 0.8 | 0.8 | 85389099 | DE | 290 | 230 | 43 | MM |
| 1130 | 476050 | 70448 | Test joint box f. ETIC systems | 185x145x90mm plastic - grau | 01040103 | ST | 105.20 | EUR | 1 | TSK WDVS 180X140X88 K V2A | 4013364219717 | 1 | 1.02 | 0.869 | 85389099 | DE | 290 | 225 | 160 | MM |
| 1131 | 476053 | 70452 | Spacer for test joint box for ETIC | systems H 50-200 mm plastic - grey | 01040103 | ST | 24.10 | EUR | 1 | AH TSK WDVS 50.200 K | 4013364219724 | 1 | 0.225 | 0.185 | 39259080 | CZ | 197 | 119 | 119 | MM |
| 1132 | 476055 | 70453 | Test joint box f. ETIC systems | 185x145x90mm plastic - grey | 01040103 | ST | 129.30 | EUR | 1 | TSKS WDVS 185X140X88 AH50.200 K V2A | 4013364219755 | 1 | 1.02 | 1.02 | 85389099 | DE | 0 | 0 | 0 | |
| 1133 | 476100 | 41608 | Inspection door St/tZn with snap lock | external dimension 230x180mm | 01040103 | ST | 24.00 | EUR | 1 | RTUP 230X180 SV STTZN | 4013364086470 | 10 | 0.46 | 0.46 | 85389099 | CZ | 230 | 180 | 14 | MM |
| 1134 | 478011 | 3016519 | Fixed earthing terminal Type M M10/M12 | StSt (V4A) with connection axis | 01050101 | ST | 36.20 | EUR | 1 | EFPM M10 12 V4A L230 STTZN | 4013364033054 | 25 | 0.313 | 0.301 | 85389099 | DE | 232 | 86 | 86 | MM |
| 1135 | 478012 | 3016520 | Fixed earthing terminal type M M10/M12 | StSt (V4A) without terminal axis | 01050101 | ST | 30.70 | EUR | 1 | EFPM M10 12 V4A | 4013364069183 | 20 | 0.192 | 0.182 | 85389099 | DE | 86 | 86 | 52 | MM |
| 1136 | 478019 | 3016518 | Fixed earthing terminal type M M10/M12 | StSt(V4A) with terminal axis | 01050101 | ST | 42.70 | EUR | 1 | EFPM M10 12 V4A L230 V2A | 4013364072107 | 25 | 0.31 | 0.299 | 85389099 | DE | 232 | 86 | 86 | MM |
| 1137 | 478027 | 3016515 | Fixed earthing terminal M16 StSt(V4A) | w. connect. cable 70mm² L 400mm Cu/galSn | 01050101 | ST | 92.70 | EUR | 1 | EFP M16 V4A SL400 | 4013364125995 | 10 | 0.603 | 0.603 | 85389099 | DE | 460 | 120 | 90 | MM |
| 1138 | 478041 | 3016523 | Fixed earthing terminal type M M10/M12 | StSt (V4A) with press-fitted axis | 01050101 | ST | 35.70 | EUR | 1 | EFPM M10 12 V4A L245 VP STTZN | 4013364105157 | 25 | 0.319 | 0.304 | 85389099 | DE | 250 | 86 | 86 | MM |
| 1139 | 478049 | 3016524 | Fixed earthing terminal type M M10/M12 | StSt (V4A) with compressed axis | 01050101 | ST | 42.00 | EUR | 1 | EFPM M10 12 V4A L245 VP V2A | 4013364105164 | 25 | 0.318 | 0.303 | 85389099 | DE | 250 | 86 | 86 | MM |
| 1140 | 478051 | 3016525 | Fixed earthing terminal type M M10/M12 | StSt(V4A) term. axis St/tZn a. water barr. | 01050101 | ST | 46.80 | EUR | 1 | EFPM M10 12 V4A WS L245 VP STTZN | 4013364124448 | 10 | 0.37 | 0.37 | 85389099 | DE | 250 | 86 | 80 | MM |
| 1141 | 478098 | 3009440 | Foam pad one side adhesive | D=90mm d=20mm w. pull-off tab | 01050101 | ST | 2.40 | EUR | 1 | SSP D90 H20 | 4013364337411 | 10 | 0.008 | 0.008 | 85389099 | DE | 115 | 90 | 20 | MM |
| 1142 | 478099 | 54349 | Identification PVC for terminal lugs | Rd 10mm/Fl 30x3.5mm green/yellow | 01060101 | ST | 3.70 | EUR | 1 | SK RD10 FL30X3.5 GRGE PVC | 4013364120334 | 20 | 0.052 | 0.052 | 85389099 | DE | 70 | 49 | 49 | MM |
| 1143 | 478112 | 3016521 | Fixed earthing terminal type M M10/M12 | StSt(V4A) w. MV clamp f. Rd 8-10mm St/tZn | 01050101 | ST | 34.20 | EUR | 1 | EFPM M10 12 V4A MVK8.10 STTZN | 4013364118140 | 25 | 0.286 | 0.276 | 85389099 | DE | 86 | 86 | 75 | MM |
| 1144 | 478129 | 58254 | Terminal for fixed earthing point | M10 f. Rd 8-10/Fl 30mm StSt (V4A) | 01050101 | ST | 25.90 | EUR | 1 | AK 25 8.10 FL30 GBM10X60 V4A | 4013364118858 | 10 | 0.148 | 0.148 | 85389099 | DE | 80 | 58 | 30 | MM |
| 1145 | 478141 | 3013408 | Connect. clamp f. fixed earthing point | M10 for Rd 7-10/Fl30-40mm, St/tZn | 01050101 | ST | 18.70 | EUR | 1 | AK 7.10 FL40 GBM10X45 STTZN | 4013364101425 | 10 | 0.348 | 0.338 | 85389099 | DE | 70 | 70 | 70 | MM |
| 1146 | 478149 | 3013391 | Clamp f. fixed earthing terminal | M12 f. Rd 7-10/Fl30-40mm StSt (V4A) | 01050101 | ST | 41.10 | EUR | 1 | AK 7.10 FL40 GBM12X55 V4A | 4013364154964 | 10 | 0.401 | 0.391 | 85389099 | DE | 85 | 70 | 70 | MM |
| 1147 | 478150 | 3013384 | Clamp f. fixed earthing terminal | M16 f. Rd 7-10/Fl30-40mm StSt (V4A) | 01050101 | ST | 50.40 | EUR | 1 | AK 7.10 FL40 GBM16X65 V4A | 4013364359512 | 10 | 0.473 | 0.464 | 85389099 | DE | 110 | 70 | 70 | MM |
| 1148 | 478200 | 3016522 | Fixed earthing term. type M M10/M12 | StSt (V4A) with terminal axis St/tZn | 01050101 | ST | 36.60 | EUR | 1 | EFPK M10 12 V4A L230 STTZN | 4013364035652 | 25 | 0.278 | 0.263 | 85389099 | DE | 230 | 86 | 80 | MM |
| 1149 | 478410 | 3016516 | Earth electr. / wall bushing 100-300mm | w. M10 thread L 308mm StSt (V4A) | 01050101 | ST | 50.80 | EUR | 1 | EWD MVK8.10 M10 L100 300 V4A | 4013364136335 | 5 | 0.58 | 0.58 | 85389099 | DE | 380 | 80 | 80 | MM |
| 1150 | 478430 | 3016517 | Earth electr. / wall bushing 300-500mm | w. M10 thread L 508mm StSt (V4A) | 01050101 | ST | 56.30 | EUR | 1 | EWD MVK8.10 M10 L300 500 V4A | 4013364136342 | 5 | 0.68 | 0.68 | 85389099 | DE | 580 | 80 | 80 | MM |
| 1151 | 478450 | 59284 | Earth electr. / wall bushing 500-700mm | w. M10 thread L 708mm StSt (V4A) | 01050101 | ST | 60.90 | EUR | 1 | EWD MVK8.10 M10 L500 700 V4A | 4013364136359 | 1 | 0.78 | 0.78 | 85389099 | DE | 780 | 80 | 80 | MM |
| 1152 | 478530 | 3016526 | Waterproof wall bushing for thicknesses | 200-300mm StSt (316/Ti/L) | 01050101 | ST | 110.90 | EUR | 1 | WD M10 12 V4A DWD L200 300 STTZN | 4013364120341 | 10 | 0.697 | 0.697 | 85389099 | DE | 297 | 125 | 86 | MM |
| 1153 | 478540 | 3016527 | Waterproof wall bushing for thicknesses | 300-400mm StSt (V4A) | 01050101 | ST | 113.90 | EUR | 1 | WD M10 12 V4A DWD L300 400 STTZN | 4013364120358 | 4 | 0.75 | 0.75 | 85389099 | DE | 397 | 125 | 86 | MM |
| 1154 | 478550 | 3016528 | Waterproof wall bushing for thicknesses | 400-500mm StSt (V4A) | 01050101 | ST | 117.20 | EUR | 1 | WD M10 12 V4A DWD L400 500 STTZN | 4013364120365 | 4 | 0.839 | 0.839 | 85389099 | DE | 497 | 125 | 86 | MM |
| 1155 | 478598 | 66230 | Sealing collar water pressure-tight | up to 1 bar for Rd 10mm | 01060101 | ST | 37.10 | EUR | 1 | DM AF RD10 D105MM TPE | 4013364158016 | 10 | 0.12 | 0.12 | 40169300 | DE | 115 | 105 | 42 | MM |
| 1156 | 478599 | 66231 | Sealing collar water pressure-tight | up to 1 bar for Fl 30x3.5mm | 01060101 | ST | 37.10 | EUR | 1 | DM AF FL30X3.5 D120MM TPE | 4013364158023 | 10 | 0.17 | 0.17 | 40169300 | DE | 128 | 120 | 42 | MM |
| 1157 | 478699 | 69963 | Threaded adapter M10/10 L 130mm StSt(V4A) | w. nut a. washer f. fixed earth. point | 01050101 | ST | 22.30 | EUR | 1 | GAD EFP M10 10 L130 V4A | 4013364158054 | 10 | 0.13 | 0.122 | 85389099 | DE | 130 | 20 | 20 | MM |
| 1158 | 480003 | 16608 | Number plate without number | Al for Rd 7-10mm Fl 30mm | 01060101 | ST | 4.30 | EUR | 1 | NS 7.10 FL30 OZ AL | 4013364035348 | 50 | 0.026 | 0.024 | 83100000 | DE | 58 | 34 | 20 | MM |
| 1159 | 480004 | 16609 | Number plate without number | Al for Rd 16mm | 01060101 | ST | 4.50 | EUR | 1 | NS 16 OZ AL | 4013364035355 | 50 | 0.028 | 0.026 | 83100000 | DE | 58 | 34 | 20 | MM |
| 1160 | 480018 | 38072 | Earth entry rod St/tZn L 1500mm | tapered D 16/10mm partly insulated | 01020101 | ST | 34.80 | EUR | 1 | EES 16.10 1500 STTZN | 4013364076372 | 10 | 1.9 | 1.9 | 85389099 | DE | 2500 | 18 | 18 | MM |
| 1161 | 480019 | 34012 | Earth entry rod St/tZn L 1750mm | tapered D 16/10mm partly insulated | 01020101 | ST | 38.90 | EUR | 1 | EES 16.10 1750 STTZN | 4013364068339 | 10 | 1.82 | 1.82 | 85389099 | DE | 2000 | 18 | 18 | MM |
| 1162 | 480020 | 34010 | Earth entry rod St/tZn L 2000mm | tapered D 16/10mm partly insulated | 01020101 | ST | 42.70 | EUR | 1 | EES 16.10 2000 STTZN | 4013364051638 | 10 | 2.24 | 2.24 | 85389099 | DE | 1500 | 18 | 18 | MM |
| 1163 | 480021 | 34011 | Earth entry rod St/tZn L 2500mm | tapered D 16/10mm partly insulated | 01020101 | ST | 45.60 | EUR | 1 | EES 16.10 2500 STTZN | 4013364051621 | 1 | 3.06 | 3.06 | 85389099 | DE | 1750 | 18 | 18 | MM |
| 1164 | 480113 | 50288 | Support for VDB test badge | StSt for Rd 7-10mm Fl 30mm | 01060101 | ST | 4.60 | EUR | 1 | TS 7.10 FL30 PP V2A | 4013364112681 | 50 | 0.063 | 0.061 | 83100000 | DE | 84 | 58 | 20 | MM |
| 1165 | 480150 | 35717 | Earth entry rod St/tZn -SET- | L 1500 mm, disconn. sleeve, KS screws | 01020101 | ST | 47.40 | EUR | 1 | EESS 16 1500 TM 2KS7.10 STTZN | 4013364019591 | 1 | 2.58 | 2.58 | 85389099 | DE | 1500 | 50 | 30 | MM |
| 1166 | 480157 | 10135 | Earth entry rod Cu -KIT- | L 1500 mm, disconn. sleeve, KS screws | 01020101 | ST | 231.50 | EUR | 1 | EESS 16 1500 TM 2KS7.10 CU | 4013364019577 | 1 | 2.87 | 2.87 | 85389099 | DE | 1500 | 50 | 30 | MM |
| 1167 | 480291 | 55737 | Two-screw cleat Al f. Rd 7-10mm | bore distance 38mm w. thread M6 | 01060101 | ST | 1.30 | EUR | 1 | ZSUEL 7.10 2XM6 LA38 AL | 4013364149441 | 100 | 0.01 | 0.009 | 85389099 | DE | 58 | 20 | 10 | MM |
| 1168 | 480598 | 3006025 | Instruction plate "ATTENTION!Separated Lightning | Protection with HVI conductor system" | 01070101 | ST | 30.90 | EUR | 1 | HWS 300X210 AGBS HVI DE EN K | 4013364105607 | 1 | 0.091 | 0.084 | 39219090 | DE | 300 | 210 | 1 | MM |
| 1169 | 480599 | 3015300 | Instruction plate "ATTENTION! | Equipotential Bonding" | 01070101 | ST | 7.10 | EUR | 1 | HWS 70X30 APA DE EN K | 4013364105614 | 10 | 0.005 | 0.005 | 39204310 | DE | 70 | 30 | 1 | MM |
| 1170 | 480698 | 60557 | Warning sign 210x297x0.7mm GER/ENG | Achtung Blitzsp. / Attention Lightn. | 01070101 | ST | 79.00 | EUR | 1 | HWS 297X210 ABS DE EN AL | 4013364144590 | 1 | 0.128 | 0.128 | 83100000 | DE | 297 | 210 | 1 | MM |
| 1171 | 480699 | 57885 | Warning sign 297x210x0.7mm Al | Bei Gewitter ist der Aufenthalt ... | 01070101 | ST | 55.10 | EUR | 1 | HWS 297X210 AGU3MV DE EN AL | 4013364107229 | 1 | 0.137 | 0.137 | 83100000 | DE | 297 | 210 | 1 | MM |
| 1172 | 481001 | 12307 | Number plate with number 01 | Al for Rd 7-10mm Fl 30mm | 01060101 | ST | 4.60 | EUR | 1 | NS 7.10 FL30 MZ 1 AL | 4013364025608 | 1 | 0.027 | 0.027 | 83100000 | DE | 58 | 34 | 20 | MM |
| 1173 | 482001 | 12308 | Number plate with number 01 | Al for Rd 16 mm | 01060101 | ST | 4.80 | EUR | 1 | NS 16 MZ 1 AL | 4013364025615 | 1 | 0.028 | 0.028 | 83100000 | DE | 58 | 34 | 20 | MM |
| 1174 | 483100 | 3008071 | Air-termination rod D 16mm L 1000mm | St/tZn chamfered on both ends | 01010101 | ST | 20.40 | EUR | 1 | FS 16 1000 STTZN | 4013364019430 | 10 | 1.6 | 1.6 | 85389099 | DE | 1000 | 16 | 16 | MM |
| 1175 | 483125 | 3008073 | Air-termination rod D 16 mm L 1250mm | St/tZn chamfered on both ends | 01010101 | ST | 26.50 | EUR | 1 | FS 16 1250 STTZN | 4013364019416 | 10 | 2 | 2 | 85389099 | DE | 1250 | 16 | 16 | MM |
| 1176 | 483150 | 3008183 | Air-termination rod/earth entry rod | St/tZn D 16mm L 1500mm chamf. on both ends | 01020101 | ST | 29.00 | EUR | 1 | FS 16 1500 STTZN | 4013364019492 | 10 | 2.4 | 2.4 | 85389099 | DE | 1500 | 16 | 16 | MM |
| 1177 | 483200 | 3008168 | Air-termination rod/earth entry rod | St/tZn D 16mm L 2000mm both ends chamfered | 01020101 | ST | 35.40 | EUR | 1 | FS 16 2000 STTZN | 4013364019713 | 1 | 3.2 | 3.2 | 85389099 | DE | 2000 | 16 | 16 | MM |
| 1178 | 484000 | 3008703 | Number plate w. embossing, Al | f. Rd 7-10 mm Fl 30 mm | 01060101 | ST | 4.20 | EUR | 1 | NS 7.10 FL30 7SEG AL | 4013364327306 | 50 | 0.026 | 0.024 | 83100000 | DE | 60 | 35 | 20 | MM |
| 1179 | 484001 | 3008704 | Number plate w. embossing, Al | f. Rd 16 mm | 01060101 | ST | 4.20 | EUR | 1 | NS 16 7SEG AL | 4013364327313 | 50 | 0.027 | 0.026 | 83100000 | DE | 60 | 35 | 20 | MM |
| 1180 | 484010 | 3018406 | edding 780 paint marker | black | 01060101 | ST | 7.80 | EUR | 1 | EDD 780 SW | 4013364482272 | 1 | 0.017 | 0.016 | 96082000 | JP | 133 | 10 | 10 | MM |
| 1181 | 490000 | 3006490 | Number insert "0" ,StSt | | 01060101 | ST | 0.50 | EUR | 1 | NSE 0 V2A | 4013364306417 | 100 | 0.001 | 0.001 | 83100000 | DE | 15 | 10 | 6 | MM |
| 1182 | 490001 | 3006491 | Number insert "1"<(>,<)> StSt | | 01060101 | ST | 0.50 | EUR | 1 | NSE 1 V2A | 4013364306431 | 100 | 0.001 | 0.001 | 83100000 | DE | 15 | 10 | 6 | MM |
| 1183 | 490002 | 3006492 | Number insert "2"<(>,<)> StSt | | 01060101 | ST | 0.50 | EUR | 1 | NSE 2 V2A | 4013364306493 | 100 | 0.001 | 0.001 | 83100000 | DE | 15 | 10 | 6 | MM |
| 1184 | 490003 | 3006493 | Number insert "3"<(>,<)> StSt | | 01060101 | ST | 0.50 | EUR | 1 | NSE 3 V2A | 4013364306509 | 100 | 0.001 | 0.001 | 83100000 | DE | 15 | 10 | 6 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 1185 | 490004 | 3006494 | Number insert "4"<(>,<)> StSt | | 01060101 | ST | 0.50 | EUR | 1 | NSE 4 V2A | 4013364306516 | 100 | 0.001 | 0.001 | 83100000 | DE | 15 | 10 | 6 | MM |
| 1186 | 490005 | 3006495 | Number insert "5"<(>,<)> StSt | | 01060101 | ST | 0.50 | EUR | 1 | NSE 5 V2A | 4013364306523 | 100 | 0.001 | 0.001 | 83100000 | DE | 15 | 10 | 6 | MM |
| 1187 | 490006 | 3006496 | Number insert "6"<(>,<)> StSt | | 01060101 | ST | 0.50 | EUR | 1 | NSE 6 V2A | 4013364306530 | 100 | 0.001 | 0.001 | 83100000 | DE | 15 | 10 | 6 | MM |
| 1188 | 490007 | 3006497 | Number insert "7"<(>,<)> StSt | | 01060101 | ST | 0.50 | EUR | 1 | NSE 7 V2A | 4013364306547 | 100 | 0.001 | 0.001 | 83100000 | DE | 15 | 10 | 6 | MM |
| 1189 | 490008 | 3006498 | Number insert "8"<(>,<)> StSt | | 01060101 | ST | 0.50 | EUR | 1 | NSE 8 V2A | 4013364306554 | 100 | 0.001 | 0.001 | 83100000 | DE | 15 | 10 | 6 | MM |
| 1190 | 490009 | 3006499 | Number insert "9"<(>,<)> StSt | | 01060101 | ST | 0.50 | EUR | 1 | NSE 9 V2A | 4013364306561 | 100 | 0.001 | 0.001 | 83100000 | DE | 15 | 10 | 6 | MM |
| 1191 | 490020 | 3006810 | Combined cross recessed screw | StSt, M6x16 | 01060101 | ST | 0.60 | EUR | 1 | KSS M6X16 V2A | 4013364306578 | 100 | 0.005 | 0.005 | 73181552 | DE | 20 | 9 | 9 | MM |
| 1192 | 490021 | 3006501 | Support StSt for VDB test badge | | 01060101 | ST | 2.40 | EUR | 1 | TS 16 FL30 PP V2A | 4013364306585 | 50 | 0.035 | 0.035 | 83100000 | DE | 85 | 58 | 2 | MM |
| 1193 | 490022 | 3006500 | Cleat Al for Rd16 | distance of bores 38 mm, 2xM6 | 01060101 | ST | 1.30 | EUR | 1 | ZSUEL 16 2XM6 LA38 V2A | 4013364306592 | 100 | 0.011 | 0.01 | 83100000 | DE | 60 | 20 | 16 | MM |
| 1194 | 490099 | 3009367 | Assortment case "Sortimo" unequipped | | 01060101 | ST | 270.60 | EUR | 1 | NS SOB L | 4013364306455 | 1 | 8.5 | 7.93 | 83100000 | DE | 450 | 360 | 120 | MM |
| 1195 | 490100 | 3006487 | Number plate with slot | | 01060101 | ST | 2.20 | EUR | 1 | NST ON AL | 4013364306486 | 100 | 0.007 | 0.007 | 83100000 | DE | 62 | 36 | 2 | MM |
| 1196 | 490110 | 3006824 | Number plate Al, cleat Rd 7-10/Fl 30 KIT | | 01060101 | ST | 4.70 | EUR | 1 | NST 7.10 FL30 ON AL | 4013364306462 | 50 | 0.023 | 0.023 | 83100000 | DE | 0 | 0 | 0 | MM |
| 1197 | 490116 | 3006825 | Number plate Al, cleat Rd 16 KIT | | 01060101 | ST | 4.70 | EUR | 1 | NST 16 ON AL | 4013364306479 | 50 | 0.024 | 0.024 | 83100000 | DE | 0 | 0 | 0 | MM |
| 1198 | 490900 | 3006489 | Number insert without embossing StSt | | 01060101 | ST | 0.50 | EUR | 1 | NSE BLANK AL | 4013364306424 | 100 | 0.001 | 0.001 | 83100000 | DE | 62 | 36 | 2 | MM |
| 1199 | 490999 | 3009368 | Assortment case "Sortimo" | equipped | 01060101 | ST | 1315.40 | EUR | 1 | NS SOB 0.9 | 4013364306448 | 1 | 8.508 | 7.926 | 83100000 | DE | 450 | 370 | 145 | MM |
| 1200 | 505901 | 10109 | Sechskantmutter DIN 934 M6 NIRO | | 01505001 | ST | 0.30 | EUR | 1 | SKM M6 DIN 934 V2A | 4013364019355 | 20 | 0.002 | 0.002 | 73181639 | DE | 10 | 10 | 8 | MM |
| 1201 | 524906 | 1719 | Spring washer DIN 128 StSt D 6mm | | 01505001 | ST | 0.10 | EUR | 1 | FR A6 V2A | 4013364004009 | 20 | 0.001 | 0.001 | 73182100 | DE | 10 | 10 | 3 | MM |
| 1202 | 524910 | 22239 | Spring washer DIN 128 D 10mm StSt | | 01505001 | ST | 0.50 | EUR | 1 | FR A10 V2A | 4013364039339 | 1 | 0.002 | 0.002 | 73182100 | DE | 20 | 20 | 5 | MM |
| 1203 | 524912 | 22513 | Spring washer DIN 128 A12 StSt | | 01060101 | ST | 0.60 | EUR | 1 | FR A12 V2A | 4013364039360 | 1 | 0.004 | 0.004 | 73182100 | DE | 21 | 21 | 4 | MM |
| 1204 | 524913 | 17242 | Spring washer DIN 128 A16 StSt | | 01060101 | ST | 0.90 | EUR | 1 | FR A16 V2A | 4013364053250 | 1 | 0.008 | 0.008 | 73182100 | DE | 28 | 28 | 5 | MM |
| 1205 | 525001 | 2238 | Pressure plate Al 40x40x6mm with a hole | of 13mm | 05000450 | ST | 17.50 | EUR | 1 | DP 40 40 B13 AL | 4013364004986 | 10 | 0.019 | 0.019 | 85389099 | DE | 40 | 40 | 6 | MM |
| 1206 | 525002 | 2240 | Pressure plate Al 50x50x8mm with a hole | of 17mm | 05000450 | ST | 17.50 | EUR | 1 | DP 50 50 B17 AL | 4013364004993 | 10 | 0.037 | 0.037 | 85389099 | DE | 50 | 50 | 8 | MM |
| 1207 | 525910 | 57671 | Washer DIN 125, A10,5, 1.4571 V4A | | 01505001 | ST | 0.50 | EUR | 1 | SCH A10.5 V4A | 4013364390911 | 1 | 0.003 | 0.003 | 73182200 | IN | 20 | 20 | 5 | MM |
| 1208 | 525912 | 17338 | Flat washer DIN 125 A13 StSt | | 01505001 | ST | 0.60 | EUR | 1 | SCH A13 V4A | 4013364053267 | 1 | 0.005 | 0.005 | 73182200 | DE | 24 | 24 | 2.5 | MM |
| 1209 | 525916 | 21806 | Flat washer DIN 125 A17 StSt | | 01060101 | ST | 0.90 | EUR | 1 | SCH A17 V2A | 4013364053274 | 1 | 0.01 | 0.01 | 73182200 | DE | 30 | 30 | 3 | MM |
| 1210 | 528610 | 55756 | Blind rivet D 5mm L 10mm Al/V2A | (similar to DIN 7337 (EN 15979)) | 01060101 | ST | 0.60 | EUR | 1 | BN 5X10 AL V2A | 4013364150553 | 500 | 0.003 | 0.003 | 83082000 | IT | 42 | 10 | 10 | MM |
| 1211 | 528619 | 50510 | Self-tapping screw with hexagon head | DIN 7504 6.3x19mm StSt | 01060101 | ST | 0.60 | EUR | 1 | BSC 6.3X19 SW10 V2A | 4013364108882 | 1 | 0.007 | 0.007 | 73181410 | QU | 25 | 11 | 11 | MM |
| 1212 | 528820 | 3012119 | Hanger bolt A2 for wood | L 8.4x130mm M10x50mm | 01060101 | ST | 20.10 | EUR | 1 | STS HUK 8.4X130 PLDI AGM10X50 V2A | 4013364400122 | 1 | 0.099 | 0.099 | 73181210 | QU | 185 | 25 | 25 | MM |
| 1213 | 528821 | 3012120 | Hanger bolt A2 for metal | L 8x125mm M10x50mm | 01060101 | ST | 19.90 | EUR | 1 | STS SUK 8X125 PLDI AGM10X50 V2A | 4013364400139 | 1 | 0.099 | 0.098 | 73181410 | QU | 185 | 25 | 25 | MM |
| 1214 | 528850 | 3007973 | Wood screw with threaded head M8x13mm | St/gal Zn L 53mm | 01060101 | ST | 1.30 | EUR | 1 | HSC 8X32 AGM8X13 STGALZN | 4013364020955 | 1 | 0.015 | 0.015 | 73181290 | DE | 53 | 15 | 15 | MM |
| 1215 | 528870 | 3007976 | Wood screw with threaded head M8x13mm | St/gal Zn L 73mm | 01060101 | ST | 1.50 | EUR | 1 | HSC 8X42 AGM8X13 STGALZN | 4013364020962 | 1 | 0.022 | 0.022 | 73181290 | DE | 73 | 15 | 15 | MM |
| 1216 | 538010 | 12880 | Staple for Rd -10mm L 40mm St/tZn | | 01030102 | ST | 0.60 | EUR | 1 | KRA 6.10 STTZN | 4013364054868 | 500 | 0.008 | 0.008 | 73170080 | DE | 40 | 23 | 4 | MM |
| 1217 | 538030 | 12884 | Staple for Fl -30mm L 40mm St/tZn | | 01030102 | ST | 0.90 | EUR | 1 | KRA FL30 STTZN | 4013364026902 | 300 | 0.02 | 0.019 | 73170080 | DE | 42 | 40 | 5 | MM |
| 1218 | 540100 | 18239 | Antenna pipe clamp D 16-168mm StSt | w. connection f. Rd 6-8/10 or 4-50mm² | 01050102 | ST | 11.90 | EUR | 1 | BRS 16.168 AK1X10 2X6.8 V2A | 4013364094109 | 10 | 0.133 | 0.133 | 85389099 | DE | 590 | 70 | 40 | MM |
| 1219 | 540103 | 46232 | Antenna pipe clamp D 16-89mm StSt | w. connection f. Rd 6-8/10 or 4-50mm² | 01050102 | ST | 11.10 | EUR | 1 | BRS 16.89 AK1X10 2X6.8 V2A | 4013364101302 | 10 | 0.12 | 0.12 | 85389099 | DE | 350 | 70 | 40 | MM |
| 1220 | 540104 | 3002261 | Pipe clamp D 27-89mm StSt | w. connection f. Rd 6-8/10 or 4-50mm² | 01050105 | ST | 14.00 | EUR | 1 | BRS 27.89 AK1X10 2X6.8 GSG V2A | 4013364239685 | 10 | 0.129 | 0.127 | 85389099 | DE | 370 | 75 | 45 | MM |
| 1221 | 540105 | 50265 | Pipe clamp StSt f. air-termination rods | D 16mm f. square profiles min. 40mm | 01050102 | ST | 46.40 | EUR | 1 | BRS 50.300 BB16 8 V2A | 4013364115880 | 1 | 0.359 | 0.359 | 85389099 | DE | 250 | 230 | 40 | MM |
| 1222 | 540110 | 41711 | Grip holder f. contin. tensioning strap | 25x0.3mm w. termial f. Rd 6-8/10 or 4-50mm² | 01050102 | ST | 7.40 | EUR | 1 | SPK 25 BRS AK1X10 2X6.8 V2A | 4013364094116 | 50 | 0.1 | 0.098 | 85389099 | DE | 70 | 40 | 34 | MM |
| 1223 | 540111 | 3015020 | Set for Ericsson | 2 x BRS 540100 1 x EV 472349 | 01050102 | ST | 81.30 | EUR | 1 | BRS 16.168 ES 12AP V2A SET | 4013364451315 | 1 | 0.653 | 0.653 | 85389099 | DE | 0 | 0 | 0 | MM |
| 1224 | 540120 | 3011364 | Gutter clamp StSt f. bead 16-22mm w. double | cleat f. Rd 8-10mm cross-sect. area 4-50mm² | 01040102 | ST | 12.10 | EUR | 1 | DRK 8.10 AQ4 50 W16.22 V2A | 4013364379947 | 25 | 0.147 | 0.144 | 85389099 | DE | 65 | 50 | 50 | MM |
| 1225 | 540121 | 3011365 | Connection clamp StSt(V4A)for earth rods | 20-25 mm with double cleat for Rd 8-10 mm | 01040102 | ST | 16.50 | EUR | 1 | AK 8.10 AQ4 50 TE20 25 V4A | 4013364380660 | 25 | 0.147 | 0.144 | 85389099 | DE | 65 | 50 | 50 | MM |
| 1226 | 540122 | 3011071 | UNI KS connector StSt(V4A)for Rd. 6-10 | or 16-50mm² stranded | 01040102 | ST | 20.80 | EUR | 1 | UKSV 6.10 AQ16 50 V4A | 4013364379930 | 25 | 0.066 | 0.063 | 85389099 | DE | 45 | 25 | 25 | MM |
| 1227 | 540199 | 3006773 | Grip head f. endl. tens. strap 25x0.3mm | w. connection 1x10 or 2x6-8mm | 01050105 | ST | 12.70 | EUR | 1 | SPK 27.89 BRS AK1X10 2X6.8 GSG V2A | 4013364304741 | 25 | 0.111 | 0.107 | 85389099 | DE | 70 | 45 | 35 | MM |
| 1228 | 540200 | 53041 | BS pipe clamp with tines D 27-168m | w. connection f. Rd 6-8/10 or 4-50mm² | 01050102 | ST | 24.50 | EUR | 1 | BRS 27.168 Z AK1X10 2X6.8 V2A | 4013364113039 | 10 | 0.136 | 0.136 | 85389099 | DE | 590 | 70 | 40 | MM |
| 1229 | 540210 | 3000221 | Clamp. chuck w. prongs f. strap 25x0.3mm | f. Rd 10mm or 2x Rd 6-8mm or 4-50mm² | 01050102 | ST | 17.00 | EUR | 1 | SPK Z 25 BRS AK1X10 2X6.8 V2A | 4013364221284 | 50 | 0.1 | 0.098 | 85389099 | DE | 70 | 30 | 19 | MM |
| 1230 | 540250 | 62411 | UNI earthing clamp StSt f. Rd 8-10mm a. | cond. 4-50mm² w. M8 screw and nut | 01040102 | ST | 8.00 | EUR | 1 | UEK 8.10 AQ4 50 HKSM8 V2A | 4013364138650 | 50 | 0.062 | 0.06 | 85389099 | DE | 37 | 35 | 32 | MM |
| 1231 | 540251 | 3019800 | Contact plate 4-50mm² a. double cleat | Rd 8-10mm with square hole 9x9mm StSt | 01040102 | ST | 5.10 | EUR | 1 | KP AQ4 50 DUL 8.10 VKL9 V2A | 4013364138674 | 100 | 0.038 | 0.037 | 85389099 | DE | 37 | 30 | 9 | MM |
| 1232 | 540260 | 62410 | UNI earthing clamp StSt f. Rd 8-10mm a. | cond. 4-50mm² w. M10 screw and nut | 01040102 | ST | 8.70 | EUR | 1 | UEK 8.10 AQ4 50 HKSM10 V2A | 4013364138667 | 50 | 0.062 | 0.06 | 85389099 | DE | 37 | 35 | 32 | MM |
| 1233 | 540261 | 3019801 | Contact plate 4-50mm² a. double cleat | Rd 8-10mm with square hole 12x12mm StSt | 01040102 | ST | 5.10 | EUR | 1 | KP AQ4 50 DUL 8.10 VKL11 V2A | 4013364138681 | 100 | 0.037 | 0.024 | 85389099 | DE | 37 | 30 | 9 | MM |
| 1234 | 540262 | 3014767 | Uni earth clamp w. hammer head screw, | self-locking nut w. serr. bearing M10 | 01040102 | ST | 12.00 | EUR | 1 | UEK 8.10 AQ4 50 HKSBM10 V2A | 4013364449237 | 50 | 0.08 | 0.078 | 85389099 | DE | 37 | 35 | 32 | MM |
| 1235 | 540263 | 3014768 | Uni earth clamp w. truss head screw, | self-locking nut w. serr. bearing M10 | 01040102 | ST | 8.70 | EUR | 1 | KP AQ4 50 DUL 8.10 VKL11 FRSM10 V2A | 4013364449244 | 10 | 0.081 | 0.077 | 85389099 | DE | 40 | 37 | 32 | MM |
| 1236 | 540270 | 3008191 | Connecting clamp StSt (V4A) | f. Rd 3-4mm / Rd 8-10 mm | 01040102 | ST | 10.00 | EUR | 1 | UEK 8.10 AQ3/4 M8 V4A | 4013364320536 | 50 | 0.1 | 0.1 | 85389099 | DE | 49 | 37 | 32 | MM |
| 1237 | 540271 | 3011446 | MMV clamp StSt (V4A) f. Rd 3-10mm | with hexagon screw M8x30 | 01040101 | ST | 8.00 | EUR | 1 | MMVK 3.5 8.10 SKM8X30 V4A | 4013364385306 | 50 | 0.052 | 0.05 | 85389099 | DE | 40 | 33 | 30 | MM |
| 1238 | 540801 | 51525 | Pipe clamp f. hazardous areas D 27-89mm | w. terminal screw M10 Cu/gal Sn StSt | 01050105 | ST | 116.50 | EUR | 1 | EX BRS 90 | 4013364115460 | 1 | 0.583 | 0.503 | 85389099 | DE | 200 | 120 | 80 | MM |
| 1239 | 540803 | 51530 | Pipe clamp f. hazardous areas D 90-300mm | w. terminal screw M10 Cu/gal Sn StSt | 01050105 | ST | 125.90 | EUR | 1 | EX BRS 300 | 4013364115477 | 1 | 0.646 | 0.566 | 85389099 | DE | 200 | 120 | 80 | MM |
| 1240 | 540805 | 57665 | Pipe clamp f. hazardous areas D300-500mm | w. terminal clamp M10 Cu/gal Sn StSt | 01050105 | ST | 137.40 | EUR | 1 | EX BRS 500 | 4013364128873 | 1 | 0.846 | 0.766 | 85389099 | DE | 200 | 120 | 80 | MM |
| 1241 | 540810 | 51532 | Clamp body f. hazardous. areas without | tensioning strap Cu/galSn StSt, screw M10 | 01050105 | ST | 110.10 | EUR | 1 | SCK EX BRS ASSM10 V2A | 4013364115484 | 1 | 0.63 | 0.55 | 85389099 | DE | 200 | 120 | 80 | MM |
| 1242 | 540821 | 57435 | Pipe clamp f. hazardous areas D 6-27mm | with terminal screw M8 Ms/gal Sn-StSt | 01050105 | ST | 134.90 | EUR | 1 | EX BRS 27 | 4013364123724 | 1 | 0.284 | 0.249 | 85389099 | DE | 123 | 115 | 91 | MM |
| 1243 | 540900 | 38091 | Grip head StSt for tensioning strap | 25x0.3mm with terminal 2 x 4-25mm² | 01050102 | ST | 6.80 | EUR | 1 | SPK 25 BRS AQ4 25 V2A | 4013364076532 | 50 | 0.057 | 0.055 | 85389099 | DE | 64 | 30 | 26 | MM |
| 1244 | 540901 | 38092 | Tensioning strap, StSt, 25x0.3mm L 100m | | 01050102 | ST | 297.90 | EUR | 1 | SPB 25X0.3 L100M V2A | 4013364076525 | 1 | 6.298 | 6.28 | 85389099 | DE | 247 | 247 | 32 | MM |
| 1245 | 540905 | 3004705 | Tensioning strap, StSt, 14x0.3mm L 100m | | 01050102 | ST | 161.50 | EUR | 1 | SPB 14X0.3 L100M V2A | 4013364273269 | 1 | 3.54 | 3.45 | 85389099 | DE | 247 | 247 | 18 | MM |
| 1246 | 540910 | 12347 | Earthing pipe clamp D 27-60mm | with connection clamp 2 x 4-25mm² StSt | 01050102 | ST | 9.00 | EUR | 1 | BRS 27.60 AQ4 25 V2A | 4013364025684 | 10 | 0.071 | 0.071 | 85389099 | DE | 240 | 64 | 30 | MM |
| 1247 | 540911 | 12349 | Earthing pipe clamp D 27-114mm | with connection clamp 2 x 4-25mm² StSt | 01050102 | ST | 10.00 | EUR | 1 | BRS 27.114 AQ4 25 V2A | 4013364025691 | 10 | 0.076 | 0.076 | 85389099 | DE | 410 | 64 | 30 | MM |
| 1248 | 540912 | 16610 | Earthing pipe clamp D 27-168mm | with connection clamp 2 x 4-25mm² StSt | 01050102 | ST | 10.90 | EUR | 1 | BRS 27.168 AQ4 25 V2A | 4013364035362 | 10 | 0.094 | 0.094 | 85389099 | DE | 570 | 64 | 30 | MM |
| 1249 | 540920 | 64215 | Earthing pipe clamp D 10-27mm (1/8-3/4") | w. terminal clamp 2 x 2.5-10mm² StSt | 01050102 | ST | 8.00 | EUR | 1 | BRS 10.27 AQ2.5 10 V2A | 4013364144194 | 10 | 0.029 | 0.029 | 85389099 | DE | 135 | 37 | 27 | MM |
| 1250 | 540930 | 46234 | Grip head for strap 14x0.3mm, StSt | with screw DIN 933 M8x16 | 01050102 | ST | 3.20 | EUR | 1 | SPK 14X0.3 V2A | 4013364101319 | 25 | 0.027 | 0.024 | 85389099 | DE | 36 | 30 | 22 | MM |
| 1251 | 540931 | 46235 | Tensioning strap 14x0.3mm L 50m, StSt | with unreel box | 01050102 | ST | 121.40 | EUR | 1 | SPB 14X0.3 L50M V2A | 4013364101296 | 1 | 1.69 | 1.69 | 85389099 | DE | 300 | 245 | 37 | MM |
| 1252 | 545000 | 13060 | Measuring wire Cu 0.75 mm² blue | | 03050103 | M | 1.30 | EUR | 1 | ML 0.75 L100M CU BL | 4013364027367 | 100 | 0.011 | 0.011 | 85444995 | DE | 140 | 140 | 40 | MM |
| 1253 | 545001 | 60518 | Measuring wire Cu 0.75mm² red | | 03050103 | M | 1.30 | EUR | 1 | ML 0.75 L100M CU RT | 4013364141131 | 100 | 0.011 | 0.011 | 85444995 | DE | 140 | 140 | 40 | MM |
| 1254 | 546000 | 3006334 | Earthing tongs L 205mm St/galZn | for Rd -55mm Fl -45 mm | 03060101 | ST | 80.60 | EUR | 1 | EZ 55 FL45 ASM10 STGALZN | 4013364019959 | 1 | 0.545 | 0.465 | 85359000 | DE | 205 | 80 | 38 | MM |
| 1255 | 546001 | 3006335 | Earthing tongs L 205mm StSt | for Rd -55mm Fl -45 mm | 03060101 | ST | 101.60 | EUR | 1 | EZ 55 FL45 ASM10 V2A | 4013364019973 | 1 | 0.55 | 0.47 | 85359000 | DE | 205 | 80 | 38 | MM |
| 1256 | 546002 | 3006331 | Earthing tongs L 140mm StSt | for Rd -16mm Fl -13 mm | 03060101 | ST | 62.40 | EUR | 1 | EZ 16 FL13 ASM6 V2A | 4013364004016 | 1 | 0.177 | 0.177 | 85359000 | DE | 140 | 47 | 26 | MM |
| 1257 | 546025 | 3006330 | Earthing tongs L 140mm St/galZn | for Rd -16mm Fl -13 mm | 03060101 | ST | 48.50 | EUR | 1 | EZ 16 FL13 ASM6 STGALZN | 4013364004023 | 1 | 0.178 | 0.178 | 85359000 | DE | 140 | 47 | 26 | MM |
| 1258 | 549000 | 34015 | UF test joint box without test joint | 300x220x120mm, GCI, black lacquered | 01040103 | ST | 85.20 | EUR | 1 | UFTSK 300X220X120 GG | 4013364025547 | 1 | 6.201 | 6.201 | 85389099 | CN | 290 | 220 | 125 | MM |
| 1259 | 549001 | 12263 | UF test joint box with test joint | 300x220x120mm, GCI for Rd 7-10/Fl 40mm | 01040103 | ST | 123.70 | EUR | 1 | UFTSK 7.10 FL40 300X220X120 GG | 4013364025554 | 1 | 6.101 | 6.101 | 85389099 | DE | 300 | 220 | 120 | MM |
| 1260 | 549050 | 57658 | UF test joint box, plastic, | 197x197x204mm with test joint | 01040103 | ST | 206.00 | EUR | 1 | UFTSK 7.10 FL40 197X197X204 K | 4013364128217 | 1 | 2.176 | 1.896 | 85389099 | DE | 204 | 197 | 197 | MM |
| 1261 | 549051 | 57655 | UF test joint box, plastic, | 197x197x204mm without test joint | 01040103 | ST | 165.20 | EUR | 1 | UFTSK 197X197X204 K | 4013364128224 | 1 | 1.661 | 1.381 | 85389099 | DE | 204 | 197 | 197 | MM |
| 1262 | 549090 | 57651 | UF test joint box StSt | 200x200x105mm with test joint | 01040103 | ST | 391.30 | EUR | 1 | UFTSK 7.10 FL40 200X200X105 V2A | 4013364128231 | 1 | 3.731 | 3.58 | 85389099 | DE | 200 | 200 | 127 | MM |
| 1263 | 549091 | 57650 | UF test joint box StSt | 200x200x105mm without test joint | 01040103 | ST | 355.60 | EUR | 1 | UFTSK 200X200X105 V2A | 4013364128248 | 1 | 3.151 | 3 | 85389099 | DE | 200 | 200 | 127 | MM |
| 1264 | 552010 | 10570 | Roof bushing D 34mm borehole 16mm | plastic for Rd 8-10mm | 01010103 | ST | 5.10 | EUR | 1 | DDF 8.10 D34 B16 K | 4013364021150 | 25 | 0.036 | 0.033 | 85389099 | DE | 70 | 34 | 34 | MM |
| 1265 | 552030 | 10780 | Roof bushing D 250mm plastic | for Rd 8-10-16 and Fl 20x2.5-30x3.5mm | 01010103 | ST | 16.90 | EUR | 1 | DDF 8 10 16 FL20.30 D250 K | 4013364021563 | 25 | 0.227 | 0.196 | 85389099 | DE | 250 | 250 | 97 | MM |
| 1266 | 554011 | 3014271 | Heat-shrinkable sleeve, black, size 1 | for Rd 16/Fl 30mm | 01060101 | M | 11.10 | EUR | 1 | SCSC 16 FL30 L...M SW | 4013364030756 | 1 | 0.046 | 0.046 | 39173200 | DE | 390 | 390 | 60 | MM |
| 1267 | 556125 | 38397 | Anti-corrosion tape W 50mm L 10m | | 01060101 | ST | 19.20 | EUR | 1 | KSB 50 L10M | 4013364028517 | 24 | 0.73 | 0.56 | 68071000 | DE | 130 | 130 | 50 | MM |
| 1268 | 556130 | 38398 | Anti-corrosion tape W 100mm L 10m | | 01060101 | ST | 37.60 | EUR | 1 | KSB 100 L10M | 4013364028524 | 12 | 1.28 | 1.28 | 68071000 | DE | 130 | 130 | 50 | MM |
| 1269 | 561924 | 11683 | Hexagon screw DIN 933 M10x30mm | 1.4303 (1.4301) | 01505001 | ST | 1.30 | EUR | 1 | SKS M10X30 V2A | 4013364047280 | 1 | 0.027 | 0.027 | 73181575 | DE | 35 | 20 | 16 | MM |
| 1270 | 561925 | 15337 | Hexagon bolt DIN 933 M12x25mm StSt | | 01060101 | ST | 1.90 | EUR | 1 | SKS M12X25 V2A | 4013364056244 | 1 | 0.035 | 0.035 | 73181575 | DE | 33 | 21 | 19 | MM |
| 1271 | 561930 | 8125 | Hexagon bolt DIN 933 M12x30mm StSt | | 01060101 | ST | 3.80 | EUR | 1 | SKS M12X30 V2A | 4013364053298 | 1 | 0.039 | 0.039 | 73181575 | MY | 38 | 21 | 19 | MM |
| 1272 | 561931 | 8116 | Hexagon bolt DIN 933 M16x30mm StSt | | 01060101 | ST | 6.20 | EUR | 1 | SKS M16X30 V2A | 4013364053311 | 1 | 0.077 | 0.077 | 73181575 | IT | 38 | 27 | 24 | MM |
| 1273 | 561935 | 21803 | Hexagon screw DIN 933 M12x35mm StSt | | 01060101 | ST | 2.20 | EUR | 1 | SKS M12X35 V2A | 4013364056053 | 1 | 0.042 | 0.042 | 73181575 | IN | 33 | 21 | 19 | MM |
| 1274 | 562001 | 39448 | Cupal sleeve Al outside Cu inside | f. Rd 8mm = 50mm² L 60mm | 01060101 | ST | 5.90 | EUR | 1 | CUPAH UGL Q50 L60 AL CU | 4013364019782 | 100 | 0.004 | 0.004 | 74198090 | DE | 60 | 10 | 10 | MM |
| 1275 | 562035 | 10156 | Cupal sleeve outside Al inside Cu | 35mm² L 32mm | 01060101 | ST | 8.70 | EUR | 1 | CUPAH GL Q35 L32 AL CU | 4013364019744 | 100 | 0.003 | 0.003 | 74198090 | DE | 32 | 10 | 10 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 1276 | 562050 | 39450 | Cupal sleeve Al outside Cu inside | f. Rd 8mm = 50mm² L 40mm | 01060101 | ST | 5.00 | EUR | 1 | CUPAH GL Q50 L40 AL CU | 4013364019751 | 100 | 0.005 | 0.005 | 74198090 | DE | 40 | 10 | 10 | MM |
| 1277 | 562101 | 39447 | Cupal sleeve, exterior material: Cu, | interior mat.: Al f. Rd 8mm=50mm² L 60mm | 01060101 | ST | 6.20 | EUR | 1 | CUPAH UGL Q50 L60 CU AL | 4013364019799 | 100 | 0.004 | 0.003 | 74198090 | DE | 60 | 10 | 10 | MM |
| 1278 | 562135 | 10160 | Cupal sleeve, exterior material: Cu, | interior material: Al, 35mm² L 32mm | 01060101 | ST | 5.90 | EUR | 1 | CUPAH GL Q35 L32 CU AL | 4013364019768 | 100 | 0.003 | 0.003 | 74198090 | DE | 32 | 10 | 10 | MM |
| 1279 | 562150 | 39449 | Cupal sleeve Cu outside Al inside | f. Rd 8mm = 50mm² L 40mm | 01060101 | ST | 4.90 | EUR | 1 | CUPAH GL Q50 L40 CU AL | 4013364019775 | 100 | 0.005 | 0.005 | 74198090 | DE | 40 | 10 | 10 | MM |
| 1280 | 562250 | 10154 | Cupal sleeve outside Al inside Cu | 25mm² L 29mm | 01060101 | ST | 4.50 | EUR | 1 | CUPAH GL Q25 L29 AL CU | 4013364019737 | 100 | 0.002 | 0.002 | 74198090 | DE | 29 | 9 | 9 | MM |
| 1281 | 562440 | 10167 | Cupal sheet 500x40x0.5mm | | 01060101 | ST | 26.20 | EUR | 1 | CUPAB 500X40X0.5 AL CU | 4013364019805 | 1 | 0.038 | 0.038 | 76061292 | DE | 500 | 40 | 0.5 | MM |
| 1282 | 562460 | 10168 | Cupal sheet 500x60x0.5mm | | 01060101 | ST | 33.20 | EUR | 1 | CUPAB 500X60X0.5 AL CU | 4013364019812 | 1 | 0.057 | 0.057 | 76061292 | DE | 500 | 60 | 0.5 | MM |
| 1283 | 563010 | 57607 | Equipotential bonding bar with cover | 7x 2.5-25mm² 2x16-95mm² 1x FI 30x4mm | 01050103 | ST | 42.50 | EUR | 1 | PAS AH RK 7X25 2X8.10 1XFL30 | 4013364027800 | 1 | 0.469 | 0.469 | 85389099 | DE | 200 | 65 | 56 | MM |
| 1284 | 563011 | 46187 | Terminal block for equipotential bonding | bar 2.5-25mm² St/galZn | 01050103 | ST | 2.20 | EUR | 1 | RK 16 PAS | 4013364027732 | 200 | 0.014 | 0.013 | 85389099 | DE | 30 | 16 | 11 | MM |
| 1285 | 563012 | 13295 | Terminal block FI -30x4mm for | equipotential bonding bar St/gal Zn | 01050103 | ST | 4.60 | EUR | 1 | RK FL30 PAS | 4013364027749 | 1 | 0.067 | 0.063 | 85389099 | DE | 41 | 40 | 30 | MM |
| 1286 | 563013 | 57603 | Terminal block 16-95mm² f. equipotential | bonding bar St/gal Zn | 01050103 | ST | 3.10 | EUR | 1 | RK 95 PAS | 4013364027756 | 100 | 0.033 | 0.032 | 85389099 | DE | 41 | 20 | 18 | MM |
| 1287 | 563014 | 13311 | Bar frame for equipotential bonding | clamping bar 10x10mm, P/grey | 01050103 | ST | 3.00 | EUR | 1 | SB PAS RK | 4013364027787 | 50 | 0.013 | 0.011 | 85389099 | DE | 58 | 33 | 20 | MM |
| 1288 | 563015 | 13312 | Cover P/grey for R15 equipotential | bonding bar | 01050103 | ST | 5.50 | EUR | 1 | AH PAS RK | 4013364027794 | 10 | 0.074 | 0.059 | 85389099 | DE | 200 | 65 | 56 | MM |
| 1289 | 563016 | 13308 | Clamping bar Ms/gal Sn 10x10x198mm | for equipotential bonding bar | 01050103 | ST | 10.30 | EUR | 1 | KS 198 PAS | 4013364027763 | 10 | 0.166 | 0.166 | 85389099 | DE | 198 | 10 | 10 | MM |
| 1290 | 563017 | 13309 | Clamping bar Ms/gal Sn 10x10x398mm | for equipotential bonding bar | 01050103 | ST | 20.10 | EUR | 1 | KS 398 PAS | 4013364027770 | 10 | 0.37 | 0.37 | 85389099 | DE | 398 | 10 | 10 | MM |
| 1291 | 563018 | 3007960 | Clamping bar Ms/gal Sn 10x10x798mm for | equipotential bonding bar | 01050103 | ST | 37.60 | EUR | 1 | KS 798 PAS | 4013364083585 | 1 | 0.672 | 0.672 | 85389099 | DE | 798 | 10 | 10 | MM |
| 1292 | 563019 | 43333 | Terminal block FI -40x5mm for | equipotential bonding bar St/gal Zn | 01050103 | ST | 6.30 | EUR | 1 | RK FL40 PAS | 4013364096998 | 1 | 0.068 | 0.065 | 85389099 | DE | 47 | 41 | 30 | MM |
| 1293 | 563020 | 57606 | Equipotential bonding bar with cover | 5x 2.5-25mm² 3x16-95mm² 1x FI 30x4mm | 01050103 | ST | 42.40 | EUR | 1 | PAS AH RK 5X25 3X8.10 1XFL30 | 4013364027817 | 1 | 0.481 | 0.476 | 85389099 | DE | 200 | 65 | 56 | MM |
| 1294 | 563030 | 57605 | Equipotential bonding bar with cover | 13x 2.5-25mm² 1x 16-95mm² | 01050103 | ST | 46.70 | EUR | 1 | PAS AH RK 13X25 1X8.10 | 4013364027824 | 1 | 0.444 | 0.444 | 85389099 | DE | 200 | 65 | 56 | MM |
| 1295 | 563040 | 57604 | Equipotential bonding bar with cover | 7x 2.5-25mm² 2x16-95mm² 1x FI 40x5mm | 01050103 | ST | 45.80 | EUR | 1 | PAS AH RK 7X25 2X8.10 1XFL40 | 4013364082861 | 1 | 0.46 | 0.46 | 85389099 | DE | 200 | 65 | 56 | MM |
| 1296 | 563050 | 3006967 | Equipotential bonding bar w. cover | 7x 2.5-25mm² FI 30x3.5mm Rd 7-10mm | 01050103 | ST | 13.50 | EUR | 1 | PAS 9AK | 4013364054707 | 1 | 0.254 | 0.226 | 85389099 | IN | 174 | 52 | 45 | MM |
| 1297 | 563105 | 13320 | Equipotential bonding bar w/o cover | 6x2.5-25mm² (mini type) | 01050103 | ST | 24.00 | EUR | 1 | PAS 6RK OH | 4013364027831 | 10 | 0.218 | 0.21 | 85389099 | DE | 113 | 58 | 40 | MM |
| 1298 | 563169 | 54223 | Terminal clamp f. ring equip. bond. StSt | f. Rd 8-10/FI 30mm conn. 2.5-95mm² | 01050104 | ST | 7.40 | EUR | 1 | AK RPA V2A | 4013364104839 | 50 | 0.078 | 0.076 | 85389099 | DE | 77 | 40 | 20 | MM |
| 1299 | 563200 | 31984 | K12 equipotential bonding bar | 10x 2.5-95mm²/Rd 10mm 1x FI 30x4mm | 01050103 | ST | 30.60 | EUR | 1 | PAS 11AK | 4013364056558 | 1 | 0.41 | 0.41 | 85389099 | DE | 161 | 59 | 50 | MM |
| 1300 | 563201 | 46229 | K12 equipotential bonding bar with | UV-resistant cover | 01050103 | ST | 30.20 | EUR | 1 | PAS 11AK UV | 4013364101234 | 1 | 0.397 | 0.397 | 85389099 | DE | 161 | 59 | 50 | MM |
| 1301 | 572000 | 60586 | Spider wrench size 10 13 17 19 | galvanised | 01060102 | ST | 40.80 | EUR | 1 | KSS SW10 13 17 19 STGALZN | 4013364021723 | 1 | 0.198 | 0.19 | 82055980 | DE | 120 | 120 | 24 | MM |
| 1302 | 573000 | 3015869 | DEHNIT special clay (in sacks) | | 01060101 | KG | 2.90 | EUR | 1 | DEHNIT 25KG | 4013364021617 | 25 | 1 | 1 | 25084000 | DE | 550 | 300 | 150 | MM |
| 1303 | 578110 | 43323 | GEOHM C earth resistance meter | | 03050101 | ST | 2601.50 | EUR | 1 | EMG GEOHM C | 4013364096974 | 1 | 1.2 | 1.2 | 90303200 | DE | 275 | 140 | 65 | MM |
| 1304 | 578351 | 3010460 | Earth resistance meter | EMG METREL MI 3123 | 03050101 | ST | 2551.20 | EUR | 1 | EMG METREL MI 3123 | 4013364356429 | 1 | 3.26 | 0.85 | 90303370 | SI | 300 | 230 | 160 | MM |
| 1305 | 578352 | 3011099 | A 1018 clip-on amperemeter 1000 A/1 A w. | conn. cable up to max. current 1000 A | 03050101 | ST | 1012.30 | EUR | 1 | ZSW METREL A1018 | 4013364370982 | 1 | 0.773 | 0.677 | 90309000 | SI | 240 | 125 | 60 | MM |
| 1306 | 578353 | 3011767 | A 1019 generator clamp 1000 A/1 A | with connection sockets | 03050101 | ST | 955.60 | EUR | 1 | ZSW METREL A1019 | 4013364390263 | 1 | 0.743 | 0.616 | 90309000 | SI | 240 | 125 | 60 | MM |
| 1307 | 578370 | 3012009 | EP4 continuity tester w. digital LCD | indicator 0.01 ohms ... 2000 Kohms | 03050101 | ST | 997.60 | EUR | 1 | DGP EP4 | 4013364110953 | 1 | 0.35 | 0.24 | 90303370 | DE | 300 | 100 | 48 | MM |
| 1308 | 578386 | 3010358 | Earth resist. clamp meter f. earth loop | measurement range 0.01..1500 Ohm | 03050101 | ST | 4348.10 | EUR | 1 | EMZ M312N METRACLIP EARTH | 4013364353329 | 1 | 2.98 | 2.23 | 90303200 | FR | 440 | 320 | 170 | MM |
| 1309 | 582600 | 16411 | Case w. earth resistance measuring | equipment, w.o. earth res. meter | 03050102 | ST | 969.30 | EUR | 1 | EMKO ML EB PK ... KL | 4013364034730 | 1 | 7.03 | 5.88 | 90309000 | DE | 500 | 270 | 270 | MM |
| 1310 | 582620 | 50547 | Case for EP 4 continuity tester | with measuring accessories | 03050102 | ST | 478.30 | EUR | 1 | DGPKO ML PK ... KL | 4013364110960 | 1 | 4.213 | 3.773 | 90309000 | DE | 405 | 303 | 163 | MM |
| 1311 | 585010 | 13761 | Coiler plastic, grey W 40mm w. socket | empty | 03050103 | ST | 50.70 | EUR | 1 | DH K 40 BB ASG L | 4013364029620 | 1 | 0.224 | 0.211 | 90309000 | DE | 155 | 140 | 73 | MM |
| 1312 | 585025 | 13763 | Coiler plastic, grey W 40mm w. socket a. | 25m wire 0.75mm² blue w. split plug | 03050103 | ST | 89.60 | EUR | 1 | DH K 40 BS ML0.75 L25M BL | 4013364029637 | 1 | 0.479 | 0.469 | 90309000 | DE | 155 | 140 | 73 | MM |
| 1313 | 585051 | 60520 | Coiler plastic, grey W 40mm w. socket a. | 50m wire 0.75mm² red w. split plug | 03050103 | ST | 129.30 | EUR | 1 | DH K 40 BS ML0.75 L50M RT | 4013364141155 | 1 | 0.751 | 0.741 | 90309000 | DE | 155 | 140 | 73 | MM |
| 1314 | 585200 | 13779 | Coiler plastic, grey W 80mm | with socket empty | 03050103 | ST | 64.70 | EUR | 1 | DH K 80 BB ASG L | 4013364029712 | 1 | 0.224 | 0.211 | 90309000 | DE | 155 | 140 | 113 | MM |
| 1315 | 585210 | 13781 | Coiler plastic, grey W 80mm | with 100m wire blue | 03050103 | ST | 189.40 | EUR | 1 | DH K 80 BS ML0.75 L100M BL | 4013364029729 | 1 | 1.344 | 1.329 | 90309000 | DE | 155 | 140 | 113 | MM |
| 1316 | 585211 | 60521 | Coiler plastic, grey W 80mm w. socket a. | 100m wire 0.75mm² red w. split plug | 03050103 | ST | 188.10 | EUR | 1 | DH K 80 BS ML0.75 L100M RT | 4013364141162 | 1 | 1.344 | 1.329 | 90309000 | DE | 155 | 140 | 113 | MM |
| 1317 | 585310 | 16381 | Coiler plastic grey W 40mm w. socket a. | 25m wire 0.75mm² red w. split plug | 03050103 | ST | 89.60 | EUR | 1 | DH K 40 BS ML0.75 L25M RT | 4013364034679 | 1 | 0.479 | 0.469 | 90309000 | DE | 155 | 140 | 73 | MM |
| 1318 | 585320 | 60588 | Coiler plastic grey W 40mm w. socket a. | 50m wire 0.75mm² blue w. split plug | 03050103 | ST | 129.30 | EUR | 1 | DH K 40 BS ML0.75 L50M BL | 4013364148024 | 1 | 0.751 | 0.741 | 90309000 | DE | 155 | 140 | 73 | MM |
| 1319 | 587460 | 3007776 | Earth drilling device MCI/gal Zn L 350mm | as auxiliary earth electrode a. probe | 03050103 | ST | 86.00 | EUR | 1 | EB ASSM5 L350 TGGALZN | 4013364035263 | 1 | 0.375 | 0.369 | 90309000 | DE | 350 | 135 | 24 | MM |
| 1320 | 588000 | 13066 | Test clamp clamping range 2-21mm MCI/tZn | | 03050103 | ST | 28.30 | EUR | 1 | PK 2.21 ASSM5 TGTZN | 4013364027404 | 1 | 0.1 | 0.1 | 90309000 | DE | 100 | 48 | 13 | MM |
| 1321 | 589000 | 13072 | Test clamp clamping range 4-45mm MCI/tZn | | 03050103 | ST | 42.40 | EUR | 1 | PK 4.45 ASSM5 TGTZN | 4013364027411 | 1 | 0.292 | 0.292 | 90309000 | DE | 145 | 70 | 20 | MM |
| 1322 | 595000 | 3009133 | Straightening tool cranked St/burnished | f. Rd 8-10mm w. spider wrench SW13 | 01060102 | ST | 49.90 | EUR | 1 | RE GK 8.10 SW13 STBRUE | 4013364046535 | 1 | 0.33 | 0.329 | 82055980 | PL | 262 | 62 | 49 | MM |
| 1323 | 596000 | 68214 | Straightening tool St/burnished | f. Rd 8-10mm / FI -4mm | 01060102 | ST | 69.20 | EUR | 1 | RE G 8.10 FL4 STBRUE | 4013364046528 | 1 | 0.37 | 0.362 | 82055980 | PL | 260 | 48 | 25 | MM |
| 1324 | 597003 | 13242 | Wire straightener St/tZn f. Rd 7-10mm | w. 10 guide pulleys a. derrick | 01060102 | ST | 2386.50 | EUR | 1 | DRG 10RO 7.10 DB STTZN | 4013364027725 | 1 | 30.44 | 30.44 | 84625900 | DE | 1350 | 950 | 580 | MM |
| 1325 | 597004 | 13212 | Wire straightener St/gal Zn f. Rd 7-10mm | w. 5 guide pulleys a. handles | 01060102 | ST | 948.30 | EUR | 1 | DRG 5RO 7.10 HG STGALZN | 4013364027701 | 1 | 6.271 | 5.951 | 84625900 | DE | 400 | 300 | 150 | MM |
| 1326 | 597005 | 13218 | Wire straightener St/gal Zn f. Rd 7-10mm | w. 10 guide pulleys a. handles | 01060102 | ST | 1599.70 | EUR | 1 | DRG 10RO 7.10 HG STGALZN | 4013364027718 | 1 | 15.7 | 15.7 | 84625900 | DE | 680 | 270 | 250 | MM |
| 1327 | 597006 | 13743 | Wire straightener, movable, St/tZn | with wire unwinding device | 01060102 | ST | 3533.00 | EUR | 1 | DRG 10RO 7.10 FB STTZN | 4013364029606 | 1 | 42.8 | 42.8 | 84625900 | DE | 1245 | 1200 | 500 | MM |
| 1328 | 597020 | 68026 | CUI head 20 | cutting head for stripping tool | 01060102 | ST | 115.70 | EUR | 1 | CUI HEAD 20 | 4013364154957 | 1 | 0.155 | 0.155 | 82055980 | IT | 77 | 46 | 46 | MM |
| 1329 | 597032 | 68032 | HVI cutter cable shears | for HVI/CUI Conductors up to D 32mm | 01060102 | ST | 343.00 | EUR | 1 | HVI CUTTER 32 | 4013364155008 | 1 | 1.49 | 1.49 | 82033000 | TW | 600 | 164 | 40 | MM |
| 1330 | 597101 | 3016830 | HVI head 20 spare blades for | cutting head (1pack of 4 blades) | 01060102 | PAK | 70.80 | EUR | 1 | EK HVI HEAD 20 | 4013364143838 | 1 | 0.01 | 0.01 | 82081000 | DE | 140 | 100 | 10 | MM |
| 1331 | 597102 | 3016831 | HVI head 27 spare blades for | cutting head (1 pack of 4 blades) | 01060102 | PAK | 197.80 | EUR | 1 | EK HVI HEAD 27 | 4013364153127 | 1 | 0.003 | 0.003 | 82081000 | IT | 53 | 19 | 4 | MM |
| 1332 | 597103 | 3016017 | Side spare blade for stripping insert | HVI head 27 | 01060102 | ST | 86.10 | EUR | 1 | EK SEIT HVI HEAD 27 | 4013364463103 | 1 | 0.013 | 0.013 | 73269098 | IT | 40 | 50 | 20 | MM |
| 1333 | 597120 | 64203 | HVI head 20 | cutting head for stripping tool | 01060102 | ST | 112.50 | EUR | 1 | HVI HEAD 20 | 4013364142497 | 1 | 0.1 | 0.1 | 82055980 | IT | 77 | 46 | 46 | MM |
| 1334 | 597127 | 68003 | HVI head 27 | cutting head for stripping tool | 01060102 | ST | 1360.60 | EUR | 1 | HVI HEAD 27 | 4013364153110 | 1 | 0.412 | 0.412 | 82055980 | IT | 84 | 59 | 52 | MM |
| 1335 | 597130 | 68023 | DEHNhelix | spare blades for stripping tool | 01060102 | ST | 78.00 | EUR | 1 | EK AW DEHNHELIX | 4013364155022 | 1 | 0.001 | 0.001 | 82055980 | DE | 27 | 3 | 3 | MM |
| 1336 | 597139 | 3001064 | HVI head holder adapter w. bayonet coupl. | to attach the HVI head cutting head | 01060102 | ST | 471.00 | EUR | 1 | HVI HH | 4013364157941 | 1 | 0.172 | 0.172 | 82055980 | IT | 62 | 46 | 46 | MM |
| 1337 | 597220 | 64237 | HVI strip 20 stripping tool for | HVI Conductors -KIT- | 01060102 | ST | 501.60 | EUR | 1 | HVI STRIP 20 | 4013364144972 | 1 | 0.33 | 0.33 | 82055980 | IT | 231 | 97 | 46 | MM |
| 1338 | 597227 | 68002 | HVI strip 27 stripping tool | for HVI power Conductor -KIT- | 01060102 | ST | 1749.70 | EUR | 1 | HVI STRIP 27 | 4013364153103 | 1 | 0.699 | 0.699 | 82055980 | IT | 234 | 97 | 59 | MM |
| 1339 | 597230 | 68024 | DEHNhelix stripping tool | f. HVI Conductors D 20-27mm | 01060102 | ST | 127.70 | EUR | 1 | AW DEHNHELIX | 4013364155015 | 1 | 0.202 | 0.202 | 82055980 | SE | 255 | 120 | 44 | MM |
| 1340 | 597320 | 68025 | CUI strip 20 stripping tool | for CUI conductor -KIT- | 01060102 | ST | 504.90 | EUR | 1 | CUI STRIP 20 | 4013364154940 | 1 | 0.442 | 0.442 | 82055980 | IT | 231 | 97 | 46 | MM |
| 1341 | 599100 | 3011089 | Lightning strike counter 100kA (10/350 | 1kA (8/20) for Rd 8-10mm / FI -30mm | 01060103 | ST | 547.60 | EUR | 1 | DLSC 100 IP65 | 4013364287402 | 1 | 0.43 | 0.37 | 90291000 | SI | 144 | 88 | 44 | MM |
| 1342 | 600035 | 3014783 | Hammer support St/tZn | for Wacker EH / BH / BHF | 03040103 | ST | 1110.90 | EUR | 1 | HA VH WA BH55 BH65 BH55RW | 4013364460003 | 1 | 5.78 | 5.78 | 73269098 | DE | 485 | 220 | 210 | MM |
| 1343 | 600050 | 3015632 | Hammer support St/tZn | for Bosch GSH27 | 03040103 | ST | 595.80 | EUR | 1 | HA VH BO GSH 27 | 4013364462854 | 1 | 5.78 | 5.391 | 73269098 | DE | 480 | 220 | 210 | MM |
| 1344 | 600055 | 3014378 | Hammer support St/tZn | for Bosch GSH 27 VC | 03040103 | ST | 621.00 | EUR | 1 | HA VH BO GSH 27 VC | 4013364443433 | 1 | 5.361 | 5.361 | 73269098 | DE | 680 | 250 | 250 | MM |
| 1345 | 600060 | 3014377 | Hammer support St/tZn | for Hilti TE 3000 AVR | 03040103 | ST | 607.40 | EUR | 1 | HA VH HI TE 3000 AVR | 4013364443440 | 1 | 5.541 | 5.541 | 73269098 | DE | 680 | 250 | 250 | MM |
| 1346 | 610010 | 10930 | Earth rod conn. cl. St/tZn f. D 20-30mm | f. Rd 8-12.5mm FI -40mm cables 50-95mm² | 03040101 | ST | 39.00 | EUR | 1 | AK TE 20.30 8.12 FL40 STTZN | 4013364022010 | 1 | 0.786 | 0.786 | 85389099 | DE | 75 | 75 | 60 | MM |
| 1347 | 610020 | 30618 | Earth rod term. clamp StSt (316/Ti/L) f. | D 20mm Rd 7-10mm FI -40mm cable 35-70mm² | 03040101 | ST | 31.30 | EUR | 1 | AK TE 20 7.10 FL40 V4A | 4013364054110 | 25 | 0.446 | 0.436 | 85389099 | DE | 70 | 70 | 40 | MM |
| 1348 | 618214 | 3008632 | Lattice mat 250 StSt (V4A) | Dimension: 2000 x 1000 mm | 03030101 | ST | 134.60 | EUR | 1 | GMA 250 2000X1000X4 V4A | 4013364322950 | 1 | 2 | 2 | 73141400 | DE | 2000 | 1000 | 4 | MM |
| 1349 | 620001 | 10886 | Drive spike MCI/tZn | for earth rods D 20mm | 03040102 | ST | 4.50 | EUR | 1 | SSP TE 20 TGTZN | 4013364021938 | 100 | 0.037 | 0.036 | 85389099 | DE | 40 | 20 | 20 | MM |
| 1350 | 620002 | 33283 | Driving head St/bare D 20mm | for earth rods S / Z / AZ | 03040103 | ST | 169.70 | EUR | 1 | SKO TE 20 STBLANK | 4013364066052 | 1 | 0.857 | 0.857 | 82055980 | DE | 80 | 44 | 44 | MM |
| 1351 | 620005 | 33301 | Hammer insert for earth rods | D 20mm L 200mm for Wacker Neuson | 03040103 | ST | 359.80 | EUR | 1 | HE TE 20 R27 VH WN STBLANK | 4013364027039 | 1 | 1.07 | 1.07 | 82079099 | DE | 200 | 40 | 40 | MM |
| 1352 | 620007 | 33297 | Hammer insert for earth rods | D 20mm L 240mm for Atlas Copco | 03040103 | ST | 438.50 | EUR | 1 | HE TE 20 SW22 VH AC STBLANK | 4013364027084 | 1 | 1.08 | 1.08 | 82079099 | DE | 240 | 35 | 35 | MM |
| 1353 | 620008 | 33295 | Hammer insert for earth rods | D 25mm L 240mm for Atlas Copco | 03040103 | ST | 433.20 | EUR | 1 | HE TE 20 SW25 VH AC STBLANK | 4013364066151 | 1 | 1.44 | 1.44 | 82079099 | DE | 240 | 39 | 39 | MM |
| 1354 | 620009 | 50600 | Hammer insert f. earth rods D 20mm | L 260mm heavy design f. Wacker Neuson | 03040103 | ST | 1118.20 | EUR | 1 | HE TE 20 R27 LVH WN STBLANK | 4013364118119 | 1 | 2.8 | 2.8 | 82079099 | DE | 260 | 70 | 70 | MM |
| 1355 | 620010 | 3002324 | Hammer insert for earth rods D 20mm | L 350mm for Atlas Copco | 03040103 | ST | 883.30 | EUR | 1 | HE TE 20 SW32 VH AC STBLANK | 4013364244764 | 1 | 2.31 | 2.31 | 82079099 | DE | 350 | 46 | 46 | MM |
| 1356 | 620011 | 35625 | Connection bracket f. earth rods St/tZn | D 20mm one-sided KS connec. f. Rd 7-10mm | 03040101 | ST | 15.40 | EUR | 1 | AS TE 20 KSV 7.10 STTZN | 4013364026636 | 20 | 0.32 | 0.315 | 85389099 | DE | 115 | 40 | 40 | MM |
| 1357 | 620012 | 35627 | Connection bracket for earth rods St/tZn | D 20mm both-sided KS connec f. Rd 7-10mm | 03040101 | ST | 23.30 | EUR | 1 | AS TE 20 2XKSV 7.10 STTZN | 4013364026698 | 10 | 0.428 | 0.418 | 85389099 | DE | 145 | 45 | 40 | MM |
| 1358 | 620015 | 43355 | Connection bracket for earth rods St/tZn | D 20mm f. Rd 7-10mm FI -40mm | 03040101 | ST | 10.30 | EUR | 1 | AS S TE 20 7.10 FL40 STTZN | 4013364026582 | 20 | 0.375 | 0.37 | 85389099 | DE | 108 | 40 | 30 | MM |
| 1359 | 620017 | 63029 | Connection bracket f. earth rods Cu | D 20mm for Rd 7-10mm FI -40mm | 03040101 | ST | 41.10 | EUR | 1 | AS S TE 20 7.10 FL40 CU | 4013364026612 | 1 | 0.425 | 0.42 | 85389099 | DE | 108 | 40 | 30 | MM |
| 1360 | 620019 | 33286 | Hammer insert for earth rods | D 20mm L 350mm for Atlas Copco | 03040103 | ST | 947.20 | EUR | 1 | HE TE 20 SW28 VH AC STBLANK | 4013364027008 | 1 | 1.98 | 1.98 | 82079099 | DE | 350 | 45 | 45 | MM |
| 1361 | 620021 | 12756 | Earth rod connect. bracket St/tZn D 20mm | w. connect. screw M10x20mm f. FI -40mm | 03040101 | ST | 11.70 | EUR | 1 | AS TE 20 ASSM10 STTZN | 4013364026667 | 1 | 0.294 | 0.289 | 85389099 | DE | 115 | 40 | 40 | MM |
| 1362 | 620029 | 33291 | Hammer insert for earth rods D 20mm | L 250mm for Bosch/Hilti/Milwaukee | 03040103 | ST | 419.60 | EUR | 1 | HE TE 20 SW28 VH BO STBLANK | 4013364066113 | 1 | 1.43 | 1.43 | 82079099 | DE | 250 | 35 | 35 | MM |
| 1363 | 620030 | 3002325 | Hammer insert for earth rods D 20mm | L 260mm for SDS-max | 03040103 | ST | 648.30 | EUR | 1 | HE TE 20 SDS MAX VH STBLANK | 4013364244818 | 1 | 0.8 | 0.8 | 82079099 | DE | 260 | 35 | 35 | MM |
| 1364 | 620031 | 3002677 | Hammer insert for earth rods D 20mm | L 280mm for Hilti TE-S | 03040103 | ST | 687.10 | EUR | 1 | HE TE 20 TES VH HI STBLANK | 4013364244849 | 1 | 1.133 | 1.133 | 82079099 | DE | 280 | 35 | 35 | MM |
| 1365 | 620101 | 54943 | Earth rod D 20mm L 1000mm St/tZn | Type Z with triple knurled pin | 03030101 | ST | 45.40 | EUR | 1 | TE 20 1000 Z STTZN | 4013364021860 | 6 | 2.5 | 2.5 | 85389099 | DE | 1500 | 20 | 20 | MM |
| 1366 | 620151 | 54909 | Earth rod D 20mm L 1500mm St/tZn | Type Z with triple knurled pin | 03030101 | ST | 53.00 | EUR | 1 | TE 20 1500 Z STTZN | 4013364021846 | 6 | 3.7 | 3.7 | 85389099 | DE | 1500 | 20 | 20 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 1367 | 620902 | 64590 | DEHN earth rod D 20mm L 1500mm StSt | Type AZ w. recessed knurled pin (V4A) | 03030102 | ST | 253.90 | EUR | 1 | TE 20 1500 AZ V4A | 4013364021914 | 6 | 3.67 | 3.67 | 85389099 | DE | 1500 | 20 | 20 | MM |
| 1368 | 620903 | 3009504 | Earth rod D 20mm L 1000mm StSt (V4A) | Type AZ w. offset knurled pin | 03030102 | ST | 154.30 | EUR | 1 | TE 20 1000 AZ V4A | 4013364342859 | 6 | 2.43 | 2.43 | 85389099 | DE | 1000 | 20 | 20 | MM |
| 1369 | 620915 | 63030 | Connection bracket f. earth rods StSt (V4A) | D 20mm f. Rd 7-10mm Fl -40mm | 03040101 | ST | 23.70 | EUR | 1 | AS S TE 20 7.10 FL40 V4A | 4013364026629 | 20 | 0.303 | 0.298 | 85389099 | DE | 108 | 40 | 30 | MM |
| 1370 | 625001 | 10889 | Drive spike MCI/tZn | for earth rods D 25mm | 03040102 | ST | 5.10 | EUR | 1 | SSP TE 25 TGTZN | 4013364021945 | 50 | 0.071 | 0.069 | 85389099 | DE | 45 | 25 | 25 | MM |
| 1371 | 625002 | 43252 | Driving head D 25mm St/bare | for earth rods types S / Z | 03040103 | ST | 171.10 | EUR | 1 | SKO TE 25 STBLANK | 4013364095380 | 1 | 0.81 | 0.81 | 82055980 | DE | 80 | 44 | 44 | MM |
| 1372 | 625005 | 33302 | Hammer insert for earth rods | D 25mm L 200mm for Wacker Neuson | 03040103 | ST | 375.50 | EUR | 1 | HE TE 25 R27 VH WN STBLANK | 4013364027046 | 1 | 1.05 | 1.05 | 82079099 | DE | 200 | 40 | 40 | MM |
| 1373 | 625007 | 33298 | Hammer insert for earth rods | D 25mm L 240mm for Atlas Copco | 03040103 | ST | 466.80 | EUR | 1 | HE TE 25 SW22 VH AC STBLANK | 4013364027091 | 1 | 1.06 | 1.06 | 82079099 | DE | 240 | 35 | 35 | MM |
| 1374 | 625008 | 33294 | Hammer insert for earth rods | D 25mm L 240mm for Atlas Copco | 03040103 | ST | 466.80 | EUR | 1 | HE TE 25 SW25 VH AC STBLANK | 4013364066144 | 1 | 1.41 | 1.41 | 82079099 | DE | 240 | 39 | 39 | MM |
| 1375 | 625009 | 54901 | Hammer insert f. earth rods D 25mm | L 260mm f. Wacker Neuson | 03040103 | ST | 1135.00 | EUR | 1 | HE TE 25 R27 LVH WN STBLANK | 4013364118126 | 1 | 2.8 | 2.8 | 82079099 | DE | 260 | 70 | 70 | MM |
| 1376 | 625010 | 46399 | Hammer insert for earth rods | D25mm L350mm for Atlas Copco | 03040103 | ST | 1575.60 | EUR | 1 | HE TE 25 SW32 VH AC STBLANK | 4013364157613 | 1 | 2.25 | 2.25 | 82079099 | DE | 350 | 46 | 46 | MM |
| 1377 | 625011 | 35626 | Connection bracket f. earth rods St/tZn | D 25mm one-sided KS connec. Rd 7-10mm | 03040101 | ST | 15.70 | EUR | 1 | AS TE 25 KSV 7.10 STTZN | 4013364026643 | 20 | 0.345 | 0.34 | 85389099 | DE | 115 | 40 | 40 | MM |
| 1378 | 625012 | 35628 | Connection bracket f. earth rods St/tZn | D 25mm both-sided KS connec. Rd 7-10mm | 03040101 | ST | 23.20 | EUR | 1 | AS TE 25 2XKSV 7.10 STTZN | 4013364026704 | 1 | 0.434 | 0.424 | 85389099 | DE | 145 | 45 | 40 | MM |
| 1379 | 625015 | 33210 | Connection bracket for earth rods St/tZn | D 25mm for Rd 7-10mm Fl -40mm | 03040101 | ST | 10.70 | EUR | 1 | AS S TE 25 7.10 FL40 STTZN | 4013364026599 | 20 | 0.388 | 0.383 | 85389099 | DE | 108 | 40 | 30 | MM |
| 1380 | 625019 | 33287 | Hammer insert for earth rods D 25mm | L 350mm,Atlas Copco hexag. A/F 28x160mm | 03040103 | ST | 884.30 | EUR | 1 | HE TE 25 SW28 VH AC STBLANK | 4013364027015 | 1 | 1.94 | 1.94 | 82079099 | DE | 350 | 45 | 45 | MM |
| 1381 | 625021 | 12758 | Earth rod connect. bracket St/tZn D 25mm | w. connect. screw M10x20mm f. Fl -40mm | 03040101 | ST | 11.90 | EUR | 1 | AS TE 25 ASSM10 STTZN | 4013364026674 | 20 | 0.315 | 0.31 | 85389099 | DE | 115 | 40 | 40 | MM |
| 1382 | 625029 | 33292 | Hammer insert for earth rods D 25mm | L 250mm for Bosch/Hilti/Milwaukee | 03040103 | ST | 466.80 | EUR | 1 | HE TE 25 SW28 VH BO STBLANK | 4013364066120 | 1 | 1.41 | 1.41 | 82079099 | DE | 250 | 35 | 35 | MM |
| 1383 | 625030 | 3002326 | Hammer insert for earth rods D 25mm | L 260mm for SDS-max | 03040103 | ST | 666.10 | EUR | 1 | HE TE 25 SDS MAX VH STBLANK | 4013364244825 | 1 | 0.76 | 0.76 | 82079099 | DE | 260 | 35 | 35 | MM |
| 1384 | 625031 | 3001768 | Hammer insert for earth rods D 25mm | L 280mm for Hilti vibration TE-S | 03040103 | ST | 702.80 | EUR | 1 | HE TE 25 TES VH HI STBLANK | 4013364244856 | 1 | 1.436 | 1.436 | 82079099 | DE | 280 | 35 | 35 | MM |
| 1385 | 625101 | 54946 | Earth rod D 25mm L 1000mm St/tZn | type Z with triple knurled pin | 03030101 | ST | 54.80 | EUR | 1 | TE 25 1000 Z STTZN | 4013364021877 | 6 | 3.72 | 3.72 | 85389099 | DE | 1000 | 25 | 25 | MM |
| 1386 | 625151 | 54945 | Earth rod D 25mm L 1500mm St/tZn | type Z with triple knurled pin | 03030101 | ST | 64.30 | EUR | 1 | TE 25 1500 Z STTZN | 4013364021853 | 6 | 5.72 | 5.72 | 85389099 | DE | 1500 | 25 | 25 | MM |
| 1387 | 630120 | 49405 | Single-screw term. clamp f. earth rods | St/tZn D 20mm f. Rd 10mm Fl -30mm | 03040101 | ST | 7.30 | EUR | 1 | AK ES TE 20 RD10 FL30 STTZN | 4013364107427 | 25 | 0.157 | 0.152 | 85389099 | DE | 70 | 50 | 39 | MM |
| 1388 | 630129 | 49406 | Single-screw term. clamp f. earth rods | StSt D 20mm f. Rd 10mm Fl -30mm | 03040101 | ST | 14.70 | EUR | 1 | AK ES TE 20 RD10 FL30 V4A | 4013364107434 | 25 | 0.155 | 0.15 | 85389099 | DE | 70 | 50 | 39 | MM |
| 1389 | 634145 | 3008622 | Pointed earth rod sect. steel/tZn L450mm | w. screw and wing nut M8 StSt | 03070101 | ST | 97.60 | EUR | 1 | ES 50X50X3 450 V2A | 4013364125735 | 1 | 1.2 | 1.2 | 85389099 | DE | 450 | 90 | 37 | MM |
| 1390 | 634160 | 3008625 | Earthing spike St/tZn L600mm | w. screw and M8 wing nut StSt | 03070101 | ST | 105.00 | EUR | 1 | ES 50X50X3 600 V2A | 4013364125728 | 1 | 1.6 | 1.6 | 85389099 | DE | 600 | 90 | 37 | MM |
| 1391 | 635100 | 36899 | Profiled earth rod 50x50x3mm St/tZn | L 1000mm w. connection bores D 11/13mm | 03020101 | ST | 47.40 | EUR | 1 | PSE 50X50X3 1000 STTZN | 4013364056640 | 5 | 2.53 | 2.53 | 85389099 | DE | 1000 | 94 | 50 | MM |
| 1392 | 635150 | 36900 | Profiled earth rod 50x50x3mm St/tZn | L 1500mm w. connection bores D 11/13mm | 03020101 | ST | 64.30 | EUR | 1 | PSE 50X50X3 1500 STTZN | 4013364056657 | 5 | 3.75 | 3.75 | 85389099 | DE | 1500 | 94 | 50 | MM |
| 1393 | 635200 | 36901 | Profiled earth rod 50x50x3mm St/tZn | L 2000mm w. connection bores D 11/13mm | 03020101 | ST | 86.80 | EUR | 1 | PSE 50X50X3 2000 STTZN | 4013364056664 | 5 | 5.28 | 5.28 | 85389099 | DE | 2000 | 94 | 50 | MM |
| 1394 | 635250 | 36902 | Profiled earth rod 50x50x3mm St/tZn | L 2500mm w. connection bores D 11/13mm | 03020101 | ST | 104.30 | EUR | 1 | PSE 50X50X3 2500 STTZN | 4013364067011 | 3 | 6.2 | 6.2 | 85389099 | DE | 2500 | 94 | 50 | MM |
| 1395 | 640015 | 49073 | Connection clamp f. tubular earth rod | St/tZn D 27mm f. Rd 7-10/Fl -40mm | 03040101 | ST | 10.90 | EUR | 1 | AS S RE 27 7.10 FL40 STTZN | 4013364106864 | 1 | 0.395 | 0.389 | 85389099 | DE | 108 | 45 | 30 | MM |
| 1396 | 644000 | 3010539 | Earth. pipe w. drilling spiral L 1000mm | with removable handle M10 connection | 03070101 | ST | 472.10 | EUR | 1 | ERO BSP ASSM10 1000 STTZN | 4013364030268 | 1 | 4.45 | 4.45 | 85369095 | DE | 1000 | 70 | 70 | MM |
| 1397 | 646000 | 17721 | Earthing pipe with drive-in spike St/tZn | L 600mm with M8 connection screw | 03070101 | ST | 221.30 | EUR | 1 | ERO SSP ASSM8 600 STTZN | 4013364078161 | 1 | 2.24 | 2.24 | 85369095 | DE | 600 | 120 | 50 | MM |
| 1398 | 648005 | 58240 | Hammer insert for tubular earth | electrodes D 25mm L246mm for | 03040103 | ST | 494.10 | EUR | 1 | HE RE 25 R27 VH WN STBLANK | 4013364129160 | 1 | 1.46 | 1.46 | 82079099 | DE | 246 | 40 | 40 | MM |
| 1399 | 648007 | 58241 | Hammer insert for tubular earth | electrodes D 25mm L246mm | 03040103 | ST | 757.40 | EUR | 1 | HE RE 25 SW22 VH AC STBLANK | 4013364129177 | 1 | 1.46 | 1.46 | 82079099 | DE | 246 | 40 | 40 | MM |
| 1400 | 648009 | 3007420 | Hammer insert for tubular earth | electrodes D 25mm L260mm | 03040103 | ST | 720.70 | EUR | 1 | HE RE 25 SDS MAX VH STBLANK | 4013364315501 | 1 | 0.973 | 0.973 | 82079099 | DE | 260 | 40 | 40 | MM |
| 1401 | 648029 | 3001819 | Hammer insert for tubular earth | electrodes D25mm L266mm for | 03040103 | ST | 656.70 | EUR | 1 | HE RE 25 SW28 VH BO STBLANK | 4013364236059 | 1 | 1.598 | 1.598 | 82079099 | DE | 266 | 40 | 40 | MM |
| 1402 | 648031 | 3006301 | Hammer insert for tubular earth | electrodes D 25mm L280mm | 03040103 | ST | 1009.10 | EUR | 1 | HE RE 25 TES VH HI STBLANK | 4013364293182 | 1 | 1.509 | 1.509 | 82079099 | DE | 280 | 45 | 45 | MM |
| 1403 | 649015 | 63031 | Connection bracket f. earth rods StSt (V4A) | D 25mm f. Rd 7-10mm/Fl -40mm | 03040101 | ST | 25.50 | EUR | 1 | AS S TE 25 7.10 FL40 V4A | 4013364119376 | 20 | 0.305 | 0.3 | 85389099 | DE | 108 | 40 | 30 | MM |
| 1404 | 649150 | 57628 | Tubular earth rod StSt (316Ti/Ll) | D 25x2mm L 1500mm | 03030103 | ST | 208.80 | EUR | 1 | RE 25 1500 V4A | 4013364126350 | 6 | 1.71 | 1.71 | 85389099 | DE | 1500 | 25 | 25 | MM |
| 1405 | 700000 | 1827 | Storage device for earthing and short- | circuiting devices a. sticks D 30mm | 05050106 | ST | 62.20 | EUR | 1 | HV EKV ES30 | 4013364004122 | 1 | 1.16 | 1.16 | 85389099 | DE | 525 | 214 | 145 | MM |
| 1406 | 700002 | 1839 | Storage device for earthing and short- | circuiting devices and sticks D 40mm | 05050106 | ST | 62.20 | EUR | 1 | HV EKV ES40 | 4013364004139 | 1 | 1.15 | 1.15 | 85389099 | DE | 525 | 214 | 145 | MM |
| 1407 | 700003 | 1843 | Storage device for EaS devices | and sticks D 30/43mm L 1500mm | 05050106 | ST | 48.00 | EUR | 1 | HV EKV ES30 1500 | 4013364004146 | 1 | 0.7 | 0.7 | 85389099 | DE | 214 | 150 | 145 | MM |
| 1408 | 700004 | 1848 | Storage device for three h.v.h.b.c. | fuses and fuse tongs - single part | 05050106 | ST | 79.30 | EUR | 1 | HV 3HH SZ ET | 4013364004153 | 1 | 1 | 1 | 85389099 | DE | 520 | 150 | 40 | MM |
| 1409 | 700005 | 1855 | Storage device for three h.v.h.b.c. | fuses - single part | 05050106 | ST | 34.60 | EUR | 1 | HV 3HH ET | 4013364004160 | 1 | 0.707 | 0.707 | 85389099 | DE | 520 | 90 | 40 | MM |
| 1410 | 700006 | 1859 | Storage device for voltage detectors | and sticks D 24mm | 05050106 | ST | 51.80 | EUR | 1 | HV P ST D24 | 4013364004177 | 1 | 0.78 | 0.78 | 85389099 | DE | 530 | 136 | 30 | MM |
| 1411 | 700007 | 1863 | Storage device for voltage detectors | and sticks D 30mm | 05050106 | ST | 56.80 | EUR | 1 | HV P ST D30 | 4013364004184 | 1 | 0.78 | 0.78 | 85389099 | DE | 430 | 136 | 30 | MM |
| 1412 | 700008 | 1866 | Storage device for voltage detectors<(>,<)> | fuse tongs and sticks D 40-45mm | 05050106 | ST | 56.80 | EUR | 1 | HV P ST D40 45 | 4013364004191 | 1 | 0.803 | 0.803 | 85389099 | DE | 530 | 149 | 30 | MM |
| 1413 | 700014 | 3236 | Storage device for three h.v.h.b.c. | fuses and fuse tongs | 05050106 | ST | 111.10 | EUR | 1 | HV 3HH SZ | 4013364007208 | 1 | 1.71 | 1.71 | 85389099 | DE | 520 | 150 | 80 | MM |
| 1414 | 700015 | 3234 | Storage device for three h.v.h.b.c. | fuses | 05050106 | ST | 69.10 | EUR | 1 | HV 3HH | 4013364007192 | 1 | 1.41 | 1.41 | 85389099 | DE | 520 | 90 | 80 | MM |
| 1415 | 700050 | 3009319 | Set of warning signs, german language | plastic, for electrical installations | 05000202 | ST | 406.20 | EUR | 1 | WHSS EA K | 4013364330733 | 1 | 3.6 | 3.6 | 39219010 | DE | 940 | 650 | 15 | MM |
| 1416 | 700051 | 3009248 | Sign: German national regulations f. the | operation of electrical installations | 05000202 | ST | 133.30 | EUR | 1 | WHS AH VDEB BEA | 4013364330146 | 1 | 0.88 | 0.88 | 39219010 | DE | 920 | 650 | 5 | MM |
| 1417 | 700052 | 3009254 | Sign First Aid - | according to BGI/GUV-I 510 | 05000202 | ST | 82.80 | EUR | 1 | WHS AH EH | 4013364330191 | 1 | 0.27 | 0.27 | 39219010 | DE | 560 | 400 | 5 | MM |
| 1418 | 700053 | 3009255 | Sign Instr. f. fighting of fires in | electr. install. a. in their proximity | 05000202 | ST | 98.00 | EUR | 1 | WHS AH MB BBEA | 4013364330238 | 1 | 0.55 | 0.55 | 39219010 | DE | 790 | 490 | 5 | MM |
| 1419 | 700054 | 3009280 | Sign Nicht schalten. Es wird gearbeitet | Material: magnetic plastic sheet | 05000202 | ST | 36.90 | EUR | 1 | WHS NS EWGA M | 4013364330764 | 1 | 0.19 | 0.19 | 85051990 | DE | 297 | 210 | 5 | MM |
| 1420 | 700055 | 3009281 | Sign: Hochspannung - Lebensgefahr | material: plastic | 05000202 | ST | 36.50 | EUR | 1 | WHS HS LG | 4013364330368 | 1 | 0.05 | 0.05 | 39219010 | DE | 245 | 210 | 5 | MM |
| 1421 | 700056 | 3009292 | Sign Achtung! Geerdet und kurzge- | schlossen! Material: Magnet. plast. sheet | 05000202 | ST | 22.30 | EUR | 1 | WHS A GUKG M | 4013364330597 | 1 | 0.077 | 0.077 | 39219010 | DE | 200 | 120 | 5 | MM |
| 1422 | 700057 | 3009318 | Sign:5 Safety Rules, German language | material: plastic | 05000202 | ST | 28.10 | EUR | 1 | WHS 5 SR | 4013364330702 | 1 | 0.039 | 0.039 | 39219010 | DE | 200 | 120 | 5 | MM |
| 1423 | 700098 | 3016836 | Mounting bracket f. tube barrier 32x46 | plastic f. wall mounting (1 pack = 2 pcs) | 05000203 | PAK | 124.70 | EUR | 1 | H AB 32 46 K | 4013364157422 | 1 | 0.18 | 0.18 | 39169090 | DE | 100 | 100 | 50 | MM |
| 1424 | 700099 | 68881 | Polyester profile tube barrier | 32x46mm length: any up to 6000mm | 05000203 | MM | 216.10 | EUR | 1000 | AB 32 46 RW K L... | 4013364157415 | 1 | 0.001 | 0.001 | 39169010 | DE | 46 | 32 | 1 | MM |
| 1425 | 705500 | 11 | Bolted-type connector with M12 threaded | bolt L 55mm and nut | 05000450 | ST | 16.00 | EUR | 1 | AS SCHR M12 55 | 4013364000025 | 1 | 0.122 | 0.122 | 85389099 | DE | 55 | 38 | 32 | MM |
| 1426 | 705501 | 3011227 | Welding-type connector, threaded | bolt M12x25mm, St/galZn - KIT - | 05000401 | ST | 22.20 | EUR | 1 | AS SCHW M12 25 | 4013364003927 | 1 | 0.157 | 0.152 | 85389099 | DE | 48 | 34 | 34 | MM |
| 1427 | 705504 | 3773 | Bolted-type connector, type C, with | M12 female thread and bolt M12x40mm | 05000450 | ST | 30.70 | EUR | 1 | AS SCHR M12 M12 40 | 4013364008021 | 5 | 0.183 | 0.183 | 85389099 | DE | 70 | 30 | 27 | MM |
| 1428 | 705510 | 41601 | Bolted-type connector with threaded bolt | M16/M12 L 55mm and nut | 05000450 | ST | 30.80 | EUR | 1 | AS SCHR M16 55 M12 | 4013364089587 | 1 | 0.24 | 0.24 | 85389099 | DE | 76 | 48 | 41 | MM |
| 1429 | 706200 | 3008898 | Fixed ball point D 20mm angled (45°) | with female thread M12 | 05000401 | ST | 34.60 | EUR | 1 | KFP 20 W45 M12 | 4013364004276 | 1 | 0.172 | 0.172 | 85389099 | DE | 70 | 55 | 28 | MM |
| 1430 | 706235 | 1889 | Fixed ball point D 20mm angled (45°) | with threaded pin and nut M12x35mm | 05000401 | ST | 41.10 | EUR | 1 | KFP 20 W45 M12 35SSM | 4013364004290 | 1 | 0.219 | 0.219 | 85389099 | DE | 115 | 55 | 28 | MM |
| 1431 | 706239 | 59733 | Fixed ball point D 20mm angled 45° | with threaded bolt and nut M12x30mm | 05000401 | ST | 41.40 | EUR | 1 | KFP 20 W45M12 SN7024 | 4013364155145 | 1 | 0.227 | 0.227 | 85389099 | DE | 102 | 30 | 24 | MM |
| 1432 | 706300 | 3008689 | Fixed ball point D 20mm angled | with terminal lug 45x30x9mm | 05000401 | ST | 50.40 | EUR | 1 | KFP 20 S AL 12 | 4013364003675 | 1 | 0.129 | 0.129 | 85389099 | DE | 70 | 45 | 30 | MM |
| 1433 | 706600 | 3008899 | Fixed ball point D 20mm angled (45°) | with M16 female thread | 05000401 | ST | 36.00 | EUR | 1 | KFP 20 W45 M16 | 4013364004283 | 1 | 0.158 | 0.158 | 85389099 | DE | 70 | 55 | 28 | MM |
| 1434 | 706645 | 1891 | Fixed ball point D 20mm angled (45°) | with threaded pin and nut M16x45mm | 05000401 | ST | 45.60 | EUR | 1 | KFP 20 W45 M16 45SSM | 4013364004306 | 1 | 0.274 | 0.274 | 85389099 | DE | 115 | 55 | 28 | MM |
| 1435 | 707200 | 1906 | Fixed ball point D 20mm angled (90°) | with M12 female thread | 05000401 | ST | 67.70 | EUR | 1 | KFP 20 W90 M12 | 4013364004368 | 1 | 0.204 | 0.204 | 85389099 | DE | 80 | 60 | 28 | MM |
| 1436 | 707235 | 1913 | Fixed ball point D 20mm angled (90°) | with threaded pin und nut M12x35mm | 05000401 | ST | 74.10 | EUR | 1 | KFP 20 W90 M12 35SSM | 4013364004382 | 1 | 0.259 | 0.259 | 85389099 | DE | 100 | 80 | 28 | MM |
| 1437 | 707600 | 3008906 | Fixed ball point D 20mm angled (90°) | with M16 female thread | 05000401 | ST | 69.10 | EUR | 1 | KFP 20 W90 M16 | 4013364004375 | 1 | 0.191 | 0.191 | 85389099 | DE | 80 | 60 | 28 | MM |
| 1438 | 707645 | 1915 | Fixed ball point D 20mm angled (90°) | with threaded pin und nut M16x45mm | 05000401 | ST | 76.70 | EUR | 1 | KFP 20 W90 M16 45SSM | 4013364004399 | 1 | 0.299 | 0.299 | 85389099 | DE | 100 | 80 | 28 | MM |
| 1439 | 712001 | 4950 | Earthing cable YM2 120mm² | | 05000402 | M | 122.20 | EUR | 1 | ES YM2 120 | 4013364011823 | 1 | 1.23 | 1.23 | 85446010 | DE | 0 | 0 | 0 | |
| 1440 | 715001 | 4951 | Earthing cable YM2 150mm² | | 05000402 | M | 160.50 | EUR | 1 | ES YM2 150 | 4013364011830 | 1 | 1.52 | 1.52 | 85446010 | DE | 0 | 0 | 0 | |
| 1441 | 715312 | 67211 | Round bolt clamp D 35mm with T pin | shaft for cables 16-150mm² | 05000408 | ST | 343.20 | EUR | 1 | RBK 35 SQ | 4013364150386 | 1 | 1.5 | 1.5 | 85359000 | DE | 180 | 60 | 54 | MM |
| 1442 | 715313 | 68818 | Round bolt clamp D 30mm with T pin | shaft for cables 16-150mm² | 05000408 | ST | 387.70 | EUR | 1 | RBK 30 SQ SN7642 | 4013364154971 | 1 | 1.55 | 1.55 | 85359000 | DE | 180 | 60 | 54 | MM |
| 1443 | 715314 | 60796 | Round bolt clamp D 25mm with T pin | shaft for cables 16-150mm² | 05000408 | ST | 340.80 | EUR | 1 | RBK 25 SQ SN7151 | 4013364132474 | 1 | 1.61 | 1.61 | 85359000 | DE | 250 | 130 | 60 | MM |
| 1444 | 715315 | 62016 | Clamp f. bolt D 26mm | T pin shaft | 05000408 | ST | 377.80 | EUR | 1 | RBK 26 SQ SN7255 | 4013364135338 | 1 | 1.6 | 1.6 | 85359000 | DE | 180 | 60 | 54 | MM |
| 1445 | 716001 | 4620 | Earthing cable YM2 16mm² | | 05000402 | M | 28.30 | EUR | 1 | ES YM2 16 | 4013364010406 | 1 | 0.184 | 0.184 | 85446010 | DE | 0 | 0 | 0 | |
| 1446 | 723199 | 67281 | Adapter for SDS arrester f. mounting on | overh. contact line masts w. bore 22 mm | 05030101 | ST | 263.00 | EUR | 1 | MA SDS M12 | 4013364151703 | 1 | 0.79 | 0.75 | 85359000 | DE | 140 | 95 | 82 | MM |
| 1447 | 725001 | 4947 | Earthing cable YM2 25mm² | | 05000402 | M | 35.00 | EUR | 1 | ES YM2 25 | 4013364011793 | 1 | 0.207 | 0.207 | 85446010 | DE | 0 | 0 | 0 | |
| 1448 | 725010 | 38346 | Fixed ball point D 25mm, clamp type A | for round conductors 10mm | 05000401 | ST | 139.20 | EUR | 1 | KFP 25 RL 10 | 4013364003750 | 1 | 0.41 | 0.41 | 85389099 | DE | 72 | 55 | 44 | MM |
| 1449 | 725012 | 38347 | Fixed ball point D 25mm, clamp type A | for round conductors 12mm | 05000401 | ST | 140.80 | EUR | 1 | KFP 25 RL 12 | 4013364003767 | 1 | 0.4 | 0.4 | 85389099 | DE | 72 | 55 | 44 | MM |
| 1450 | 725014 | 38348 | Fixed ball point D 25mm, clamp type A | for round conductors 14mm | 05000401 | ST | 140.80 | EUR | 1 | KFP 25 RL 14 | 4013364003774 | 1 | 0.385 | 0.385 | 85389099 | DE | 72 | 55 | 44 | MM |
| 1451 | 725016 | 3008790 | Fixed ball point D 25mm, clamp type A | for round conductors 16mm | 05000401 | ST | 140.80 | EUR | 1 | KFP 25 RL 16 | 4013364003781 | 1 | 0.365 | 0.365 | 85389099 | DE | 72 | 55 | 44 | MM |
| 1452 | 725018 | 38350 | Fixed ball point D 25mm, clamp type A | for round conductors 18mm | 05000401 | ST | 140.80 | EUR | 1 | KFP 25 RL 18 | 4013364078048 | 1 | 0.345 | 0.345 | 85389099 | DE | 72 | 55 | 44 | MM |
| 1453 | 725020 | 3008791 | Fixed ball point D 25mm, clamp type A | for round conductors 20mm | 05000401 | ST | 140.80 | EUR | 1 | KFP 25 RL 20 | 4013364003804 | 1 | 0.32 | 0.32 | 85389099 | DE | 72 | 55 | 44 | MM |
| 1454 | 728312 | 58855 | 2-pole phase connecting plate with hole | 13mm and 2 M12 screws with nuts | 05000408 | ST | 129.70 | EUR | 1 | PAP 2 M12 SSM B13 | 4013364128712 | 1 | 0.35 | 0.27 | 85389099 | DE | 200 | 120 | 80 | MM |
| 1455 | 728313 | 68875 | Phase connection plate 3-pole w. B 13mm | w. round bolt D 20mm L 305mm | 05000408 | ST | 300.00 | EUR | 1 | PAP 3 M12 SSM B13 RB | 4013364157132 | 1 | 0.923 | 0.612 | 85389099 | DE | 290 | 220 | 150 | MM |
| 1456 | 728501 | 67225 | Earth connecting plate w. ball head cap | w. handle a. 2 fixed ball points D 25mm | 05000407 | ST | 398.80 | EUR | 1 | EAP 2 25 KKH HG | 4013364079618 | 1 | 1.015 | 0.9 | 85389099 | DE | 240 | 180 | 150 | MM |
| 1457 | 728502 | 38216 | Earth connection plate for towers | with two fixed ball points D 25mm | 05000407 | ST | 91.40 | EUR | 1 | EAP 2 25 MA US OL | 4013364079571 | 1 | 0.708 | 0.708 | 85389099 | DE | 145 | 115 | 40 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 1458 | 728503 | 38215 | Earth connection plate for fuse holders | with one fixed ball point D 25mm | 05000407 | ST | 62.40 | EUR | 1 | EAP 2S SIT US OL | 4013364079564 | 1 | 0.453 | 0.453 | 85389099 | DE | 160 | 96 | 30 | MM |
| 1459 | 728516 | 64388 | Earth connect. plate w. earth bush. a. 3 | fix. earth. points w. ring groove D 16mm | 05000409 | ST | 356.90 | EUR | 1 | EAPA 3 RN 16 EAB | 4013364147898 | 1 | 1.536 | 1.436 | 85389099 | DE | 200 | 130 | 130 | MM |
| 1460 | 728522 | 64914 | Earth connecting plate w. bore 12.5mm | and 3 fixed ball points D 20mm | 05000409 | ST | 190.20 | EUR | 1 | EAPA 3 KFP 20 B13 | 4013364147874 | 1 | 0.756 | 0.676 | 85389099 | DE | 200 | 120 | 80 | MM |
| 1461 | 728526 | 61844 | Earth connecting plate with bore 12.5mm | and 3 fixed ball points D 25mm | 05000409 | ST | 211.20 | EUR | 1 | EAPA 3 KFP 25 B13 | 4013364147881 | 1 | 1.014 | 0.934 | 85389099 | DE | 200 | 120 | 80 | MM |
| 1462 | 728620 | 61841 | Earth connecting plate with ball head | cap and 3 fixed ball points D 20mm | 05000409 | ST | 276.50 | EUR | 1 | EAPA 3 KFP 20 KKH | 4013364147843 | 1 | 1.085 | 0.985 | 85389099 | DE | 200 | 130 | 130 | MM |
| 1463 | 728625 | 64389 | Earth connecting plate with ball head | cap and 3 fixed ball points D 25mm | 05000409 | ST | 356.90 | EUR | 1 | EAPA 3 KFP 25 KKH | 4013364147867 | 1 | 1.084 | 0.984 | 85389099 | DE | 200 | 130 | 130 | MM |
| 1464 | 735001 | 4952 | Earthing cable YM2 35mm² | | 05000402 | M | 45.20 | EUR | 1 | ES YM2 35 | 4013364011847 | 1 | 0.366 | 0.366 | 85446010 | DE | 0 | 0 | 0 | |
| 1465 | 740124 | 8113 | Hook for (profile-free) fixing of the | earthing cable at the mast | 05000406 | ST | 44.00 | EUR | 1 | EHH BEV OL | 4013364051072 | 1 | 0.255 | 0.255 | 85389099 | DE | 200 | 180 | 8 | MM |
| 1466 | 745016 | 6833 | Earthing cartridge NH size 4a partly | insulated w. M10 threaded bushing | 05000413 | ST | 91.40 | EUR | 1 | EP NH4A TI M10 | 4013364052000 | 1 | 0.467 | 0.467 | 85389099 | DE | 200 | 62 | 28 | MM |
| 1467 | 745017 | 7045 | Earthing cartridge NH size 1...3 partly | insul. w. M10 connection a. grip lugs | 05000413 | ST | 77.80 | EUR | 1 | EP NH1 3 TI GL M10 | 4013364052017 | 1 | 0.277 | 0.277 | 85389099 | DE | 135 | 65 | 28 | MM |
| 1468 | 745018 | 7046 | Earthing cartridge NH size 1...3 | | 05000413 | ST | 68.70 | EUR | 1 | EP NH1 3 TI M10 | 4013364052048 | 1 | 0.271 | 0.271 | 85389099 | DE | 135 | 54 | 28 | MM |
| 1469 | 745021 | 3009113 | Contact blade for earthing cartridge | NH 1...3 with M10 bolt | 05000413 | ST | 188.90 | EUR | 1 | KM AB M10 SN7280 | 4013364155336 | 1 | 0.289 | 0.289 | 85389099 | DE | 135 | 46 | 24 | MM |
| 1470 | 745022 | 3010179 | Adapter f. EaS cartridges partly insul. | with M10 connection thread | 05000413 | ST | 44.50 | EUR | 1 | AD EP TI M10 | 4013364353138 | 3 | 0.115 | 0.114 | 85389099 | DE | 100 | 20 | 20 | MM |
| 1471 | 745105 | 47956 | Earthing and short-circuiting set for | junction box 2xE14/E27 f. mast lightings | 05000415 | ST | 1271.70 | EUR | 1 | EKV ÜGK MB S | 4013364104457 | 1 | 2.3 | 1.83 | 85369095 | DE | 400 | 300 | 150 | MM |
| 1472 | 745106 | 47955 | Storage case f. earthing a. short-circ. | dev. f. junct. boxes of mast lightings | 05050102 | ST | 279.00 | EUR | 1 | KKL EKV ÜGK MB | 4013364104495 | 1 | 0.89 | 0.89 | 42021250 | DE | 395 | 280 | 110 | MM |
| 1473 | 745107 | 47959 | Earthing and short-circ. device f. junc. | box 3xE14 for street lighting inst. | 05000415 | ST | 380.30 | EUR | 1 | EKV ÜGK MB | 4013364104501 | 1 | 0.366 | 0.286 | 85369095 | DE | 200 | 120 | 80 | MM |
| 1474 | 745108 | 3012546 | Reducing insert E27-E14 for junction | boxes of mast lightings | 05000415 | ST | 20.20 | EUR | 1 | RED E27 E14 ÜGK MB | 4013364104518 | 1 | 0.02 | 0.02 | 85389099 | DE | 30 | 30 | 25 | MM |
| 1475 | 745109 | 47960 | Fitting screw wrench DII | | 05000415 | ST | 45.90 | EUR | 1 | PSS DII | 4013364104525 | 1 | 0.018 | 0.018 | 85389099 | DE | 110 | 30 | 30 | MM |
| 1476 | 745115 | 63209 | EaS device f. junction boxes E14 | f. mast lighting systems, Süwag | 05000415 | ST | 500.10 | EUR | 1 | EKV ÜGK MB SN7354 | 4013364155299 | 1 | 0.376 | 0.296 | 85369095 | DE | 200 | 120 | 80 | MM |
| 1477 | 745121 | 3004275 | EaS device f. cable junction box 2x E14 | 2x Elsic E clamp f. mast lights | 05000415 | ST | 637.10 | EUR | 1 | EKV ÜGK MB SN7724 | 4013364268418 | 1 | 0.511 | 0.415 | 85369095 | DE | 200 | 120 | 80 | MM |
| 1478 | 745201 | 3763 | Screw-in earthing insert size E27 | with insulated thread | 05000415 | ST | 53.30 | EUR | 1 | ESE E27 TI M10 | 4013364008007 | 1 | 0.065 | 0.065 | 85389099 | DE | 51 | 28 | 28 | MM |
| 1479 | 745202 | 3010945 | Screw-in earthing insert size E33 | with thread M10 insulated | 05000415 | ST | 57.50 | EUR | 1 | ESE E33 TI M10 | 4013364007871 | 1 | 0.09 | 0.09 | 85389099 | DE | 54 | 33 | 33 | MM |
| 1480 | 745203 | 3768 | Screw-in earthing insert size E27 | with conductive thread | 05000415 | ST | 81.50 | EUR | 1 | ESE E27 KBI M10 | 4013364008014 | 1 | 0.102 | 0.102 | 85389099 | DE | 51 | 28 | 28 | MM |
| 1481 | 745204 | 7651 | Screw-in earthing insert size E33 | w. conductive thread | 05000415 | ST | 83.20 | EUR | 1 | ESE E33 KBI M10 | 4013364018655 | 1 | 0.145 | 0.145 | 85389099 | DE | 54 | 33 | 33 | MM |
| 1482 | 745302 | 3373 | Earthing cartridge NH size 00 | partly insulated w. M10 connection | 05000415 | ST | 46.90 | EUR | 1 | EP NH00 TI M10 | 4013364052024 | 1 | 0.11 | 0.11 | 85389099 | DE | 78 | 54 | 30 | MM |
| 1483 | 745307 | 63277 | Earthing cartridge size 00 partly | insulated w. M10 thread and grip lugs | 05000415 | ST | 60.40 | EUR | 1 | EP NH00 TI SN7379 | 4013364155404 | 1 | 0.116 | 0.116 | 85389099 | DE | 0 | 0 | 0 | |
| 1484 | 745400 | 3035 | Earthing handle TI f. inserting earthing | cartridges and connecting EaS devices | 05000413 | ST | 159.20 | EUR | 1 | EG TI EKV | 4013364006959 | 1 | 0.25 | 0.25 | 85389099 | DE | 355 | 55 | 55 | MM |
| 1485 | 745414 | 56675 | Earthing handle for T pin shaft with | plug-in coupling Un: - 1000V (LV) | 05000411 | ST | 158.10 | EUR | 1 | EG SQ STK 400 | 4013364116085 | 1 | 0.285 | 0.285 | 85389099 | DE | 403 | 94 | 83 | MM |
| 1486 | 745415 | 56674 | Earthing handle for hexagon shaft with | plug-in coupling - 1000V AC/ -3000V DC | 05000411 | ST | 158.10 | EUR | 1 | EG SK STK 400 | 4013364116092 | 1 | 0.275 | 0.275 | 85389099 | DE | 403 | 94 | 83 | MM |
| 1487 | 745500 | 63486 | Earthing and short-circuiting kit TI f. | cable distr. cabinets w. sheet metal case | 05000413 | ST | 2476.80 | EUR | 1 | EKS TI 2F KVS SBK | 4013364007888 | 1 | 7.57 | 7.57 | 85369095 | DE | 440 | 330 | 66 | MM |
| 1488 | 745502 | 8275 | Earth clamp with wing screw | | 05000413 | ST | 101.20 | EUR | 1 | EK FL20 FS | 4013364072213 | 1 | 0.36 | 0.36 | 85389099 | DE | 100 | 80 | 25 | MM |
| 1489 | 745503 | 60988 | Compact clamp with T connection | clamping range: 0-24mm | 05000412 | ST | 212.30 | EUR | 1 | KK TA 0 24 SK10 | 4013364133570 | 1 | 0.154 | 0.154 | 85389099 | DE | 65 | 42 | 20 | MM |
| 1490 | 745506 | 3006921 | Touch protection BS EP NH1 3 TI | | 05000413 | ST | 148.10 | EUR | 1 | BS EP NH1 3 TI | 4013364307667 | 1 | 0.114 | 0.114 | 85359000 | DE | 100 | 75 | 60 | MM |
| 1491 | 745508 | 66810 | Compact clamp with thread M8 | clamping range: 0-24mm | 05000413 | ST | 166.70 | EUR | 1 | KK M8 0 24 SK 10 | 4013364149366 | 1 | 0.137 | 0.137 | 85389099 | DE | 65 | 42 | 20 | MM |
| 1492 | 745509 | 67093 | Compact clamp w. threaded bolt M8x12mm | clamping range: 0-24mm (small clamp jaws) | 05000413 | ST | 190.20 | EUR | 1 | KKS M8 0 24 SK10 | 4013364149915 | 1 | 0.127 | 0.127 | 85389099 | DE | 61 | 38 | 19 | MM |
| 1493 | 745510 | 60376 | Earth clamp, clamp body with T pin | | 05000413 | ST | 390.10 | EUR | 1 | EK SN7089 | 4013364155671 | 1 | 0.225 | 0.225 | 85389099 | DE | 80 | 56 | 50 | MM |
| 1494 | 745602 | 8276 | Earth clamp w. flex. adjust. handle f. | earth cable connection of EaS devices | 05000413 | ST | 175.30 | EUR | 1 | EK I FL20 DGF | 4013364072220 | 1 | 0.406 | 0.406 | 85389099 | DE | 350 | 84 | 25 | MM |
| 1495 | 745900 | 39125 | Sheet steel case, empty, f. earthing and | short-circuiting kit VI for CDC | 05050101 | ST | 500.10 | EUR | 1 | SBKL EKS VI KVS | 4013364082731 | 1 | 3.71 | 3.71 | 73269098 | DE | 440 | 330 | 100 | MM |
| 1496 | 745901 | 63482 | Earthing and short-circuiting kit VI f. | cable distr. cabinets w. sheet metal case | 05000412 | ST | 2135.40 | EUR | 1 | EKS VI 2F KVS SBK | 4013364083301 | 1 | 6.89 | 6.89 | 85369095 | DE | 440 | 330 | 100 | MM |
| 1497 | 745902 | 42023 | Plastic case, empty, f. earthing and | short-circuiting kit VI for CDC | 05050102 | ST | 666.70 | EUR | 1 | KKL EKS VI KVS | 4013364093591 | 1 | 1.62 | 1.62 | 42021250 | DE | 450 | 350 | 110 | MM |
| 1498 | 745903 | 63480 | Earthing and short-circuiting kit VI f. | cable distr. cabinets w. plastic case | 05000412 | ST | 2324.40 | EUR | 1 | EKS VI 2F KVS KK | 4013364093577 | 1 | 7 | 7 | 85369095 | DE | 450 | 350 | 110 | MM |
| 1499 | 745905 | 38066 | Earthing cartridge NH size 00 | | 05000412 | ST | 28.10 | EUR | 1 | EP NH00 VI TA | 4013364082021 | 1 | 0.075 | 0.075 | 85389099 | DE | 78 | 41 | 16 | MM |
| 1500 | 745910 | 38067 | Earthing cartridge NH size 1...3 | | 05000412 | ST | 39.70 | EUR | 1 | EP NH1 3 VI TA | 4013364082038 | 1 | 0.19 | 0.19 | 85389099 | DE | 135 | 57 | 16 | MM |
| 1501 | 745915 | 38068 | Earthing cartridge NH size 4a | | 05000412 | ST | 52.90 | EUR | 1 | EP NH4A VI TA | 4013364082045 | 1 | 0.42 | 0.42 | 85389099 | DE | 200 | 72 | 16 | MM |
| 1502 | 745921 | 49133 | Adjustable handle with flexible shaft f. | earthing and short-circ. devices type VI | 05000412 | ST | 72.70 | EUR | 1 | DGF EKV VI | 4013364082069 | 1 | 0.216 | 0.216 | 85389099 | DE | 290 | 40 | 40 | MM |
| 1503 | 745922 | 39519 | Earthing handle type VI | | 05000412 | ST | 176.30 | EUR | 1 | EG 00 4A VI | 4013364082434 | 1 | 0.22 | 0.22 | 85389099 | DE | 310 | 55 | 55 | MM |
| 1504 | 745952 | 62242 | Plastic case (empty) for EaS kit f. cable | distribution cabinets 565x410x170 mm | 05050102 | ST | 670.40 | EUR | 1 | KK 56 41 17 EK VI TI | 4013364137066 | 1 | 4.9 | 4.9 | 42021250 | DE | 565 | 410 | 170 | MM |
| 1505 | 745953 | 62226 | Plastic case (empty) f. E+S kit and | earthing sticks 565x410x170 mm | 05050102 | ST | 632.10 | EUR | 1 | KK 56 41 17 EK HK | 4013364137073 | 1 | 4.95 | 4.95 | 42021250 | DE | 595 | 470 | 190 | MM |
| 1506 | 750001 | 4948 | Earthing cable YM2 50mm² | | 05000402 | M | 56.80 | EUR | 1 | ES YM2 50 | 4013364011809 | 1 | 0.535 | 0.535 | 85446010 | DE | 0 | 0 | 0 | |
| 1507 | 750041 | 57378 | Earthing and short-circ. device 50 mm² | L 4m with universal clamps | 05000406 | ST | 619.90 | EUR | 1 | EKV UK 50 4000 | 4013364126688 | 1 | 4.383 | 4.218 | 85359000 | DE | 400 | 300 | 150 | MM |
| 1508 | 750042 | 57379 | Earthing and short-circ. device 50 mm² | L 4m with conductor and universal clamp | 05000406 | ST | 764.30 | EUR | 1 | EKV LK 50 4000 | 4013364126695 | 1 | 4.373 | 3.888 | 85359000 | DE | 400 | 300 | 150 | MM |
| 1509 | 750196 | 3013634 | Earth. dev. for railways f. overh. lines | f. mot. vehicles (not profile-free) -SET- | 05000406 | ST | 5296.70 | EUR | 1 | BEV OL NPF PKW K | 4013364123823 | 1 | 26.58 | 26.58 | 85359000 | DE | 0 | 0 | 0 | |
| 1510 | 750200 | 3013635 | Earthing device for railways f. overhead | lines f. cars (profile-free) -SET- | 05000406 | ST | 7797.00 | EUR | 1 | BEV OL PF PKW K | 4013364123830 | 1 | 16.95 | 16.95 | 85359000 | DE | 0 | 0 | 0 | |
| 1511 | 750210 | 56650 | Earthing device for railways f. overhead | lines (not profile-free) -SET- | 05000406 | ST | 2797.80 | EUR | 1 | BEV OL NPF K | 4013364123793 | 1 | 13.44 | 13.44 | 85359000 | DE | 0 | 0 | 0 | |
| 1512 | 750211 | 56651 | Earthing device for railways f. overhead | lines (profile-free)with hook -SET- | 05000406 | ST | 3018.80 | EUR | 1 | BEV OL PF K | 4013364123809 | 1 | 15.55 | 15.55 | 85359000 | DE | 0 | 0 | 0 | |
| 1513 | 750212 | 56655 | Earth. dev. for railways f. transformers | at overhead line masts -SET- | 05000406 | ST | 2343.40 | EUR | 1 | BEV US OL ST | 4013364123847 | 1 | 13 | 13 | 85359000 | DE | 0 | 0 | 0 | |
| 1514 | 750213 | 56657 | Earthing device f. railways f. feeding, | bypass and other types of lines -SET- | 05000406 | ST | 1889.00 | EUR | 1 | BEV SVUL | 4013364123861 | 1 | 8.76 | 8.76 | 85359000 | DE | 0 | 0 | 0 | |
| 1515 | 750214 | 56652 | Earthing device for railways f. overhead | lines (profile-free) -SET- | 05000406 | ST | 3041.10 | EUR | 1 | BEV OL PF V2 K | 4013364123816 | 1 | 15.6 | 15.6 | 85359000 | DE | 0 | 0 | 0 | |
| 1516 | 750215 | 56658 | Earthing device f. railways f. preheat. | systems of railway points + trains -SET- | 05000406 | ST | 2017.40 | EUR | 1 | BEV WHA ZVA | 4013364123878 | 1 | 7.3 | 7.3 | 85359000 | DE | 0 | 0 | 0 | |
| 1517 | 750216 | 3013632 | Earth. dev. f. railways f. overh. lines | transp. by car (not profile-free) -KIT- | 05000406 | ST | 5474.50 | EUR | 1 | BEV OL NPF PKW R | 4013364157255 | 1 | 26.58 | 26.58 | 85359000 | DE | 0 | 0 | 0 | |
| 1518 | 750217 | 3013633 | Earth. dev. f. railways f. overh. lines | (prof.-fr.)transp. by car, ratchet-KIT | 05000406 | ST | 7972.30 | EUR | 1 | BEV OL PF PKW R | 4013364157262 | 1 | 17.08 | 17.08 | 85359000 | DE | 0 | 0 | 0 | |
| 1519 | 750218 | 57292 | Earthing device f. railways f. overhead | lines (not profile-free) w. ratchet-KIT- | 05000406 | ST | 2975.60 | EUR | 1 | BEV OL NPF R | 4013364157224 | 1 | 14.73 | 14.73 | 85359000 | DE | 0 | 0 | 0 | |
| 1520 | 750219 | 57293 | Earthing device f. railways f. overhead | lines (profile-free),ratchet, hook -SET- | 05000406 | ST | 3194.10 | EUR | 1 | BEV OL PF R | 4013364157231 | 1 | 16.87 | 16.87 | 85359000 | DE | 0 | 0 | 0 | |
| 1521 | 750221 | 57294 | Earthing device f. railways f. overhead | lines (profile-free),ratchet, hook -KIT- | 05000406 | ST | 3217.60 | EUR | 1 | BEV OL PF V2 R | 4013364157248 | 1 | 15.51 | 15.51 | 85359000 | DE | 0 | 0 | 0 | |
| 1522 | 750500 | 14 | Bolted-type connector with threaded bolt | M16x65mm and nut | 05000401 | ST | 26.20 | EUR | 1 | AS SCHR M16 65 | 4013364000032 | 1 | 0.25 | 0.25 | 85389099 | DE | 65 | 45 | 41 | MM |
| 1523 | 751040 | 2667 | Earthing cable 50mm², L 4m | with connecting part PK2 | 05000402 | ST | 332.10 | EUR | 1 | EKS 50 BEV 4M | 4013364006041 | 1 | 2.765 | 2.6 | 85446010 | DE | 240 | 180 | 150 | MM |
| 1524 | 751085 | 2668 | Earthing cable 50mm², L 8.5m | with connecting part PK2 | 05000402 | ST | 584.00 | EUR | 1 | EKS 50 BEV 8.5M | 4013364006058 | 1 | 5.145 | 4.98 | 85446010 | DE | 400 | 300 | 150 | MM |
| 1525 | 751086 | 57372 | Earthing and short-circ. device 50 mm² | L 8.5 m with rail terminal, tommy bar | 05000406 | ST | 1508.80 | EUR | 1 | EKV K 50 8500 | 4013364126626 | 1 | 9.475 | 8.99 | 85359000 | DE | 400 | 300 | 150 | MM |
| 1526 | 751087 | 57373 | Earthing and short-circ. device 50 mm² | L 8.5 m with rail terminal, ratchet | 05000406 | ST | 1684.10 | EUR | 1 | EKV R 50 8500 | 4013364126633 | 1 | 9.506 | 9.126 | 85359000 | DE | 400 | 300 | 150 | MM |
| 1527 | 751120 | 2669 | Earthing cable 50mm², L 12m | with connecting part PK2 | 05000402 | ST | 747.00 | EUR | 1 | EKS 50 BEV 12M | 4013364006065 | 1 | 7.025 | 6.86 | 85446010 | DE | 400 | 300 | 150 | MM |
| 1528 | 751121 | 57374 | EaS device 50 mm² L 12 m with hook and | rail terminal, tommy bar | 05000406 | ST | 1732.20 | EUR | 1 | EKV K H 50 12000 | 4013364126640 | 1 | 11.521 | 11.141 | 85359000 | DE | 400 | 300 | 150 | MM |
| 1529 | 751122 | 57375 | EaS device 50 mm² L 12 m with hook and | rail terminal, ratchet | 05000406 | ST | 1910.00 | EUR | 1 | EKV R H 50 12000 | 4013364126657 | 1 | 11.794 | 11.414 | 85359000 | DE | 400 | 300 | 150 | MM |
| 1530 | 751126 | 57376 | Earthing and short-circ. device 50 mm² | L 12 m with rail terminal, tommy bar | 05000406 | ST | 1687.80 | EUR | 1 | EKV K 50 12000 | 4013364126664 | 1 | 11.262 | 10.882 | 85359000 | DE | 400 | 300 | 150 | MM |
| 1531 | 751127 | 57377 | Earthing and short-circ. device 50 mm² | L 12 m with rail terminal, ratchet | 05000406 | ST | 1860.60 | EUR | 1 | EKV R 50 12000 | 4013364126671 | 1 | 11.386 | 11.006 | 85359000 | DE | 400 | 300 | 150 | MM |
| 1532 | 751130 | 7785 | Earthing cable 50mm² L 13m | w. connecting element PK2 | 05000402 | ST | 786.40 | EUR | 1 | EKS 50 BEV 13M | 4013364041776 | 1 | 7.555 | 7.39 | 85446010 | DE | 400 | 300 | 150 | MM |
| 1533 | 751140 | 7170 | Earthing cable 50mm² L 14 m | with connecting element PK2 | 05000402 | ST | 842.00 | EUR | 1 | EKS 50 BEV 14M | 4013364018570 | 1 | 8.095 | 7.93 | 85446010 | DE | 400 | 300 | 150 | MM |
| 1534 | 751150 | 39574 | Two-pole earthing and short-circ. device | 50mm² with ball head caps, rigid, 25mm | 05000406 | ST | 872.90 | EUR | 1 | EKV2 50 KKH 600 1800 | 4013364084520 | 1 | 4.694 | 4.529 | 85359000 | DE | 400 | 300 | 150 | MM |
| 1535 | 751191 | 57396 | Earthing device for railways f. earthing | masts or constr. machines near rails | 05000406 | ST | 1180.30 | EUR | 1 | BEV MF SE K | 4013364126602 | 1 | 9.196 | 8.816 | 85359000 | DE | 400 | 300 | 150 | MM |
| 1536 | 751192 | 56690 | Earthing device f. railways f. earthing | constr. machines at dedicated busbars | 05000406 | ST | 898.90 | EUR | 1 | BEV MF LTE | 4013364123885 | 1 | 7.064 | 6.684 | 85359000 | DE | 400 | 300 | 150 | MM |
| 1537 | 751193 | 56689 | Earthing device f. railways f. earthing | constr. machines at rails of adj. tracks | 05000406 | ST | 1344.60 | EUR | 1 | BEV BM HZ BDW K | 4013364123892 | 1 | 10.664 | 10.284 | 85359000 | DE | 400 | 300 | 150 | MM |
| 1538 | 751196 | 57297 | Earthing device f. railways f. masts or | construction machines at rails | 05000406 | ST | 1356.90 | EUR | 1 | BEV MF SE R | 4013364157767 | 1 | 8.908 | 8.528 | 85359000 | DE | 400 | 300 | 150 | MM |
| 1539 | 751197 | 57298 | Earthing device f. railways f. earthing | constr. mach. on rails of adj. tracks | 05000406 | ST | 1518.60 | EUR | 1 | BEV BM HZ BDW R | 4013364157774 | 1 | 14.788 | 14.408 | 85359000 | DE | 400 | 300 | 150 | MM |
| 1540 | 752040 | 3001014 | Earthing cable w. 2 crimped cable lugs | W 10.5mm 70mm² L 4000mm AL | 05000403 | ST | 516.10 | EUR | 1 | EKS B10.5 70 4000AL | 4013364230187 | 1 | 2.13 | 1.09 | 85446090 | DE | 500 | 500 | 130 | MM |
| 1541 | 752041 | 3001170 | EaS device 70 mm² L 4000mm Al | with universal clamps | 05000405 | ST | 809.90 | EUR | 1 | EKV UKQ UKH70 4000AL | 4013364230569 | 1 | 4.22 | 3.18 | 85359000 | DE | 500 | 500 | 130 | MM |
| 1542 | 752042 | 3001171 | EaS device 70 mm² L 4000mm Al | w. conductor clamp a. universal clamp | 05000405 | ST | 970.40 | EUR | 1 | EKV LK UKH 70 4000AL | 4013364230576 | 1 | 4.1 | 3.57 | 85359000 | DE | 500 | 500 | 130 | MM |
| 1543 | 752085 | 3001047 | Earthing cable w. 2 crimped cable lugs | W 10.5mm 70mm² L 8500mm Al | 05000403 | ST | 661.80 | EUR | 1 | EKS B10.5 70 8500AL | 4013364230637 | 1 | 3.36 | 2.32 | 85446090 | DE | 500 | 500 | 130 | MM |
| 1544 | 752086 | 3001070 | EaS device 70 mm² L 8500mm Al | w. rail clamp w. tommy bar | 05000407 | ST | 1663.10 | EUR | 1 | EKV FD K 70 8500AL | 4013364230217 | 1 | 7.49 | 7.022 | 85359000 | DE | 500 | 500 | 130 | MM |
| 1545 | 752087 | 3001141 | EaS device 70 mm² L 8500mm Al | w. rail clamp w. ratchet | 05000407 | ST | 1868.10 | EUR | 1 | EKV FD R 70 8500AL | 4013364230422 | 1 | 8.104 | 7.331 | 85359000 | DE | 500 | 500 | 130 | MM |
| 1546 | 752120 | 3001050 | Earthing cable w. 2 crimped cable lugs | W 10.5mm 70mm² L 12000mm Al | 05000403 | ST | 750.70 | EUR | 1 | EKS B10.5 70 12000AL | 4013364230644 | 1 | 4.32 | 3.28 | 85446090 | DE | 500 | 500 | 120 | MM |
| 1547 | 752121 | 3001140 | EaS device 70 mm² L 12000mm Al | w. rail clamp w.tommy bar | 05000407 | ST | 1781.60 | EUR | 1 | EKV FD K H70 12000AL | 4013364230316 | 1 | 8.855 | 8.325 | 85359000 | DE | 500 | 500 | 130 | MM |
| 1548 | 752122 | 3001160 | EaS device 70 mm² L 12000mm Al | w. rail clamp w. ratchet | 05000407 | ST | 2000.10 | EUR | 1 | EKV FD R H70 12000AL | 4013364230453 | 1 | 9.54 | 8.479 | 85359000 | DE | 500 | 500 | 130 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 1549 | 752126 | 3001081 | EaS device 70 mm² L 12000mm Al | w. rail clamp w. tommy bar | 05000407 | ST | 1753.20 | EUR | 1 | EKV FD K 70 12000AL | 4013364230262 | 1 | 9.098 | 8.051 | 85359000 | DE | 500 | 500 | 130 | MM |
| 1550 | 752127 | 3001142 | EaS device 70 mm² L 12000mm Al | w. rail clamp with ratchet | 05000407 | ST | 1956.90 | EUR | 1 | EKV FD R 70 12000AL | 4013364230439 | 1 | 9.255 | 8.214 | 85359000 | DE | 500 | 500 | 130 | MM |
| 1551 | 752191 | 3001164 | Earthing device 70 mm² L 8500mm Al | w. rail clamp with tommy bar | 05000407 | ST | 1207.50 | EUR | 1 | BEV UKH K 70 8500AL | 4013364230330 | 1 | 7.388 | 6.344 | 85359000 | DE | 500 | 500 | 130 | MM |
| 1552 | 752192 | 3001174 | Earthing device 70 mm² L 8500mm Al | w. 2 universal clamps with handle | 05000407 | ST | 971.70 | EUR | 1 | BEV 2XUKH 70 8500AL | 4013364230590 | 1 | 5.7 | 4.66 | 85359000 | DE | 500 | 500 | 130 | MM |
| 1553 | 752193 | 3001165 | Earthing device 70 mm² L 12000mm Al | w. rail clamp with tommy bar | 05000407 | ST | 1295.20 | EUR | 1 | BEV UKH K 70 12000AL | 4013364230538 | 1 | 8.431 | 7.377 | 85359000 | DE | 500 | 500 | 130 | MM |
| 1554 | 752196 | 3001166 | Earthing device 70 mm² L 8500mm Al | w. rail clamp with ratchet | 05000407 | ST | 1412.50 | EUR | 1 | BEV UKH R 70 8500AL | 4013364230545 | 1 | 7.56 | 6.523 | 85359000 | DE | 500 | 500 | 130 | MM |
| 1555 | 752197 | 3001167 | Earthing device 70 mm² L 12000mm Al | w. rail clamp with ratchet | 05000407 | ST | 1502.60 | EUR | 1 | BEV UKH R 70 12000AL | 4013364230552 | 1 | 8.585 | 7.55 | 85359000 | DE | 500 | 500 | 130 | MM |
| 1556 | 754200 | 38192 | Fixed ball point D 20mm straight | with M12 female thread | 05000401 | ST | 23.70 | EUR | 1 | KFP 20 M12 | 4013364004207 | 1 | 0.131 | 0.131 | 85389099 | DE | 60 | 28 | 24 | MM |
| 1557 | 754205 | 3008683 | Fixed ball point D=20mm, straight | with M10 female thread | 05000401 | ST | 23.70 | EUR | 1 | KFP 20 M10 | 4013364097865 | 1 | 0.137 | 0.137 | 85389099 | DE | 60 | 28 | 24 | MM |
| 1558 | 754235 | 38195 | Fixed ball point D 20mm straight | w. threaded pin and nut M12x35mm | 05000401 | ST | 29.90 | EUR | 1 | KFP 20 M12 35 SSM | 4013364004221 | 1 | 0.184 | 0.184 | 85389099 | DE | 94 | 28 | 24 | MM |
| 1559 | 754238 | 60339 | Fixed ball point D 20mm straight | w. threaded pin and nut M12x45mm | 05000401 | ST | 29.80 | EUR | 1 | KFP 20 M12 45 SN7078 | 4013364131309 | 1 | 0.18 | 0.18 | 85389099 | DE | 104 | 30 | 24 | MM |
| 1560 | 754600 | 38194 | Fixed ball point D=20mm, straight | with M16 female thread | 05000401 | ST | 23.70 | EUR | 1 | KFP 20 M16 | 4013364004214 | 1 | 0.116 | 0.116 | 85389099 | DE | 60 | 28 | 24 | MM |
| 1561 | 754645 | 38196 | Fixed ball point D=20mm, straight | with threaded bolt and nut M16x45mm | 05000401 | ST | 32.90 | EUR | 1 | KFP 20 M16 45 SSM | 4013364004238 | 1 | 0.287 | 0.287 | 85389099 | DE | 104 | 28 | 24 | MM |
| 1562 | 755200 | 3007637 | Fixed ball point D=25mm, straight | with M12 female thread | 05000401 | ST | 31.20 | EUR | 1 | KFP 25 M12 | 4013364000087 | 1 | 0.22 | 0.22 | 85389099 | DE | 70 | 32 | 27 | MM |
| 1563 | 755225 | 38207 | Fixed ball point D=25mm, straight | with threaded bolt and nut M12x25mm | 05000401 | ST | 38.00 | EUR | 1 | KFP 25 M12 25 SSM | 4013364004498 | 1 | 0.265 | 0.265 | 85389099 | DE | 94 | 32 | 27 | MM |
| 1564 | 755245 | 38202 | Fixed ball point D=25mm, straight | with threaded bolt and nut M12x45mm | 05000401 | ST | 39.40 | EUR | 1 | KFP 25 M12 45 SSM | 4013364000070 | 1 | 0.278 | 0.278 | 85389099 | DE | 114 | 32 | 27 | MM |
| 1565 | 755501 | 3011232 | Welding-type connector, threaded | bolt M16x30mm, St/galZn - KIT - | 05000401 | ST | 28.10 | EUR | 1 | AS SCHW M16 30 | 4013364003934 | 1 | 0.303 | 0.298 | 85389099 | DE | 58 | 42 | 42 | MM |
| 1566 | 755600 | 3008684 | Fixed ball point D=25mm, straight | with M16 female thread | 05000401 | ST | 32.90 | EUR | 1 | KFP 25 M16 | 4013364000094 | 1 | 0.204 | 0.204 | 85389099 | DE | 70 | 32 | 27 | MM |
| 1567 | 755626 | 3015152 | Fixed ball point D 25mm straight with | thr. pin, nut, flat washer M16x26mm | 05000401 | ST | 44.40 | EUR | 1 | KFP 25 M16 25 SKM | 4013364079625 | 1 | 0.301 | 0.301 | 85389099 | DE | 94 | 32 | 27 | MM |
| 1568 | 755627 | 38330 | Fixed ball point D=25mm/M12 | DB Mat. No. 622014 Z. No. 3 Ebgw 01.63 | 05000401 | ST | 40.70 | EUR | 1 | KFP 25 M12 35 SKM | 4013364077768 | 1 | 0.311 | 0.311 | 85389099 | DE | 104 | 32 | 27 | MM |
| 1569 | 755636 | 38211 | Fixed ball point D=25mm/M16 | DB Mat.-Nr. 609426 Z.-Nr. 3 Ebgw 01.63 | 05000401 | ST | 44.40 | EUR | 1 | KFP 25 M16 25 | 4013364079670 | 1 | 0.31 | 0.31 | 85389099 | DE | 94 | 32 | 27 | MM |
| 1570 | 755645 | 38206 | Fixed ball point D=25mm, straight | with threaded bolt and nut M16x45mm | 05000401 | ST | 39.40 | EUR | 1 | KFP 25 M16 45 SSM | 4013364000100 | 1 | 0.319 | 0.319 | 85389099 | DE | 114 | 32 | 27 | MM |
| 1571 | 755646 | 3015155 | Fixed ball point D 25mm straight with | thr. pin, nut, flat washer M16x46mm | 05000401 | ST | 45.60 | EUR | 1 | KFP 25 M16 45 SKM | 4013364079632 | 1 | 0.33 | 0.33 | 85389099 | DE | 114 | 32 | 27 | MM |
| 1572 | 756200 | 3008681 | Fixed ball point D=25mm, angled (45°) | with M12 female thread | 05000401 | ST | 56.40 | EUR | 1 | KFP 25 W45 M12 | 4013364004313 | 1 | 0.357 | 0.357 | 85389099 | DE | 70 | 55 | 28 | MM |
| 1573 | 756245 | 1898 | Fixed ball point D=25mm, angled (45°) | with threaded bolt and nut M12x45mm | 05000401 | ST | 64.00 | EUR | 1 | KFP 25 W45 M12 45SSM | 4013364004337 | 1 | 0.434 | 0.434 | 85389099 | DE | 115 | 55 | 28 | MM |
| 1574 | 756300 | 3008755 | Fixed ball point D 25mm, angled | with connection lug 50x30x9mm | 05000401 | ST | 64.20 | EUR | 1 | KFP 25 S AL 12 | 4013364003682 | 1 | 0.212 | 0.212 | 85389099 | DE | 80 | 60 | 30 | MM |
| 1575 | 756600 | 3008900 | Fixed ball point D=25mm, angled (45°) | with M16 female thread | 05000401 | ST | 56.00 | EUR | 1 | KFP 25 W45 M16 | 4013364004320 | 1 | 0.356 | 0.356 | 85389099 | DE | 70 | 55 | 28 | MM |
| 1576 | 756645 | 1900 | Fixed ball point D=25mm, angled (45°) | with threaded bolt and nut M16x45mm | 05000401 | ST | 67.60 | EUR | 1 | KFP 25 W45 M16 45SSM | 4013364004344 | 1 | 0.47 | 0.47 | 85389099 | DE | 115 | 55 | 28 | MM |
| 1577 | 757200 | 1917 | Fixed ball point D=25mm, angled (90°) | with M12 female thread | 05000401 | ST | 103.30 | EUR | 1 | KFP 25 W90 M12 | 4013364004405 | 1 | 0.395 | 0.395 | 85389099 | DE | 80 | 60 | 28 | MM |
| 1578 | 757245 | 1923 | Fixed ball point D=25mm, angled (90°) | with threaded bolt and nut M12x45mm | 05000401 | ST | 107.80 | EUR | 1 | KFP 25 W90 M12 45SSM | 4013364004429 | 1 | 0.454 | 0.454 | 85389099 | DE | 100 | 80 | 28 | MM |
| 1579 | 757600 | 3008909 | Fixed ball point D=25mm, angled (90°) | with M16 female thread | 05000401 | ST | 112.20 | EUR | 1 | KFP 25 W90 M16 | 4013364004412 | 1 | 0.37 | 0.37 | 85389099 | DE | 80 | 60 | 28 | MM |
| 1580 | 757645 | 1925 | Fixed ball point D=25mm, angled (90°) | with threaded bolt and nut M16x45mm | 05000401 | ST | 116.80 | EUR | 1 | KFP 25 W90 M16 45SSM | 4013364004436 | 1 | 0.491 | 0.491 | 85389099 | DE | 100 | 80 | 28 | MM |
| 1581 | 758001 | 1742 | Discharge device w. contact electrode | 1-pole L=2000mm w. wing bolt earth clamp | 05000416 | ST | 561.70 | EUR | 1 | EV TS 2000 EK | 4013364004030 | 1 | 3.215 | 2.215 | 85369095 | DE | 2060 | 105 | 105 | MM |
| 1582 | 758003 | 1751 | Discharge device w. contact electrode | single-pole L=2000mm w. earth tongs | 05000416 | ST | 466.70 | EUR | 1 | EV TS 2000 EZ | 4013364004047 | 1 | 2.951 | 1.951 | 85369095 | DE | 2060 | 105 | 105 | MM |
| 1583 | 758015 | 7751 | Discharge device f. hooking 1-pole | L 1725mm w. earth clamp w. tommy bar | 05000416 | ST | 902.60 | EUR | 1 | EV EH 1725 EK | 4013364041608 | 1 | 3.62 | 2.62 | 85369095 | DE | 2060 | 105 | 105 | MM |
| 1584 | 758020 | 46021 | Disch. device, contact/coupling electr. | single-pole, L=465mm w. earthing clamp | 05000416 | ST | 393.90 | EUR | 1 | EV TES 465 EK | 4013364098992 | 1 | 1.44 | 1.34 | 85369095 | DE | 600 | 400 | 300 | MM |
| 1585 | 758021 | 46022 | Disch. device, contact/coupling electr. | single-pole, L=465mm w. earthing tongs | 05000416 | ST | 322.30 | EUR | 1 | EV TES 465 EZ | 4013364099005 | 1 | 1.2 | 1.1 | 85369095 | DE | 600 | 200 | 40 | MM |
| 1586 | 758022 | 46023 | Disch. device, contact/coupling electr. | single-pole, L=465mm w. cable lug 10mm² | 05000416 | ST | 301.30 | EUR | 1 | EV TES 465 KS10 | 4013364099012 | 1 | 0.75 | 0.65 | 85369095 | DE | 600 | 400 | 300 | MM |
| 1587 | 758025 | 58569 | Discharge dev., cont. and coupl. electr. | L 1500mm STK cable length 3500mm KS | 05000416 | ST | 430.90 | EUR | 1 | EV TES STK 1500 KS | 4013364127838 | 1 | 2.288 | 1.488 | 85369095 | DE | 1580 | 105 | 105 | MM |
| 1588 | 758028 | 60792 | Discharge device w. ring hook L 1600mm | w. plug-in coupl. cable 16mm² 13500mm | 05000416 | ST | 579.00 | EUR | 1 | EV EHB 1600 SN7114 | 4013364132450 | 1 | 5.16 | 4.16 | 85369095 | DE | 2060 | 105 | 105 | MM |
| 1589 | 758036 | 61531 | Discharge device w. contact a. coupling | electrode 1-pole L 465mm | 05000416 | ST | 118.50 | EUR | 1 | EV TES 465 SN7215 | 4013364133884 | 1 | 1.354 | 0.203 | 85369095 | DE | 600 | 400 | 30 | MM |
| 1590 | 758075 | 3002686 | Discharge device w.contact electrode | L 1470mm w. plug-in coupling | 05000416 | ST | 397.60 | EUR | 1 | EV TS STK 1470 | 4013364247789 | 1 | 1.75 | 1.08 | 85369095 | DE | 2060 | 105 | 105 | MM |
| 1591 | 758085 | 3002685 | Discharge device w. contact a. coupling | electrode L 1500mm w. plug-in coupling | 05000416 | ST | 327.20 | EUR | 1 | EV TES STK 1500 | 4013364247819 | 1 | 1.42 | 0.75 | 85369095 | DE | 1580 | 105 | 105 | MM |
| 1592 | 758095 | 3002687 | Discharge device w. ring hook | L 1600mm w. plug-in coupling | 05000416 | ST | 481.50 | EUR | 1 | EV EHB STK 1600 | 4013364247826 | 1 | 2.32 | 1.32 | 85369095 | DE | 2060 | 120 | 105 | MM |
| 1593 | 758099 | 3005953 | Equipotential bonding device 3+1 with | pole tongs 3x black 1x red D 5-25mm | 05000416 | ST | 890.20 | EUR | 1 | PAV 3+1 16 ZAK | 4013364287587 | 1 | 3.21 | 3.063 | 85369095 | DE | 300 | 225 | 160 | MM |
| 1594 | 758116 | 3002813 | Earthing cable 16mm² for discharge device | cable lug at both ends | 05000416 | ST | 119.60 | EUR | 1 | EL 16CU KS12.5 8.5 | 4013364247918 | 1 | 0.312 | 0.22 | 85369095 | DE | 400 | 300 | 150 | MM |
| 1595 | 758125 | 3002817 | Earthing cable 25mm² for discharge device | cable lug at both sides | 05000416 | ST | 134.60 | EUR | 1 | EL 25CU KS12.5 8.5 | 4013364247925 | 1 | 0.352 | 0.26 | 85369095 | DE | 400 | 300 | 150 | MM |
| 1596 | 758135 | 3002818 | Earthing cable 35mm² for discharge device | cable lug at both sides | 05000416 | ST | 149.40 | EUR | 1 | EL 35CU KS12.5 8.5 | 4013364247932 | 1 | 0.393 | 0.301 | 85369095 | DE | 400 | 300 | 150 | MM |
| 1597 | 758216 | 3002819 | Earthing cable 16mm² for discharge device | 1x earthing tongs and 1x cable lug | 05000416 | ST | 200.00 | EUR | 1 | EL 16CU EZ KS8.5 | 4013364247949 | 1 | 0.374 | 0.282 | 85369095 | DE | 400 | 300 | 150 | MM |
| 1598 | 759706 | 3003449 | Phase comparator PHV1P single-pole | 6-12kV 50Hz | 05000311 | ST | 2279.20 | EUR | 1 | PHV1P 6 12 | 4013364259232 | 1 | 2.37 | 1.3 | 90303370 | DE | 0 | 0 | 0 | MM |
| 1599 | 759712 | 3003450 | Phase comparator PHV1P single-pole | 10...20kV 50Hz | 05000311 | ST | 2186.60 | EUR | 1 | PHV1P 10 20 | 4013364259256 | 1 | 2.36 | 1.15 | 90303370 | DE | 0 | 0 | 0 | MM |
| 1600 | 759716 | 3003453 | Phase comp. PHV1P single-pole 5...36kV | 50 Hz switchable: 5..10kV 20.. 36kV | 05000311 | ST | 2617.50 | EUR | 1 | PHV1P U 5 36 | 4013364259270 | 1 | 2.661 | 1.52 | 90303370 | DE | 1160 | 170 | 170 | MM |
| 1601 | 759736 | 3003452 | Phase comparator PHV1P single-pole | 20..36kV 50Hz | 05000311 | ST | 2278.00 | EUR | 1 | PHV1P 20 36 | 4013364259263 | 1 | 2.651 | 1.461 | 90303370 | DE | 1170 | 170 | 170 | MM |
| 1602 | 759798 | 3003546 | Sealing ring for indicator of | phase comparator | 05000350 | ST | 6.20 | EUR | 1 | DR PAG | 4013364259317 | 1 | 0.002 | 0.002 | 39269097 | TW | 74 | 74 | 3 | MM |
| 1603 | 759799 | 3003547 | Threaded ring for indicator | of phase comparator | 05000350 | ST | 42.80 | EUR | 1 | GR PAG | 4013364259294 | 1 | 0.031 | 0.031 | 39269097 | DE | 0 | 0 | 0 | MM |
| 1604 | 761001 | 3012542 | Earthing stick f. hexagon shafts | w. plug-in coupling L 1000mm | 05000411 | ST | 165.40 | EUR | 1 | ES SK STK 1000 | 4013364125179 | 1 | 1.058 | 0.525 | 85389099 | DE | 1060 | 130 | 115 | MM |
| 1605 | 761002 | 3012554 | Erdungsstange f. Spindel-Querstift | m. Steckkupplung L 1000mm | 05000411 | ST | 165.40 | EUR | 1 | ES SQ STK 1000 | 4013364125186 | 1 | 0.9 | 0.4 | 85389099 | DE | 1050 | 105 | 105 | MM |
| 1606 | 761003 | 3012569 | Earthing stick for hexagon shafts | w. plug-in coupling L 2000mm | 05000411 | ST | 237.10 | EUR | 1 | ES SK STK 2000 | 4013364134348 | 1 | 1.76 | 0.83 | 85389099 | DE | 2065 | 140 | 115 | MM |
| 1607 | 761004 | 3012568 | Earthing stick for T pin shafts | with plug-in coupling L 2000mm | 05000411 | ST | 237.10 | EUR | 1 | ES SQ STK 2000 | 4013364134355 | 1 | 1.8 | 0.853 | 85389099 | DE | 2070 | 140 | 120 | MM |
| 1608 | 761010 | 60385 | Earthing rod L 1000mm | hexagon shaft | 05000411 | ST | 156.80 | EUR | 1 | ES SK 1000 | 4013364000155 | 1 | 1.48 | 0.98 | 85389099 | DE | 1050 | 105 | 105 | MM |
| 1609 | 761011 | 60386 | Earthing rod L 1000mm | T pin shaft | 05000411 | ST | 156.80 | EUR | 1 | ES SQ 1000 | 4013364000230 | 1 | 1.55 | 1.05 | 85389099 | DE | 1050 | 105 | 105 | MM |
| 1610 | 761015 | 60388 | Earthing stick L 1500mm | hexagon shaft | 05000411 | ST | 193.90 | EUR | 1 | ES SK 1500 | 4013364000162 | 1 | 2.15 | 1.35 | 85389099 | DE | 1580 | 105 | 105 | MM |
| 1611 | 761016 | 60389 | Earthing rod L 1500mm | T pin shaft | 05000411 | ST | 193.90 | EUR | 1 | ES SQ 1500 | 4013364000247 | 1 | 2.16 | 1.36 | 85389099 | DE | 1580 | 105 | 105 | MM |
| 1612 | 761070 | 62048 | Earthing stick for hexagon shafts with | plug-in coupling L 920mm | 05000411 | ST | 288.90 | EUR | 1 | EST SK STK 920 | 4013364136212 | 1 | 1.3 | 0.8 | 85389099 | DE | 1050 | 105 | 105 | MM |
| 1613 | 761075 | 62049 | Earthing stick for T pin shafts with | plug-in coupling L 920mm | 05000411 | ST | 288.90 | EUR | 1 | EST SQ STK 920 | 4013364136229 | 1 | 1.3 | 0.8 | 85389099 | DE | 1050 | 105 | 105 | MM |
| 1614 | 763100 | 3011188 | Switching stick 36kV with plug-in coupling | L 1000mm | 05000102 | ST | 188.90 | EUR | 1 | SCS 36 STK 1000 | 4013364125155 | 1 | 1.1 | 0.6 | 82055980 | DE | 1050 | 105 | 105 | MM |
| 1615 | 763111 | 3011189 | Switching stick 36kV L 1000mm with STK | Also for use in wet weather conditions | 05000102 | ST | 291.40 | EUR | 1 | SCSN 36 STK 1000 | 4013364137226 | 1 | 1.08 | 0.58 | 82055980 | DE | 1050 | 105 | 105 | MM |
| 1616 | 763211 | 38252 | Insulating protective shutter | type A1, PVC | 05000501 | ST | Price on request | EUR | | ISP 36 PVC A1... | 4013364081567 | 1 | 8.000 | | 39219090 | DE | 0 | 0 | 0 | mm |
| 1617 | 763221 | 38253 | Insulating protective shutter | type A2, PVC | 05000501 | ST | Price on request | EUR | | ISP 36 PVC A2... | 4013364081574 | 1 | 8.000 | | 39219090 | DE | 0 | 0 | 0 | mm |
| 1618 | 763231 | 38254 | Insulating protective shutter | type A3, PVC | 05000501 | ST | Price on request | EUR | | ISP 36 PVC A3... | 4013364081581 | 1 | 8.000 | | 39204990 | DE | 0 | 0 | 0 | mm |
| 1619 | 763241 | 38255 | Insulating protective shutter | type A4, PVC | 05000501 | ST | Price on request | EUR | | ISP 36 PVC A4... | 4013364081598 | 1 | 8.000 | | 39219090 | DE | 0 | 0 | 0 | mm |
| 1620 | 763610 | 3011190 | Switching stick 36kV L 1030mm | | 05000102 | ST | 169.10 | EUR | 1 | SCS 36 1000 | 4013364003286 | 1 | 1.462 | 0.962 | 82055980 | DE | 1050 | 105 | 105 | MM |
| 1621 | 763611 | 3011191 | Switching stick 36kV L 1500mm | | 05000102 | ST | 200.00 | EUR | 1 | SCS 36 1500 | 4013364076921 | 1 | 1.41 | 0.61 | 82055980 | DE | 1580 | 105 | 105 | MM |
| 1622 | 763612 | 3011192 | Switching stick 36kV L 2000mm | | 05000102 | ST | 272.80 | EUR | 1 | SCS 36 2000 | 4013364078635 | 1 | 1.8 | 0.8 | 82055980 | DE | 2060 | 105 | 105 | MM |
| 1623 | 763615 | 3011193 | Switching stick 72kV L 1500mm | | 05000102 | ST | 216.10 | EUR | 1 | SCS 72 1500 | 4013364003309 | 1 | 2.22 | 1.42 | 82055980 | DE | 1580 | 105 | 105 | MM |
| 1624 | 763620 | 3011194 | Switching stick 72kV L 2000mm | | 05000102 | ST | 248.20 | EUR | 1 | SCS 72 2000 | 4013364003316 | 1 | 1.8 | 0.8 | 82055980 | DE | 2060 | 105 | 105 | MM |
| 1625 | 763630 | 3011195 | Switching stick 72kV L 3000mm | | 05000102 | ST | 393.90 | EUR | 1 | SCS 72 3000 | 4013364003330 | 1 | 2.15 | 1.35 | 82055980 | DE | 1580 | 105 | 105 | MM |
| 1626 | 763710 | 45662 | Insul. stick w. hex. socket 12mm w. hand | crank L 1720mm f. motor drives MS -36kV | 05000101 | ST | 644.50 | EUR | 1 | IS SK12 HK 1720 | 4013364098558 | 1 | 1.2 | 1.2 | 82055980 | DE | 1800 | 150 | 80 | MM |
| 1627 | 763711 | 45661 | Insul. stick extension w. hexag. socket | 12mm f. motor drives MS -36kV L 1060m | 05000101 | ST | 544.50 | EUR | 1 | ISV SK12 1060 | 4013364098565 | 1 | 0.442 | 0.442 | 82055980 | DE | 1100 | 35 | 35 | MM |
| 1628 | 763712 | 45660 | Operating head w. hexagon 24/12mm | for motor drives | 05000101 | ST | 80.20 | EUR | 1 | AK SK24 SK12 | 4013364098572 | 1 | 0.049 | 0.049 | 82055980 | DE | 150 | 30 | 30 | MM |
| 1629 | 765001 | 4084 | Adapter for earthing sticks SQ SK | | 05000411 | ST | 120.90 | EUR | 1 | AD ES SQ SK | 4013364051805 | 1 | 0.19 | 0.19 | 85389099 | DE | 132 | 40 | 40 | MM |
| 1630 | 765005 | 3642 | Switching stick head with thread M12 | | 05000102 | ST | 23.10 | EUR | 1 | SSK M12 | 4013364051775 | 1 | 0.117 | 0.117 | 82055980 | DE | 85 | 70 | 35 | MM |
| 1631 | 765006 | 68865 | Adapter f. earthing sticks SQ SQL | | 05000411 | ST | 138.30 | EUR | 1 | AD ES SQ SQL | 4013364156104 | 1 | 0.315 | 0.315 | 85389099 | DE | 188 | 40 | 40 | MM |
| 1632 | 765009 | 3912 | Switching stick head with T pin shaft | | 05000102 | ST | 166.70 | EUR | 1 | SSK SQ | 4013364051782 | 1 | 0.145 | 0.145 | 82055980 | DE | 140 | 71 | 40 | MM |
| 1633 | 765040 | 43029 | Fuse tong straight Un up to 36kV | D 30..90mm L 1060mm | 05000103 | ST | 540.80 | EUR | 1 | SZ HH 1060 | 4013364093751 | 1 | 2.63 | 2.13 | 82055980 | DE | 1070 | 105 | 105 | MM |
| 1634 | 765041 | 43020 | Fuse tong straight Un up to 36kV | D 30..90mm L 1250mm | 05000103 | ST | 542.00 | EUR | 1 | SZ HH 1250 | 4013364093768 | 1 | 2.876 | 2.276 | 82055980 | DE | 1280 | 105 | 105 | MM |
| 1635 | 765042 | 43016 | Fuse tong straight Un up to 36kV | D=30...90mm L=1500mm | 05000103 | ST | 585.20 | EUR | 1 | SZ HH 1500 | 4013364093775 | 1 | 3.39 | 2.59 | 82055980 | DE | 1580 | 105 | 105 | MM |
| 1636 | 765050 | 43036 | Fuse tong angled Un up to 36kV | D=30...90mm L 1070mm | 05000103 | ST | 540.80 | EUR | 1 | SZ HH W20 1070 | 4013364093782 | 1 | 2.647 | 2.147 | 82055980 | DE | 1070 | 105 | 105 | MM |
| 1637 | 765051 | 43008 | Fuse tong angled Un up to 36kV | D 30..90mm L 1250mm | 05000103 | ST | 543.30 | EUR | 1 | SZ HH W20 1250 | 4013364093799 | 1 | 2.89 | 2.29 | 82055980 | DE | 1280 | 105 | 105 | MM |
| 1638 | 765052 | 43033 | Fuse tong angled Un up to 36kV | D=30...90mm L 1500mm | 05000103 | ST | 584.00 | EUR | 1 | SZ HH W20 1500 | 4013364093805 | 1 | 3.388 | 2.588 | 82055980 | DE | 1580 | 105 | 105 | MM |
| 1639 | 766001 | 3013910 | Insulating stick 36kV M12 SK L 1000mm | | 05000101 | ST | 192.60 | EUR | 1 | IS 36 SK 1000 | 4013364017825 | 1 | 0.916 | 0.416 | 82055980 | DE | 1050 | 105 | 105 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 1640 | 766002 | 3013857 | Insulating stick 36kV L 1500mm | | 05000101 | ST | 224.70 | EUR | 1 | IS 36 SK 1500 | 4013364077832 | 1 | 1.61 | 0.81 | 82055980 | DE | 1580 | 105 | 105 | MM |
| 1641 | 766036 | 48517 | Plastic case empty | 395x295x105mm for test head PHE III | 05050102 | ST | 287.60 | EUR | 1 | KKL PK PHE3 L | 4013364105584 | 1 | 0.968 | 0.968 | 42021250 | DE | 395 | 295 | 106 | MM |
| 1642 | 766037 | 57326 | Telesc. insulating rod with ZK support | and measuring scale Un...36kV L 10600mm | 05000101 | ST | 3808.90 | EUR | 1 | ISMTC N 36 ZK 10600 | 4013364125940 | 1 | 7.56 | 6.56 | 82055980 | DE | 2060 | 105 | 105 | MM |
| 1643 | 766038 | 48175 | Support for telescopic insulating stick | | 05000101 | ST | 88.90 | EUR | 1 | AH ISMTC | 4013364105355 | 1 | 0.275 | 0.275 | 82055980 | DE | 200 | 50 | 20 | MM |
| 1644 | 766039 | 46054 | Canvas bag L 1800mm D 200mm | | 05050104 | ST | 369.10 | EUR | 1 | STT 180 20 | 4013364105362 | 1 | 0.712 | 0.712 | 42029298 | DE | 1900 | 200 | 200 | MM |
| 1645 | 766040 | 50167 | Rescue rod Un ... 36kV L 1235mm | | 05000104 | ST | 445.70 | EUR | 1 | RST 36 1000 | 4013364113046 | 1 | 0.82 | 0.82 | 82055980 | DE | 1235 | 410 | 94 | MM |
| 1646 | 766041 | 50168 | Rescue rod Un ... 36kV L 1695 | | 05000104 | ST | 469.20 | EUR | 1 | RST 36 1500 | 4013364113053 | 1 | 1 | 1 | 82055980 | DE | 1695 | 410 | 94 | MM |
| 1647 | 766042 | 50169 | Rescue rod Un ... 36kV L 2195mm | | 05000104 | ST | 484.00 | EUR | 1 | RST 36 2000 | 4013364113060 | 1 | 1.12 | 1.12 | 82055980 | DE | 2195 | 410 | 94 | MM |
| 1648 | 766048 | 56539 | Insulating stick f. electric railways | L 2885mm Un:7.5kV DC/25kV AC vers. GE/GB | 05000101 | ST | 1056.90 | EUR | 1 | IS 25 ZK 2885 | 4013364120433 | 1 | 3.4 | 2.6 | 96039099 | DE | 3000 | 105 | 105 | MM |
| 1649 | 766049 | 48522 | Operating head contacting aid w. gear | coupling f. telescopic insulating stick | 05000101 | ST | 191.30 | EUR | 1 | AK AH ZK ISMTC | 4013364108059 | 1 | 0.165 | 0.165 | 82055980 | DE | 350 | 100 | 50 | MM |
| 1650 | 766055 | 57277 | Adapter with gear coupl. D 25mm L 200mm | f. insul. stick f. cleaning head | 05000101 | ST | 54.30 | EUR | 1 | AD ZK 25 200 | 4013364125063 | 1 | 0.12 | 0.12 | 96039099 | DE | 200 | 35 | 35 | MM |
| 1651 | 766056 | 57278 | Cleaning head L 230mm W 100mm | D 25mm | 05000101 | ST | 102.50 | EUR | 1 | RK 230 100 AS25 | 4013364125070 | 1 | 0.204 | 0.204 | 39249000 | NL | 280 | 240 | 50 | MM |
| 1652 | 766057 | 3016814 | Cleaning pad 250x115x20mm | 1 pack = 10 pieces | 05000150 | PAK | 185.30 | EUR | 1 | RP 250 115 20 | 4013364125087 | 1 | 0.497 | 0.287 | 68053000 | NL | 300 | 285 | 140 | MM |
| 1653 | 766059 | 3011479 | Adapter w. gear coupling for 3M Animal | Guard L 170mm | 05000101 | ST | 284.00 | EUR | 1 | AD ZK 3M 170 | 4013364378681 | 1 | 0.198 | 0.11 | 82055980 | DE | 230 | 130 | 60 | MM |
| 1654 | 766072 | 64337 | Insulating stick with M12 thread | and plug-in coupling D 30mm L 720mm | 05000101 | ST | 263.00 | EUR | 1 | IS M12 STK 30 720 | 4013364126114 | 1 | 0.4 | 0.4 | 82055980 | DE | 1280 | 105 | 105 | MM |
| 1655 | 766073 | 3012456 | Extension handle w. plug-in coupling | D 43mm L 2350mm | 05000350 | ST | 350.70 | EUR | 1 | HV STK 43 2350 | 4013364126121 | 1 | 1.6 | 1.6 | 85389099 | DE | 2500 | 105 | 105 | MM |
| 1656 | 766075 | 53500 | Insulating rod with M12 thread | and plug-in coupling D 30mm L 1060mm | 05000101 | ST | 277.80 | EUR | 1 | IS M12 STK 30 1060 | 4013364120471 | 1 | 0.52 | 0.52 | 82055980 | DE | 1060 | 105 | 105 | MM |
| 1657 | 766076 | 3011666 | Extension handle with plug-in coupling | D 43mm L 1045mm | 05000411 | ST | 244.40 | EUR | 1 | HV STK 43 1045 | 4013364120464 | 1 | 0.8 | 0.77 | 85389099 | DE | 1050 | 105 | 105 | MM |
| 1658 | 766077 | 3011571 | Extension handle with plug-in coupling | D 43mm L 975mm | 05000411 | ST | 197.50 | EUR | 1 | HV STK 43 975 | 4013364120457 | 1 | 0.74 | 0.73 | 85389099 | DE | 1050 | 105 | 105 | MM |
| 1659 | 766100 | 3013876 | Insulating stick 36kV w. plug-in coupling | hexagon shaft L 1000mm | 05000101 | ST | 206.20 | EUR | 1 | IS 36 SK STK 1000 | 4013364125117 | 1 | 0.9 | 0.4 | 82055980 | DE | 1050 | 105 | 105 | MM |
| 1660 | 766105 | 57327 | Plastic screw with star handle and | flat washer M8 | 05000350 | ST | 12.40 | EUR | 1 | KS SG BLS 8 | 4013364125988 | 1 | 0.01 | 0.01 | 90330090 | DE | 45 | 30 | 30 | MM |
| 1661 | 766111 | 3013934 | Insulating stick 36kV SK L 1000mm w. STK | Also for use in wet weather conditions | 05000101 | ST | 302.50 | EUR | 1 | ISN 36 SK STK 1000 | 4013364137295 | 1 | 1.06 | 0.56 | 82055980 | DE | 1050 | 105 | 105 | MM |
| 1662 | 766114 | 64310 | Ins. element w. threaded bushing M12 | and plug-in coupling D 30mm L 700mm | 05000150 | ST | 314.80 | EUR | 1 | IT M12 STK 30 700 | 4013364143739 | 1 | 1 | 0.4 | 82055980 | DE | 1280 | 105 | 105 | MM |
| 1663 | 766115 | 61513 | Insul. element w. M12 threaded bushing | and plug-in coupling D 30mm L 1150mm | 05000150 | ST | 429.70 | EUR | 1 | IT M12 STK 30 1150 | 4013364136038 | 1 | 1.325 | 0.725 | 82055980 | DE | 1280 | 105 | 105 | MM |
| 1664 | 766116 | 66836 | Insul. stick upper sect. w. thread. bush | M12 a. plug-in coupl. D 30mm L 783mm | 05000101 | ST | Price on request | EUR | 1 | ISO M12 STK 30SN7563 | 4013364153073 | 1 | 1.125 | 1.055 | 90309000 | DE | 1060 | 140 | 120 | mm |
| 1665 | 766117 | 66838 | Insulating stick lower section w. 2x | plug-in coupling D 30mm L 935mm | 05000101 | ST | Price on request | EUR | 1 | ISU STK STK 30SN7564 | 4013364153080 | 1 | 1.145 | 0.645 | 90309000 | DE | 1050 | 105 | 105 | mm |
| 1666 | 766120 | 61509 | Handle with plug-in coupling | D 43mm L 800mm | 05000150 | ST | 267.90 | EUR | 1 | H STK 43 800 | 4013364136052 | 1 | 1.19 | 0.69 | 82055980 | DE | 1050 | 105 | 105 | MM |
| 1667 | 766122 | 3013923 | Insulating stick 123kV M12 SK w. plug-in | coupling L 2000 mm | 05000101 | ST | 272.80 | EUR | 1 | IS 123 SK STK 2000 | 4013364134249 | 1 | 1.8 | 0.8 | 82055980 | DE | 2060 | 105 | 105 | MM |
| 1668 | 766128 | 61539 | Insulating element with plug-in coupling | D 43mm L 1280mm | 05000150 | ST | 613.70 | EUR | 1 | IT STK 43 1280 | 4013364136045 | 1 | 1.9 | 1.3 | 82055980 | DE | 1280 | 105 | 105 | MM |
| 1669 | 766164 | 56572 | Switching stick head up to 36kV 50Hz | with plug-in coupling L 560 mm | 05000102 | ST | 151.90 | EUR | 1 | SSK 36 STK 560 | 4013364121751 | 1 | 0.4 | 0.4 | 82055980 | DE | 560 | 50 | 60 | MM |
| 1670 | 766169 | 3001362 | Switching stick head up to 36kV 50Hz | with plug-in coupling L 930 mm | 05000102 | ST | 353.10 | EUR | 1 | SSK 36 STK 930SN7689 | 4013364230675 | 1 | 0.57 | 0.55 | 82055980 | DE | 930 | 80 | 46 | MM |
| 1671 | 766298 | 3604 | Sheet steel case, empty, f. earth. and | short-circ. kit type TI f. CDC 2-fold | 05050101 | ST | 461.80 | EUR | 1 | SBKL EKS TI KVS 2F | 4013364007864 | 1 | 3.7 | 3.7 | 73269098 | DE | 440 | 330 | 66 | MM |
| 1672 | 766300 | 3355 | Sheet steel case, empty, f. earthing a. | short-circuiting kit TI for CDC | 05050101 | ST | 212.30 | EUR | 1 | SBKL EKS TI KVS | 4013364007628 | 1 | 1.58 | 1.2 | 73269098 | DE | 400 | 300 | 150 | MM |
| 1673 | 766301 | 3013869 | Insulating stick 36kV w. plug-in coupling | T pin shaft L 1000mm | 05000101 | ST | 206.20 | EUR | 1 | IS 36 SQ STK 1000 | 4013364125124 | 1 | 0.9 | 0.4 | 82055980 | DE | 1050 | 105 | 105 | MM |
| 1674 | 766302 | 63484 | Earthing and short-circ. kit TI f. cable | distribution cabinets w. sheet metal case | 05000413 | ST | 1093.80 | EUR | 1 | EKS TI KVS SBK | 4013364051317 | 1 | 4.38 | 4.38 | 85369095 | DE | 380 | 260 | 80 | MM |
| 1675 | 766310 | 3014023 | Insulating stick 36kV SQ L 1000mm w. STK | Also for use in wet weather conditions | 05000101 | ST | 303.70 | EUR | 1 | ISN 36 SQ STK 1000 | 4013364137318 | 1 | 1.06 | 0.56 | 82055980 | DE | 1050 | 105 | 105 | MM |
| 1676 | 766311 | 3013859 | Insulating stick 36kV SQ L 1028mm | | 05000101 | ST | 192.60 | EUR | 1 | IS 36 SQ 1000 | 4013364017856 | 1 | 0.919 | 0.419 | 82055980 | DE | 1050 | 105 | 105 | MM |
| 1677 | 766312 | 3013868 | Insulating stick 72.5kV SQ L 1300mm | | 05000101 | ST | 274.10 | EUR | 1 | IS 72.5 SQ SN7743 | 4013364111985 | 1 | 1.04 | 0.54 | 82055980 | DE | 1580 | 105 | 105 | MM |
| 1678 | 766313 | 56678 | Adapter f. extension handle with STK | f. shaft / T pin | 05000150 | ST | 138.30 | EUR | 1 | AD HV STK SQ | 4013364115040 | 1 | 0.413 | 0.413 | 82055980 | DE | 280 | 40 | 40 | MM |
| 1679 | 766315 | 3013865 | Insulating stick 36kV SQ L 1528mm | | 05000101 | ST | 228.40 | EUR | 1 | IS 36 SQ 1500 | 4013364008281 | 1 | 1.62 | 0.82 | 82055980 | DE | 1580 | 105 | 105 | MM |
| 1680 | 766321 | 58892 | Adapter with flat connector 18x7mm | and STK plug-in coupling | 05000150 | ST | Price on request | EUR | 1 | AD FB18 7 STK SN7007 | 4013364129528 | 1 | 0.187 | 0.187 | 90309000 | DE | 345 | 40 | 40 | mm |
| 1681 | 766322 | 3013870 | Insulating stick 123kV SQ with plug-in | coupling L 2000 mm | 05000101 | ST | 271.60 | EUR | 1 | IS 123 SQ STK 2000 | 4013364134256 | 1 | 1.8 | 0.8 | 82055980 | DE | 2060 | 105 | 105 | MM |
| 1682 | 766328 | 62072 | Insulating stick with M12 thread and | end cap L 635mm | 05000101 | ST | Price on request | EUR | 1 | IS M12 AK 635 | 4013364135765 | 1 | 0.283 | 0.283 | 82055980 | DE | 650 | 105 | 105 | MM |
| 1683 | 766331 | 57288 | Insulating stick with M12 thread and | plug-in coupling L 640 mm | 05000101 | ST | 186.40 | EUR | 1 | IS M12 STK 640 | 4013364115002 | 1 | 0.375 | 0.375 | 82055980 | DE | 650 | 105 | 105 | MM |
| 1684 | 766332 | 62307 | Insulating stick 123kV SQ L 2500mm w. STK | Also for use in wet weather conditions | 05000101 | ST | 858.10 | EUR | 1 | ISN 123 SQ STK 2500 | 4013364137325 | 1 | 3.08 | 2.38 | 82055980 | DE | 2060 | 200 | 115 | MM |
| 1685 | 766335 | 56679 | Handle extension with plug-in coupling | L 710mm | 05000150 | ST | 134.60 | EUR | 1 | HV STK 30 710 | 4013364115033 | 1 | 0.9 | 0.42 | 82055980 | DE | 710 | 30 | 30 | MM |
| 1686 | 766340 | 57276 | Insulating stick kit up to 7.5kV DC 25kV | AC with cleaning head L 3160mm | 05000101 | ST | 1303.80 | EUR | 1 | IS 25 ZK RK 3160 | 4013364125056 | 1 | 3.8 | 3 | 96039099 | DE | 3200 | 105 | 105 | MM |
| 1687 | 766352 | 61540 | Adapter w. M12 threaded bushing and | plug-in coupling D 30mm L 350mm | 05000150 | ST | 195.10 | EUR | 1 | AD M12 STK 30 350 | 4013364136069 | 1 | 0.25 | 0.25 | 82055980 | DE | 400 | 40 | 40 | MM |
| 1688 | 766356 | 56637 | Insulating rod extension up to 36kV AC | plug-in coupling D 30mm L 910mm | 05000150 | ST | 182.70 | EUR | 1 | ISV 36 STK 30 910 | 4013364121799 | 1 | 0.9 | 0.4 | 82055980 | DE | 1050 | 105 | 105 | MM |
| 1689 | 766358 | 62225 | Insulat. elem. w. gear coupl. angled 30° | a. plug-in coupling D 30 mm L 360mm | 05000150 | ST | 228.40 | EUR | 1 | IT ZK30 STK 30 360 | 4013364136137 | 1 | 0.2 | 0.2 | 82055980 | DE | 400 | 105 | 105 | MM |
| 1690 | 766359 | 61542 | Adapter with gear coupling and plug-in | coupling D 30mm L 360mm | 05000150 | ST | 202.50 | EUR | 1 | AD ZK STK 30 360 | 4013364134379 | 1 | 0.2 | 0.2 | 82055980 | DE | 400 | 40 | 40 | MM |
| 1691 | 766362 | 3001369 | Insulating stick up to 36kV 50Hz | D 30mm L 930mm w. plug-in coupling | 05000101 | ST | 451.90 | EUR | 1 | ISN 36 STK 930SN7688 | 4013364230705 | 1 | 1.175 | 0.635 | 82055980 | DE | 1060 | 105 | 105 | MM |
| 1692 | 766363 | 56570 | Insulating rod up to 36kV 50Hz with | plug-in coupling D 30mm L 1280mm | 05000101 | ST | 238.30 | EUR | 1 | IS 36 STK 30 1280 | 4013364121737 | 1 | 1.2 | 0.6 | 82055980 | DE | 1280 | 105 | 105 | MM |
| 1693 | 766364 | 58831 | Operating head up to 36kV 50Hz hexagon | shaft with plug-in coupling L 330 mm | 05000101 | ST | 133.30 | EUR | 1 | AK 36 SK STK 330 | 4013364128262 | 1 | 0.24 | 0.24 | 82055980 | DE | 330 | 40 | 40 | MM |
| 1694 | 766365 | 56573 | Operating head up to 36kV 50Hz T pin | shaft with plug-in coupling L 360 mm | 05000101 | ST | 117.30 | EUR | 1 | AK 36 SQ STK 360 | 4013364121768 | 1 | 0.2 | 0.2 | 82055980 | DE | 360 | 50 | 50 | MM |
| 1695 | 766366 | 56575 | Insulating rod extension with plug-in | coupling D 30mm L 1280mm | 05000150 | ST | 196.30 | EUR | 1 | ISV 36 STK 30 1280 | 4013364121782 | 1 | 1.2 | 0.6 | 82055980 | DE | 1280 | 105 | 105 | MM |
| 1696 | 766367 | 62248 | Isolierstange b. 36kV 50Hz D 30mm | L 1280mm m. Steckkupplung | 05000101 | ST | 382.80 | EUR | 1 | ISN 36 STK 30 1280 | 4013364137042 | 1 | 1.2 | 0.6 | 82055980 | DE | 1280 | 105 | 105 | MM |
| 1697 | 766368 | 57287 | Insulating stick with gear and plug-in | coupling L 670 mm | 05000101 | ST | 224.70 | EUR | 1 | IS ZK STK 670 | 4013364115026 | 1 | 0.34 | 0.34 | 82055980 | DE | 700 | 105 | 105 | MM |
| 1698 | 766369 | 3001188 | Insulating stick with gear and plug-in | coupling with hand strap L 670mm | 05000101 | ST | 313.70 | EUR | 1 | IS ZK STK HS 670 | 4013364125025 | 1 | 0.388 | 0.388 | 82055980 | DE | 700 | 105 | 105 | MM |
| 1699 | 766371 | 3012483 | Insulating stick 25kV 16.7Hz with | plug-in coupling D 30mm L 900mm | 05000101 | ST | Price on request | EUR | 1 | ISN 25 STK 900SN7360 | 4013364139909 | 1 | 1.06 | 0.56 | 96039099 | DE | 1050 | 105 | 105 | MM |
| 1700 | 766372 | 3012482 | Ice hammer operating head 25kV 16.7Hz | with plug-in coupling D 56mm L 400mm | 05000101 | ST | Price on request | EUR | 1 | AK 25 ESH STK SN7361 | 4013364139916 | 1 | 1.62 | 1.24 | 96039099 | DE | 405 | 303 | 163 | MM |
| 1701 | 766380 | 3012315 | Operating stick SET 36kV with plug-in / | gear coupling | 05000101 | ST | 2501.40 | EUR | 1 | ASSN 36 STK ZK | 4013364400863 | 1 | 8.264 | 6.674 | 82055980 | DE | 0 | 0 | 0 | MM |
| 1702 | 766389 | 3012782 | Rigid adapter for housing of digital | camera with threaded pin and gear coupling | 05000105 | ST | 253.10 | EUR | 1 | ADS ZK 185 | 4013364411838 | 1 | 0.215 | 0.079 | 85299097 | DE | 197 | 33 | 33 | MM |
| 1703 | 766390 | 3010967 | Kit w. digital camera f. visual insp. | of electrical installations -150kV | 05000105 | ST | 2663.20 | EUR | 1 | SET DIGIK | 4013364282810 | 1 | 2.161 | 1.221 | 85258100 | DE | 420 | 415 | 130 | MM |
| 1704 | 766393 | 3005607 | Plastic handle with gear coupling | L 230mm | 05000105 | ST | 261.70 | EUR | 1 | HG ZK 230 | 4013364282926 | 1 | 0.331 | 0.153 | 82055980 | DE | 235 | 225 | 85 | MM |
| 1705 | 766395 | 3014773 | LED lighting for digital camera | DIGIK -150 kV | 05000105 | ST | 435.90 | EUR | 1 | LED DIGIK ISO | 4013364365988 | 1 | 0.251 | 0.067 | 85299097 | DE | 230 | 130 | 60 | MM |
| 1706 | 766396 | 3006774 | Adapter | with gear coupling and T pin shaft | 05000105 | ST | 192.60 | EUR | 1 | AD SQ ZK 165 | 4013364307056 | 1 | 0.182 | 0.123 | 82055980 | DE | 230 | 130 | 60 | MM |
| 1707 | 766456 | 56638 | Extension handle with plug-in coupling | D 43 mm L 910mm | 05000150 | ST | 184.00 | EUR | 1 | HV STK 43 910 | 4013364121812 | 1 | 1.17 | 0.69 | 82055980 | DE | 1050 | 105 | 105 | MM |
| 1708 | 766466 | 56576 | Extension handle with plug-in coupling | D 43mm L 1280mm | 05000150 | ST | 201.30 | EUR | 1 | HV STK 43 1280 | 4013364121805 | 1 | 1.41 | 0.9 | 82055980 | DE | 1280 | 105 | 105 | MM |
| 1709 | 766469 | 3012497 | Telescopic extension handle w. plug-in | coupling L 4100mm | 05000101 | ST | Price on request | EUR | 1 | HVTC STK 4100 SN7359 | 4013364139893 | 1 | 3.92 | 3.42 | 96039099 | DE | 1050 | 105 | 105 | MM |
| 1710 | 766520 | 3011512 | Handle with plug-in coupling | D 43mm L 500mm | 05000411 | ST | 176.50 | EUR | 1 | H STK 43 500 | 4013364136243 | 1 | 0.316 | 0.306 | 90309000 | DE | 520 | 80 | 80 | MM |
| 1711 | 766525 | 3011514 | Operating head for hexagon shafts with | plug-in coupling L 500mm | 05000411 | ST | 126.00 | EUR | 1 | AK SK STK 500 | 4013364136250 | 1 | 0.167 | 0.157 | 85389099 | DE | 500 | 40 | 40 | MM |
| 1712 | 766526 | 3011513 | Operating head for T pin shafts with | plug-in coupling L 500mm | 05000411 | ST | 126.00 | EUR | 1 | AK SQ STK 500 | 4013364136267 | 1 | 0.197 | 0.187 | 85389099 | DE | 510 | 40 | 40 | MM |
| 1713 | 766542 | 3379 | Extension prod for SPN detector | L 500 mm | 05000309 | ST | 114.90 | EUR | 1 | VS 500 SPN II | 4013364051706 | 1 | 0.071 | 0.071 | 90303370 | DE | 500 | 30 | 30 | MM |
| 1714 | 766543 | 38083 | Storage bag for SPN II | | 05050103 | ST | 56.80 | EUR | 1 | AT SPN II | 4013364051683 | 1 | 0.148 | 0.148 | 42023100 | DE | 535 | 160 | 50 | MM |
| 1715 | 766601 | 49964 | Artificial leather bag 1200x250x160mm | | 05050103 | ST | 185.30 | EUR | 1 | KLT 121 25 16 | 4013364056596 | 1 | 0.319 | 0.319 | 42029180 | DE | 1230 | 250 | 5 | MM |
| 1716 | 766602 | 49965 | Artificial leather bag 2470x220x100mm | DB Z. No. 3 Ebgw 02.51 | 05050103 | ST | 302.50 | EUR | 1 | KLT 247 10 22 | 4013364056626 | 1 | 1.31 | 1.31 | 42029180 | DE | 2470 | 220 | 100 | MM |
| 1717 | 766605 | 46938 | Small electric bulb 3.5-3.8V 0.2A E10 | | 05505001 | ST | 5.00 | EUR | 1 | GL 3.5V 0.2A E10 | 4013364054370 | 1 | 0.002 | 0.002 | 85392998 | DE | 118 | 118 | 30 | MM |
| 1718 | 766611 | 3016835 | Mignon battery 1.5V L91 FR6 lithium | (blister pack containing 4 batteries) | 05000350 | PAK | 60.30 | EUR | 1 | MZ 1.5V L91 FR6 LI 4 | 4013364146549 | 1 | 0.094 | 0.059 | 85065010 | SG | 120 | 83 | 18 | MM |
| 1719 | 766614 | 49967 | Artificial leather bag, L 1600mm D 170mm | | 05050103 | ST | 301.30 | EUR | 1 | KLT 160 17 | 4013364056916 | 1 | 0.6 | 0.6 | 42029180 | DE | 1580 | 260 | 5 | MM |
| 1720 | 766616 | 64324 | PHE voltage detector 15kV 16.7Hz | f. overhead lines with bag -SET- | 05000302 | ST | 2479.20 | EUR | 1 | PHE 15 16.7 4T TA | 4013364126091 | 1 | 5.09 | 5.09 | 90303370 | DE | 2470 | 220 | 100 | MM |
| 1721 | 766617 | 56502 | PHE voltage det. 15kV 16.7Hz f. overhead | lines (tr. in motor veh.), bag -SET- | 05000302 | ST | 3116.30 | EUR | 1 | PHE 15 16.7 6T TA | 4013364101760 | 1 | 4.95 | 4.95 | 90303370 | DE | 1220 | 390 | 150 | MM |
| 1722 | 766618 | 3003371 | Mignon battery 1.5V IEC LR6 alkali | | 05000350 | ST | 5.00 | EUR | 1 | MZ 1.5 IEC LR6 AL | 4013364148277 | 1 | 0.024 | 0.023 | 85061011 | BE | 52 | 16 | 16 | MM |
| 1723 | 766619 | 56517 | Test prod f. PHE 15kV 16.7Hz | | 05000302 | ST | 433.30 | EUR | 1 | PS PHE 15 16.7 | 4013364120488 | 1 | 0.6 | 0.6 | 90309000 | DE | 1100 | 100 | 100 | MM |
| 1724 | 766660 | 3011420 | Voltage detector 2-pole f. low-voltage | systems 100-500V AC/DC | 05000309 | ST | 721.10 | EUR | 1 | SPN 500B | 4013364302464 | 1 | 0.46 | 0.46 | 90303370 | DE | 305 | 100 | 50 | MM |
| 1725 | 766665 | 3011421 | Voltage detector 2-pole f. low-voltage | systems 120-1000V AC/DC | 05000309 | ST | 766.70 | EUR | 1 | SPN 1000B | 4013364302488 | 1 | 0.46 | 0.46 | 90303370 | DE | 305 | 100 | 50 | MM |
| 1726 | 766677 | 56516 | PHE indicator 15kV 16.7 Hz | | 05000302 | ST | 1469.20 | EUR | 1 | PHE A 15 16.7 | 4013364120495 | 1 | 2.1 | 1.4 | 90309000 | DE | 940 | 200 | 115 | MM |
| 1727 | 766678 | 64323 | Electronic indicator PHE 15kV 16.7 Hz | | 05000302 | ST | 1711.20 | EUR | 1 | PHE PK 15 16.7 | 4013364126107 | 1 | 2.3 | 1.6 | 90309000 | DE | 2000 | 200 | 115 | MM |
| 1728 | 766703 | 38543 | Steel plate case 920x160x100mm | for PHE voltage detector | 05050101 | ST | 324.80 | EUR | 1 | SKL 92 16 10 | 4013364080379 | 1 | 5.729 | 5.029 | 73269098 | DE | 940 | 200 | 115 | MM |
| 1729 | 766704 | 33662 | Canvas bag with shoulder strap | 1220x390x150mm | 05050104 | ST | 379.00 | EUR | 1 | STT 120 30 15 | 4013364069749 | 1 | 0.885 | 0.72 | 42029298 | DE | 1220 | 390 | 150 | MM |
| 1730 | 766706 | 46165 | PHG II voltage detector 6kV 50Hz | with LED indication Category S | 05000307 | ST | 485.30 | EUR | 1 | PHG2 6 | 4013364094307 | 1 | 1.72 | 0.8 | 90303370 | DE | 1428 | 170 | 140 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 1731 | 766710 | 46166 | PHG II voltage detector 10kV 50H | with LED indication Category S | 05000307 | ST | 487.70 | EUR | 1 | PHG2 10 | 4013364094314 | 1 | 2.62 | 1.7 | 90303370 | DE | 1428 | 170 | 140 | MM |
| 1732 | 766720 | 46167 | PHG II voltage detector 20kV 50Hz | with LED indication Category S | 05000307 | ST | 533.40 | EUR | 1 | PHG2 20 | 4013364094321 | 1 | 2.62 | 1.7 | 90303370 | DE | 1428 | 170 | 140 | MM |
| 1733 | 766888 | 57259 | Sealing unit with plug-in coupling | | 05000350 | ST | 37.00 | EUR | 1 | A STK | 4013364125209 | 1 | 0.08 | 0.063 | 85389099 | DE | 100 | 67 | 57 | MM |
| 1734 | 766889 | 60973 | End fitting with plug-in coupling | and aluminium eye | 05000350 | ST | 77.80 | EUR | 1 | AR STK | 4013364125193 | 1 | 0.192 | 0.172 | 85389099 | DE | 160 | 61 | 55 | MM |
| 1735 | 766913 | 3007547 | Onion-shaped electrode as of 3kV | with tip a. M8 threaded bolt f. PHE/PHV | 05000350 | ST | 18.40 | EUR | 1 | EL M8 SZ PHE PHV | 4013364051836 | 1 | 0.042 | 0.042 | 90309000 | DE | 27 | 27 | 27 | MM |
| 1736 | 766915 | 49148 | Eaton Holec Magnefix electrode 3-15kV | with M8 threaded bolt for PHE4/PHE/PHV | 05000350 | ST | 139.50 | EUR | 1 | EL M8 MAG PHE PHV | 4013364088207 | 1 | 0.22 | 0.22 | 90309000 | DE | 225 | 30 | 30 | MM |
| 1737 | 766916 | 49110 | Test probe with M8 threaded bolt | for PHE 3-24kV | 05000350 | ST | 265.50 | EUR | 1 | PSO M8 PHE | 4013364106840 | 1 | 0.125 | 0.125 | 90309000 | DE | 423 | 30 | 30 | MM |
| 1738 | 766923 | 3008271 | Hook-shaped electrode with M8 thread | for conductor - D 22mm | 05000350 | ST | 26.70 | EUR | 1 | EL M8 H PHE | 4013364074590 | 1 | 0.071 | 0.071 | 90309000 | DE | 90 | 80 | 8 | MM |
| 1739 | 766924 | 43625 | Fork-shaped electrode W 69mm | with M8 threaded bolt f. PHE/PHV | 05000350 | ST | 54.70 | EUR | 1 | EL M8 G PHE | 4013364094840 | 1 | 0.046 | 0.046 | 90309000 | DE | 69 | 63 | 27 | MM |
| 1740 | 766925 | 42618 | Pin-shaped electrode D 4mm | with M8/M6 thread | 05000350 | ST | 20.10 | EUR | 1 | EL M8 S PHE PHV | 4013364091672 | 1 | 0.01 | 0.01 | 90309000 | DE | 30 | 21 | 21 | MM |
| 1741 | 766927 | 45220 | V-shaped electrode W 22mm | with M8 threaded bolt f. PHE/PHV | 05000350 | ST | 17.10 | EUR | 1 | EL M8 V PHE PHV | 4013364097452 | 1 | 0.012 | 0.012 | 90309000 | DE | 27 | 19 | 10 | MM |
| 1742 | 766940 | 49117 | Test probe, angled 25° | with M8 threaded bolt for PHE 3-24kV | 05000350 | ST | 516.10 | EUR | 1 | PSO M8 W25 PHE | 4013364080485 | 1 | 0.145 | 0.145 | 90309000 | DE | 460 | 80 | 30 | MM |
| 1743 | 766941 | 49119 | Test probe, angled 45° | with M8 threaded bolt for PHE 3-24kV | 05000350 | ST | 500.10 | EUR | 1 | PSO M8 W45 PHE | 4013364080478 | 1 | 0.15 | 0.15 | 90309000 | DE | 400 | 100 | 30 | MM |
| 1744 | 766950 | 49121 | Test probe, angled (90°) | with M8 threaded bolt for PHE 3-36kV | 05000350 | ST | 403.80 | EUR | 1 | PSO M8 W90 PHE | 4013364090668 | 1 | 0.339 | 0.339 | 90309000 | DE | 380 | 210 | 30 | MM |
| 1745 | 766960 | 50934 | Test probe for PHE 3-24kV D 14 mm | L 800mm with M8 threaded socket/bolt | 05000350 | ST | 342.00 | EUR | 1 | PSO M8 PHE L800 | 4013364109629 | 1 | 0.31 | 0.31 | 90309000 | DE | 900 | 30 | 30 | MM |
| 1746 | 766994 | 3002841 | Plastic case empty for voltage | detector 920 x 280 x 120 mm | 05050102 | ST | 256.80 | EUR | 1 | KKL 92 28 12 | 4013364247062 | 1 | 3.89 | 3.31 | 42021250 | CN | 950 | 350 | 170 | MM |
| 1747 | 766995 | 3002842 | Plastic case empty for voltage | detector 1270 x 280 x 120 mm | 05050102 | ST | 323.50 | EUR | 1 | KKL 127 28 12 | 4013364247147 | 1 | 5.26 | 4.38 | 42021250 | CN | 1300 | 350 | 180 | MM |
| 1748 | 766996 | 62986 | Black artificial leather bag | 1330x345x100mm | 05050103 | ST | 843.30 | EUR | 1 | KLT 133 34 10 | 4013364128170 | 1 | 4 | 4 | 42029180 | DE | 1350 | 380 | 110 | MM |
| 1749 | 766997 | 53458 | Plastic case empty for | PHE voltage detector 930x215x140mm | 05050102 | ST | 666.70 | EUR | 1 | KKL PHE | 4013364115699 | 1 | 3.39 | 2.39 | 42021250 | DE | 1210 | 270 | 130 | MM |
| 1750 | 766998 | 54404 | Plastic case empty for PHE III | voltage detector 60/110kV 1270x215x140mm | 05050102 | ST | 710.00 | EUR | 1 | KKL PHE3 60 110 | 4013364115286 | 1 | 4.36 | 3.36 | 42021250 | DE | 1210 | 270 | 130 | MM |
| 1751 | 766999 | 54403 | Plastic case empty for | PHE voltage detector 1270x215x140mm | 05050102 | ST | 714.90 | EUR | 1 | KKL PHE L | 4013364115279 | 1 | 4.32 | 3.32 | 42021250 | DE | 1210 | 270 | 130 | MM |
| 1752 | 767101 | 36329 | DEHNcap/P-HR voltage indicator | | 05000312 | ST | 76.30 | EUR | 1 | SAG DCA P HR GA | 4013364069541 | 1 | 0.06 | 0.06 | 90303320 | DE | 54 | 48 | 40 | MM |
| 1753 | 767102 | 36330 | DEHNcap/P-LRM voltage indicator | | 05000312 | ST | 101.40 | EUR | 1 | SAG DCA P LRM GA | 4013364074064 | 1 | 0.062 | 0.062 | 90303320 | DE | 54 | 48 | 40 | MM |
| 1754 | 767107 | 48514 | Storage case plastic | 395x295x105mm for DEHNcap | 05050102 | ST | 285.20 | EUR | 1 | KKL DCA | 4013364105577 | 1 | 0.88 | 0.88 | 42021250 | DE | 395 | 295 | 105 | MM |
| 1755 | 767110 | 34075 | Test unit for DEHNcap/P | | 05000312 | ST | 163.30 | EUR | 1 | TG DCA | 4013364070905 | 1 | 0.142 | 0.119 | 90309000 | DE | 105 | 94 | 67 | MM |
| 1756 | 767112 | 35551 | DEHNcap/A-LRM voltage indicator | | 05000312 | ST | 590.20 | EUR | 1 | SAG DCA A LRM | 4013364074361 | 1 | 0.17 | 0.15 | 90303320 | DE | 160 | 61 | 55 | MM |
| 1757 | 767122 | 35558 | DEHNcap/IT-LRM interface test unit | | 05000312 | ST | 596.40 | EUR | 1 | SPG DCA IT LRM | 4013364074385 | 1 | 0.205 | 0.185 | 90303320 | DE | 160 | 61 | 55 | MM |
| 1758 | 767125 | 57089 | PHE III voltage detector 25kV 50Hz | cat. S | 05000301 | ST | 2119.90 | EUR | 1 | PHE3 25 S 50 1P | 4013364130319 | 1 | 1.96 | 1.26 | 90303370 | DE | 940 | 200 | 115 | MM |
| 1759 | 767129 | 62952 | Indicator PHE III 110-132kV 50/16,7Hz | cat. S f. switchgear/overhead lines | 05000301 | ST | Price on request | EUR | 1 | PHE3 A 110 132 S | 4013364139435 | 1 | 0.4 | 0.4 | 90309000 | DE | 240 | 180 | 150 | mm |
| 1760 | 767131 | 62950 | PHE III voltage detec. kit 110-132 50 Hz | cat. S f. switchg. inst./overh. lines | 05000301 | ST | 4241.10 | EUR | 1 | PHE3S 110 132 S | 4013364139411 | 1 | 6.2 | 6.2 | 90303370 | DE | 1350 | 380 | 110 | MM |
| 1761 | 767132 | 35112 | DEHNcap/PC-LRM phase comparator | | 05000312 | ST | 1313.70 | EUR | 1 | PV DCA PC LRM | 4013364073005 | 1 | 0.72 | 0.64 | 90303320 | DE | 200 | 120 | 80 | MM |
| 1762 | 767133 | 38338 | Test adapter for DEHNcap HR-LRM | | 05000312 | ST | 172.90 | EUR | 1 | MA DCA HR LRM | 4013364073494 | 1 | 0.098 | 0.085 | 90309000 | DE | 93 | 67 | 38 | MM |
| 1763 | 767136 | 38424 | Test adapter DEHNcap LR-LRM | | 05000312 | ST | 128.40 | EUR | 1 | MA DCA LR LRM | 4013364081109 | 1 | 0.065 | 0.065 | 90309000 | DE | 105 | 67 | 38 | MM |
| 1764 | 767139 | 62320 | DEHNcap PC-LRM phase comparator | with bag | 05000312 | ST | 1463.00 | EUR | 1 | PV DCA PC LRM T | 4013364136953 | 1 | 0.935 | 0.82 | 90303370 | DE | 240 | 180 | 150 | MM |
| 1765 | 767150 | 62964 | DEHNcap HR-LRM kit | including plastic case | 05000312 | ST | 3158.30 | EUR | 1 | PS DCA HR LRM | 4013364139473 | 1 | 2.41 | 1.94 | 90303370 | DE | 400 | 300 | 150 | MM |
| 1766 | 767413 | 58847 | Voltage detector PHE 15kV 16.7Hz | f. railway feeder lines | 05000302 | ST | 1932.30 | EUR | 1 | PHE 15 16.7 BEL STK | 4013364128750 | 1 | 2.55 | 1.77 | 90303370 | DE | 1160 | 200 | 115 | MM |
| 1767 | 767415 | 64132 | PHE voltage detector 6...20kV 16.7Hz | f. switchgear a. point heating systems | 05000302 | ST | 1671.80 | EUR | 1 | PHE 6 20 S 16.7 1P | 4013364081116 | 1 | 2.3 | 1.52 | 90303370 | DE | 1160 | 200 | 115 | MM |
| 1768 | 767416 | 64133 | Switchable PHE voltage detector | 3..10kV/50Hz 6..20kV/50Hz 6..20kV/16.7Hz | 05000302 | ST | 1785.30 | EUR | 1 | PHE 3 20 S FU 1P | 4013364084247 | 1 | 3.4 | 2.62 | 90303370 | DE | 1160 | 200 | 115 | MM |
| 1769 | 767500 | 48189 | Artificial leather bag 235x160x90mm | | 05050103 | ST | 114.90 | EUR | 1 | KLT 23 16 4 | 4013364105676 | 1 | 0.28 | 0.28 | 42029180 | DE | 235 | 160 | 90 | MM |
| 1770 | 767539 | 3006753 | Non-contact voltage detector HSA194 | Un 110...420KV 50Hz | 05000306 | ST | Price on request | EUR | 1 | HSA 194 110 420 SN7737 | 4013364306769 | 1 | 1.821 | 1.401 | 90303370 | DE | 1055 | 130 | 115 | mm |
| 1771 | 767541 | 56682 | HSA194 non-contact voltage detector | Un 110..420KV 50Hz | 05000306 | ST | 2286.60 | EUR | 1 | HSA194 110 420 STK | 4013364115712 | 1 | 1.7 | 1.2 | 90303370 | DE | 1050 | 105 | 105 | MM |
| 1772 | 767542 | 56684 | Non-contact voltage detector type | HSA 194 110...420kV / 16.7Hz | 05000306 | ST | 2371.80 | EUR | 1 | HSA194 110 420 16.7 | 4013364086616 | 1 | 5.85 | 5.35 | 90303370 | DE | 1050 | 105 | 105 | MM |
| 1773 | 767547 | 65456 | Non-contact voltage detector HSA205 | Un 1..420kV 60Hz switchable | 05000306 | ST | 2774.30 | EUR | 1 | HSA205 U 1 420SN7608 | 4013364158276 | 1 | 2 | 2 | 90303370 | DE | 1050 | 105 | 105 | MM |
| 1774 | 767552 | 56680 | Non-contact voltage detector HSA205 | Un 1..420kV 50Hz switchable | 05000306 | ST | 2736.00 | EUR | 1 | HSA205 U 1 420 STK | 4013364115736 | 1 | 2.5 | 2 | 90303370 | DE | 1050 | 105 | 105 | MM |
| 1775 | 767559 | 48628 | Insulating cap f. HSA205 non-contact | voltage detector | 05000306 | ST | 212.30 | EUR | 1 | IK HSA205 | 4013364106666 | 1 | 0.252 | 0.252 | 90309000 | DE | 310 | 60 | 60 | MM |
| 1776 | 767564 | 3001192 | ASP indicator 110-132kV 16.7Hz | Category L with gear coupling | 05000306 | ST | Price on request | EUR | 1 | ASP A 110 132 16.7 L | 4013364143784 | 1 | 0.464 | 0.464 | 90309000 | DE | 0 | 0 | 0 | mm |
| 1777 | 767565 | 3001143 | Non-contact voltage detector kit | 110-132kV 16.7Hz cat. L, overhead lines | 05000306 | ST | Price on request | EUR | 1 | ASPS 110 132 16.7 L | 4013364143760 | 1 | 2.27 | 2.03 | 90303370 | DE | 1050 | 105 | 105 | MM |
| 1778 | 767571 | 3001145 | Non-contact voltage detector kit | 110-420kV 50Hz cat. L f. overhead lines | 05000306 | ST | 2417.50 | EUR | 1 | ASPS 110 420 L | 4013364124967 | 1 | 2.232 | 1.992 | 90303370 | DE | 1050 | 105 | 105 | MM |
| 1779 | 767572 | 3001146 | Non-contact voltage detector kit | 110-420kV 50 Hz cat. S f. overhead lines | 05000306 | ST | 2560.70 | EUR | 1 | ASPS 110 420 S | 4013364124974 | 1 | 2.21 | 2.01 | 90303370 | DE | 1050 | 105 | 105 | MM |
| 1780 | 767573 | 3001147 | Dist. volt. detec. kit 110-420kV 50Hz | Cat.S/L f. overh.lines a. outd. sw.gear | 05000306 | ST | 3701.50 | EUR | 1 | ASPS 110 420 S L | 4013364134270 | 1 | 4.94 | 3.57 | 90303370 | DE | 1110 | 370 | 200 | MM |
| 1781 | 767574 | 57325 | Artificial leather bag 1040x90mm | | 05050101 | ST | 165.40 | EUR | 1 | KLT 1049 | 4013364125971 | 1 | 0.74 | 0.5 | 42029180 | DE | 1050 | 105 | 105 | MM |
| 1782 | 767576 | 3001186 | E-field sensor L 127mm | for overhead lines | 05000306 | ST | 600.00 | EUR | 1 | EFS L 127 | 4013364124998 | 1 | 0.214 | 0.214 | 90309000 | DE | 127 | 45 | 45 | MM |
| 1783 | 767577 | 3001187 | E-field sensor L 167mm | for outdoor switchgears | 05000306 | ST | 744.50 | EUR | 1 | EFS S 167 | 4013364125001 | 1 | 0.38 | 0.38 | 90309000 | DE | 460 | 80 | 45 | MM |
| 1784 | 767591 | 3001189 | Indicator ASP 110...420kV 50Hz | cat. L with gear coupling | 05000306 | ST | Price on request | EUR | 1 | ASP A 110 420 L ZK | 4013364146785 | 1 | 0.809 | 0.809 | 90309000 | DE | 0 | 0 | 0 | mm |
| 1785 | 767592 | 3001190 | Indicator ASP 110...420kV 50Hz | cat. S with gear coupling | 05000306 | ST | Price on request | EUR | 1 | ASP A 110 420 S ZK | 4013364146792 | 1 | 0.465 | 0.465 | 90309000 | DE | 0 | 0 | 0 | mm |
| 1786 | 767593 | 3001191 | Indicator ASP 110...420kV 50Hz | cat. S/L with gear coupling | 05000306 | ST | Price on request | EUR | 1 | ASP A 110 420 SL ZK | 4013364146808 | 1 | 0.471 | 0.471 | 90309000 | DE | 0 | 0 | 0 | mm |
| 1787 | 767610 | 61866 | PHE/G I d.c. voltage detector f. overhead | contact lines w. pos. pole on test prod | 05000308 | ST | 3379.20 | EUR | 1 | PHEG1 FD P 3 | 4013364135208 | 1 | 5.1 | 4.4 | 90303370 | DE | 940 | 200 | 115 | MM |
| 1788 | 767614 | 61891 | PHE/G I d.c. voltage detector f. overh. | cont. lines w. neg. pole on test prod | 05000308 | ST | 3585.50 | EUR | 1 | PHEG1 FD M SN7223 | 4013364135307 | 1 | 7.553 | 6 | 90303370 | DE | 1500 | 200 | 115 | MM |
| 1789 | 767636 | 61218 | D.c. voltage detector PHE/G I f. switch- | gear w. positive pole on test prod | 05000308 | ST | 2570.60 | EUR | 1 | PHEG1 S P SN7240 | 4013364155886 | 1 | 3.01 | 2.31 | 90303370 | DE | 940 | 200 | 115 | MM |
| 1790 | 767637 | 58389 | D.c. voltage detector PHE/G II w. | positive pole on test prod Un 1.5kV | 05000308 | ST | 2818.80 | EUR | 1 | PHEG2 P SN7194 | 4013364155879 | 1 | 2.8 | 2.1 | 90303370 | DE | 1300 | 200 | 115 | MM |
| 1791 | 767639 | 61267 | D.c. voltage detector PHE/G II with | positive pole on test prod Un 750V | 05000308 | ST | 2764.40 | EUR | 1 | PHEG2 P SN7346 | 4013364155817 | 1 | 3.1 | 2.4 | 90303370 | DE | 1300 | 200 | 115 | MM |
| 1792 | 767640 | 61316 | D.c. voltage detector PHE/G II, test | prod with positive pole Un 600..750V | 05000308 | ST | 2475.50 | EUR | 1 | PHEG2 P SN7407 | 4013364155978 | 1 | 2.88 | 2.1 | 90303370 | DE | 1160 | 200 | 115 | MM |
| 1793 | 767645 | 62043 | D.c. voltage detector PHE/G II w. | positive pole on test prod Un 1.0-12kV | 05000308 | ST | 2765.70 | EUR | 1 | PHEG2 P SN7259 | 4013364156067 | 1 | 3.3 | 2.6 | 90303370 | DE | 1300 | 200 | 115 | MM |
| 1794 | 767647 | 65426 | D.c. voltage detector PHE/G II with | positive pole on test prod Un 1...4.2kV | 05000308 | ST | 2765.70 | EUR | 1 | PHEG2 P SN7552 | 4013364156081 | 1 | 2.8 | 2.1 | 90303370 | DE | 1300 | 200 | 115 | MM |
| 1795 | 767666 | 61308 | PHE/G I d.c. voltage detector f. switch- | gears, test prod w. pos. pole 1..24kV | 05000308 | ST | 2934.80 | EUR | 1 | PHEG1.S P SN7401 | 4013364157071 | 1 | 2.9 | 2.2 | 90303370 | DE | 1300 | 200 | 115 | MM |
| 1796 | 767671 | 61378 | D.c. voltage detector PHE/G II with | positive pole on test prod 1-24kV | 05000308 | ST | 3049.70 | EUR | 1 | PHEG2.P SN7517 | 4013364156807 | 1 | 3.3 | 2.6 | 90303370 | DE | 1300 | 200 | 115 | MM |
| 1797 | 767701 | 34866 | Steel plate case 950x210x100mm | for PHE III voltage detector | 05050101 | ST | 334.60 | EUR | 1 | SKL 95 21 10 | 4013364071292 | 1 | 6.7 | 5.7 | 73269098 | DE | 1210 | 270 | 130 | MM |
| 1798 | 767703 | 61021 | PHE III voltage detector 3kV 50Hz | category S | 05000301 | ST | 1571.70 | EUR | 1 | PHE3 3 S | 4013364070899 | 1 | 1.713 | 1.013 | 90303370 | DE | 940 | 200 | 115 | MM |
| 1799 | 767706 | 61100 | PHE III voltage detector 6kV 50Hz | category S | 05000301 | ST | 1570.50 | EUR | 1 | PHE3 6 S | 4013364070837 | 1 | 1.713 | 1.013 | 90303370 | DE | 940 | 200 | 115 | MM |
| 1800 | 767710 | 61105 | PHE III voltage detector 10kV 50Hz | category S | 05000301 | ST | 1570.50 | EUR | 1 | PHE3 10 S | 4013364070851 | 1 | 1.713 | 1.013 | 90303370 | DE | 940 | 200 | 115 | MM |
| 1801 | 767711 | 61122 | PHE III voltage detector 3...10kV 50Hz | category S | 05000301 | ST | 1581.60 | EUR | 1 | PHE3 3 10 S | 4013364070820 | 1 | 1.863 | 1.163 | 90303370 | DE | 940 | 200 | 115 | MM |
| 1802 | 767712 | 65438 | 9V E block battery lithium | | 05505001 | ST | 62.70 | EUR | 1 | EB 9V LI | 4013364074699 | 1 | 0.037 | 0.037 | 85065090 | CN | 50 | 25 | 15 | MM |
| 1803 | 767713 | 40933 | 9V E block battery alkali manganese | | 05505001 | ST | 20.10 | EUR | 1 | EB 9V AL | 4013364094925 | 1 | 0.045 | 0.045 | 85061018 | BE | 120 | 83 | 18 | MM |
| 1804 | 767720 | 61110 | PHE III voltage detector 20kV 50Hz | category S | 05000301 | ST | 1574.20 | EUR | 1 | PHE3 20 S | 4013364070844 | 1 | 1.89 | 1.89 | 90303370 | DE | 940 | 200 | 115 | MM |
| 1805 | 767721 | 61127 | PHE III voltage detector 6...20kV 50Hz | category S | 05000301 | ST | 1618.60 | EUR | 1 | PHE3 6 20 S | 4013364070868 | 1 | 1.926 | 1.226 | 90303370 | DE | 940 | 200 | 115 | MM |
| 1806 | 767722 | 51620 | PHE III indicator 20kV 50Hz | Category S/L with gear coupling | 05000301 | ST | Price on request | EUR | 1 | PHE3 A 20 SL ZK | 4013364113183 | 1 | 0.589 | 0.474 | 90309000 | DE | 240 | 180 | 150 | MM |
| 1807 | 767724 | 62061 | PHE III voltage detector kit 20kV 50Hz | cat. S f. switchgears/overhead lines | 05000301 | ST | 3073.20 | EUR | 1 | PHE3S 20 S ZK | 4013364125902 | 1 | 4.22 | 4.22 | 90303370 | DE | 1050 | 320 | 100 | MM |
| 1808 | 767725 | 62067 | PHE III voltage detector kit 20kV 50Hz | cat. L f. overhead lines | 05000301 | ST | 6143.80 | EUR | 1 | PHE3S 20 L ZK | 4013364125919 | 1 | 9.1 | 9.1 | 90303370 | DE | 1900 | 300 | 200 | MM |
| 1809 | 767726 | 62206 | Indicator PHE III 60-110kV 50Hz | category L | 05000301 | ST | Price on request | EUR | 1 | PHE3 A 60 110 L | 4013364136007 | 1 | 0.35 | 0.235 | 90309000 | DE | 240 | 180 | 150 | MM |
| 1810 | 767730 | 61115 | PHE III voltage detector 30kV 50Hz | category S | 05000301 | ST | 1581.60 | EUR | 1 | PHE3 30 S | 4013364070813 | 1 | 1.834 | 1.134 | 90303370 | DE | 940 | 200 | 115 | MM |
| 1811 | 767731 | 61132 | PHE III voltage detector 10...30kV 50Hz | category S | 05000301 | ST | 1621.10 | EUR | 1 | PHE3 10 30 S | 4013364070875 | 1 | 1.989 | 1.289 | 90303370 | DE | 940 | 200 | 115 | MM |
| 1812 | 767732 | 61896 | Indicator PHE III 60-132kV 50Hz | category S/L | 05000301 | ST | Price on request | EUR | 1 | PHE3 A 60 132 SL | 4013364115156 | 1 | 0.704 | 0.589 | 90309000 | DE | 240 | 180 | 150 | MM |
| 1813 | 767733 | 61137 | PHE III voltage detector 3...30kV 50Hz | cat. S switchable: 3...10kV 10...30kV | 05000301 | ST | 1703.90 | EUR | 1 | PHE3 U 3 30 S | 4013364070882 | 1 | 1.994 | 1.294 | 90303370 | DE | 940 | 200 | 115 | MM |
| 1814 | 767734 | 61563 | Indicator PHE III 60-110kV 50Hz | category S | 05000301 | ST | Price on request | EUR | 1 | PHE3 A 60 110 S | 4013364115149 | 1 | 0.535 | 0.42 | 90309000 | DE | 240 | 180 | 150 | MM |
| 1815 | 767735 | 61861 | Indicator PHE III 60-132kV 50Hz | category S/L with gear coupling | 05000301 | ST | Price on request | EUR | 1 | PHE3 A 60 132 SL ZK | 4013364115163 | 1 | 0.704 | 0.589 | 90309000 | DE | 240 | 180 | 150 | MM |
| 1816 | 767740 | 61142 | PHE III voltage detector 6...20kV 50Hz | category S/L | 05000301 | ST | 1775.40 | EUR | 1 | PHE3 6 20 SL | 4013364071063 | 1 | 2.147 | 1.447 | 90303370 | DE | 940 | 200 | 115 | MM |
| 1817 | 767750 | 61147 | PHE III voltage detector 10...20kV 50Hz | category S/L | 05000301 | ST | 1784.10 | EUR | 1 | PHE3 10 30 SL | 4013364071070 | 1 | 2.212 | 1.512 | 90303370 | DE | 940 | 200 | 115 | MM |
| 1818 | 767760 | 34378 | Test prod S60 for PHE III | | 05000301 | ST | 275.40 | EUR | 1 | S60 PS PHE 285 | 4013364072947 | 1 | 0.177 | 0.177 | 90309000 | DE | 320 | 40 | 40 | MM |
| 1819 | 767761 | 34603 | Test prod S61 for PHE III | | 05000301 | ST | 290.20 | EUR | 1 | S61 PS PHE 435 | 4013364072954 | 1 | 0.282 | 0.282 | 90309000 | DE | 470 | 40 | 40 | MM |
| 1820 | 767762 | 34604 | Test prod S62 for PHE III | | 05000301 | ST | 313.70 | EUR | 1 | S62 PS PHE 620 | 4013364072961 | 1 | 0.353 | 0.353 | 90309000 | DE | 655 | 40 | 40 | MM |
| 1821 | 767763 | 34605 | Test prod S63 for PHE III | | 05000301 | ST | 364.20 | EUR | 1 | S63 PS PHE 780 | 4013364072978 | 1 | 0.529 | 0.529 | 90309000 | DE | 815 | 40 | 40 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 1822 | 767764 | 34606 | Test prod S64 for PHE III | | 05000301 | ST | 396.30 | EUR | 1 | S64 PS PHE 880 | 4013364072114 | 1 | 0.506 | 0.506 | 90309000 | DE | 915 | 40 | 40 | MM |
| 1823 | 767766 | 42661 | Test prod for PHE III Category L | | 05000301 | ST | 259.30 | EUR | 1 | L71 PS PHE 185 | 4013364091696 | 1 | 0.129 | 0.129 | 90309000 | DE | 220 | 40 | 40 | MM |
| 1824 | 767768 | 51611 | Test prod for PHE III for BCK systems | | 05000301 | ST | 532.20 | EUR | 1 | S63 PS PHE BCK | 4013364113190 | 1 | 0.445 | 0.445 | 90309000 | DE | 900 | 50 | 50 | MM |
| 1825 | 767771 | 64321 | Test prod S66 f. PHE III | L 915mm | 05000301 | ST | 586.50 | EUR | 1 | S66 PS PHE 880 | 4013364115118 | 1 | 0.6 | 0.6 | 90309000 | DE | 915 | 50 | 50 | MM |
| 1826 | 767772 | 53407 | Test prod for PHE III, Category L | | 05000301 | ST | 349.40 | EUR | 1 | L72 PS PHE 405 | 4013364115101 | 1 | 0.28 | 0.28 | 90309000 | DE | 415 | 40 | 40 | MM |
| 1827 | 767776 | 45213 | Protective rubber for PHE test device | | 05505001 | ST | 12.70 | EUR | 1 | FSG PHE | 4013364096486 | 1 | 0.058 | 0.058 | 40169300 | IT | 140 | 100 | 25 | MM |
| 1828 | 767777 | 45214 | Protective rubber for PHV test device | and PHG II | 05505001 | ST | 9.90 | EUR | 1 | FSG PHG2 PHV | 4013364096493 | 1 | 0.046 | 0.046 | 40169300 | IT | 125 | 70 | 21 | MM |
| 1829 | 767779 | 43043 | Sealing ring for PHE III test prod | | 05000350 | ST | 6.30 | EUR | 1 | DR PS PHE3 | 4013364093942 | 1 | 0.003 | 0.003 | 40169300 | DE | 28 | 28 | 3.5 | MM |
| 1830 | 767903 | 61152 | PHE III voltage detector 3kV 50Hz | category S with gear coupling | 05000301 | ST | 1634.70 | EUR | 1 | PHE3 3 S ZK | 4013364134737 | 1 | 1.692 | 0.992 | 90303370 | DE | 940 | 200 | 115 | MM |
| 1831 | 767906 | 61158 | PHE III voltage detector 6kV 50Hz | category S with gear coupling | 05000301 | ST | 1634.70 | EUR | 1 | PHE3 6 S ZK | 4013364134744 | 1 | 1.692 | 0.992 | 90303370 | DE | 940 | 200 | 115 | MM |
| 1832 | 767910 | 61164 | PHE III voltage detector 10kV 50Hz | category S with gear coupling | 05000301 | ST | 1634.70 | EUR | 1 | PHE3 10 S ZK | 4013364134751 | 1 | 1.692 | 0.992 | 90303370 | DE | 940 | 200 | 115 | MM |
| 1833 | 767920 | 61170 | PHE III voltage detector 20kV 50Hz | category S with gear coupling | 05000301 | ST | 1637.20 | EUR | 1 | PHE3 20 S ZK | 4013364134768 | 1 | 1.797 | 1.097 | 90303370 | DE | 940 | 200 | 115 | MM |
| 1834 | 767921 | 61624 | PHE III elec. ind. 6...20kV 50Hz cat. S | w. standby function a. gear coupling | 05000301 | ST | 1700.10 | EUR | 1 | PHE3 PK6 20 S SB ZK | 4013364097360 | 1 | 2.15 | 1.65 | 90303370 | DE | 1050 | 105 | 105 | MM |
| 1835 | 767922 | 61643 | PHE III elec. ind. 6...20kV 50Hz cat. L | w. standby function a. gear coupling | 05000301 | ST | 1682.90 | EUR | 1 | PHE3 PK6 20 L SB ZK | 4013364097384 | 1 | 1.451 | 1.071 | 90303370 | DE | 400 | 300 | 150 | MM |
| 1836 | 767930 | 61176 | PHE III voltage detector 30kV 50Hz | category S with gear coupling | 05000301 | ST | 1649.60 | EUR | 1 | PHE3 30 S ZK | 4013364134775 | 1 | 1.868 | 1.168 | 90303370 | DE | 940 | 200 | 115 | MM |
| 1837 | 767931 | 61637 | PHE III elec. ind. 10...30kV 50Hz cat. S | w. standby function a. gear coupling | 05000301 | ST | 1699.00 | EUR | 1 | PHE3 PK10 30 S SB ZK | 4013364097377 | 1 | 1.681 | 1.081 | 90303370 | DE | 1280 | 105 | 105 | MM |
| 1838 | 767932 | 61630 | Indic. w. test pr. PHE III 10...30kV 50Hz | cat. L w. standby func. a. gear coupling | 05000301 | ST | 1682.90 | EUR | 1 | PHE3 PK10 30 L SB ZK | 4013364097391 | 1 | 1.451 | 1.071 | 90303370 | DE | 400 | 300 | 150 | MM |
| 1839 | 767940 | 61606 | PHE III voltage detector 6-20kV 50Hz | cat. S/L with gear coupling | 05000301 | ST | 1836.00 | EUR | 1 | PHE3 6 20 SL ZK | 4013364134829 | 1 | 2.085 | 1.385 | 90303370 | DE | 940 | 200 | 115 | MM |
| 1840 | 767941 | 61182 | PHE III voltage detector 3...10kV 50Hz | category S with gear coupling | 05000301 | ST | 1648.30 | EUR | 1 | PHE3 3 10 S ZK | 4013364134782 | 1 | 1.868 | 1.168 | 90303370 | DE | 940 | 200 | 115 | MM |
| 1841 | 767944 | 3005214 | Voltage detector PHE III 6...36kV 50Hz | Cat. S switch. 6-20/20-36kV w. gear coup. | 05000301 | ST | Price on request | EUR | 1 | PHE3 U 6 36 S SN7728 | 4013364277731 | 1 | 2.16 | 1.38 | 90303370 | DE | 940 | 200 | 115 | mm |
| 1842 | 767950 | 61612 | PHE III voltage detector 10-30kV 50Hz | cat. S/L w. gear coupl. PHE3 10 30 SL ZK | 05000301 | ST | 1854.50 | EUR | 1 | PHE3 10 30 SL ZK | 4013364134836 | 1 | 2.144 | 1.444 | 90303370 | DE | 940 | 200 | 115 | MM |
| 1843 | 767951 | 61188 | PHE III voltage detector 6...10kV 50Hz | category S with gear coupling | 05000301 | ST | 1675.50 | EUR | 1 | PHE3 6 20 S ZK | 4013364134799 | 1 | 1.956 | 1.256 | 90303370 | DE | 940 | 200 | 115 | MM |
| 1844 | 767960 | 61600 | PHE III voltage detector 3...30kV 50Hz | cat. S switch. 3-10/10-30kV gear coupl. | 05000301 | ST | 1759.40 | EUR | 1 | PHE3 U 3 30 S ZK | 4013364134812 | 1 | 2.021 | 1.321 | 90303370 | DE | 940 | 200 | 115 | MM |
| 1845 | 767961 | 61194 | PHE III voltage detector 10...30kV 50Hz | category S with gear coupling | 05000301 | ST | 1682.90 | EUR | 1 | PHE3 10 30 S ZK | 4013364134805 | 1 | 2.021 | 1.321 | 90303370 | DE | 940 | 200 | 115 | MM |
| 1846 | 767963 | 62222 | Indicator PHE III 60-110kV 50Hz | category S with insulating element | 05000301 | ST | Price on request | EUR | 1 | PHE3 A 60 110 S IT | 4013364136106 | 1 | 0.515 | 0.4 | 90309000 | DE | 240 | 180 | 150 | mm |
| 1847 | 767965 | 62224 | Indicator PHE III 10-30kV 50Hz | cat. S w. gear coupling angled 30° | 05000301 | ST | Price on request | EUR | 1 | PHE3 A 10 30 S ZK30 | 4013364136120 | 1 | 0.5893 | 0.474 | 90309000 | DE | 240 | 180 | 150 | mm |
| 1848 | 767972 | 64327 | Indicator PHE III 30-60kV 50Hz | category S | 05000301 | ST | Price on request | EUR | 1 | PHE3 A 30 60 S | 4013364143807 | 1 | 0.69 | 0.575 | 90309000 | DE | 240 | 180 | 150 | MM |
| 1849 | 767974 | 64329 | Indicator PHE III 30-60kV 50Hz | category L | 05000301 | ST | Price on request | EUR | 1 | PHE3 A 30 60 L | 4013364143722 | 1 | 0.68952 | 0.575 | 90309000 | DE | 240 | 180 | 150 | mm |
| 1850 | 767980 | 61570 | Voltage detector kit PHE III 60...110kV | cat. S f. switchgear/overhead lines | 05000301 | ST | 3842.30 | EUR | 1 | PHE3S2 60 110 S | 4013364125926 | 1 | 6.98 | 5.98 | 90303370 | DE | 1450 | 320 | 160 | MM |
| 1851 | 767990 | 61878 | Voltage detector PHE III 60...110kV | cat. S | 05000301 | ST | 3157.10 | EUR | 1 | PHE3 60 110 S | 4013364135956 | 1 | 3.48 | 2.7 | 90303370 | DE | 1160 | 200 | 115 | MM |
| 1852 | 767996 | 54171 | Artificial leather bag 1010x300x100mm | | 05050103 | ST | 622.30 | EUR | 1 | KLT 101 30 10 | 4013364120181 | 1 | 2.3 | 2.3 | 42029180 | DE | 1050 | 320 | 100 | MM |
| 1853 | 767997 | 53454 | Plastic case empty for | PHE III voltage detector 930x215x140mm | 05050102 | ST | 666.70 | EUR | 1 | KKL PHE3 | 4013364115682 | 1 | 3.42 | 2.42 | 42021250 | DE | 1210 | 270 | 130 | MM |
| 1854 | 767999 | 50199 | Plastic case empty for | PHE III voltage detector 1270x215x140mm | 05050102 | ST | 713.60 | EUR | 1 | KKL PHE3 L | 4013364115262 | 1 | 4.4 | 3.4 | 42021250 | DE | 1210 | 270 | 130 | MM |
| 1855 | 769300 | 3012509 | Telescopic earthing rod w. plug-in coup. | L 1760-3015mm w. cone coupling SQL | 05000411 | ST | 843.30 | EUR | 1 | ESTC SQL STK 3000 | 4013364080867 | 1 | 3.8 | 2.8 | 85389099 | DE | 2060 | 105 | 105 | MM |
| 1856 | 769304 | 3012508 | Earthing rod T pin shaft (small) | telescopic w. bayonet coupl. 1790-3040mm | 05000411 | ST | 888.90 | EUR | 1 | ESTC SQ STK SN7562 | 4013364149144 | 1 | 3 | 2 | 85389099 | DE | 1580 | 105 | 105 | MM |
| 1857 | 769352 | 3012400 | Telescopic earthing stick L 1935-3515mm | w. SQL cone coupling | 05000411 | ST | 1040.80 | EUR | 1 | ESTC SQL RW 3500 | 4013364007345 | 1 | 4.6 | 3.7 | 85389099 | DE | 2060 | 105 | 105 | MM |
| 1858 | 769400 | 3012515 | Telescopic earthing stick | L 2180-4015mm w. SQL cone coupling | 05000411 | ST | 905.00 | EUR | 1 | ESTC SQL 4000 | 4013364080881 | 1 | 4.421 | 3.367 | 85389099 | DE | 2200 | 135 | 120 | MM |
| 1859 | 769500 | 3012516 | Telescopic earthing stick | L 2680-5015mm w. cone coupling SQL | 05000411 | ST | 919.90 | EUR | 1 | ESTC SQL 5000 | 4013364080904 | 1 | 5.021 | 3.921 | 85389099 | DE | 2710 | 130 | 110 | MM |
| 1860 | 769502 | 3011425 | Telescopic earthing stick L 2685-5015mm | w. cone coupl. SQL a. locking mech. | 05000411 | ST | 1169.20 | EUR | 1 | ESTC SQL RW 5000 | 4013364004542 | 1 | 5.3 | 4.541 | 85389099 | DE | 2700 | 105 | 105 | MM |
| 1861 | 769503 | 3012484 | Top section of earthing stick | L 1600mm w. SQL cone coupling | 05000411 | ST | 619.90 | EUR | 1 | EST KS SQL 1500 | 4013364003996 | 1 | 2.391 | 1.654 | 85389099 | DE | 1600 | 130 | 120 | MM |
| 1862 | 769504 | 3012489 | Intermediate section of earthing stick | w. coupling element L 1500mm | 05000411 | ST | 644.50 | EUR | 1 | EST ZS 1500 | 4013364004559 | 1 | 2.391 | 1.661 | 85389099 | DE | 1600 | 130 | 120 | MM |
| 1863 | 769505 | 3012493 | End fitting of earthing stick | w. coupling element L 1500mm | 05000411 | ST | 495.10 | EUR | 1 | EST ES 1500 | 4013364004566 | 1 | 2.46 | 1.46 | 85389099 | DE | 2060 | 105 | 105 | MM |
| 1864 | 769508 | 3012374 | Telescopic earthing stick L 2685-5015mm | with cone coupling SQL and cable entry | 05000411 | ST | 1228.50 | EUR | 1 | ESTC SQL H RW 5000 | 4013364052383 | 1 | 5.3 | 4.5 | 85389099 | DE | 2700 | 105 | 105 | MM |
| 1865 | 769509 | 33740 | Canvas bag 1100x150mm | DB Z. No. 3 Ebgw 01.67 | 05050104 | ST | 277.80 | EUR | 1 | STT 110 15 | 4013364068230 | 1 | 0.523 | 0.358 | 42029298 | DE | 400 | 300 | 150 | MM |
| 1866 | 769511 | 3012533 | Telescopic earthing stick L 2875-5200mm | w. fixed phase screw clamp | 05000411 | ST | 1408.80 | EUR | 1 | ESTC PSK 5000 SN7249 | 4013364135055 | 1 | 5.711 | 4.411 | 85389099 | DE | 2890 | 140 | 120 | MM |
| 1867 | 769515 | 3011680 | Earthing stick 6-part f. SQL L 4855mm | w. transp. bag f. railway earth. equip. | 05000411 | ST | 2395.30 | EUR | 1 | EST SQL RW 4855 TA | 4013364157361 | 1 | 6.69 | 6.01 | 85389099 | DE | 1160 | 200 | 115 | MM |
| 1868 | 769516 | 3011961 | Earthing stick with plug-in coupling | a. cone coupling SQL L 1035mm | 05000411 | ST | 448.20 | EUR | 1 | ES SQL ALSTK 1035 | 4013364157378 | 1 | 1.22 | 1.22 | 85389099 | DE | 1035 | 65 | 65 | MM |
| 1869 | 769517 | 3011962 | Handle extension with plug-in coupling | D 43mm L 1035mm | 05000411 | ST | 396.30 | EUR | 1 | HV ALSTK 1035 | 4013364157385 | 1 | 1.15 | 1.15 | 85389099 | DE | 1035 | 50 | 50 | MM |
| 1870 | 769518 | 3011963 | Handle extension with plug-in coupling | red/white D 43mm L 1035mm | 05000411 | ST | 490.20 | EUR | 1 | HV ALSTK RW 1035 | 4013364157392 | 1 | 1.338 | 1.232 | 85389099 | DE | 1200 | 160 | 45 | MM |
| 1871 | 769519 | 3011964 | Handle extension with plug-in coupling | red/white D 43mm L 1035mm w. eye | 05000411 | ST | 463.00 | EUR | 1 | HV ALSTK AK RW 1035 | 4013364157408 | 1 | 1.15 | 1.15 | 85389099 | DE | 1037 | 50 | 50 | MM |
| 1872 | 769701 | 3002355 | Test prod S66 f. PHE III | L 915mm, CODED | 05000301 | ST | 770.40 | EUR | 1 | S66PS PHE 420 C SN7771 | 4013364242470 | 1 | 0.77 | 0.75 | 90309000 | DE | 920 | 60 | 60 | MM |
| 1873 | 769712 | 3002380 | Voltage detector kit PHE III 60...110kV | Cat.S f.switchgear/overhead lines,CODED | 05000301 | ST | 5794.40 | EUR | 1 | PHE3S60 110S CSN7774 | 4013364242517 | 1 | 7.23 | 5.23 | 90303370 | DE | 1270 | 215 | 140 | MM |
| 1874 | 769713 | 3002375 | Indicator PHE III 60-110kV 50Hz | category S w. insulat. element, CODED | 05000301 | ST | 2596.50 | EUR | 1 | PHE3A60110SITCSN7772 | 4013364242487 | 1 | 0.765 | 0.413 | 90309000 | DE | 240 | 180 | 150 | MM |
| 1875 | 769714 | 3002827 | Voltage detector PHE III 66kV 16.7 Hz | cat. S | 05000301 | ST | Price on request | EUR | 1 | PHE3 66 16.7S SN7705 | 4013364246768 | 1 | 3.76 | 2.8 | 90303370 | DE | 1160 | 200 | 115 | MM |
| 1876 | 770001 | 4941 | Earthing cable YM2 70mm² | | 05000402 | M | 80.10 | EUR | 1 | ES YM2 70 | 4013364011762 | 1 | 0.753 | 0.753 | 85446010 | DE | 0 | 0 | 0 | |
| 1877 | 771230 | 64360 | Clamp with insulated handle for | insulated conductor bars | 05000414 | ST | 306.20 | EUR | 1 | ZK55 IS | 4013364144392 | 1 | 1.215 | 1.05 | 85359000 | DE | 400 | 300 | 150 | MM |
| 1878 | 771231 | 64362 | Blue clamp with insulated handle for | insulated conductor bars | 05000414 | ST | 312.40 | EUR | 1 | ZK55 IS BL | 4013364144408 | 1 | 1.215 | 1.05 | 85359000 | DE | 400 | 300 | 150 | MM |
| 1879 | 771232 | 64364 | Clamp with insulated handle for | bare conductor bars | 05000414 | ST | 297.60 | EUR | 1 | ZK85 BS | 4013364144415 | 1 | 1.215 | 1.05 | 85359000 | DE | 400 | 300 | 150 | MM |
| 1880 | 771233 | 64366 | Clamp with insulated handle for bare | conductor bars, blue for PEN | 05000414 | ST | 312.40 | EUR | 1 | ZK85 BS BL | 4013364144422 | 1 | 1.215 | 1.05 | 85359000 | DE | 400 | 300 | 150 | MM |
| 1881 | 771316 | 67050 | Phase connecting element w. T pin shaft | M16x18mm f. cable lug PK1 16-150mm² | 05000408 | ST | 142.00 | EUR | 1 | PAS EK SQ 16 | 4013364150393 | 1 | 0.418 | 0.418 | 85389099 | DE | 120 | 90 | 33 | MM |
| 1882 | 772310 | 30691 | Ball head cap D 20mm, rigid, with | hexagon shaft f. conductors 16-120mm² | 05000408 | ST | 102.50 | EUR | 1 | KKH 20 SK | 4013364057593 | 1 | 0.469 | 0.469 | 85389099 | DE | 100 | 72 | 32 | MM |
| 1883 | 772311 | 30690 | Ball head cap D 20mm, rigid with | T pin shaft for cables 16-120mm² | 05000408 | ST | 102.50 | EUR | 1 | KKH 20 SQ | 4013364057586 | 1 | 0.482 | 0.482 | 85389099 | DE | 116 | 72 | 32 | MM |
| 1884 | 772312 | 30504 | Ball head cap D 20mm rigid | with wing bolt for cables 16-120mm² | 05000408 | ST | 111.10 | EUR | 1 | KKH 20 FS | 4013364054431 | 1 | 0.48 | 0.48 | 85389099 | DE | 110 | 90 | 32 | MM |
| 1885 | 772313 | 30506 | Ball head cap, D 20mm, rigid, w. handle | for cables 16-120mm² | 05000409 | ST | 112.30 | EUR | 1 | KKH 20 HG | 4013364054448 | 1 | 0.4 | 0.4 | 85389099 | DE | 130 | 95 | 42 | MM |
| 1886 | 772314 | 38813 | Ball head cap, 16-120mm², D=20mm | | 05000408 | ST | 114.90 | EUR | 1 | KKH 20 SQL | 4013364080171 | 1 | 0.446 | 0.446 | 85389099 | DE | 190 | 72 | 32 | MM |
| 1887 | 772320 | 30689 | Ball head cap D 25mm, rigid, with | hexagon shaft f. conductors 16-150mm² | 05000408 | ST | 139.50 | EUR | 1 | KKH 25 SK | 4013364057432 | 1 | 0.785 | 0.785 | 85389099 | DE | 105 | 80 | 42 | MM |
| 1888 | 772321 | 30688 | Ball head cap D 25mm, rigid with | T pin shaft for cables 16-150mm² | 05000408 | ST | 139.50 | EUR | 1 | KKH 25 SQ | 4013364057449 | 1 | 0.756 | 0.756 | 85389099 | DE | 128 | 80 | 42 | MM |
| 1889 | 772322 | 30545 | Ball head cap D 25mm rigid with | wing bolt for cables 16-150mm² | 05000409 | ST | 133.30 | EUR | 1 | KKH 25 FS | 4013364054455 | 1 | 0.747 | 0.747 | 85389099 | DE | 165 | 80 | 32 | MM |
| 1890 | 772323 | 30546 | Ball head cap, D 25mm, rigid, with | handle for cables 16-150mm² | 05000409 | ST | 137.00 | EUR | 1 | KKH 25 HG | 4013364054462 | 1 | 0.876 | 0.876 | 85389099 | DE | 185 | 85 | 42 | MM |
| 1891 | 772324 | 38814 | Ball head cap, 16-150mm², D=25mm | | 05000408 | ST | 144.40 | EUR | 1 | KKH 25 SQL | 4013364080188 | 1 | 0.719 | 0.719 | 85389099 | DE | 200 | 80 | 42 | MM |
| 1892 | 772330 | 30858 | Ball head cap D=20mm, adjustable with | hexagon shaft for cables 16-120mm² | 05000408 | ST | 172.90 | EUR | 1 | KKH 20 D SK | 4013364069220 | 1 | 0.56 | 0.56 | 85389099 | DE | 90 | 80 | 43 | MM |
| 1893 | 772331 | 30859 | Ball head cap D 20mm, adjustable with | T pin shaft for cables 16-120mm² | 05000408 | ST | 172.90 | EUR | 1 | KKH 20 D SQ | 4013364066304 | 1 | 0.566 | 0.566 | 85389099 | DE | 125 | 80 | 43 | MM |
| 1894 | 772340 | 30860 | Ball head cap D 25mm, adjustable with | hexagon shaft for cables 16-150mm² | 05000408 | ST | 218.50 | EUR | 1 | KKH 25 D SK | 4013364057456 | 1 | 0.878 | 0.878 | 85389099 | DE | 106 | 93 | 55 | MM |
| 1895 | 772341 | 30861 | Ball head cap D 25mm, adjustable with | T pin shaft for cables 16-150mm² | 05000408 | ST | 218.50 | EUR | 1 | KKH 25 D SQ | 4013364057425 | 1 | 0.902 | 0.902 | 85389099 | DE | 115 | 93 | 55 | MM |
| 1896 | 773034 | 51635 | Univ. clamp D 20/25mm T 15mm a. Rd/Fl | up to 20mm w. hexagon shaft | 05000408 | ST | 137.00 | EUR | 1 | UK 25 SK | 4013364114562 | 1 | 0.634 | 0.634 | 85389099 | DE | 125 | 85 | 36 | MM |
| 1897 | 773130 | 31549 | Univ. clamp D 25/30mm T 18mm a. round | /flat cond. up to 30mm w. hexagon shaft | 05000408 | ST | 138.30 | EUR | 1 | UK 30 SK | 4013364057722 | 1 | 0.801 | 0.801 | 85389099 | DE | 125 | 90 | 40 | MM |
| 1898 | 773234 | 51633 | Universal clamp D 20/25mm T 15mm a. round | /flat conduc. up to 20mm w. T pin shaft | 05000408 | ST | 137.00 | EUR | 1 | UK 25 SQ | 4013364114555 | 1 | 0.661 | 0.661 | 85389099 | DE | 160 | 85 | 36 | MM |
| 1899 | 773236 | 51639 | Universal clamp D 20/25mm T 15mm Rd/Fl | 20mm T pin shaft (long) | 05000408 | ST | 119.80 | EUR | 1 | UK 25 SQL | 4013364114579 | 1 | 0.714 | 0.714 | 85389099 | DE | 210 | 85 | 36 | MM |
| 1900 | 773251 | 2662 | Universal clamp with T pin shaft for | Fl/Rd -30mm a. fixed ball points D 25mm | 05000408 | ST | 147.00 | EUR | 1 | UK K25 FL30 SQL | 4013364005990 | 1 | 0.901 | 0.901 | 85389099 | DE | 210 | 90 | 40 | MM |
| 1901 | 773330 | 31548 | Universal clamp D 25/30mm T 18mm a.round | /flat conduc. up to 30mm w. T pin shaft | 05000408 | ST | 138.30 | EUR | 1 | UK 30 SQ | 4013364057760 | 1 | 0.83 | 0.83 | 85389099 | DE | 160 | 90 | 40 | MM |
| 1902 | 773331 | 34385 | Univ. clamp D 25/30 T 18mm Rd/Fl 30mm | w. T pin shaft (long) | 05000408 | ST | 134.60 | EUR | 1 | UK 30 SQL | 4013364069244 | 1 | 0.793 | 0.793 | 85389099 | DE | 210 | 90 | 40 | MM |
| 1903 | 774034 | 51637 | Universal earthing clamp K 20/25 Fl 20 | T 15mm with wing screw | 05000409 | ST | 128.40 | EUR | 1 | UEK 25 FS | 4013364114586 | 1 | 0.662 | 0.662 | 85389099 | DE | 150 | 85 | 36 | MM |
| 1904 | 774130 | 31550 | Universal earthing clamp K 30 Fl 20 | T 18mm with wing screw | 05000409 | ST | 137.00 | EUR | 1 | UEK 30 FS | 4013364057739 | 1 | 0.78 | 0.78 | 85389099 | DE | 150 | 90 | 40 | MM |
| 1905 | 774234 | 51641 | Universal earth clamp D 20/25mm T 15mm | Rd/Fl 20mm with handle | 05000409 | ST | 137.00 | EUR | 1 | UEK 25 HG | 4013364114593 | 1 | 0.772 | 0.772 | 85389099 | DE | 210 | 85 | 36 | MM |
| 1906 | 774251 | 2663 | Universal clamp with insulated handle f. | Fl/Rd -30mm and fixed ball points D 25mm | 05000409 | ST | 154.30 | EUR | 1 | UK K25 FL30 HG | 4013364006003 | 1 | 0.955 | 0.955 | 85389099 | DE | 215 | 90 | 40 | MM |
| 1907 | 774330 | 31552 | Universal earthing clamp K 30 Fl 30 | T 18mm with handle | 05000409 | ST | 142.00 | EUR | 1 | UEK 30 HG | 4013364057715 | 1 | 0.941 | 0.941 | 85389099 | DE | 210 | 90 | 40 | MM |
| 1908 | 774434 | 51643 | Universal earthing clamp K 20/25 Fl 20 | T 15mm with tommy bar | 05000409 | ST | 142.00 | EUR | 1 | UEK 25 SKN | 4013364114609 | 1 | 0.712 | 0.712 | 85389099 | DE | 135 | 120 | 36 | MM |
| 1909 | 774530 | 31551 | Universal earthing clamp K 30 Fl 30 | T 18mm with tommy bar | 05000409 | ST | 145.70 | EUR | 1 | UEK 30 SKN | 4013364057746 | 1 | 0.7 | 0.7 | 85389099 | DE | 135 | 120 | 40 | MM |
| 1910 | 775621 | 47901 | Earth connector with wing nut M12 | for connecting element PK1 16-150mm² | 05000409 | ST | 76.60 | EUR | 1 | EAS EK FM 12 | 4013364102545 | 1 | 0.311 | 0.311 | 85389099 | DE | 90 | 70 | 40 | MM |
| 1911 | 775626 | 47903 | Earth connector with wing bolt M12x15 | for connecting element PK1 16-150mm² | 05000409 | ST | 83.90 | EUR | 1 | EAS EK FS 12 | 4013364102569 | 1 | 0.343 | 0.343 | 85389099 | DE | 90 | 75 | 40 | MM |
| 1912 | 775631 | 47902 | Earth connector with wing nut M16 | for connecting element PK1 16-150mm² | 05000409 | ST | 77.80 | EUR | 1 | EAS EK FM 16 | 4013364102552 | 1 | 0.29 | 0.29 | 85389099 | DE | 90 | 70 | 40 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 1913 | 775636 | 47904 | Earth connector with wing bolt M16x15 | for connecting element PK1 16-150mm² | 05000409 | ST | 90.10 | EUR | 1 | EAS EK FS 16 | 4013364102576 | 1 | 0.35 | 0.35 | 85389099 | DE | 90 | 75 | 40 | MM |
| 1914 | 782002 | 3014816 | DEHNshort QD II quenching device | | 05201002 | ST | Price on request | EUR | 1 | DSRT QD II | 4013364312562 | 1 | 5.226 | 5.226 | 85363090 | DE | 320 | 235 | 175 | MM |
| 1915 | 782010 | 3000999 | DEHNshort fibre optic converter | for short-circuiter unit | 05201002 | ST | Price on request | EUR | 1 | DSRT LWL U | 4013364230804 | 1 | 0.118 | 0.105 | 85363090 | DE | 102 | 72 | 34 | MM |
| 1916 | 782020 | 3016842 | DEHNshort LWL arc fault protect. system | fibre optic cables L 0.75m (1 pack=2 pcs) | 05201002 | PAK | Price on request | EUR | 1 | DSRT LWL 0.75 | 4013364236509 | 1 | 0.014 | 0.01 | 85389099 | DE | 230 | 160 | 10 | MM |
| 1917 | 782022 | 3016845 | DEHNshort LWL arc fault protect. system | fibre optic cables L 2.00m (1pack=2 pcs) | 05201002 | PAK | Price on request | EUR | 1 | DSRT LWL 2.00 | 4013364236516 | 1 | 0.024 | 0.02 | 85389099 | DE | 230 | 160 | 15 | MM |
| 1918 | 782024 | 3016847 | DEHNshort LWL arc fault protect. system | fibre optic cables L 4.00m (1pack=2 pcs) | 05201002 | PAK | Price on request | EUR | 1 | DSRT LWL 4.00 | 4013364237193 | 1 | 0.04 | 0.036 | 85389099 | DE | 230 | 160 | 20 | MM |
| 1919 | 782028 | 3016848 | DEHNshort LWL arc fault protect. system | fibre optic cables L 8.00m (1 pack=2 pcs) | 05201002 | PAK | Price on request | EUR | 1 | DSRT LWL 8.00 | 4013364237223 | 1 | 0.07 | 0.066 | 85389099 | DE | 230 | 160 | 20 | MM |
| 1920 | 782030 | 3002212 | DEHNshort DD arc fault protection system | Detect. device (current+light) 18-72V DC | 05201002 | ST | Price on request | EUR | 1 | DSRT DD CPS BACA | 4013364245792 | 1 | 1.48 | 1.191 | 85364900 | FI | 225 | 205 | 115 | MM |
| 1921 | 782031 | 3002213 | DEHNshort DD arc fault protection system | Detect. device(current+light) 92-265 V AC/DC | 05201002 | ST | Price on request | EUR | 1 | DSRT DD CPS AACA | 4013364245815 | 1 | 1.48 | 1.191 | 85364900 | FI | 225 | 205 | 115 | MM |
| 1922 | 782040 | 3002215 | DEHNshort DD arc fault protection system | Detect. device (point sensor) 18-72V DC | 05201002 | ST | Price on request | EUR | 1 | DSRT DD PS BACA | 4013364245822 | 1 | 0.953 | 0.784 | 85364900 | FI | 225 | 205 | 60 | MM |
| 1923 | 782041 | 3002217 | DEHNshort DD arc fault protection system | Detect. device (point sensor) 92-265 V AC/DC | 05201002 | ST | Price on request | EUR | 1 | DSRT DD PS AACA | 4013364245839 | 1 | 0.953 | 0.784 | 85364900 | FI | 225 | 205 | 60 | MM |
| 1924 | 782050 | 3002219 | DEHNshort DD arc fault protection system | Detection device (loop) 18-72V DC | 05201002 | ST | Price on request | EUR | 1 | DSRT DD FS BAAA | 4013364245846 | 1 | 1.02 | 0.851 | 85364900 | FI | 225 | 205 | 60 | MM |
| 1925 | 782051 | 3002220 | DEHNshort DD arc fault protection system | Detection device (loop) 92-265 V AC/DC | 05201002 | ST | Price on request | EUR | 1 | DSRT DD FS AAAA | 4013364245853 | 1 | 1.02 | 0.851 | 85364900 | FI | 225 | 205 | 60 | MM |
| 1926 | 782060 | 3002221 | DEHNshort arc fault protection system | Point sensor for arc detection | 05201002 | ST | Price on request | EUR | 1 | DSRT PS | 4013364245860 | 1 | 0.032 | 0.027 | 85364900 | FI | 92 | 35 | 2222 | MM |
| 1927 | 782077 | 3015796 | DEHNshort arc fault protection system | Fibre optic sensor L 8m | 05201002 | ST | Price on request | EUR | 1 | DSRT FS 8 1.5 | 4013364273375 | 1 | 0.143 | 0.044 | 90019000 | CH | 260 | 260 | 21 | MM |
| 1928 | 782081 | 3015798 | DEHNshort arc fault protection system | Fibre optic sensor L 10m | 05201002 | ST | Price on request | EUR | 1 | DSRT FS 10 1.5 | 4013364273344 | 1 | 0.147 | 0.049 | 90019000 | CH | 260 | 260 | 21 | MM |
| 1929 | 782085 | 3015799 | DEHNshort arc fault protection system | Fibre optic sensor L 12m | 05201002 | ST | Price on request | EUR | 1 | DSRT FS 12 1.5 | 4013364273443 | 1 | 0.15 | 0.07 | 90019000 | CH | 260 | 260 | 21 | MM |
| 1930 | 782091 | 3015800 | DEHNshort arc fault protection system | Fibre optic sensor L 15m | 05201002 | ST | Price on request | EUR | 1 | DSRT FS 15 1.5 | 4013364273474 | 1 | 0.157 | 0.077 | 90019000 | CH | 260 | 260 | 21 | MM |
| 1931 | 782092 | 3016403 | DEHNshort arc fault protection system | Fibre optic sensor L 17m | 05201002 | ST | Price on request | EUR | 1 | DSRT FS 17 1.5 | 4013364468092 | 1 | 0.171 | 0.07 | 90019000 | CH | 260 | 260 | 21 | MM |
| 1932 | 782097 | 3016833 | DEHNshort fixing clip for point | sensors, hole spacing of 25 mm | 05201002 | PAK | Price on request | EUR | 1 | SPBCLPS | 4013364445970 | 1 | 0.016 | 0.016 | 85389099 | CH | 120 | 120 | 32 | MM |
| 1933 | 782098 | 3016813 | DEHNshort arc fault protection system | Sponge rubber D 8mm L 20mm (1pack = 50pcs) | 05201002 | PAK | 28.50 | EUR | 1 | DSRT SR D8 L20 | 4013364274013 | 1 | 0.031 | 0.03 | 40081900 | DE | 0 | 0 | 0 | MM |
| 1934 | 782099 | 3016832 | DEHNshort arc fault protection system | Fixing clip D 8mm L 20mm (1pack=50pcs) | 05201002 | PAK | 29.90 | EUR | 1 | DSRT FC D8 | 4013364274006 | 1 | 0.047 | 0.045 | 39263000 | DE | 260 | 130 | 130 | MM |
| 1935 | 783003 | 3007063 | Voltage detector PHE4 3kV 50Hz | Category S | 05000303 | ST | 1259.30 | EUR | 1 | PHE4 3 S | 4013364310179 | 1 | 2.37 | 1.238 | 90303370 | DE | 1160 | 170 | 170 | MM |
| 1936 | 783006 | 3007067 | Voltage detector PHE4 6kV 50Hz | Category S | 05000303 | ST | 1259.30 | EUR | 1 | PHE4 6 S | 4013364310155 | 1 | 2.185 | 1.266 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1937 | 783010 | 3006481 | Voltage detector PHE4 10kV 50Hz | Category S | 05000303 | ST | 1149.50 | EUR | 1 | PHE4 10 S | 4013364297869 | 1 | 2.366 | 1.234 | 90303370 | DE | 1160 | 170 | 170 | MM |
| 1938 | 783011 | 3007071 | Voltage detector PHE4 11kV 50Hz | Category S | 05000303 | ST | 1301.40 | EUR | 1 | PHE4 11 S | 4013364310131 | 1 | 2.38 | 1.248 | 90303370 | DE | 1160 | 170 | 170 | MM |
| 1939 | 783013 | 3007059 | Voltage detector PHE4 1...3kV 50Hz | Category S | 05000303 | ST | 1618.60 | EUR | 1 | PHE4 1 3 S | 4013364310186 | 1 | 2.601 | 1.469 | 90303370 | DE | 1160 | 170 | 170 | MM |
| 1940 | 783020 | 3007073 | Voltage detector PHE4 20kV 50Hz | Category S | 05000303 | ST | 1170.50 | EUR | 1 | PHE4 20 S | 4013364310124 | 1 | 2.269 | 1.35 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1941 | 783022 | 3007075 | Voltage detector PHE4 22kV 50Hz | Category S | 05000303 | ST | 1414.90 | EUR | 1 | PHE4 22 S | 4013364310117 | 1 | 2.269 | 1.35 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1942 | 783030 | 3007077 | Voltage detector PHE4 30kV 50Hz | Category S | 05000303 | ST | 1332.20 | EUR | 1 | PHE4 30 S | 4013364310100 | 1 | 2.754 | 1.622 | 90303370 | DE | 1160 | 170 | 170 | MM |
| 1943 | 783033 | 3007065 | Voltage detector PHE4 3.3kV 50Hz | Category S | 05000303 | ST | 1301.40 | EUR | 1 | PHE4 3.3 S | 4013364310162 | 1 | 2.408 | 1.276 | 90303370 | DE | 1160 | 170 | 170 | MM |
| 1944 | 783045 | 3007079 | Voltage detector PHE4 33kV 50Hz | Category S | 05000303 | ST | 1589.00 | EUR | 1 | PHE4 33 S | 4013364310094 | 1 | 2.48 | 1.348 | 90303370 | DE | 1160 | 170 | 170 | MM |
| 1945 | 783066 | 3007069 | Voltage detector PHE4 6.6kV 50Hz | Category S | 05000303 | ST | 1301.40 | EUR | 1 | PHE4 6.6 S | 4013364310148 | 1 | 2.185 | 1.266 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1946 | 783103 | 3007709 | Voltage detector PHE4 3kV 50 Hz | with gear coupling Category S | 05000303 | ST | 1313.70 | EUR | 1 | PHE4 3 S ZK | 4013364317277 | 1 | 2.185 | 1.266 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1947 | 783106 | 3007711 | Voltage detector PHE4 6kV 50 Hz | with gear coupling Category S | 05000303 | ST | 1313.70 | EUR | 1 | PHE4 6 S ZK | 4013364317260 | 1 | 2.185 | 1.266 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1948 | 783110 | 3007713 | Voltage detector PHE4 10kV 50 Hz | with gear coupling Category S | 05000303 | ST | 1289.00 | EUR | 1 | PHE4 10 S ZK | 4013364317253 | 1 | 2.185 | 1.266 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1949 | 783120 | 3007715 | Voltage detector PHE4 20kV 50 Hz | with gear coupling Category S | 05000303 | ST | 1314.90 | EUR | 1 | PHE4 20 S ZK | 4013364317246 | 1 | 2.269 | 1.35 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1950 | 783130 | 3007717 | Voltage detector PHE4 30kV 50 Hz | with gear coupling Category S | 05000303 | ST | 1589.00 | EUR | 1 | PHE4 30 S ZK | 4013364317239 | 1 | 2.525 | 1.606 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1951 | 783141 | 3007719 | Voltage detector PHE4 3...10kV 50 Hz | with gear coupling Category S | 05000303 | ST | 1401.40 | EUR | 1 | PHE4 3 10 S ZK | 4013364317222 | 1 | 2.374 | 1.455 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1952 | 783151 | 3007721 | Voltage detector PHE4 6...20kV 50 Hz | with gear coupling Category S | 05000303 | ST | 1432.20 | EUR | 1 | PHE4 6 20 S ZK | 4013364317215 | 1 | 2.466 | 1.547 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1953 | 783161 | 3007723 | Voltage detector PHE4 10...30kV 50 Hz | with gear coupling Category S | 05000303 | ST | 1589.00 | EUR | 1 | PHE4 10 30 S ZK | 4013364317208 | 1 | 2.525 | 1.606 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1954 | 783231 | 3007081 | Voltage detector PHE4 3...10kV 50Hz | Category S | 05000303 | ST | 1301.40 | EUR | 1 | PHE4 3 10 S | 4013364310087 | 1 | 2.374 | 1.455 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1955 | 783233 | 3007085 | Voltage detector PHE4 3.3...11kV 50Hz | Category S | 05000303 | ST | 1401.40 | EUR | 1 | PHE4 3.3 11 S | 4013364310063 | 1 | 2.374 | 1.455 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1956 | 783235 | 3007089 | Voltage detector PHE4 6...20kV 50Hz | Category S | 05000303 | ST | 1301.40 | EUR | 1 | PHE4 6 20 S | 4013364310049 | 1 | 2.466 | 1.547 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1957 | 783240 | 3007087 | Voltage detector PHE4 10...20kV 50Hz | Category S | 05000303 | ST | 1314.90 | EUR | 1 | PHE4 10 20 S | 4013364310056 | 1 | 2.374 | 1.455 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1958 | 783243 | 3007095 | Voltage detector PHE4 6.6...22kV 50Hz | Category S | 05000303 | ST | 1432.20 | EUR | 1 | PHE4 6.6 22 S | 4013364310018 | 1 | 2.466 | 1.547 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1959 | 783245 | 3007091 | Voltage detector PHE4 20...36kV 50Hz | Category S | 05000303 | ST | 1589.00 | EUR | 1 | PHE4 20 36 S | 4013364310032 | 1 | 2.525 | 1.606 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1960 | 783250 | 3007099 | Voltage detector PHE4 10...30kV 50Hz | Category S | 05000303 | ST | 1331.00 | EUR | 1 | PHE4 10 30 S | 4013364309999 | 1 | 2.525 | 1.606 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1961 | 783255 | 3007101 | Voltage detector PHE4 11...33kV 50Hz | Category S | 05000303 | ST | 1374.20 | EUR | 1 | PHE4 11 33 S | 4013364309982 | 1 | 2.525 | 1.606 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1962 | 783270 | 3007127 | Voltage detector PHE4 30...60kV 50 Hz | Category S | 05000303 | ST | 3091.60 | EUR | 1 | PHE4 30 60 S | 4013364309852 | 1 | 3.394 | 2.475 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1963 | 783275 | 3007129 | Voltage detector PHE4 60...110kV 50 Hz | Category S | 05000303 | ST | 3091.60 | EUR | 1 | PHE4 60 110 S | 4013364309845 | 1 | 3.829 | 2.93 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1964 | 783280 | 3007131 | Voltage detector PHE4 60...132kV 50 Hz | Category S | 05000303 | ST | 3758.40 | EUR | 1 | PHE4 60 132 S | 4013364317284 | 1 | 4.226 | 3.306 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1965 | 783285 | 3007826 | Voltage detector PHE4 110...220kV 50 Hz | Category S | 05000303 | ST | Price on request | EUR | 1 | PHE4 110 220 S | 4013364316898 | 1 | 4.5 | 3.8 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1966 | 783290 | 3007828 | Voltage detector PHE4 220...420kV 50 Hz | Category S | 05000303 | ST | Price on request | EUR | 1 | PHE4 220 420 S | 4013364316904 | 1 | 6.478 | 5.559 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1967 | 783332 | 3007083 | Voltage detector PHE4 3...10kV 60Hz | Category S | 05000303 | ST | 1589.00 | EUR | 1 | PHE4 3 10 S 60 | 4013364310070 | 1 | 2.374 | 1.455 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1968 | 783335 | 3007097 | Voltage detector PHE4 6...20kV 60Hz | Category S | 05000303 | ST | 1663.10 | EUR | 1 | PHE4 6 20 S 60 | 4013364310001 | 1 | 2.466 | 1.547 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1969 | 783342 | 3007093 | Voltage detector PHE4 20...36kV 60Hz | Category S | 05000303 | ST | 1589.00 | EUR | 1 | PHE4 20 36 S 60 | 4013364310025 | 1 | 2.525 | 1.606 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1970 | 783345 | 3007103 | Voltage detector PHE4 10...30kV 60Hz | Category S | 05000303 | ST | 1734.70 | EUR | 1 | PHE4 10 30 S 60 | 4013364309975 | 1 | 2.525 | 1.606 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1971 | 783395 | 3007107 | Voltage detector PHE4 switchable | 3...10kV 12...36kV 60Hz Category S | 05000303 | ST | 2022.40 | EUR | 1 | PHE4 U 3 36 S 60 | 4013364309951 | 1 | 2.525 | 1.606 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1972 | 783420 | 3007119 | Voltage detector PHE4 | 6...20kV 16.7Hz Category S | 05000303 | ST | 1413.70 | EUR | 1 | PHE4 6 20 S 16.7 | 4013364309890 | 1 | 2.466 | 1.547 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1973 | 783430 | 3007117 | Voltage detector PHE4 switchable | 6...20kV 16,7Hz 6...20kV 50Hz Category S | 05000303 | ST | Price on request | EUR | 1 | PHE4 U 6 20 S 16.7 50 | 4013364309906 | 1 | 2.466 | 1.547 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1974 | 783460 | 3007125 | Voltage detector PHE4 110...132kV | 16.7 Hz / 50 Hz Category S | 05000303 | ST | 3525.00 | EUR | 1 | PHE4 110 132 S 16.7 50 | 4013364309869 | 1 | 4.226 | 3.306 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1975 | 783511 | 3007111 | Voltage detector PHE4 switchable | 6.6kV 11kV 50Hz Category S | 05000303 | ST | 1734.70 | EUR | 1 | PHE4 U 6.6 11 S | 4013364309937 | 1 | 2.185 | 1.266 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1976 | 783520 | 3007115 | Voltage detector PHE4 switchable | 2...6kV 6...20kV 50Hz Category S | 05000303 | ST | 1956.90 | EUR | 1 | PHE4 U 2 20 S | 4013364309913 | 1 | 2.466 | 1.547 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1977 | 783530 | 3007105 | Voltage detector PHE4 switchable | 3...10kV 10...30kV 50Hz Category S | 05000303 | ST | 1590.30 | EUR | 1 | PHE4 U 3 30 S | 4013364309968 | 1 | 2.525 | 1.606 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1978 | 783533 | 3007113 | Voltage detector PHE4 switchable | 3.3...11kV 11...33kV 50Hz Category S | 05000303 | ST | 1882.90 | EUR | 1 | PHE4 U 3.3 33 S | 4013364309920 | 1 | 2.525 | 1.606 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1979 | 783536 | 3007109 | Voltage detector PHE4 switchable | 6...15kV 15...36kV 50Hz Category S | 05000303 | ST | 1734.70 | EUR | 1 | PHE4 U 6 36 S | 4013364309944 | 1 | 2.525 | 1.606 | 90303370 | DE | 1150 | 160 | 140 | MM |
| 1980 | 783900 | 3005989 | Insulating stick f. PHE4 with | plug-in coupling D 30mm L 700mm | 05000101 | ST | Price on request | EUR | 1 | IS PHE4 STK 700 | 4013364292505 | 1 | 0.493 | 0.443 | 82055980 | DE | 710 | 105 | 105 | MM |
| 1981 | 783905 | 3006070 | Insulating stick f. PHE4 w. plug-in | coupling D 30mm L 770mm | 05000101 | ST | Price on request | EUR | 1 | IS PHE4 STK 770 | 4013364292499 | 1 | 0.538 | 0.488 | 82055980 | DE | 770 | 105 | 105 | MM |
| 1982 | 783906 | 3006069 | Insulating stick f. PHE4 w. plug-in | coupling D 30mm L 1110mm | 05000101 | ST | Price on request | EUR | 1 | IS PHE4 STK 1110 | 4013364292482 | 1 | 0.752 | 0.702 | 82055980 | DE | 1120 | 105 | 105 | MM |
| 1983 | 783920 | 3005991 | Insulating element f. PHE4 w. plug-in | coupling D 30mm L 760mm | 05000150 | ST | Price on request | EUR | 1 | IT PHE4 STK 760 | 4013364292437 | 1 | 0.57 | 0.52 | 82055980 | DE | 760 | 50 | 50 | MM |
| 1984 | 783925 | 3005992 | Insulating element f. PHE4 w. plug-in | coupling D 30mm L 1210mm | 05000150 | ST | Price on request | EUR | 1 | IT PHE4 STK 1210 | 4013364292444 | 1 | 0.795 | 0.745 | 82055980 | DE | 1220 | 50 | 50 | MM |
| 1985 | 783930 | 3005993 | Adapter f. PHE4 w. threaded bushing M12 | a. plug-in coupling D 30mm L 410mm | 05000303 | ST | Price on request | EUR | 1 | AD PHE4 STK 410 | 4013364292451 | 1 | 0.315 | 0.265 | 90309000 | DE | 420 | 45 | 45 | MM |
| 1986 | 783945 | 3013918 | Insulating stick extension with | plug-in coupling D 43mm L 1100mm | 05000303 | ST | 632.10 | EUR | 1 | ISV PHE4 43 1100 | 4013364436466 | 1 | 2.431 | 1.157 | 90309000 | DE | 1390 | 170 | 170 | MM |
| 1987 | 784032 | 7689 | Phase screw clamp D 10-32mm T pin shaft | for connecting element PK2 16-95mm² | 05000408 | ST | 509.90 | EUR | 1 | PSK 10 32 SQL | 4013364018679 | 1 | 0.969 | 0.969 | 85389099 | DE | 240 | 120 | 55 | MM |
| 1988 | 784038 | 62381 | Phase screw clamp with safety bow | D 10-32mm with T pin shaft | 05000408 | ST | 563.00 | EUR | 1 | PSK 10 32 SQL SB | 4013364138452 | 1 | 1.01 | 1.01 | 85389099 | DE | 240 | 140 | 55 | MM |
| 1989 | 784085 | 7690 | Phase screw clamp D 10-85mm T pin shaft | for connecting element PK2 16-150mm² | 05000408 | ST | 307.50 | EUR | 1 | PSK 10 85 SQL | 4013364018686 | 1 | 0.872 | 0.872 | 85389099 | DE | 330 | 110 | 40 | MM |
| 1990 | 784201 | 2915 | Phase screw clamp D 4-30mm T pin shaft | for cable lug Type PK1 16-70mm² | 05000408 | ST | 265.50 | EUR | 1 | PSK 4 30 SQL | 4013364006591 | 1 | 0.88 | 0.88 | 85389099 | DE | 310 | 135 | 36 | MM |
| 1991 | 784301 | 2888 | Phase screw clamp D 10-65mm T pin shaft | for connecting element PK1 16-120mm² | 05000408 | ST | 349.40 | EUR | 1 | PSK 10 65 SQL | 4013364006553 | 1 | 1.7 | 1.7 | 85389099 | DE | 350 | 165 | 65 | MM |
| 1992 | 784352 | 2670 | Conductor clamp with prod | for D 4-40mm with long T pin shaft | 05000408 | ST | 293.80 | EUR | 1 | LK 4 40 TS SQL | 4013364006072 | 1 | 0.971 | 0.806 | 85389099 | DE | 400 | 300 | 150 | MM |
| 1993 | 784401 | 2925 | Phase screw clamp D 4-30mm T-pin shaft | connec. elem. PK1 16-70mm² w. coupl. aid | 05000408 | ST | 297.60 | EUR | 1 | PSK 4 30 SQL EH | 4013364006614 | 1 | 1.465 | 1.3 | 85389099 | DE | 400 | 300 | 150 | MM |
| 1994 | 784480 | 67977 | Phase screw clamp D 4-30mm T pin shaft | PK1 16-70mm² w. spring-loaded clamp | 05000408 | ST | 200.00 | EUR | 1 | PSK FV 4 30 SQL | 4013364054479 | 1 | 0.6 | 0.6 | 85389099 | DE | 190 | 100 | 45 | MM |
| 1995 | 784501 | 2899 | Phase screw clamp D 10-65mm T-pin shaft | connec. elem. PK1 16-120mm² w. coupl. aid | 05000408 | ST | 383.90 | EUR | 1 | PSK 10 65 SQL EH | 4013364006560 | 1 | 2.115 | 1.95 | 85389099 | DE | 400 | 300 | 150 | MM |
| 1996 | 784755 | 8211 | Earth clamp f. overh. contact lines w. | prod f. D 4-15mm w. flex. T pin shaft | 05000408 | ST | 533.40 | EUR | 1 | FEK 4 15 TS FSQL | 4013364054202 | 1 | 1.705 | 1.54 | 85389099 | DE | 400 | 300 | 150 | MM |
| 1997 | 784756 | 3000909 | Overhead line earth clamp w. contact | electr. f. D 4-15mm w. flex. T pin shaft | 05000408 | ST | 637.10 | EUR | 1 | FEK4 15 TS FSQL AB29 | 4013364230118 | 1 | 1.816 | 1.6 | 85389099 | DE | 400 | 300 | 150 | MM |
| 1998 | 785100 | 48994 | MS dry cleaning set for suction | for medium-voltage systems -36kV | 05010101 | ST | 7385.80 | EUR | 1 | TRS MS | 4013364087606 | 1 | 18 | 18 | 82055980 | DE | 1260 | 305 | 205 | MM |
| 1999 | 785109 | 45669 | Locking rod for live working L=2200mm | | 05010101 | ST | 120.90 | EUR | 1 | AS MS | 4013364098176 | 1 | 0.504 | 0.372 | 39169010 | DE | 1200 | 80 | 40 | MM |
| 2000 | 785111 | 40168 | Canvas bag | dimensions: 550x270x300mm | 05050104 | ST | 303.70 | EUR | 1 | STT 55 27 30 | 4013364070257 | 1 | 0.612 | 0.612 | 42029298 | DE | 550 | 300 | 270 | MM |
| 2001 | 785112 | 48995 | MS V1 dry cleaning set for suction | for medium-voltage systems -36kV | 05010101 | ST | 7437.60 | EUR | 1 | TRS MS V1 | 4013364106550 | 1 | 17.8 | 17.8 | 82055980 | DE | 1260 | 305 | 205 | MM |
| 2002 | 785119 | 45086 | Intake tube with handle D=40/L=1180mm | insulating part 650mm | 05010101 | ST | 376.60 | EUR | 1 | SRH 1180 IS 650 MS | 4013364098213 | 1 | 0.7 | 0.7 | 82055980 | DE | 1200 | 94 | 83 | MM |
| 2003 | 785120 | 48963 | Intake tube with handle D=40/L=1180mm | for MS dry cleaning set -36kV | 05010101 | ST | 301.30 | EUR | 1 | SRH 1180 MS | 4013364087613 | 1 | 0.7 | 0.7 | 82055980 | DE | 1180 | 94 | 83 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 2004 | 785121 | 48966 | Intake tube extension D=40/L=200mm | for MS dry cleaning set -36kV | 05010101 | ST | 137.00 | EUR | 1 | SRV 200 MS | 4013364087620 | 1 | 0.11 | 0.11 | 82055980 | DE | 200 | 40 | 40 | MM |
| 2005 | 785122 | 48965 | Intake tube extension D=40/L=400mm | for MS dry cleaning set -36kV | 05010101 | ST | 171.60 | EUR | 1 | SRV 400 MS | 4013364087637 | 1 | 0.22 | 0.22 | 82055980 | DE | 400 | 40 | 40 | MM |
| 2006 | 785123 | 48964 | Intake tube extension D=40/L=800mm | for MS dry cleaning set -36kV | 05010101 | ST | 195.10 | EUR | 1 | SRV 800 MS | 4013364087644 | 1 | 0.43 | 0.43 | 82055980 | DE | 800 | 40 | 40 | MM |
| 2007 | 785130 | 40647 | Angled intake tube, adjustable, D=40mm | for MS dry cleaning set -36kV | 05010101 | ST | 79.70 | EUR | 1 | SRW V MS | 4013364087651 | 1 | 0.13 | 0.13 | 82055980 | DE | 160 | 80 | 40 | MM |
| 2008 | 785131 | 48967 | Angled intake tube 90°, D=40/L=120mm | for MS dry cleaning set -36kV | 05010101 | ST | 163.00 | EUR | 1 | SRW 90 MS | 4013364087668 | 1 | 0.16 | 0.16 | 82055980 | DE | 130 | 40 | 40 | MM |
| 2009 | 785132 | 48968 | Angled intake tube 135°, D=40/L=100mm | for MS dry cleaning set -36kV | 05010101 | ST | 163.00 | EUR | 1 | SRW 135 MS | 4013364087675 | 1 | 0.15 | 0.15 | 82055980 | DE | 110 | 40 | 40 | MM |
| 2010 | 785140 | 48969 | Half-round brush for suction D=120mm | for MS dry cleaning set -36kV | 05010101 | ST | 553.10 | EUR | 1 | HRB 120 MS | 4013364087682 | 1 | 0.34 | 0.34 | 96039099 | DE | 240 | 120 | 120 | MM |
| 2011 | 785150 | 48970 | Half-round brush for suction D=190mm | for MS dry cleaning set -36kV | 05010101 | ST | 553.10 | EUR | 1 | HRB 190 MS | 4013364087699 | 1 | 0.32 | 0.32 | 96039099 | DE | 280 | 120 | 120 | MM |
| 2012 | 785151 | 48991 | Arc brush for suction D=40/L=390mm | for MS dry cleaning set -36kV | 05010101 | ST | 456.80 | EUR | 1 | BB 245 MS | 4013364087705 | 1 | 0.26 | 0.26 | 96039099 | DE | 390 | 50 | 40 | MM |
| 2013 | 785159 | 3005820 | Tubular brush D 80mm L 250mm w. gear | coupl. f. dry cleaning kit MS -36kV | 05010101 | ST | 258.10 | EUR | 1 | STB 80 ZK MS | 4013364284517 | 1 | 0.313 | 0.12 | 96039099 | DE | 235 | 225 | 85 | MM |
| 2014 | 785160 | 48971 | Rectangular brush for suction 105x90x50 | for MS dry cleaning set -36kV | 05010101 | ST | 224.70 | EUR | 1 | REB 1095 MS | 4013364087712 | 1 | 0.09 | 0.09 | 96039099 | DE | 105 | 90 | 50 | MM |
| 2015 | 785169 | 3005821 | Rectangular brush 250x55mm w. gear | coupl. f. dry cleaning kit MS -36kV | 05010101 | ST | 437.10 | EUR | 1 | REB 25055 ZK MS | 4013364284753 | 1 | 0.498 | 0.312 | 96039099 | DE | 235 | 225 | 85 | MM |
| 2016 | 785170 | 48972 | Tubular brush for suction D=120/L=250mm | for MS dry cleaning set -36kV | 05010101 | ST | 577.80 | EUR | 1 | STB 120 MS | 4013364087729 | 1 | 0.255 | 0.255 | 96039099 | DE | 300 | 120 | 120 | MM |
| 2017 | 785171 | 48977 | Tubular brush f. suction cleaning D 80mm | L 240mm f. MS dry cleaning kits -36kV | 05010101 | ST | 282.70 | EUR | 1 | STB 80 MS | 4013364082106 | 1 | 0.105 | 0.105 | 96039099 | DE | 205 | 100 | 100 | MM |
| 2018 | 785172 | 48978 | Tubular brush f. suction cleaning D 80mm | f. MS dry cleaning kits -36kV | 05010101 | ST | 282.70 | EUR | 1 | STB 80 K MS | 4013364082113 | 1 | 0.1 | 0.1 | 96039099 | DE | 205 | 100 | 100 | MM |
| 2019 | 785180 | 3011375 | Digital hygrometer/thermometer | for verifying the climatic conditions | 05010101 | ST | 714.90 | EUR | 1 | DHTM | 4013364073869 | 1 | 0.15 | 0.15 | 90258040 | DE | 140 | 65 | 40 | MM |
| 2020 | 785181 | 68805 | Digital hygro/thermom. 0...+100 %rel.hum. | f. indoor climate measuring -10...+60°C | 05010101 | ST | 980.30 | EUR | 1 | DHTM T 625 | 4013364106413 | 1 | 0.25 | 0.195 | 90258040 | DE | 182 | 64 | 40 | MM |
| 2021 | 785190 | 50128 | Insulating mirror D 135 mm w. gear | coupling f. MS cleaning kits | 05010101 | ST | 549.50 | EUR | 1 | ISP 135 ZK MS | 4013364110359 | 1 | 0.389 | 0.389 | 82055980 | DE | 0 | 0 | 0 | MM |
| 2022 | 785200 | 48975 | Angled intake hose adapter D 40 mm | f. NS/MS dry cleaning kits | 05010101 | ST | 246.90 | EUR | 1 | SSA W D | 4013364087354 | 1 | 0.18 | 0.18 | 82055980 | DE | 160 | 40 | 40 | MM |
| 2023 | 785210 | 48985 | Cleaning brush D 50/L 1430 mm | f. MS dry cleaning kits | 05010101 | ST | 208.60 | EUR | 1 | RB 50 MS | 4013364087743 | 1 | 0.26 | 0.26 | 96039099 | DE | 700 | 100 | 50 | MM |
| 2024 | 785212 | 48986 | Intake tube adapter D 20/40mm | f. MS dry cleaning kits up to 36kV | 05010101 | ST | 103.30 | EUR | 1 | SRA MS | 4013364082120 | 1 | 0.071 | 0.071 | 82055980 | DE | 100 | 40 | 40 | MM |
| 2025 | 785213 | 41289 | Reducing insert f. intake hose adapters | NS/MS f. hose diameters of 32 mm | 05010101 | ST | 145.70 | EUR | 1 | RSI 32 | 4013364090279 | 1 | 0.32 | 0.32 | 85087000 | DE | 105 | 35 | 35 | MM |
| 2026 | 785214 | 41290 | Reducing insert f. intake hose adapters | NS/MS f. hose diameters of 34 mm | 05010101 | ST | 145.70 | EUR | 1 | RSI 34 | 4013364090286 | 1 | 0.32 | 0.32 | 85087000 | DE | 105 | 35 | 35 | MM |
| 2027 | 785215 | 41291 | Reducing insert f. intake hose adapters | NS/MS f. hose diameters of 35 mm | 05010101 | ST | 145.70 | EUR | 1 | RSI 35 | 4013364090293 | 1 | 0.32 | 0.32 | 85087000 | DE | 105 | 35 | 35 | MM |
| 2028 | 785216 | 41292 | Reducing insert f. intake hose adapters | NS/MS f. hose diameters of 38 mm | 05010101 | ST | 145.70 | EUR | 1 | RSI 38 | 4013364090309 | 1 | 0.32 | 0.32 | 85087000 | DE | 105 | 38 | 38 | MM |
| 2029 | 785217 | 41293 | Reducing insert f. intake hose adapters | NS/MS f. hose diameters of 45 mm | 05010101 | ST | 145.70 | EUR | 1 | RSI 45 | 4013364090316 | 1 | 0.32 | 0.32 | 85087000 | DE | 105 | 45 | 45 | MM |
| 2030 | 785218 | 41294 | Reducing insert f. intake hose adapters | NS/MS f. hose diameters of 51 mm | 05010101 | ST | 145.70 | EUR | 1 | RSI 51 | 4013364090323 | 1 | 0.32 | 0.32 | 85087000 | DE | 105 | 51 | 51 | MM |
| 2031 | 785219 | 41295 | Reducing insert f. intake hose adapters | NS/MS f. hose diameters of 58 mm | 05010101 | ST | 145.70 | EUR | 1 | RSI 58 | 4013364090330 | 1 | 0.32 | 0.32 | 85087000 | DE | 105 | 58 | 58 | MM |
| 2032 | 785220 | 48974 | Flat cleaning head W 60/L 260 mm | f. MS dry cleaning kits up to 36kV | 05010101 | ST | 150.60 | EUR | 1 | FD 60 MS | 4013364087750 | 1 | 0.082 | 0.082 | 85087000 | DE | 200 | 60 | 40 | MM |
| 2033 | 785221 | 48973 | Flat cleaning head W 110/L 260 mm | f. MS dry cleaning kits up to 36kV | 05010101 | ST | 267.90 | EUR | 1 | FD 110 MS | 4013364087767 | 1 | 0.2 | 0.2 | 85087000 | DE | 255 | 110 | 40 | MM |
| 2034 | 785223 | 48992 | Flat cleaning head W 210/L 255 mm | f. MS dry cleaning kits up to 36kV | 05010101 | ST | 346.90 | EUR | 1 | FD 210 MS | 4013364098183 | 1 | 0.29 | 0.29 | 85087000 | DE | 255 | 210 | 40 | MM |
| 2035 | 785224 | 3016829 | Spare brush f. cleaning heads | L 40mm f. MS dry cleaning kits -36kV | 05010101 | PAK | 60.90 | EUR | 1 | EP 25 L MS | 4013364106482 | 1 | 0.011 | 0.011 | 96039099 | DE | 80 | 40 | 20 | MM |
| 2036 | 785225 | 62289 | Flat cleaning head W 60/L 260 mm with | scraper f. dry cleaning kit MS -36kV | 05010101 | ST | 184.00 | EUR | 1 | FD 60 MS SN7271 | 4013364136434 | 1 | 0.14 | 0.14 | 85087000 | DE | 0 | 0 | 0 | MM |
| 2037 | 785229 | 49011 | Plastic case, empty 850x300x200mm | f. MS damp cleaning kits w. gear coupling | 05010101 | ST | 1832.30 | EUR | 1 | KKL FRS ZK MS | 4013364106260 | 1 | 6 | 6 | 42021250 | DE | 850 | 300 | 200 | MM |
| 2038 | 785259 | 48989 | Operating head adapter w. gear coupling | for MS dry/damp cleaning set | 05010101 | ST | 263.00 | EUR | 1 | AKA TF ZK MS | 4013364106444 | 1 | 0.094 | 0.094 | 82055980 | DE | 125 | 50 | 40 | MM |
| 2039 | 785274 | 3016825 | Cleaning sponge 150x40x40mm | for MS damp cleaning set -36kV | 05010101 | PAK | 23.80 | EUR | 1 | RS 1544 MS | 4013364100015 | 1 | 0.033 | 0.033 | 39211310 | DE | 200 | 150 | 40 | MM |
| 2040 | 785275 | 3016826 | Cleaning sponge 150x70x40mm | for MS damp cleaning set -36kV | 05010101 | PAK | 26.20 | EUR | 1 | RS 1574 MS | 4013364100022 | 1 | 0.063 | 0.063 | 39211310 | DE | 200 | 150 | 70 | MM |
| 2041 | 785279 | 3016828 | Cleaning sponge 150x100x40mm w. gearing | for MS damp cleaning set -36kV | 05010101 | PAK | 48.10 | EUR | 1 | RS 15104 Z MS | 4013364100060 | 1 | 0.068 | 0.068 | 39211310 | DE | 200 | 150 | 100 | MM |
| 2042 | 785280 | 3016827 | Cleaning sponge 150x100x80mm w. gearing | Triangular f. MS damp cleaning set -36kV | 05010101 | PAK | 48.10 | EUR | 1 | RSD 15104 Z MS | 4013364100039 | 1 | 0.06 | 0.06 | 39211310 | DE | 200 | 150 | 100 | MM |
| 2043 | 785301 | 48998 | GRP case, empty with supporting device | for MS dry cleaning set | 05010101 | ST | 2440.90 | EUR | 1 | KKL TRS MS | 4013364106246 | 1 | 6 | 6 | 42021250 | DE | 1260 | 305 | 205 | MM |
| 2044 | 785310 | 3010893 | Industrial vacuum cleaner 1600 W | | 05010101 | ST | 1672.90 | EUR | 1 | HISC 1600 | 4013364092013 | 1 | 16.6 | 12.7 | 85081900 | DE | 630 | 600 | 410 | MM |
| 2045 | 785311 | 3006958 | Isolierstangenverlängerung L 220mm | mit Zahnkupplung für Inspektionskamera | 05000105 | ST | 101.20 | EUR | 1 | ISV 220 ZK 123 SN7739 | 4013364307551 | 1 | 0.11 | 0.11 | 82055980 | DE | 220 | 40 | 30 | MM |
| 2046 | 785312 | 3006959 | Isolierstangenverlängerung L 320mm | mit Zahnkupplung für Inspektionskamera | 05000105 | ST | 109.10 | EUR | 1 | ISV 320 ZK 123 SN7740 | 4013364307568 | 1 | 0.13 | 0.13 | 82055980 | DE | 320 | 40 | 30 | MM |
| 2047 | 785313 | 3006960 | Isolierstangenverlängerung L 420mm | mit Zahnkupplung für Inspektionskamera | 05000105 | ST | 111.80 | EUR | 1 | ISV 420 ZK 123 SN7741 | 4013364307582 | 1 | 0.38 | 0.15 | 82055980 | DE | 370 | 270 | 70 | MM |
| 2048 | 785314 | 3006961 | Isolierstangenverlängerung L 820mm | mit Zahnkupplung für Inspektionskamera | 05000105 | ST | 120.70 | EUR | 1 | ISV 820 ZK 123 SN7742 | 4013364307575 | 1 | 0.25 | 0.25 | 82055980 | DE | 820 | 40 | 30 | MM |
| 2049 | 785315 | 57262 | Insulating stick with handle and gear | coupling f. damp cleaning kit MS-36kV | 05010101 | ST | 240.70 | EUR | 1 | IS T 36 ZK STK 1300 | 4013364106277 | 1 | 0.632 | 0.632 | 82055980 | DE | 1300 | 94 | 83 | MM |
| 2050 | 785316 | 49001 | Insulating rod extension, L=220mm for | MS dry cleaning set with gear coupling | 05010101 | ST | 91.20 | EUR | 1 | ISV 220 ZK MS | 4013364106284 | 1 | 0.095 | 0.095 | 82055980 | DE | 220 | 40 | 30 | MM |
| 2051 | 785317 | 49002 | Insulating rod extension, L=320mm for | MS dry cleaning set with gear coupling | 05010101 | ST | 98.80 | EUR | 1 | ISV 320 ZK MS | 4013364106291 | 1 | 0.13 | 0.13 | 82055980 | DE | 320 | 40 | 30 | MM |
| 2052 | 785318 | 49003 | Insulating rod extension, L=420mm for | MS dry cleaning set with gear coupling | 05010101 | ST | 102.50 | EUR | 1 | ISV 420 ZK MS | 4013364106307 | 1 | 0.152 | 0.152 | 82055980 | DE | 420 | 40 | 30 | MM |
| 2053 | 785319 | 49004 | Insulating rod extension, L=820mm for | MS dry cleaning set with gear coupling | 05010101 | ST | 109.90 | EUR | 1 | ISV 820 ZK MS | 4013364106314 | 1 | 0.247 | 0.247 | 82055980 | DE | 820 | 40 | 30 | MM |
| 2054 | 785320 | 49005 | Scraper W=30mm with gear coupling | for MS dry cleaning set -36kV | 05010101 | ST | 114.90 | EUR | 1 | S 30 ZK MS | 4013364106321 | 1 | 0.088 | 0.088 | 82055980 | DE | 280 | 30 | 20 | MM |
| 2055 | 785321 | 49006 | Round brush D=15mm with gear coupling | for MS damp cleaning set -36kV | 05010101 | ST | 101.20 | EUR | 1 | RP 15 ZK MS | 4013364106338 | 1 | 0.097 | 0.097 | 96039099 | DE | 270 | 40 | 30 | MM |
| 2056 | 785322 | 49007 | Operating head with gear coupling for | clean. sponge f. MS damp clean.set -36kV | 05010101 | ST | 223.40 | EUR | 1 | AK RS ZK MS | 4013364106345 | 1 | 0.132 | 0.132 | 82055980 | DE | 400 | 30 | 30 | MM |
| 2057 | 785323 | 49008 | Dual operating head for clean. sponge w. | gear coupling f. MS damp clean.set -36kV | 05010101 | ST | 364.20 | EUR | 1 | AK RS 2 ZK MS | 4013364106352 | 1 | 0.182 | 0.182 | 82055980 | DE | 415 | 100 | 30 | MM |
| 2058 | 785324 | 49009 | Rigid operating head f. clean. sponge w. | gear coupling f. MS damp clean.set -36kV | 05010101 | ST | 112.30 | EUR | 1 | AK RS S ZK MS | 4013364106369 | 1 | 0.089 | 0.089 | 82055980 | DE | 200 | 30 | 30 | MM |
| 2059 | 785325 | 57273 | Insulating stick with handle and gear | coupling f. damp cleaning kit MS -36kV | 05010101 | ST | 253.10 | EUR | 1 | IS 36 ZK STK 1300 | 4013364106581 | 1 | 0.6 | 0.6 | 82055980 | DE | 1300 | 94 | 83 | MM |
| 2060 | 785329 | 3005822 | Scraper W 100mm L 310mm w. gear coupl. | f. damp cleaning kit MS -36kV | 05010101 | ST | 123.50 | EUR | 1 | S 100 ZK MS | 4013364284760 | 1 | 0.313 | 0.135 | 82055980 | DE | 235 | 225 | 85 | MM |
| 2061 | 785330 | 3017085 | Arc-fault-tested protective jacket | "Indoor", APC 2, size: 46 (XS) | 05020301 | ST | 637.10 | EUR | 1 | APJ ID 46 | 4013364451872 | 1 | 1.556 | 0.923 | 62033210 | PL | 400 | 300 | 150 | MM |
| 2062 | 785331 | 3017087 | Arc-fault-tested protective jacket | "Indoor", APC 2, size: 48 (S) | 05020301 | ST | 637.10 | EUR | 1 | APJ ID 48 | 4013364451889 | 1 | 1.561 | 0.916 | 62033210 | PL | 400 | 300 | 150 | MM |
| 2063 | 785332 | 3017088 | Arc-fault-tested protective jacket | "Indoor", APC 2, size: 50 (M) | 05020301 | ST | 637.10 | EUR | 1 | APJ ID 50 | 4013364451896 | 1 | 1.622 | 0.975 | 62033210 | PL | 400 | 300 | 150 | MM |
| 2064 | 785333 | 3017089 | Arc-fault-tested protective jacket | "Indoor", APC 2, size: 52 (M/L) | 05020301 | ST | 637.10 | EUR | 1 | APJ ID 52 | 4013364451902 | 1 | 1.465 | 0.976 | 62033210 | PL | 400 | 300 | 150 | MM |
| 2065 | 785334 | 3017090 | Arc-fault-tested protective jacket | "Indoor", APC 2, size: 54 (L) | 05020301 | ST | 637.10 | EUR | 1 | APJ ID 54 | 4013364451919 | 1 | 1.679 | 1.005 | 62033210 | PL | 400 | 300 | 150 | MM |
| 2066 | 785335 | 3017091 | Arc-fault-tested protective jacket | "Indoor", APC 2, size: 56 (XL) | 05020301 | ST | 637.10 | EUR | 1 | APJ ID 56 | 4013364451926 | 1 | 1.724 | 1.055 | 62033210 | PL | 400 | 300 | 150 | MM |
| 2067 | 785336 | 3017092 | Arc-fault-tested protective jacket | "Indoor", APC 2, size: 58 (XL/2XL) | 05020301 | ST | 637.10 | EUR | 1 | APJ ID 58 | 4013364451933 | 1 | 1.732 | 1.069 | 62033210 | PL | 400 | 300 | 150 | MM |
| 2068 | 785337 | 3017093 | Arc-fault-tested protective jacket | "Indoor", APC 2, size: 60 (2XL) | 05020301 | ST | 637.10 | EUR | 1 | APJ ID 60 | 4013364451940 | 1 | 1.751 | 1.078 | 62033210 | PL | 400 | 300 | 150 | MM |
| 2069 | 785338 | 3017094 | Arc-fault-tested protective jacket | "Indoor", APC 2, size: 62 (3XL) | 05020301 | ST | 637.10 | EUR | 1 | APJ ID 62 | 4013364451957 | 1 | 1.843 | 1.205 | 62033210 | PL | 400 | 300 | 150 | MM |
| 2070 | 785339 | 3017097 | Arc-fault-tested protective jacket | Indoor, APC 2, CONFIGURED | 05020311 | ST | Price on request | EUR | 1 | APJ ID KONFI | 4013364462922 | 1 | 1.701 | 1.081 | 62033210 | PL | 400 | 300 | 150 | MM |
| 2071 | 785340 | 3017098 | Arc-fault-tested protective trousers | "Indoor", APC 2, size: 46 (XS) | 05020302 | ST | 576.60 | EUR | 1 | APT ID 46 | 4013364451964 | 1 | 1.461 | 0.831 | 62034211 | PL | 400 | 300 | 150 | MM |
| 2072 | 785341 | 3017099 | Arc-fault-tested protective trousers | "Indoor", APC 2, size: 48 (S) | 05020302 | ST | 576.60 | EUR | 1 | APT ID 48 | 4013364451988 | 1 | 1.486 | 0.823 | 62034211 | PL | 400 | 300 | 150 | MM |
| 2073 | 785342 | 3017100 | Arc-fault-tested protective trousers | "Indoor", APC 2, size: 50 (M) | 05020302 | ST | 576.60 | EUR | 1 | APT ID 50 | 4013364451995 | 1 | 1.552 | 0.91 | 62034211 | PL | 400 | 300 | 150 | MM |
| 2074 | 785343 | 3017101 | Arc-fault-tested protective trousers | "Indoor", APC 2, size: 52 (M/L) | 05020302 | ST | 576.60 | EUR | 1 | APT ID 52 | 4013364452015 | 1 | 1.564 | 0.912 | 62034211 | PL | 400 | 300 | 150 | MM |
| 2075 | 785344 | 3017102 | Arc-fault-tested protective trousers | "Indoor", APC 2, size: 54 (L) | 05020302 | ST | 576.60 | EUR | 1 | APT ID 54 | 4013364452022 | 1 | 1.546 | 0.95 | 62034211 | PL | 400 | 300 | 150 | MM |
| 2076 | 785345 | 3017103 | Arc-fault-tested protective trousers | "Indoor", APC 2, size: 56 (XL) | 05020302 | ST | 576.60 | EUR | 1 | APT ID 56 | 4013364452039 | 1 | 1.664 | 0.955 | 62034211 | PL | 400 | 300 | 150 | MM |
| 2077 | 785346 | 3017104 | Arc-fault-tested protective trousers | "Indoor", APC 2, size: 58 (XL/2XL) | 05020302 | ST | 576.60 | EUR | 1 | APT ID 58 | 4013364452046 | 1 | 1.669 | 0.978 | 62034211 | PL | 400 | 300 | 150 | MM |
| 2078 | 785347 | 3017105 | Arc-fault-tested protective trousers | "Indoor", APC 2, size: 60 (2XL) | 05020302 | ST | 576.60 | EUR | 1 | APT ID 60 | 4013364452053 | 1 | 1.704 | 1.019 | 62034211 | PL | 400 | 300 | 150 | MM |
| 2079 | 785348 | 3017106 | Arc-fault-tested protective trousers | "Indoor", APC 2, size: 62 (3XL) | 05020302 | ST | 576.60 | EUR | 1 | APT ID 62 | 4013364452060 | 1 | 1.792 | 1.088 | 62034211 | PL | 400 | 300 | 150 | MM |
| 2080 | 785349 | 3017107 | Arc-fault-tested protective trousers | Indoor, APC 2, CONFIGURED | 05020312 | ST | Price on request | EUR | 1 | APT ID KONFI | 4013364462908 | 1 | 1.641 | 1.021 | 62034211 | PL | 400 | 300 | 150 | MM |
| 2081 | 785350 | 3017108 | Arc-fault-tested protective jacket | "Outdoor" - yellow, APC 2, size: 46 (XS) | 05020303 | ST | 929.70 | EUR | 1 | APJ OD YE 46 | 4013364452077 | 1 | 1.517 | 0.777 | 62033911 | PL | 400 | 300 | 150 | MM |
| 2082 | 785351 | 3017109 | Arc-fault-tested protective jacket | "Outdoor" - yellow, APC 2, size: 48 (S) | 05020303 | ST | 929.70 | EUR | 1 | APJ OD YE 48 | 4013364452084 | 1 | 1.553 | 0.811 | 62033911 | PL | 400 | 300 | 150 | MM |
| 2083 | 785352 | 3017110 | Arc-fault-tested protective jacket | "Outdoor" - yellow, APC 2, size: 50 (M) | 05020303 | ST | 929.70 | EUR | 1 | APJ OD YE 50 | 4013364452091 | 1 | 1.55 | 0.83 | 62033911 | PL | 400 | 300 | 150 | MM |
| 2084 | 785353 | 3017111 | Arc-fault-tested protective jacket | "Outdoor" - yellow, APC 2, size: 52 (M/L) | 05020303 | ST | 929.70 | EUR | 1 | APJ OD YE 52 | 4013364452107 | 1 | 1.571 | 0.815 | 62033911 | PL | 400 | 300 | 150 | MM |
| 2085 | 785354 | 3017112 | Arc-fault-tested protective jacket | "Outdoor" - yellow, APC 2, size: 54 (L) | 05020303 | ST | 929.70 | EUR | 1 | APJ OD YE 54 | 4013364452114 | 1 | 1.603 | 0.833 | 62033911 | PL | 400 | 300 | 150 | MM |
| 2086 | 785355 | 3017113 | Arc-fault-tested protective jacket | "Outdoor" - yellow, APC 2, size: 56 (XL) | 05020303 | ST | 929.70 | EUR | 1 | APJ OD YE 56 | 4013364452121 | 1 | 1.637 | 0.88 | 62033911 | PL | 400 | 300 | 150 | MM |
| 2087 | 785356 | 3017114 | Arc-fault-tested protective jacket | "Outdoor" - yellow, APC 2, size: 58 (XL/2XL) | 05020303 | ST | 929.70 | EUR | 1 | APJ OD YE 58 | 4013364452138 | 1 | 1.652 | 0.912 | 62033911 | PL | 400 | 300 | 150 | MM |
| 2088 | 785357 | 3017115 | Arc-fault-tested protective jacket | "Outdoor" - yellow, APC 2, size: 60 (2XL) | 05020303 | ST | 929.70 | EUR | 1 | APJ OD YE 60 | 4013364452145 | 1 | 1.67 | 0.932 | 62033911 | PL | 400 | 300 | 150 | MM |
| 2089 | 785358 | 3017116 | Arc-fault-tested protective jacket | "Outdoor" - yellow, APC 2, size: 62 (3XL) | 05020303 | ST | 929.70 | EUR | 1 | APJ OD YE 62 | 4013364452152 | 1 | 1.71 | 0.936 | 62033911 | PL | 400 | 300 | 150 | MM |
| 2090 | 785359 | 3017117 | Arc-fault-tested protective jacket | ""Outdoor"", APC 2, CONFIGURED | 05020313 | ST | Price on request | EUR | 1 | APJ OD KONFI | 4013364462939 | 1 | 1.49 | 0.87 | 62033912 | PL | 400 | 300 | 150 | mm |
| 2091 | 785360 | 3017118 | Arc-fault-tested protective trousers | "Outdoor" - yellow, APC 2, size: 46 (XS) | 05020304 | ST | 795.10 | EUR | 1 | APT OD YE 46 | 4013364452169 | 1 | 1.343 | 0.608 | 62034911 | PL | 400 | 300 | 150 | MM |
| 2092 | 785361 | 3017119 | Arc-fault-tested protective trousers | "Outdoor" - yellow, APC 2, size: 48 (S) | 05020304 | ST | 795.10 | EUR | 1 | APT OD YE 48 | 4013364452176 | 1 | 1.389 | 0.648 | 62034911 | PL | 400 | 300 | 150 | MM |
| 2093 | 785362 | 3017120 | Arc-fault-tested protective trousers | "Outdoor" - yellow, APC 2, size: 50 (M) | 05020304 | ST | 795.10 | EUR | 1 | APT OD YE 50 | 4013364452183 | 1 | 1.392 | 0.674 | 62034911 | PL | 400 | 300 | 150 | MM |
| 2094 | 785363 | 3017121 | Arc-fault-tested protective trousers | "Outdoor" - yellow, APC 2, size: 52 (M/L) | 05020304 | ST | 795.10 | EUR | 1 | APT OD YE 52 | 4013364452190 | 1 | 1.459 | 0.698 | 62034911 | PL | 400 | 300 | 150 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 2095 | 785364 | 3017122 | Arc-fault-tested protective trousers | "Outdoor" - yellow, APC 2, size: 54 (L) | 05020304 | ST | 795.10 | EUR | 1 | APT OD YE 54 | 4013364452206 | 1 | 1.456 | 0.735 | 62034911 | PL | 400 | 300 | 150 | MM |
| 2096 | 785365 | 3017123 | Arc-fault-tested protective trousers | "Outdoor" - yellow, APC 2, size: 56 (XL) | 05020304 | ST | 795.10 | EUR | 1 | APT OD YE 56 | 4013364452213 | 1 | 1.492 | 0.763 | 62034911 | PL | 400 | 300 | 150 | MM |
| 2097 | 785366 | 3017124 | Arc-fault-tested protective trousers | "Outdoor" - yellow, APC 2, size: 58 (XL/2XL) | 05020304 | ST | 795.10 | EUR | 1 | APT OD YE 58 | 4013364452220 | 1 | 1.507 | 0.76 | 62034911 | PL | 40 | 300 | 150 | MM |
| 2098 | 785367 | 3017125 | Arc-fault-tested protective trousers | "Outdoor" - yellow, APC 2, size: 60 (2XL) | 05020304 | ST | 795.10 | EUR | 1 | APT OD YE 60 | 4013364452237 | 1 | 1.531 | 0.775 | 62034911 | PL | 400 | 300 | 150 | MM |
| 2099 | 785368 | 3017126 | Arc-fault-tested protective trousers | "Outdoor" - yellow, APC 2, size: 62 (3XL) | 05020304 | ST | 795.10 | EUR | 1 | APT OD YE 62 | 4013364452244 | 1 | 1.589 | 0.866 | 62034911 | PL | 400 | 300 | 150 | MM |
| 2100 | 785369 | 3017127 | Arc-fault-tested protective trousers | ""Outdoor"", APC 2, CONFIGURED | 05020314 | ST | Price on request | EUR | 1 | APT OD KONFI | 4013364462915 | 1 | 1.37 | 0.75 | 62034911 | PL | 400 | 300 | 150 | mm |
| 2101 | 785370 | 3015336 | Elastic belt | Flame-resistant, length: 90 cm | 05020350 | ST | 31.60 | EUR | 1 | APA B 90 | 4013364456006 | 1 | 0.076 | 0.076 | 61178080 | DE | 172 | 100 | 30 | MM |
| 2102 | 785371 | 3015337 | Elastic belt | Flame-resistant, length: 100 cm | 05020350 | ST | 31.60 | EUR | 1 | APA B 100 | 4013364456037 | 1 | 0.08 | 0.08 | 61178080 | DE | 172 | 100 | 30 | MM |
| 2103 | 785372 | 3015339 | Elastic belt | Flame-resistant, length: 110 cm | 05020350 | ST | 31.60 | EUR | 1 | APA B 110 | 4013364456051 | 1 | 0.087 | 0.087 | 61178080 | DE | 172 | 100 | 30 | MM |
| 2104 | 785373 | 3015340 | Elastic belt | Flame-resistant, length: 120 cm | 05020350 | ST | 31.60 | EUR | 1 | APA B 120 | 4013364456075 | 1 | 0.092 | 0.092 | 61178080 | DE | 172 | 100 | 30 | MM |
| 2105 | 785374 | 3015342 | Elastic belt | Flame-resistant, length: 130 cm | 05020350 | ST | 31.60 | EUR | 1 | APA B 130 | 4013364456082 | 1 | 0.095 | 0.095 | 61178080 | DE | 172 | 100 | 30 | MM |
| 2106 | 785381 | 3015880 | Insulating gloves cl. 0, (box test 7kA) | f. live working up to 1000V AC, size 8 | 05010103 | PAA | 157.10 | EUR | 1 | CG-10/S2 A R 8 | 4013364461499 | 1 | 0.196 | 0.196 | 40151900 | FR | 550 | 295 | 25 | MM |
| 2107 | 785382 | 3015882 | Insulating gloves cl. 0, (box test 7kA) | f. live working up to 1000V AC, size 9 | 05010103 | PAA | 157.10 | EUR | 1 | CG-10/S2 B R 9 | 4013364461512 | 1 | 0.215 | 0.215 | 40151900 | FR | 550 | 295 | 25 | MM |
| 2108 | 785383 | 3015885 | Insulating gloves cl. 0, (box test 7kA) | f. live working up to 1000V AC, size 10 | 05010103 | PAA | 157.10 | EUR | 1 | CG-10/S2 C R 10 | 4013364461529 | 1 | 0.243 | 0.243 | 40151900 | FR | 550 | 295 | 25 | MM |
| 2109 | 785384 | 3015886 | Insulating gloves cl. 0, (box test 7kA) | f. live working up to 1000V AC, size 11 | 05010103 | PAA | 157.10 | EUR | 1 | CG-10/S2 D R 11 | 4013364461543 | 1 | 0.244 | 0.244 | 40151900 | FR | 550 | 295 | 25 | MM |
| 2110 | 785398 | 65163 | Extension for hand oiler | D 20mm L 500mm | 05010102 | ST | 303.70 | EUR | 1 | VL HOEL 20 500 | 4013364146532 | 1 | 0.156 | 0.156 | 82055980 | DE | 512 | 23 | 23 | MM |
| 2111 | 785399 | 65161 | Hand oiler f. sw. inst. Un up to 36kV | D 20mm L 1160mm insertion depth: 280mm | 05010102 | ST | 867.90 | EUR | 1 | HOEL 36 20 1100 | 4013364146525 | 1 | 0.757 | 0.757 | 82055980 | DE | 0 | 0 | 0 | MM |
| 2112 | 785442 | 67661 | Storage bag for | DEHNcare, ESH, APS and APG | 05050105 | ST | 64.20 | EUR | 1 | AT 50 30 | 4013364152847 | 1 | 0.28 | 0.28 | 42029291 | CN | 500 | 170 | 50 | MM |
| 2113 | 785443 | 67662 | Storage rucksack for complete | DEHNcare protective equipment | 05050105 | ST | 137.00 | EUR | 1 | ARS 65 40 | 4013364152854 | 1 | 0.583 | 0.55 | 42029291 | CN | 650 | 350 | 50 | MM |
| 2114 | 785455 | 40790 | Insulated rubber mat 3mmx1mx1m | for insulating standing surfaces -1000V | 05010105 | ST | 488.40 | EUR | 1 | IMG SI 1M NS | 4013364088337 | 1 | 3.6 | 3.6 | 40082190 | DE | 1015 | 80 | 80 | MM |
| 2115 | 785456 | 40791 | Insul. rubber mat W 1 m T 3 mm L ..-10m | for insulating standing surfaces -1000V | 05010105 | MM | 488.40 | EUR | 1000 | IMG SI ..M NS | 4013364086821 | 1 | 0.004 | 0.004 | 40082190 | DE | 0 | 0 | 0 | MM |
| 2116 | 785457 | 40677 | Insulated rubber mat 3mmx1mx10m | for insulating standing surfaces -1000V | 05010105 | ST | 4722.60 | EUR | 1 | IMG SI 10M NS | 4013364087880 | 1 | 56 | 56 | 40082190 | DE | 0 | 0 | 0 | MM |
| 2117 | 785458 | 50196 | Insulat. mat f. laying out in electrical | switch./test rooms W 1m/L -10m T 4.5mm | 05010105 | MM | 305.70 | EUR | 1000 | IMG SAN 1M ..M | 4013364115064 | 1 | 0.006 | 0.006 | 40082190 | DE | 0 | 0 | 0 | MM |
| 2118 | 785459 | 50195 | Insulat. mat f. laying out in electrical | switching and test rooms 1x10mx4.5mm | 05010105 | ST | 2262.00 | EUR | 1 | IMG SAN 1M 10M | 4013364115057 | 1 | 56 | 56 | 40082190 | DE | 1010 | 265 | 265 | MM |
| 2119 | 785465 | 40796 | Covering cloth W=1350mm L=50m f. low- | voltage switchgear installations -1000V | 05010105 | ST | 3628.70 | EUR | 1 | ATK 135 50M NS | 4013364088733 | 1 | 41.5 | 41.5 | 39204390 | DE | 1500 | 200 | 200 | MM |
| 2120 | 785466 | 40797 | Covering cloth W 1350mm L .. - 50m f. | low-voltage switchgear inst. -1000V | 05010105 | MM | 103.10 | EUR | 1000 | ATK 135 ..M NS | 4013364088030 | 1 | 0.001 | 0.001 | 39204390 | DE | 1500 | 200 | 200 | MM |
| 2121 | 785467 | 40798 | Covering cloth W=1200mm L=25m f. low- | voltage switchgear installations -1000V | 05010105 | ST | 3060.80 | EUR | 1 | ATK 120 25M NS | 4013364088740 | 1 | 38 | 38 | 39204390 | DE | 1500 | 200 | 200 | MM |
| 2122 | 785468 | 40799 | Covering cloth W 1200mm L .. - 25m f. | low-voltage switchgear inst. -1000V | 05010105 | MM | 127.10 | EUR | 1000 | ATK 120 ..M NS | 4013364088757 | 1 | 0.002 | 0.002 | 39204390 | DE | 1500 | 200 | 200 | MM |
| 2123 | 785471 | 40800 | Covering cloth W=1400mm L=10m for LV | switchgear install. -1000V EPDM-elastomer | 05010105 | ST | 3937.40 | EUR | 1 | ATN 140 10M NS | 4013364088764 | 1 | 20 | 20 | 39204390 | DE | 1400 | 120 | 120 | MM |
| 2124 | 785472 | 40802 | Covering cloth W 1400mm L .. -10m f. LV | switchgear inst. -1000V EPDM-elastomer | 05010105 | MM | 494.80 | EUR | 1000 | ATN 140 ..M NS | 4013364087057 | 1 | 0.002 | 0.002 | 39204390 | DE | 1400 | 120 | 120 | MM |
| 2125 | 785490 | 40828 | Storage bag for insulated gloves -1000V | | 05010103 | ST | 120.90 | EUR | 1 | AT IHS NS | 4013364086890 | 1 | 0.24 | 0.24 | 63053900 | DE | 400 | 180 | 50 | MM |
| 2126 | 785502 | 40727 | NS Dry cleaning set | for low-voltage systems -1000V | 05010101 | ST | 2696.60 | EUR | 1 | TRS NS | 4013364087347 | 1 | 7.2 | 7.2 | 82055980 | DE | 560 | 410 | 165 | MM |
| 2127 | 785506 | 38306 | Plastic case, empty w. supporting device | for NS dry cleaning set -1000V | 05010101 | ST | 919.90 | EUR | 1 | KKL TRS NS | 4013364081444 | 1 | 5.3 | 5.3 | 42021250 | DE | 560 | 410 | 170 | MM |
| 2128 | 785515 | 40713 | Intake tube adap. f brushes/clean. heads | D=40/25mmm for NS dry clean. set -1000V | 05010101 | ST | 80.90 | EUR | 1 | SRA NS | 4013364087361 | 1 | 0.068 | 0.068 | 82055980 | DE | 100 | 40 | 40 | MM |
| 2129 | 785520 | 40681 | Intake tube with handle D=40/L=380mm | for NS dry cleaning set -1000V | 05010101 | ST | 97.60 | EUR | 1 | SRH 400 NS | 4013364087378 | 1 | 0.24 | 0.24 | 85087000 | DE | 400 | 94 | 83 | MM |
| 2130 | 785521 | 40687 | Intake tube extension D=40/L=200mm | for NS dry cleaning set -1000V | 05010101 | ST | 30.80 | EUR | 1 | SRV 200 NS | 4013364087385 | 1 | 0.107 | 0.107 | 85087000 | DE | 200 | 40 | 40 | MM |
| 2131 | 785522 | 40685 | Intake tube extension D=40/L=300mm | for NS dry cleaning set -1000V | 05010101 | ST | 43.60 | EUR | 1 | SRV 300 NS | 4013364087408 | 1 | 0.157 | 0.157 | 85087000 | DE | 300 | 40 | 40 | MM |
| 2132 | 785523 | 40683 | Intake tube extension D=40/L=400mm | for NS dry cleaning set -1000V | 05010101 | ST | 48.80 | EUR | 1 | SRV 400 NS | 4013364087415 | 1 | 0.211 | 0.211 | 85087000 | DE | 400 | 40 | 40 | MM |
| 2133 | 785530 | 40689 | Intake tube adjustable angle D=40mm | for NS dry cleaning set -1000V | 05010101 | ST | 54.50 | EUR | 1 | SRW V NS | 4013364087422 | 1 | 0.118 | 0.118 | 82055980 | DE | 160 | 80 | 40 | MM |
| 2134 | 785540 | 40691 | Flat cleaning head D=40mm/W=55mm | for NS dry cleaning set -1000V | 05010101 | ST | 78.50 | EUR | 1 | FD 55 NS | 4013364087439 | 1 | 0.1 | 0.1 | 85087000 | DE | 400 | 40 | 40 | MM |
| 2135 | 785541 | 40695 | Flat cleaning head D=25mm/W=35mm | for NS dry cleaning set -1000V | 05010101 | ST | 58.30 | EUR | 1 | FD 35 NS | 4013364087446 | 1 | 0.041 | 0.041 | 85087000 | DE | 210 | 25 | 25 | MM |
| 2136 | 785542 | 40697 | Chamfered flat cleaning head D=25/W=35mm | for NS dry cleaning set -1000V | 05010101 | ST | 64.80 | EUR | 1 | FD 35 S NS | 4013364087453 | 1 | 0.042 | 0.042 | 85087000 | DE | 210 | 25 | 25 | MM |
| 2137 | 785543 | 40705 | Angled cross cleaning head D=25mm/W=35mm | for NS dry cleaning set -1000V | 05010101 | ST | 87.30 | EUR | 1 | QD 35 W NS | 4013364087460 | 1 | 0.043 | 0.043 | 85087000 | DE | 200 | 25 | 25 | MM |
| 2138 | 785550 | 40709 | Cylindrical tubular brush D=25/85mm | for NS dry cleaning set -1000V | 05010101 | ST | 246.90 | EUR | 1 | STB 85 Z NS | 4013364087477 | 1 | 0.104 | 0.104 | 96039099 | DE | 240 | 100 | 100 | MM |
| 2139 | 785551 | 48987 | Flat cleaning head W=35/L=200mm | for MS dry cleaning set -36kV | 05010101 | ST | 98.30 | EUR | 1 | FD 35 S MS | 4013364106468 | 1 | 0.034 | 0.034 | 85087000 | DE | 300 | 35 | 25 | MM |
| 2140 | 785552 | 48988 | Angled flat cleaning head with brush | W=35/L=250mm for MS dry clean. set -36kV | 05010101 | ST | 163.00 | EUR | 1 | FD 35 W P MS | 4013364106543 | 1 | 0.047 | 0.047 | 85087000 | DE | 250 | 35 | 25 | MM |
| 2141 | 785555 | 40711 | Conical tubular brush D=25/85mm | for NS dry cleaning set -1000V | 05010101 | ST | 248.20 | EUR | 1 | STB 85 K NS | 4013364087484 | 1 | 0.1 | 0.1 | 96039099 | DE | 240 | 100 | 100 | MM |
| 2142 | 785560 | 40703 | Round cleaning head with scraper D=25mm | W=50m for NS dry cleaning set -1000V | 05010101 | ST | 98.80 | EUR | 1 | RD 25 S NS | 4013364087491 | 1 | 0.052 | 0.052 | 85087000 | DE | 245 | 30 | 25 | MM |
| 2143 | 785570 | 40707 | Round cleaning head with brush D=25mm | for NS dry cleaning set -1000V | 05010101 | ST | 130.90 | EUR | 1 | RD 25 P NS | 4013364087507 | 1 | 0.047 | 0.047 | 85087000 | DE | 230 | 25 | 25 | MM |
| 2144 | 785580 | 48984 | Cleaning brush for set parts D=40mm | for NS dry cleaning set -1000V | 05010101 | ST | 103.30 | EUR | 1 | RB 40 NS | 4013364106574 | 1 | 0.048 | 0.048 | 96039099 | DE | 485 | 50 | 50 | MM |
| 2145 | 785585 | 48983 | Cleaning brush for set parts D=20mm | for NS dry cleaning set -1000V | 05010101 | ST | 103.30 | EUR | 1 | RB 20 NS | 4013364106567 | 1 | 0.021 | 0.021 | 96039099 | DE | 485 | 25 | 25 | MM |
| 2146 | 785590 | 40699 | Flat cleaning head w. brush D=25/W=35mm | for NS dry cleaning set -1000V | 05010101 | ST | 103.30 | EUR | 1 | FD 35 P NS | 4013364087538 | 1 | 0.05 | 0.05 | 85087000 | DE | 235 | 25 | 25 | MM |
| 2147 | 785591 | 40701 | Angled flat cleaning head with brush | D=25/W=35mm for NS dry clean. set -1000V | 05010101 | ST | 129.70 | EUR | 1 | FD 35 W P NS | 4013364087545 | 1 | 0.047 | 0.047 | 85087000 | DE | 245 | 25 | 25 | MM |
| 2148 | 785592 | 40723 | Flat cleaning head with brush | D=25/W=35mm for NS dry clean. set -1000V | 05010101 | ST | 156.80 | EUR | 1 | FWD 35 P NS | 4013364087552 | 1 | 0.05 | 0.05 | 85087000 | DE | 200 | 50 | 25 | MM |
| 2149 | 785595 | 3016815 | Spare brush for cleaning nozzles 25mm | for NS dry cleaning set -1000V | 05010101 | PAK | 58.30 | EUR | 1 | EP 25 K NS | 4013364087569 | 1 | 0.015 | 0.015 | 96039099 | DE | 50 | 50 | 20 | MM |
| 2150 | 785596 | 3016816 | Spare brush for cleaning nozzles 40mm | for NS dry cleaning set -1000V | 05010101 | PAK | 58.30 | EUR | 1 | EP 25 L NS | 4013364087576 | 1 | 0.018 | 0.018 | 96039099 | DE | 70 | 50 | 20 | MM |
| 2151 | 785637 | 46849 | Locking element for DIN rail mounted | devices H 45mm 3 modules | 05000201 | ST | 29.90 | EUR | 1 | SE REG 3TE | 4013364100701 | 10 | 0.014 | 0.014 | 39269097 | DE | 52 | 51 | 45 | MM |
| 2152 | 785638 | 40916 | Locking element for DIN rail mounted | devices, H=45mm, 1 module | 05000201 | ST | 18.70 | EUR | 1 | SE REG 1TE | 4013364086920 | 10 | 0.006 | 0.006 | 39269097 | DE | 52 | 45 | 17 | MM |
| 2153 | 785639 | 40693 | Locking element for E14 screw insert | | 05000201 | ST | 44.90 | EUR | 1 | SE E14 | 4013364087019 | 10 | 0.015 | 0.015 | 39269097 | DE | 40 | 20 | 20 | MM |
| 2154 | 785640 | 40840 | Locking element for E27/E33 screw insert | | 05000201 | ST | 55.90 | EUR | 1 | SE E27 E33 | 4013364087026 | 10 | 0.055 | 0.055 | 39269097 | DE | 55 | 45 | 45 | MM |
| 2155 | 785641 | 40841 | Locking element for NH fuse | holders, size: 00 | 05000201 | ST | 70.60 | EUR | 1 | SE NH00 | 4013364087897 | 10 | 0.067 | 0.055 | 39269097 | DE | 80 | 60 | 30 | MM |
| 2156 | 785642 | 40842 | Locking element for NH fuse | holders, size: 0 | 05000201 | ST | 70.60 | EUR | 1 | SE NH0 | 4013364087903 | 10 | 0.087 | 0.075 | 39269097 | DE | 125 | 60 | 30 | MM |
| 2157 | 785643 | 40843 | Locking element for NH fuse | holders, size: 1 | 05000201 | ST | 70.60 | EUR | 1 | SE NH1 | 4013364087910 | 10 | 0.092 | 0.08 | 39269097 | DE | 135 | 60 | 30 | MM |
| 2158 | 785644 | 40844 | Locking element for NH fuse | holders, size: 2-3 | 05000201 | ST | 70.60 | EUR | 1 | SE NH2 3 | 4013364087927 | 10 | 0.092 | 0.08 | 39269097 | DE | 150 | 60 | 30 | MM |
| 2159 | 785645 | 40762 | NH fuse puller 00-3 for live | working -1000V with protective sleeve | 05010103 | ST | 221.00 | EUR | 1 | NHS AG 00 3 NS | 4013364086869 | 1 | 0.42 | 0.42 | 85363090 | DE | 480 | 290 | 100 | MM |
| 2160 | 785646 | 40803 | Wrapping tape W=200mm, L=2500mm for | NH insulaters -1000V, EPDM-elastomer | 05010105 | ST | 199.40 | EUR | 1 | WBN 200 2,5M NS | 4013364089174 | 1 | 0.76 | 0.76 | 39204310 | DE | 200 | 80 | 80 | MM |
| 2161 | 785647 | 40804 | Clip for clamping range up to 35mm | for fixing the covering cloths -1000V | 05010105 | ST | 48.80 | EUR | 1 | KK 35 NS | 4013364087040 | 1 | 0.073 | 0.073 | 39172110 | DE | 170 | 110 | 40 | MM |
| 2162 | 785648 | 40805 | Hook D=8mm, dimensions: 130/72mm | for fixing the covering cloths -1000V | 05010105 | ST | 15.50 | EUR | 1 | HK 8 NS | 4013364088047 | 1 | 0.019 | 0.019 | 39172110 | DE | 126 | 72 | 8 | MM |
| 2163 | 785649 | 40806 | Ring made of plastic, hole 12mm | for attaching to covering cloths -1000V | 05010105 | ST | 4.60 | EUR | 1 | OEK 12 NS | 4013364088054 | 1 | 0.002 | 0.002 | 39172110 | DE | 26 | 26 | 8 | MM |
| 2164 | 785650 | 48979 | Insulating plug for E18 screw insert | | 05000201 | ST | 47.70 | EUR | 1 | SE E18 | 4013364106536 | 10 | 0.022 | 0.022 | 39269097 | DE | 40 | 25 | 25 | MM |
| 2165 | 785652 | 50153 | Locking element for DIN rail mounted | device H=45mm 2 modules | 05000201 | ST | 23.90 | EUR | 1 | SE REG 2TE | 4013364111479 | 10 | 0.009 | 0.009 | 39269097 | DE | 52 | 45 | 34 | MM |
| 2166 | 785705 | 3009706 | Safety helmet for electricians | yellow size 52-61 cm | 05020401 | ST | 48.80 | EUR | 1 | ESH U 1000 S SY | 4013364341449 | 1 | 0.4 | 0.4 | 65061010 | DE | 300 | 225 | 190 | MM |
| 2167 | 785706 | 3009707 | Safety helmet for electricians | white size 52-61 cm | 05020401 | ST | 48.80 | EUR | 1 | ESH U 1000 S SW | 4013364341456 | 1 | 0.4 | 0.4 | 65061010 | DE | 300 | 225 | 190 | MM |
| 2168 | 785707 | 3009708 | Safety helmet for electricians | orange size 52-61 cm | 05020401 | ST | 48.80 | EUR | 1 | ESH U 1000 S SO | 4013364341487 | 1 | 0.4 | 0.4 | 65061010 | DE | 300 | 225 | 190 | MM |
| 2169 | 785708 | 3009709 | Safety helmet for electricians | blue size 52-61 cm | 05020401 | ST | 48.80 | EUR | 1 | ESH U 1000 S SB | 4013364341463 | 1 | 0.4 | 0.4 | 65061010 | DE | 300 | 225 | 190 | MM |
| 2170 | 785709 | 3009710 | Safety helmet for electricians | red size 52-61 cm | 05020401 | ST | 48.80 | EUR | 1 | ESH U 1000 S SR | 4013364341470 | 1 | 0.4 | 0.4 | 65061010 | DE | 300 | 225 | 190 | MM |
| 2171 | 785721 | 3010593 | Arc-fault-tested face shield | class 1, w. mechanical lever arms | 05020503 | ST | 187.70 | EUR | 1 | APS CL1 MEHA | 4013364360198 | 1 | 0.192 | 0.182 | 39269060 | DE | 240 | 160 | 80 | MM |
| 2172 | 785722 | 3010594 | Arc-fault-tested face shield | class 2, with magnetic lever arms | 05020503 | ST | 314.80 | EUR | 1 | APS CL2 MAHA | 4013364360242 | 1 | 0.294 | 0.294 | 39269060 | CZ | 260 | 240 | 190 | MM |
| 2173 | 785723 | 3010595 | LED head torch f. safety helmet ESH U | 4 switch. stages, class of prot. IP67 | 05020450 | ST | 471.60 | EUR | 1 | LED HL ESH | 4013364360266 | 1 | 0.323 | 0.148 | 85318070 | CN | 165 | 111 | 60 | MM |
| 2174 | 785724 | 3010596 | Microfibre bag | for face shields | 05020550 | ST | 27.10 | EUR | 1 | MFB APS | 4013364360310 | 1 | 0.052 | 0.052 | 63079010 | CN | 200 | 110 | 40 | MM |
| 2175 | 785738 | 3007800 | Chin strap f. safety helmet | packed, PU 1 pc. | 05020450 | ST | 20.70 | EUR | 1 | KR ESH U 1000 | 4013364274716 | 1 | 0.039 | 0.039 | 65070000 | DE | 380 | 120 | 20 | MM |
| 2176 | 785739 | 3007820 | Sweat band replacement f. | safety helment ESH U 1000 | 05020450 | ST | 9.90 | EUR | 1 | SB ESH U 1000 | 4013364274723 | 10 | 0.006 | 0.005 | 65070000 | DE | 530 | 130 | 20 | MM |
| 2177 | 785746 | 62346 | Arc-fault-tested face shield | with clip and chin protector | 05020501 | ST | 265.80 | EUR | 1 | APS CL2 SC | 4013364138414 | 1 | 0.379 | 0.369 | 39269060 | US | 320 | 270 | 210 | MM |
| 2178 | 785747 | 62347 | Arc-fault-tested face shield | with clip and chin protector | 05020501 | ST | 299.30 | EUR | 1 | APS 12C SC | 4013364138421 | 1 | 0.379 | 0.369 | 39269060 | US | 320 | 270 | 210 | MM |
| 2179 | 785748 | 62348 | Arc-fault-tested face shield | with strap and chin protector | 05020501 | ST | 276.10 | EUR | 1 | APS CL2 FS | 4013364138438 | 1 | 0.393 | 0.383 | 39269060 | US | 320 | 270 | 210 | MM |
| 2180 | 785749 | 62349 | Arc-fault-tested face shield | with strap and chin protector | 05020501 | ST | 326.10 | EUR | 1 | APS 12C FS | 4013364138445 | 1 | 0.393 | 0.383 | 39269060 | US | 320 | 270 | 210 | MM |
| 2181 | 785753 | 3002683 | Face shield bracket w. clip f. arc-fault | tested safety helmet APS... | 05020550 | ST | 56.50 | EUR | 1 | VH SC APS | 4013364245143 | 1 | 0.093 | 0.083 | 39269097 | US | 370 | 240 | 62 | MM |
| 2182 | 785755 | 3013146 | Arc-fault-tested protective coat | size 48/50(M) | 05020203 | ST | 1677.90 | EUR | 1 | APC 48 50 | 4013364152861 | 1 | 3.366 | 2.624 | 42031000 | HU | 530 | 340 | 220 | MM |
| 2183 | 785756 | 3013147 | Arc-fault-tested protective coat | size 52/54(L) | 05020203 | ST | 1677.90 | EUR | 1 | APC 52 54 | 4013364152878 | 1 | 3.479 | 2.734 | 42031000 | HU | 530 | 340 | 200 | MM |
| 2184 | 785757 | 3013148 | Arc-fault-tested protective coat | size 56/58(XL) | 05020203 | ST | 1677.90 | EUR | 1 | APC 56 58 | 4013364152885 | 1 | 3.568 | 2.828 | 42031000 | HU | 530 | 340 | 200 | MM |
| 2185 | 785758 | 3013149 | Arc-fault-tested protective coat | size 60/62(XXL) | 05020203 | ST | 1677.90 | EUR | 1 | APC 60 62 | 4013364245150 | 1 | 3.879 | 3.208 | 42031000 | HU | 530 | 340 | 200 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 2186 | 785759 | 3013150 | Arc-fault-tested protective coat | size 64/66(3XL) | 05020203 | ST | 1879.20 | EUR | 1 | APC 64 66 | 4013364329362 | 1 | 4.077 | 3.28 | 42031000 | HU | 530 | 340 | 220 | MM |
| 2187 | 785760 | 3009500 | Arc-fault-tested protective hood | DEHNcare APHO | 05020204 | ST | 931.00 | EUR | 1 | APHO | 4013364336384 | 1 | 1.34 | 0.8 | 65061080 | HU | 450 | 300 | 250 | MM |
| 2188 | 785761 | 3013612 | Arc-fault-tested face shield with | clip and transparent chin protector | 05020502 | ST | 331.40 | EUR | 1 | APS T CL2 SC | 4013364274198 | 1 | 0.44 | 0.4 | 39269060 | US | 305 | 285 | 200 | MM |
| 2189 | 785762 | 3013613 | Arc-fault-tested face shield with | clip and transparent chin protector | 05020502 | ST | 366.70 | EUR | 1 | APS T 12C SC | 4013364274211 | 1 | 0.415 | 0.375 | 39269060 | US | 305 | 285 | 200 | MM |
| 2190 | 785763 | 3013614 | Arc-fault-tested face shield with | clip and transparent chin protector | 05020502 | ST | 423.70 | EUR | 1 | APS T 20C SC | 4013364274228 | 1 | 0.42 | 0.38 | 39269060 | US | 305 | 285 | 200 | MM |
| 2191 | 785764 | 3013615 | Arc-fault-tested face shield with | strap and transparent chin protector | 05020502 | ST | 346.70 | EUR | 1 | APS T CL2 FS | 4013364274235 | 1 | 0.455 | 0.415 | 39269060 | US | 300 | 285 | 200 | MM |
| 2192 | 785765 | 3013625 | Arc-fault-tested face shield with | strap and transparent chin protector | 05020502 | ST | 380.30 | EUR | 1 | APS T 12C FS | 4013364274242 | 1 | 0.435 | 0.395 | 39269060 | US | 300 | 285 | 200 | MM |
| 2193 | 785766 | 3013626 | Arc-fault-tested face shield with | strap and transparent chin protector | 05020502 | ST | 450.20 | EUR | 1 | APS T 20C FS | 4013364274259 | 1 | 0.585 | 0.585 | 39269060 | US | 300 | 285 | 200 | MM |
| 2194 | 785769 | 3013151 | Arc-fault-tested protective jacket | size 46(XS) | 05020201 | ST | 1120.50 | EUR | 1 | APJ 46 | 4013364152007 | 1 | 2.598 | 1.858 | 42031000 | HU | 530 | 240 | 210 | MM |
| 2195 | 785770 | 3013152 | Arc-fault-tested protective jacket | size 48(S) | 05020201 | ST | 1120.50 | EUR | 1 | APJ 48 | 4013364149458 | 1 | 2.564 | 1.861 | 42031000 | HU | 530 | 340 | 200 | MM |
| 2196 | 785771 | 3013153 | Arc-fault-tested protective jacket | size 50(M) | 05020201 | ST | 1120.50 | EUR | 1 | APJ 50 | 4013364149465 | 1 | 2.504 | 1.734 | 42031000 | HU | 530 | 240 | 210 | MM |
| 2197 | 785772 | 3013154 | Arc-fault-tested protective jacket | size 52(L) | 05020201 | ST | 1120.50 | EUR | 1 | APJ 52 | 4013364149472 | 1 | 2.618 | 1.847 | 42031000 | HU | 530 | 340 | 200 | MM |
| 2198 | 785773 | 3013155 | Arc-fault-tested protective jacket | size 54(XL) | 05020201 | ST | 1120.50 | EUR | 1 | APJ 54 | 4013364149489 | 1 | 2.67 | 1.901 | 42031000 | HU | 530 | 340 | 200 | MM |
| 2199 | 785774 | 3013156 | Arc-fault-tested protective jacket | size 56(XXL) | 05020201 | ST | 1120.50 | EUR | 1 | APJ 56 | 4013364149502 | 1 | 2.851 | 2.157 | 42031000 | HU | 530 | 340 | 200 | MM |
| 2200 | 785775 | 3013157 | Arc-fault-tested protective jacket | size 58(3XL) | 05020201 | ST | 1120.50 | EUR | 1 | APJ 58 | 4013364149519 | 1 | 2.78 | 2.006 | 42031000 | HU | 530 | 340 | 200 | MM |
| 2201 | 785779 | 3013158 | Arc-fault-tested protec.trousers size 46(XS) | pair of braces/knee pads incl., unisex | 05020202 | ST | 882.80 | EUR | 1 | APT 46 | 4013364151994 | 1 | 2.036 | 1.402 | 42031000 | HU | 455 | 290 | 130 | MM |
| 2202 | 785780 | 3013159 | Arc-fault-tested protec.trousers | size 48(S)pair of braces/knee pads incl. | 05020202 | ST | 882.80 | EUR | 1 | APT 48 | 4013364149526 | 1 | 2.038 | 1.457 | 42031000 | HU | 460 | 290 | 120 | MM |
| 2203 | 785781 | 3013160 | Arc-fault-tested protec.trousers size 50(M) | pair of braces/knee pads incl., unisex | 05020202 | ST | 882.80 | EUR | 1 | APT 50 | 4013364149533 | 1 | 2.096 | 1.528 | 42031000 | HU | 460 | 290 | 120 | MM |
| 2204 | 785782 | 3013161 | Arc-fault-tested protec.trousers size 52(L) | pair of braces/knee pads incl. | 05020202 | ST | 882.80 | EUR | 1 | APT 52 | 4013364149540 | 1 | 2.055 | 1.529 | 42031000 | HU | 460 | 290 | 120 | MM |
| 2205 | 785783 | 3013162 | Arc-fault-tested protec.trousers | size 54(XL)pair of braces/knee pads incl. | 05020202 | ST | 882.80 | EUR | 1 | APT 54 | 4013364149557 | 1 | 2.261 | 1.654 | 42031000 | HU | 460 | 290 | 120 | MM |
| 2206 | 785784 | 3013163 | Arc-fault-tested protec.trousers | size56(XXL)pair of braces/knee pads incl. | 05020202 | ST | 882.80 | EUR | 1 | APT 56 | 4013364149564 | 1 | 2.329 | 1.729 | 42031000 | HU | 460 | 290 | 120 | MM |
| 2207 | 785785 | 3013164 | Arc-fault-tested protec.trousers | size58(3XL)pair of braces/knee pads incl. | 05020202 | ST | 882.80 | EUR | 1 | APT 58 | 4013364149571 | 1 | 2.387 | 1.833 | 42031000 | HU | 460 | 290 | 120 | MM |
| 2208 | 785788 | 66754 | Pair of braces for arc-fault-tested | protective trousers | 05020202 | ST | 56.20 | EUR | 1 | APA B | 4013364149588 | 1 | 0.112 | 0.112 | 62129000 | HU | 180 | 85 | 25 | MM |
| 2209 | 785789 | 66755 | Pair of knee pads for arc-fault-tested | protective trousers | 05020202 | PAA | 19.20 | EUR | 1 | APA KP | 4013364149595 | 1 | 0.07 | 0.07 | 39211310 | HU | 230 | 150 | 25 | MM |
| 2210 | 785796 | 3014006 | Arc-fault-tested protective gloves, | size 8, unisex | 05020101 | PAA | 132.40 | EUR | 1 | APG 8 | 4013364124912 | 1 | 0.31 | 0.31 | 42032910 | HU | 440 | 170 | 40 | MM |
| 2211 | 785797 | 3014007 | Arc-fault-tested protective gloves, | size 9, unisex | 05020101 | PAA | 132.40 | EUR | 1 | APG 9 | 4013364124936 | 1 | 0.33 | 0.33 | 42032910 | HU | 440 | 170 | 40 | MM |
| 2212 | 785798 | 3014008 | Arc-fault-tested protective gloves, | size 10, unisex | 05020101 | PAA | 132.40 | EUR | 1 | APG 10 | 4013364124943 | 1 | 0.317 | 0.317 | 42032910 | HU | 440 | 170 | 40 | MM |
| 2213 | 785799 | 3014009 | Arc-fault-tested protective gloves, | size 11, unisex | 05020101 | PAA | 132.40 | EUR | 1 | APG 11 | 4013364124950 | 1 | 0.337 | 0.337 | 42032910 | HU | 440 | 170 | 40 | MM |
| 2214 | 785800 | 3014010 | Arc-fault-tested protective gloves, | size 12, unisex | 05020101 | PAA | 132.40 | EUR | 1 | APG 12 | 4013364131019 | 1 | 0.34 | 0.34 | 42032910 | HU | 440 | 170 | 40 | MM |
| 2215 | 785808 | 3014011 | Arc-fault-tested protective gloves | with long gauntlet, size 8, unisex | 05020102 | PAA | 173.70 | EUR | 1 | APG 8 L | 4013364242265 | 1 | 0.26 | 0.25 | 42032910 | HU | 420 | 200 | 40 | MM |
| 2216 | 785809 | 3014012 | Arc-fault-tested protective gloves | with long gauntlet, size 9, unisex | 05020102 | PAA | 173.70 | EUR | 1 | APG 9 L | 4013364242296 | 1 | 0.28 | 0.27 | 42032910 | HU | 430 | 200 | 40 | MM |
| 2217 | 785810 | 3014013 | Arc-fault-tested protective gloves | with long gauntlet, size 10, unisex | 05020102 | PAA | 173.70 | EUR | 1 | APG 10 L | 4013364242302 | 1 | 0.451 | 0.451 | 42032910 | HU | 500 | 240 | 50 | MM |
| 2218 | 785811 | 3014014 | Arc-fault-tested protective gloves | with long gauntlet, size 11, unisex | 05020102 | PAA | 173.70 | EUR | 1 | APG 11 L | 4013364242319 | 1 | 0.452 | 0.452 | 42032910 | HU | 500 | 240 | 50 | MM |
| 2219 | 785812 | 3014015 | Arc-fault-tested protective gloves | with long gauntlet, size 12, unisex | 05020102 | PAA | 173.70 | EUR | 1 | APG 12 L | 4013364242326 | 1 | 0.463 | 0.463 | 42032910 | HU | 500 | 240 | 50 | MM |
| 2220 | 785820 | 3013188 | Visor holder with clip | | 05020550 | ST | 75.30 | EUR | 1 | VH SC APS T AS | 4013364433182 | 1 | 0.083 | 0.083 | 39269097 | US | 280 | 170 | 70 | MM |
| 2221 | 785821 | 3013182 | Arc-fault-tested face shield | with clip, class 2 | 05020504 | ST | 353.80 | EUR | 1 | APS T AS CL2 SC | 4013364426979 | 1 | 0.545 | 0.325 | 39269060 | US | 305 | 285 | 200 | MM |
| 2222 | 785822 | 3013184 | Arc-fault-tested face shield with | clip, class 2/ATPV: 14 cal/cm² | 05020504 | ST | 389.20 | EUR | 1 | APS T AS 14C SC | 4013364426993 | 1 | 0.549 | 0.327 | 39269060 | US | 305 | 285 | 200 | MM |
| 2223 | 785823 | 3013186 | Arc-fault-tested face shield with | clip, class 2/ATPV: 25 cal/cm² | 05020504 | ST | 447.70 | EUR | 1 | APS T AS 25C SC | 4013364427013 | 1 | 0.546 | 0.329 | 39269060 | US | 305 | 285 | 200 | MM |
| 2224 | 785824 | 3013183 | Arc-fault-tested face shield | with strap, class 2 | 05020504 | ST | 367.70 | EUR | 1 | APS T AS CL2 FS | 4013364426986 | 1 | 0.569 | 0.35 | 39269060 | US | 305 | 285 | 200 | MM |
| 2225 | 785825 | 3013185 | Arc-fault-tested face shield with | strap, class 2/ATPV: 14 cal/cm² | 05020504 | ST | 402.00 | EUR | 1 | APS T AS 14C FS | 4013364427006 | 1 | 0.574 | 0.348 | 39269060 | US | 305 | 285 | 200 | MM |
| 2226 | 785826 | 3013187 | Arc-fault-tested face shield with | strap, class 2/ATPV: 25 cal/cm² | 05020504 | ST | 473.20 | EUR | 1 | APS T AS 25C FS | 4013364427020 | 1 | 0.559 | 0.352 | 39269060 | US | 305 | 285 | 200 | MM |
| 2227 | 785827 | 3013189 | Visor holder with strap | | 05020550 | ST | 75.30 | EUR | 1 | VH FS APS T AS | 4013364433199 | 1 | 0.103 | 0.103 | 39269097 | US | 280 | 210 | 70 | MM |
| 2228 | 785828 | 3016834 | Spare part set for VH SC ... visor | holder | 05020550 | PAK | 70.40 | EUR | 1 | R KIT APS ... SC | 4013364459953 | 1 | 0.027 | 0.023 | 39269097 | US | 0 | 0 | 0 | MM |
| 2229 | 785829 | 3015752 | LED lamp for APS T AS ... | face shields | 05020550 | ST | 170.40 | EUR | 1 | LED APS T AS | 4013364459113 | 1 | 0.046 | 0.041 | 85131000 | US | 210 | 110 | 30 | MM |
| 2230 | 785830 | 3018601 | Arc-fault-tested protective gloves | APC 2_150 / normal, size: 7 | 05020107 | PAA | 181.70 | EUR | 1 | APG XT 7 APC 2 150 | 4013364486157 | 1 | 0.372 | 0.207 | 42032910 | HU | 430 | 180 | 40 | MM |
| 2231 | 785831 | 3018609 | Arc-fault-tested protective gloves | APC 2_150 / normal, size: 8 | 05020107 | PAA | 181.70 | EUR | 1 | APG XT 8 APC 2 150 | 4013364486164 | 1 | 0.376 | 0.21 | 42032910 | HU | 430 | 180 | 40 | MM |
| 2232 | 785832 | 3018611 | Arc-fault-tested protective gloves | APC 2_150 / normal, size: 9 | 05020107 | PAA | 181.70 | EUR | 1 | APG XT 9 APC 2 150 | 4013364486171 | 1 | 0.401 | 0.244 | 42032910 | HU | 430 | 180 | 40 | MM |
| 2233 | 785833 | 3018613 | Arc-fault-tested protective gloves | APC 2_150 / normal, size: 10 | 05020107 | PAA | 181.70 | EUR | 1 | APG XT 10 APC 2 150 | 4013364486188 | 1 | 0.423 | 0.266 | 42032910 | HU | 430 | 180 | 40 | MM |
| 2234 | 785834 | 3018615 | Arc-fault-tested protective gloves | APC 2_150 / normal, size: 11 | 05020107 | PAA | 181.70 | EUR | 1 | APG XT 11 APC 2 150 | 4013364486195 | 1 | 0.434 | 0.272 | 42032910 | HU | 430 | 180 | 40 | MM |
| 2235 | 785835 | 3018617 | Arc-fault-tested protective gloves | APC 2_150 / normal, size: 12 | 05020107 | PAA | 181.70 | EUR | 1 | APG XT 12 APC 2 150 | 4013364486201 | 1 | 0.445 | 0.29 | 42032910 | HU | 430 | 180 | 40 | MM |
| 2236 | 785836 | 3018619 | Arc-fault-tested protective gloves | APC 2_150 / normal, size: 13 | 05020107 | PAA | 181.70 | EUR | 1 | APG XT 13 APC 2 150 | 4013364486218 | 1 | 0.463 | 0.305 | 42032910 | HU | 430 | 180 | 40 | MM |
| 2237 | 785840 | 3018621 | Arc-fault-tested protective gloves | APC 2_150 / long, size: 7 | 05020108 | PAA | 207.40 | EUR | 1 | APG XT 7 L APC 2 150 | 4013364486232 | 1 | 0.473 | 0.3 | 42032910 | HU | 490 | 250 | 40 | MM |
| 2238 | 785841 | 3018625 | Arc-fault-tested protective gloves | APC 2_150 / long, size: 8 | 05020108 | PAA | 207.40 | EUR | 1 | APG XT 8 L APC 2 150 | 4013364486249 | 1 | 0.477 | 0.305 | 42032910 | HU | 490 | 250 | 40 | MM |
| 2239 | 785842 | 3018627 | Arc-fault-tested protective gloves | APC 2_150 / long, size: 9 | 05020108 | PAA | 207.40 | EUR | 1 | APG XT 9 L APC 2 150 | 4013364486256 | 1 | 0.501 | 0.326 | 42032910 | HU | 490 | 250 | 40 | MM |
| 2240 | 785843 | 3018629 | Arc-fault-tested protective gloves | APC 2_150 / long, size: 10 | 05020108 | PAA | 207.40 | EUR | 1 | APG XT 10 L APC 2 150 | 4013364486263 | 1 | 0.536 | 0.369 | 42032910 | HU | 490 | 250 | 40 | MM |
| 2241 | 785844 | 3018641 | Arc-fault-tested protective gloves | APC 2_150 / long, size: 11 | 05020108 | PAA | 207.40 | EUR | 1 | APG XT 11 L APC 2 150 | 4013364486270 | 1 | 0.536 | 0.369 | 42032910 | HU | 490 | 250 | 40 | MM |
| 2242 | 785845 | 3018644 | Arc-fault-tested protective gloves | APC 2_150 / long, size: 12 | 05020108 | PAA | 207.40 | EUR | 1 | APG XT 12 L APC 2 150 | 4013364486287 | 1 | 0.551 | 0.392 | 42032910 | HU | 500 | 250 | 40 | MM |
| 2243 | 785846 | 3018646 | Arc-fault-tested protective gloves | APC 2_150 / long, size: 13 | 05020108 | PAA | 207.40 | EUR | 1 | APG XT 13 L APC 2 150 | 4013364486294 | 1 | 0.566 | 0.405 | 42032910 | HU | 490 | 250 | 40 | MM |
| 2244 | 785850 | 3018648 | Arc-fault-tested protective gloves | APC 1_150 / normal, size: 7 | 05020105 | PAA | 143.60 | EUR | 1 | APG XT 7 APC 1 150 | 4013364486300 | 1 | 0.28 | 0.27 | 42032910 | HU | 0 | 0 | 0 | MM |
| 2245 | 785851 | 3018650 | Arc-fault-tested protective gloves | APC 1_150 / normal, size: 8 | 05020105 | PAA | 143.60 | EUR | 1 | APG XT 8 APC 1 150 | 4013364486317 | 1 | 0.28 | 0.27 | 42032910 | HU | 0 | 0 | 0 | MM |
| 2246 | 785852 | 3018652 | Arc-fault-tested protective gloves | APC 1_150 / normal, size: 9 | 05020105 | PAA | 143.60 | EUR | 1 | APG XT 9 APC 1 150 | 4013364486324 | 1 | 0.28 | 0.27 | 42032910 | HU | 0 | 0 | 0 | MM |
| 2247 | 785853 | 3018654 | Arc-fault-tested protective gloves | APC 1_150 / normal, size: 10 | 05020105 | PAA | 143.60 | EUR | 1 | APG XT 10 APC 1 150 | 4013364486331 | 1 | 0.28 | 0.27 | 42032910 | HU | 0 | 0 | 0 | MM |
| 2248 | 785854 | 3018656 | Arc-fault-tested protective gloves | APC 1_150 / normal, size: 11 | 05020105 | PAA | 143.60 | EUR | 1 | APG XT 11 APC 1 150 | 4013364486348 | 1 | 0.28 | 0.27 | 42032910 | HU | 0 | 0 | 0 | MM |
| 2249 | 785855 | 3018658 | Arc-fault-tested protective gloves | APC 1_150 / normal, size: 12 | 05020105 | PAA | 143.60 | EUR | 1 | APG XT 12 APC 1 150 | 4013364486355 | 1 | 0.28 | 0.27 | 42032910 | HU | 0 | 0 | 0 | MM |
| 2250 | 785856 | 3018660 | Arc-fault-tested protective gloves | APC 1_150 / normal, size: 13 | 05020105 | PAA | 143.60 | EUR | 1 | APG XT 13 APC 1 150 | 4013364486362 | 1 | 0.28 | 0.27 | 42032910 | HU | 0 | 0 | 0 | MM |
| 2251 | 785860 | 3018662 | Arc-fault-tested protective gloves | APC 1_150 / long, size: 7 | 05020106 | PAA | 173.70 | EUR | 1 | APG XT 7 L APC 1 150 | 4013364486379 | 1 | 0.28 | 0.27 | 42032910 | HU | 0 | 0 | 0 | MM |
| 2252 | 785861 | 3018664 | Arc-fault-tested protective gloves | APC 1_150 / long, size: 8 | 05020106 | PAA | 173.70 | EUR | 1 | APG XT 8 L APC 1 150 | 4013364486386 | 1 | 0.28 | 0.27 | 42032910 | HU | 0 | 0 | 0 | MM |
| 2253 | 785862 | 3018666 | Arc-fault-tested protective gloves | APC 1_150 / long, size: 9 | 05020106 | PAA | 173.70 | EUR | 1 | APG XT 9 L APC 1 150 | 4013364486393 | 1 | 0.28 | 0.27 | 42032910 | HU | 0 | 0 | 0 | MM |
| 2254 | 785863 | 3018668 | Arc-fault-tested protective gloves | APC 1_150 / long, size: 10 | 05020106 | PAA | 173.70 | EUR | 1 | APG XT 10 L APC 1 150 | 4013364486430 | 1 | 0.28 | 0.27 | 42032910 | HU | 0 | 0 | 0 | MM |
| 2255 | 785864 | 3018670 | Arc-fault-tested protective gloves | APC 1_150 / long, size: 11 | 05020106 | PAA | 173.70 | EUR | 1 | APG XT 11 L APC 1 150 | 4013364486409 | 1 | 0.28 | 0.27 | 42032910 | HU | 0 | 0 | 0 | MM |
| 2256 | 785865 | 3018672 | Arc-fault-tested protective gloves | APC 1_150 / long, size: 12 | 05020106 | PAA | 173.70 | EUR | 1 | APG XT 12 L APC 1 150 | 4013364486416 | 1 | 0.28 | 0.27 | 42032910 | HU | 0 | 0 | 0 | MM |
| 2257 | 785866 | 3018674 | Arc-fault-tested protective gloves | APC 1_150 / long, size: 13 | 05020106 | PAA | 173.70 | EUR | 1 | APG XT 13 L APC 1 150 | 4013364486423 | 1 | 0.28 | 0.27 | 42032910 | HU | 0 | 0 | 0 | MM |
| 2258 | 785900 | 3016670 | PPE against arc faults electrician SET, | size M Indoor | 05020350 | ST | 1481.60 | EUR | 1 | PSA ESET M ID | 4013364469556 | 1 | 3.271 | 2.431 | 42032910 | QU | 0 | 0 | 0 | MM |
| 2259 | 785901 | 3016682 | PPE against arc faults electrician SET, | size L Indoor | 05020350 | ST | 1481.60 | EUR | 1 | PSA ESET L ID | 4013364469563 | 1 | 3.272 | 2.432 | 42032910 | QU | 0 | 0 | 0 | MM |
| 2260 | 785902 | 3016683 | PPE against arc faults electrician SET, | size XL Indoor | 05020350 | ST | 1481.60 | EUR | 1 | PSA ESET XL ID | 4013364469570 | 1 | 3.387 | 2.547 | 42032910 | QU | 0 | 0 | 0 | MM |
| 2261 | 785903 | 3016684 | PPE against arc faults electrician SET, | size M Outdoor | 05020350 | ST | 1913.80 | EUR | 1 | PSA ESET M OD | 4013364469587 | 1 | 4.24 | 3.08 | 42032910 | QU | 0 | 0 | 0 | MM |
| 2262 | 785904 | 3016685 | PPE against arc faults electrician SET, | size L Outdoor | 05020350 | ST | 1913.80 | EUR | 1 | PSA ESET L OD | 4013364469594 | 1 | 4.34 | 3.18 | 42032910 | QU | 0 | 0 | 0 | MM |
| 2263 | 785905 | 3016686 | PPE against arc faults electrician SET, | size XL Outdoor | 05020350 | ST | 1913.80 | EUR | 1 | PSA ESET XL OD | 4013364469600 | 1 | 4.435 | 3.269 | 42032910 | QU | 0 | 0 | 0 | MM |
| 2264 | 785906 | 3017576 | PPE against arc faults electrician SET, | size S Indoor | 05020350 | ST | 1481.60 | EUR | 1 | PSA ESET S ID | 4013364476516 | 1 | 3.271 | 2.431 | 42032910 | QU | 0 | 0 | 0 | MM |
| 2265 | 785907 | 3017577 | PPE against arc faults electrician SET, | size 2XL Indoor | 05020350 | ST | 1481.60 | EUR | 1 | PSA ESET 2XL ID | 4013364476523 | 1 | 3.387 | 2.547 | 42032910 | QU | 0 | 0 | 0 | MM |
| 2266 | 785908 | 3017578 | PPE against arc faults electrician SET, | size S Outdoor | 05020350 | ST | 1913.80 | EUR | 1 | PSA ESET S OD | 4013364476530 | 1 | 4.24 | 3.08 | 42032910 | QU | 0 | 0 | 0 | MM |
| 2267 | 785909 | 3017579 | PPE against arc faults electrician SET, | size 2XL Outdoor | 05020350 | ST | 1913.80 | EUR | 1 | PSA ESET 2XL OD | 4013364476547 | 1 | 4.435 | 3.269 | 42032910 | QU | 0 | 0 | 0 | MM |
| 2268 | 785940 | 48999 | MS damp cleaning set -36kV | with gear coupling | 05010101 | ST | 3694.20 | EUR | 1 | FRS ZK MS | 4013364106253 | 1 | 10.85 | 10.85 | 82055980 | DE | 945 | 285 | 170 | MM |
| 2269 | 785950 | 48636 | MS combined cleaning set -36kV | | 05010101 | ST | 14329.70 | EUR | 1 | TFRS MS | 4013364106383 | 1 | 27.3 | 27.3 | 82055980 | DE | 1400 | 430 | 515 | MM |
| 2270 | 785951 | 48980 | GRP case, empty 850x410x400mm | for MS combined cleaning set | 05010101 | ST | 3859.60 | EUR | 1 | KKL TFRS MS | 4013364106390 | 1 | 21.2 | 21.2 | 42021250 | DE | 900 | 430 | 415 | MM |
| 2271 | 785952 | 48981 | Artificial leather bag 1400x280mm | | 05050103 | ST | 554.40 | EUR | 1 | KLT 140 28 | 4013364106406 | 1 | 1.43 | 1.43 | 42029180 | DE | 1400 | 280 | 100 | MM |
| 2272 | 785953 | 48982 | Spray bottle for MS cleaning liquid | | 05010101 | ST | 50.40 | EUR | 1 | SF FRF MS | 4013364106451 | 1 | 0.121 | 0.121 | 82055980 | DE | 0 | 0 | 0 | MM |
| 2273 | 786711 | 3014141 | Overall against high-press. water jets | <= 750 bar (flat jet nozzle) size: S | 05080103 | ST | Price on request | EUR | 1 | WJP O B S | 4013364438958 | 1 | 2.231 | 1.301 | 62113210 | HU | 525 | 345 | 200 | MM |
| 2274 | 786712 | 3014142 | Overall against high-press. water jets | <= 750 bar (flat jet nozzle) size: M | 05080103 | ST | Price on request | EUR | 1 | WJP O B M | 4013364439047 | 1 | 2.301 | 1.371 | 62113210 | HU | 525 | 345 | 200 | mm |
| 2275 | 786713 | 3014143 | Overall against high-press. water jets | <= 750 bar (flat jet nozzle) size: L | 05080103 | ST | Price on request | EUR | 1 | WJP O B L | 4013364439054 | 1 | 2.361 | 1.431 | 62113210 | HU | 525 | 345 | 200 | mm |
| 2276 | 786714 | 3014144 | Overall against high-press. water jets | <= 750 bar (flat jet nozzle) size: XL | 05080103 | ST | Price on request | EUR | 1 | WJP O B XL | 4013364439061 | 1 | 2.431 | 1.501 | 62113210 | HU | 525 | 345 | 200 | mm |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 2277 | 786715 | 3014147 | Overall against high-press. water jets | <= 750 bar (flat jet nozzle) size: XXL | 05080103 | ST | Price on request | EUR | 1 | WJP O B XXL | 4013364439078 | 1 | 2.521 | 1.591 | 62113210 | HU | 525 | 345 | 200 | mm |
| 2278 | 786716 | 3014148 | Overall against high-press. water jets | <= 750 bar (flat jet nozzle) size: 3XL | 05080103 | ST | Price on request | EUR | 1 | WJP O B 3XL | 4013364439085 | 1 | 2.601 | 1.671 | 62113210 | HU | 525 | 345 | 200 | mm |
| 2279 | 786717 | 3014153 | Gloves against high-pressure water jets | <= 1000 bar (flat jet nozzle) size: 9 | 05080102 | PAA | Price on request | EUR | 1 | WJP HP 9 | 4013364438965 | 1 | 0.50133 | 0.297 | 42032910 | HU | 500 | 250 | 70 | mm |
| 2280 | 786718 | 3014154 | Gloves against high-pressure water jets | <= 1000 bar (flat jet nozzle) size: 10 | 05080102 | PAA | Price on request | EUR | 1 | WJP HP 10 | 4013364439108 | 1 | 0.53027 | 0.32345 | 42032910 | HU | 500 | 250 | 70 | mm |
| 2281 | 786719 | 3014155 | Gloves against high-pressure water jets | <= 1000 bar (flat jet nozzle) size: 11 | 05080102 | PAA | Price on request | EUR | 1 | WJP HP 11 | 4013364439115 | 1 | 0.53367 | 0.3294 | 42032910 | HU | 500 | 250 | 70 | mm |
| 2282 | 786720 | 3014156 | Gloves against high-pressure water jets | <= 1000 bar (flat jet nozzle) size: 12 | 05080102 | PAA | Price on request | EUR | 1 | WJP HP 12 | 4013364439122 | 1 | 0.55933 | 0.3355 | 42032910 | HU | 500 | 250 | 70 | mm |
| 2283 | 786721 | 3014157 | Gloves against high-pressure water jets | <= 1000 bar (flat jet nozzle) size: 13 | 05080102 | PAA | Price on request | EUR | 1 | WJP HP 13 | 4013364439139 | 1 | 0.56215 | 0.3524 | 42032910 | HU | 500 | 250 | 70 | mm |
| 2284 | 786722 | 3014158 | Socks against high-pressure water jets | <= 1000 bar(flat jet nozzle) size:39-40 | 05080104 | PAA | Price on request | EUR | 1 | WJP FP 39 40 | 4013364439146 | 1 | 0.2306 | 0.1106 | 61159699 | HU | 430 | 180 | 40 | mm |
| 2285 | 786723 | 3014159 | Socks against high-pressure water jets | <= 1000 bar(flat jet nozzle) size:41-42 | 05080104 | PAA | Price on request | EUR | 1 | WJP FP 41 42 | 4013364439153 | 1 | 0.23313 | 0.1154 | 61159699 | HU | 430 | 180 | 40 | mm |
| 2286 | 786724 | 3014160 | Socks against high-pressure water jets | <= 1000 bar(flat jet nozzle) size:43-44 | 05080104 | PAA | Price on request | EUR | 1 | WJP FP 43 44 | 4013364439160 | 1 | 0.24009 | 0.1191 | 61159699 | HU | 430 | 180 | 40 | mm |
| 2287 | 786725 | 3014161 | Socks against high-pressure water jets | <= 1000 bar(flat jet nozzle) size:45-46 | 05080104 | PAA | Price on request | EUR | 1 | WJP FP 45 46 | 4013364439177 | 1 | 0.24608 | 0.12126 | 61159699 | HU | 430 | 180 | 40 | mm |
| 2288 | 786726 | 3013701 | Head protection set WJP HFP SET for | working with high-pressure water jets | 05080150 | ST | Price on request | EUR | 1 | WJP HFP SET | 4013364430631 | 1 | 0.935 | 0.816 | 65061010 | DE | 0 | 0 | 0 | MM |
| 2289 | 786741 | 3015639 | Overall against high-pressure water jet | <= 1000 bars (flat-jet nozzle). size: S | 05080101 | ST | Price on request | EUR | 1 | WJP OC S | 4013364365438 | 1 | 2.651 | 2.156 | 62113390 | HU | 525 | 345 | 200 | mm |
| 2290 | 786742 | 3015640 | Overall against high-pressure water jet | <= 1000 bars (flat-jet nozzle). size: M | 05080101 | ST | Price on request | EUR | 1 | WJP OC M | 4013364365445 | 1 | 2.691 | 2.191 | 62113390 | HU | 525 | 345 | 200 | mm |
| 2291 | 786743 | 3015641 | Overall against high-pressure water jet | <= 1000 bars (flat-jet nozzle). size: L | 05080101 | ST | Price on request | EUR | 1 | WJP OC L | 4013364365452 | 1 | 2.951 | 2.451 | 62113390 | HU | 525 | 345 | 200 | mm |
| 2292 | 786744 | 3015642 | Overall against high-pressure water jet | <= 1000 bars (flat-jet nozzle). size: XL | 05080101 | ST | Price on request | EUR | 1 | WJP OC XL | 4013364365469 | 1 | 3.031 | 2.531 | 62113390 | HU | 525 | 345 | 200 | mm |
| 2293 | 786745 | 3015643 | Overall against high-pressure water jet | <= 1000 bars (flat-jet nozzle). size: XXL | 05080101 | ST | Price on request | EUR | 1 | WJP OC XXL | 4013364365476 | 1 | 3.161 | 2.661 | 62113390 | HU | 525 | 345 | 200 | mm |
| 2294 | 786746 | 3015644 | Overall against high-pressure water jet | <= 1000 bars (flat-jet nozzle). size: 3XL | 05080101 | ST | Price on request | EUR | 1 | WJP OC 3XL | 4013364365483 | 1 | 3.361 | 2.761 | 62113390 | HU | 525 | 345 | 200 | mm |
| 2295 | 786751 | 3015645 | Overall against high-pressure water jet | <= 1000 bar (flat-jet nozzle). size: S | 05080101 | ST | Price on request | EUR | 1 | WJP O S | 4013364365247 | 1 | 2.251 | 1.641 | 62113390 | HU | 525 | 345 | 200 | mm |
| 2296 | 786752 | 3015646 | Overall against high-pressure water jet | <= 1000 bar (flat-jet nozzle). size: M | 05080101 | ST | Price on request | EUR | 1 | WJP O M | 4013364365254 | 1 | 2.181 | 1.681 | 62113390 | HU | 525 | 345 | 200 | mm |
| 2297 | 786753 | 3015647 | Overall against high-pressure water jet | <= 1000 bar (flat-jet nozzle). size: L | 05080101 | ST | Price on request | EUR | 1 | WJP O L | 4013364365261 | 1 | 2.281 | 1.781 | 62113390 | HU | 525 | 345 | 200 | mm |
| 2298 | 786754 | 3015648 | Overall against high-pressure water jet | <= 1000 bar (flat-jet nozzle). size: XL | 05080101 | ST | Price on request | EUR | 1 | WJP O XL | 4013364365278 | 1 | 2.361 | 1.861 | 62113390 | HU | 525 | 345 | 200 | mm |
| 2299 | 786755 | 3015649 | Overall against high-pressure water jet | <= 1000 bar (flat-jet nozzle). size: XXL | 05080101 | ST | Price on request | EUR | 1 | WJP O XXL | 4013364365285 | 1 | 2.441 | 1.941 | 62113390 | HU | 525 | 345 | 200 | mm |
| 2300 | 786756 | 3015650 | Overall against high-pressure water jet | <= 1000 bar (flat-jet nozzle).size: 3XL | 05080101 | ST | Price on request | EUR | 1 | WJP O 3XL | 4013364365292 | 1 | 2.531 | 2.03 | 62113390 | HU | 525 | 345 | 200 | mm |
| 2301 | 786761 | 3015651 | Arm protectors for overall against | high-pressure water jet. size: S | 05080101 | PAA | Price on request | EUR | 1 | WJP O AP S | 4013364365308 | 1 | 0.224 | 0.20675 | 62113390 | HU | 420 | 175 | 40 | mm |
| 2302 | 786762 | 3015652 | Arm protectors for overall against | high-pressure water jet. size: M | 05080101 | PAA | Price on request | EUR | 1 | WJP O AP M | 4013364365315 | 1 | 0.243 | 0.22575 | 62113390 | HU | 420 | 175 | 40 | mm |
| 2303 | 786763 | 3015653 | Arm protectors for overall against | high-pressure water jet. size: L | 05080101 | PAA | Price on request | EUR | 1 | WJP O AP L | 4013364365322 | 1 | 0.255 | 0.244771 | 62113390 | HU | 420 | 175 | 40 | mm |
| 2304 | 786764 | 3015654 | Arm protectors for overall against | high-pressure water jet. size: XL | 05080101 | PAA | Price on request | EUR | 1 | WJP O AP XL | 4013364365339 | 1 | 0.267 | 0.2518 | 62113390 | HU | 420 | 175 | 40 | mm |
| 2305 | 786765 | 3015655 | Arm protectors for overall against | high-pressure water jet. size: XXL | 05080101 | PAA | Price on request | EUR | 1 | WJP O AP XXL | 4013364365346 | 1 | 0.279 | 0.2755 | 62113390 | HU | 420 | 175 | 40 | mm |
| 2306 | 786766 | 3015656 | Arm protectors for overall against | high-pressure water jet. size: 3XL | 05080101 | PAA | Price on request | EUR | 1 | WJP O AP 3XL | 4013364365360 | 1 | 0.304 | 0.3 | 62113390 | HU | 420 | 175 | 40 | mm |
| 2307 | 786770 | 3015657 | Hood for protective overall | against high-pressure water jet | 05080101 | ST | Price on request | EUR | 1 | WJP O H | 4013364365353 | 1 | 0.1275 | 0.0825 | 62113390 | HU | 420 | 175 | 40 | mm |
| 2308 | 786781 | 3015658 | Leg protectors for overall against | high-pressure water jet. size: S | 05080101 | PAA | Price on request | EUR | 1 | WJP O LP S | 4013364365377 | 1 | 0.395 | 0.372 | 62113390 | HU | 500 | 250 | 40 | mm |
| 2309 | 786782 | 3015659 | Leg protectors for overall against | high-pressure water jet. size: M | 05080101 | PAA | Price on request | EUR | 1 | WJP O LP M | 4013364365384 | 1 | 0.416 | 0.3925 | 62113390 | HU | 500 | 250 | 40 | mm |
| 2310 | 786783 | 3015660 | Leg protectors for overall against | high-pressure water jet. size: L | 05080101 | PAA | Price on request | EUR | 1 | WJP O LP L | 4013364365391 | 1 | 0.437 | 0.4126 | 62113390 | HU | 500 | 250 | 40 | mm |
| 2311 | 786784 | 3015661 | Leg protectors for overall against | high-pressure water jet. size: XL | 05080101 | PAA | Price on request | EUR | 1 | WJP O LP XL | 4013364365407 | 1 | 0.458 | 0.42 | 62113390 | HU | 500 | 250 | 40 | mm |
| 2312 | 786785 | 3015662 | Leg protectors for overall against | high-pressure water jet. size: XXL | 05080101 | PAA | Price on request | EUR | 1 | WJP O LP XXL | 4013364365414 | 1 | 0.466 | 0.428 | 62113390 | HU | 500 | 250 | 40 | mm |
| 2313 | 786786 | 3015663 | Leg protectors for overall against | high-pressure water jet. size: 3XL | 05080101 | PAA | Price on request | EUR | 1 | WJP O LP 3XL | 4013364365421 | 1 | 0.472 | 0.436 | 62113390 | HU | 500 | 250 | 40 | mm |
| 2314 | 786799 | 3010601 | Earmuffs for attachment to face shields | with mechanical lever arms | 05080150 | PAA | Price on request | EUR | 1 | HKGH ESH MEHA | 4013364360372 | 1 | 0.343 | 0.234 | 39269097 | CN | 170 | 155 | 125 | MM |
| 2315 | 787000 | 3018531 | Pneumatic glove tester | for insulating gloves | 05010103 | ST | 321.10 | EUR | 1 | PHSP SVD590 | 4013364483088 | 1 | 0.572 | 0.5 | 90319090 | IT | 150 | 140 | 140 | MM |
| 2316 | 787001 | 3018414 | Arc-fault-tested polo shirt | Bicolour - yellow/blue, APC 1, size: XS | 05020315 | ST | 202.70 | EUR | 1 | APPS BC XS | 4013364482296 | 1 | 0.453 | 0.453 | 61103091 | ES | 350 | 300 | 40 | MM |
| 2317 | 787002 | 3018415 | Arc-fault-tested polo shirt | Bicolour - yellow/blue, APC 1, size:S | 05020315 | ST | 202.70 | EUR | 1 | APPS BC S | 4013364482302 | 1 | 0.477 | 0.477 | 61103091 | ES | 350 | 300 | 40 | MM |
| 2318 | 787003 | 3018416 | Arc-fault-tested polo shirt | Bicolour - yellow/blue, APC 1, size: M | 05020315 | ST | 202.70 | EUR | 1 | APPS BC M | 4013364482319 | 1 | 0.497 | 0.497 | 61103091 | ES | 350 | 300 | 40 | MM |
| 2319 | 787004 | 3018417 | Arc-fault-tested polo shirt | Bicolour - yellow/blue, APC 1, size: L | 05020315 | ST | 202.70 | EUR | 1 | APPS BC L | 4013364482425 | 1 | 0.487 | 0.487 | 61103091 | ES | 350 | 300 | 40 | MM |
| 2320 | 787005 | 3018454 | Arc-fault-tested polo shirt | Bicolour - yellow/blue, APC 1, size: XL | 05020315 | ST | 212.00 | EUR | 1 | APPS BC XL | 4013364482654 | 1 | 0.517 | 0.517 | 61103091 | ES | 350 | 300 | 40 | MM |
| 2321 | 787006 | 3018455 | Arc-fault-tested polo shirt | Bicolour yellow/blue, APC 1, size: 2XL | 05020315 | ST | 212.00 | EUR | 1 | APPS BC 2XL | 4013364482661 | 1 | 0.53 | 0.53 | 61103091 | ES | 350 | 300 | 40 | MM |
| 2322 | 787007 | 3018457 | Arc-fault-tested polo shirt | Bicolour yellow/blue, APC 1, size: 3XL | 05020315 | ST | 212.00 | EUR | 1 | APPS BC 3XL | 4013364482722 | 1 | 0.547 | 0.547 | 61103091 | ES | 350 | 300 | 40 | MM |
| 2323 | 787008 | 3018458 | Arc-fault-tested polo shirt | Bicolour yellow/blue, APC 1, size: 4XL | 05020315 | ST | 212.00 | EUR | 1 | APPS BC 4XL | 4013364482715 | 1 | 0.57 | 0.57 | 61103091 | ES | 350 | 300 | 40 | MM |
| 2324 | 787011 | 3018460 | Arc-fault-tested undershirt | blue, APC 1, size: XS | 05020315 | ST | 85.70 | EUR | 1 | APUS XS | 4013364482739 | 1 | 0.277 | 0.277 | 61103091 | ES | 350 | 300 | 35 | MM |
| 2325 | 787012 | 3018461 | Arc-fault-tested undershirt | blue, APC 1, size: S | 05020315 | ST | 85.70 | EUR | 1 | APUS S | 4013364482746 | 1 | 0.293 | 0.293 | 61103091 | ES | 350 | 300 | 35 | MM |
| 2326 | 787013 | 3018462 | Arc-fault-tested undershirt | blue, APC 1, size: M | 05020315 | ST | 85.70 | EUR | 1 | APUS M | 4013364482753 | 1 | 0.307 | 0.307 | 61103091 | ES | 350 | 300 | 35 | MM |
| 2327 | 787014 | 3018463 | Arc-fault-tested undershirt | blue, APC 1, size: L | 05020315 | ST | 85.70 | EUR | 1 | APUS L | 4013364482760 | 1 | 0.323 | 0.323 | 61103091 | ES | 350 | 300 | 35 | MM |
| 2328 | 787015 | 3018464 | Arc-fault-tested undershirt | blue, APC 1, size: XL | 05020315 | ST | 93.50 | EUR | 1 | APUS XL | 4013364482777 | 1 | 0.353 | 0.353 | 61103091 | ES | 350 | 300 | 35 | MM |
| 2329 | 787016 | 3018466 | Arc-fault-tested undershirt | blue, APC 1, size: 2XL | 05020315 | ST | 93.50 | EUR | 1 | APUS 2XL | 4013364482784 | 1 | 0.367 | 0.367 | 61103091 | ES | 350 | 300 | 35 | MM |
| 2330 | 787017 | 3018468 | Arc-fault-tested undershirt | blue, APC 1, size: 3XL | 05020315 | ST | 93.50 | EUR | 1 | APUS 3XL | 4013364482791 | 1 | 0.39 | 0.39 | 61103091 | ES | 350 | 300 | 35 | MM |
| 2331 | 787018 | 3018469 | Arc-fault-tested undershirt | blue, APC 1, size: 4XL | 05020315 | ST | 93.50 | EUR | 1 | APUS 4XL | 4013364482807 | 1 | 0.407 | 0.407 | 61103091 | ES | 350 | 300 | 35 | MM |
| 2332 | 787021 | 3018470 | arc-fault-tested underpants | blue, APC 1, size: XS | 05020315 | ST | 76.50 | EUR | 1 | APUP XS | 4013364482814 | 1 | 0.237 | 0.237 | 61034900 | ES | 300 | 300 | 35 | MM |
| 2333 | 787022 | 3018471 | arc-fault-tested underpants | blue, APC 1, size: S | 05020315 | ST | 76.50 | EUR | 1 | APUP S | 4013364482821 | 1 | 0.227 | 0.227 | 61034900 | ES | 300 | 300 | 35 | MM |
| 2334 | 787023 | 3018419 | Arc-fault-tested underpants | blue, APC 1, size: M | 05020315 | ST | 76.50 | EUR | 1 | APUP M | 4013364482432 | 1 | 0.25 | 0.25 | 61034900 | ES | 300 | 300 | 35 | MM |
| 2335 | 787024 | 3018480 | Arc-fault-tested underpants | blue, APC 1, size: L | 05020315 | ST | 76.50 | EUR | 1 | APUP L | 4013364482449 | 1 | 0.247 | 0.247 | 61034900 | ES | 300 | 300 | 35 | MM |
| 2336 | 787025 | 3018481 | Arc-fault-tested underpants | blue, APC 1, size: XL | 05020315 | ST | 84.20 | EUR | 1 | APUP XL | 4013364482456 | 1 | 0.26 | 0.26 | 61034900 | ES | 300 | 300 | 35 | MM |
| 2337 | 787026 | 3018482 | Arc-fault-tested underpants | blue, APC 1, size: 2XL | 05020315 | ST | 84.20 | EUR | 1 | APUP 2XL | 4013364482463 | 1 | 0.277 | 0.277 | 61034900 | ES | 300 | 300 | 35 | MM |
| 2338 | 787027 | 3018486 | Arc-fault-tested underpants | blue, APC 1, size: 3XL | 05020315 | ST | 84.20 | EUR | 1 | APUP 3XL | 4013364482470 | 1 | 0.287 | 0.287 | 61034900 | ES | 300 | 300 | 35 | MM |
| 2339 | 787028 | 3018487 | Arc-fault-tested underpants | blue, APC 1, size: 4XL | 05020315 | ST | 84.20 | EUR | 1 | APUP 4XL | 4013364482487 | 1 | 0.293 | 0.293 | 61034900 | ES | 350 | 300 | 35 | MM |
| 2340 | 787100 | 3018532 | Insulating gloves class 1 cat. RC | for live working -7,500V, size 8 | 05010103 | PAA | 129.80 | EUR | 1 | IHS WIG 1 08 | 4013364483118 | 1 | 0 | 0 | 40151900 | IN | 0 | 0 | 0 | MM |
| 2341 | 787101 | 3018533 | Insulating gloves class 1 cat. RC | for live working -7,500V, size Gr.9 | 05010103 | PAA | 129.80 | EUR | 1 | IHS WIG 1 09 | 4013364483125 | 1 | 0 | 0 | 40151900 | IN | 0 | 0 | 0 | MM |
| 2342 | 787102 | 3018534 | Insulating gloves class 1 cat. RC | for live working -7,500V, size 10 | 05010103 | PAA | 129.80 | EUR | 1 | IHS WIG 1 10 | 4013364483132 | 1 | 0.43 | 0.43 | 40151900 | IN | 0 | 0 | 0 | MM |
| 2343 | 787103 | 3018537 | Insulating gloves class 1 cat. RC | for live working -7,500V, Gr.11 | 05010103 | PAA | 129.80 | EUR | 1 | IHS WIG 1 11 | 4013364483149 | 1 | 0 | 0 | 40151900 | IN | 0 | 0 | 0 | MM |
| 2344 | 787104 | 3018538 | Insulating gloves class 2 cat. RC | for live working -17,000V, size 8 | 05010103 | PAA | 159.00 | EUR | 1 | IHS WIG 2 08 | 4013364483156 | 1 | 0 | 0 | 40151900 | IN | 0 | 0 | 0 | MM |
| 2345 | 787105 | 3018539 | Insulating gloves class 2 cat. RC | for live working -17,000V, size 9 | 05010103 | PAA | 159.00 | EUR | 1 | IHS WIG 2 09 | 4013364483163 | 1 | 0 | 0 | 40151900 | IN | 0 | 0 | 0 | MM |
| 2346 | 787106 | 3018540 | Insulating gloves class 2 cat. RC | for live working -17,000V, size 10 | 05010103 | PAA | 159.00 | EUR | 1 | IHS WIG 2 10 | 4013364483170 | 1 | 0.65 | 0.65 | 40151900 | IN | 0 | 0 | 0 | MM |
| 2347 | 787107 | 3018541 | Insulating gloves class 2 cat. RC | for live working -17,000V, size 11 | 05010103 | PAA | 159.00 | EUR | 1 | IHS WIG 2 11 | 4013364483187 | 1 | 0 | 0 | 40151900 | IN | 0 | 0 | 0 | MM |
| 2348 | 787108 | 3018542 | Insulating gloves class 3 cat. RC | for live working -26,500V, size 8 | 05010103 | PAA | 208.90 | EUR | 1 | IHS WIG 3 08 | 4013364483194 | 1 | 0 | 0 | 40151900 | IN | 0 | 0 | 0 | MM |
| 2349 | 787109 | 3018543 | Insulating gloves class 3 cat. RC | for live working -26,500V, size 9 | 05010103 | PAA | 208.90 | EUR | 1 | IHS WIG 3 09 | 4013364483224 | 1 | 0 | 0 | 40151900 | IN | 0 | 0 | 0 | MM |
| 2350 | 787110 | 3018544 | Insulating gloves class 3 cat. RC | for live working -26,500V, Gr.10 | 05010103 | PAA | 208.90 | EUR | 1 | IHS WIG 3 10 | 4013364483231 | 1 | 0.83 | 0.83 | 40151900 | IN | 0 | 0 | 0 | MM |
| 2351 | 787111 | 3018545 | Insulating gloves class 3 cat. RC | for live working -26,500V, Gr.11 | 05010103 | PAA | 208.90 | EUR | 1 | IHS WIG 3 11 | 4013364483248 | 1 | 0 | 0 | 40151900 | IN | 0 | 0 | 0 | MM |
| 2352 | 787112 | 3018546 | Insulating gloves class 4 cat. RC | for live working -36,000V, size 9 | 05010103 | PAA | 313.70 | EUR | 1 | IHS WIG 4 09 | 4013364483255 | 1 | 0 | 0 | 40151900 | IN | 0 | 0 | 0 | MM |
| 2353 | 787113 | 3018547 | Insulating gloves class 4 cat. RC | for live working -36,000V, size 10 | 05010103 | PAA | 313.70 | EUR | 1 | IHS WIG 4 10 | 4013364483262 | 1 | 0.96 | 0.96 | 40151900 | IN | 0 | 0 | 0 | MM |
| 2354 | 787114 | 3018548 | Insulating gloves class 4 cat. RC | for live working -36,000V, size 11 | 05010103 | PAA | 313.70 | EUR | 1 | IHS WIG 4 11 | 4013364483279 | 1 | 0 | 0 | 40151900 | IN | 0 | 0 | 0 | MM |
| 2355 | 787350 | 3017486 | Arc-fault-tested protective jacket | "Outdoor" - orange, APC 2, size: 46 (XS) | 05020303 | ST | 929.70 | EUR | 1 | APJ OD OG 46 | 4013364478169 | 1 | 1.517 | 0.777 | 62033911 | PL | 400 | 300 | 150 | MM |
| 2356 | 787351 | 3017487 | Arc-fault-tested protective jacket | "Outdoor" - orange, APC 2, size: 48 (S) | 05020303 | ST | 929.70 | EUR | 1 | APJ OD OG 48 | 4013364478176 | 1 | 1.553 | 0.811 | 62033911 | PL | 400 | 300 | 150 | MM |
| 2357 | 787352 | 3017488 | Arc-fault-tested protective jacket | "Outdoor" - orange, APC 2, size: 50 (M) | 05020303 | ST | 929.70 | EUR | 1 | APJ OD OG 50 | 4013364478183 | 1 | 1.55 | 0.83 | 62033911 | PL | 400 | 300 | 150 | MM |
| 2358 | 787353 | 3017489 | Arc-fault-tested protective jacket | "Outdoor" - orange, APC 2, size: 52 (M/L) | 05020303 | ST | 929.70 | EUR | 1 | APJ OD OG 52 | 4013364478190 | 1 | 1.571 | 0.815 | 62033911 | PL | 400 | 300 | 150 | MM |
| 2359 | 787354 | 3017490 | Arc-fault-tested protective jacket | "Outdoor" - orange, APC 2, size: 54 (L) | 05020303 | ST | 929.70 | EUR | 1 | APJ OD OG 54 | 4013364478206 | 1 | 1.603 | 0.833 | 62033911 | PL | 400 | 300 | 150 | MM |
| 2360 | 787355 | 3017491 | Arc-fault-tested protective jacket | "Outdoor" - orange, APC 2, size: 56 (XL) | 05020303 | ST | 929.70 | EUR | 1 | APJ OD OG 56 | 4013364478213 | 1 | 1.637 | 0.88 | 62033911 | PL | 400 | 300 | 150 | MM |
| 2361 | 787356 | 3017492 | Arc-fault-tested protective jacket | "Outdoor" - orange, APC 2, size: 58 (XL/2XL) | 05020303 | ST | 929.70 | EUR | 1 | APJ OD OG 58 | 4013364478220 | 1 | 1.652 | 0.912 | 62033911 | PL | 400 | 300 | 150 | MM |
| 2362 | 787357 | 3017493 | Arc-fault-tested protective jacket | "Outdoor" - orange, APC 2, size: 60 (2XL) | 05020303 | ST | 929.70 | EUR | 1 | APJ OD OG 60 | 4013364478237 | 1 | 1.67 | 0.932 | 62033911 | PL | 400 | 300 | 150 | MM |
| 2363 | 787358 | 3017494 | Arc-fault-tested protective jacket | "Outdoor" - orange, APC 2, size: 62 (3XL) | 05020303 | ST | 929.70 | EUR | 1 | APJ OD OG 62 | 4013364478244 | 1 | 1.71 | 0.936 | 62033911 | PL | 400 | 300 | 150 | MM |
| 2364 | 787360 | 3017495 | Arc-fault-tested protective trousers | "Outdoor" - orange, APC 2, size: 46 (XS) | 05020304 | ST | 795.10 | EUR | 1 | APT OD OG 46 | 4013364478251 | 1 | 1.343 | 0.608 | 62034911 | PL | 400 | 300 | 150 | MM |
| 2365 | 787361 | 3017496 | Arc-fault-tested protective trousers | "Outdoor" - orange, APC 2, size: 48 (S) | 05020304 | ST | 795.10 | EUR | 1 | APT OD OG 48 | 4013364478268 | 1 | 1.389 | 0.648 | 62034911 | PL | 400 | 300 | 150 | MM |
| 2366 | 787362 | 3017497 | Arc-fault-tested protective trousers | "Outdoor" - orange, APC 2, size: 50 (M) | 05020304 | ST | 795.10 | EUR | 1 | APT OD OG 50 | 4013364478275 | 1 | 1.392 | 0.674 | 62034911 | PL | 400 | 300 | 150 | MM |
| 2367 | 787363 | 3017498 | Arc-fault-tested protective trousers | "Outdoor" - orange, APC 2, size: 52 (M/L) | 05020304 | ST | 795.10 | EUR | 1 | APT OD OG 52 | 4013364478282 | 1 | 1.459 | 0.698 | 62034911 | PL | 400 | 300 | 150 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 2368 | 787364 | 3017499 | Arc-fault-tested protective trousers | "Outdoor" - orange, APC 2, size: 54 (L) | 05020304 | ST | 795.10 | EUR | 1 | APT OD OG 54 | 4013364478299 | 1 | 1.456 | 0.735 | 62034911 | PL | 400 | 300 | 150 | MM |
| 2369 | 787365 | 3017500 | Arc-fault-tested protective trousers | "Outdoor" - orange, APC 2, size: 56 (XL) | 05020304 | ST | 795.10 | EUR | 1 | APT OD OG 56 | 4013364478305 | 1 | 1.492 | 0.763 | 62034911 | PL | 400 | 300 | 150 | MM |
| 2370 | 787366 | 3017501 | Arc-fault-tested protective trousers | "Outdoor" - orange, APC 2, size: 58 (XL/2XL) | 05020304 | ST | 795.10 | EUR | 1 | APT OD OG 58 | 4013364478312 | 1 | 1.507 | 0.76 | 62034911 | PL | 40 | 300 | 150 | MM |
| 2371 | 787367 | 3017502 | Arc-fault-tested protective trousers | "Outdoor" - orange, APC 2, size: 60 (2XL) | 05020304 | ST | 795.10 | EUR | 1 | APT OD OG 60 | 4013364478329 | 1 | 1.531 | 0.775 | 62034911 | PL | 400 | 300 | 150 | MM |
| 2372 | 787368 | 3017503 | Arc-fault-tested protective trousers | "Outdoor" - orange, APC 2, size: 62 (3XL) | 05020304 | ST | 795.10 | EUR | 1 | APT OD OG 62 | 4013364478336 | 1 | 1.589 | 0.866 | 62034911 | PL | 400 | 300 | 150 | MM |
| 2373 | 787480 | 3017950 | Insulating gloves cl.00 cat. AZC | for live working -500V, size 8 | 05010103 | PAA | 76.10 | EUR | 1 | IHS 00 AZC 8 NS | 4013364479821 | 1 | 0.095 | 0.095 | 40151900 | IN | 450 | 245 | 25 | MM |
| 2374 | 787481 | 3017951 | Insulating gloves cl.00 cat. AZC | for live working -500V, size 9 | 05010103 | PAA | 76.10 | EUR | 1 | IHS 00 AZC 9 NS | 4013364479838 | 1 | 0.115 | 0.115 | 40151900 | IN | 450 | 245 | 25 | MM |
| 2375 | 787482 | 3017952 | Insulating gloves cl.00 cat. AZC | for live working -500V, size 10 | 05010103 | PAA | 76.10 | EUR | 1 | IHS 00 AZC 10 NS | 4013364479845 | 1 | 0.123 | 0.123 | 40151900 | IN | 450 | 245 | 25 | MM |
| 2376 | 787483 | 3017953 | Insulating gloves cl.00 cat. AZC | for live working -500V, size 11 | 05010103 | PAA | 76.10 | EUR | 1 | IHS 00 AZC 11 NS | 4013364479852 | 1 | 0.146 | 0.146 | 40151900 | IN | 450 | 245 | 25 | MM |
| 2377 | 787484 | 3017960 | Insulating gloves cl.0 cat. AZC | f. live working -1000V, size 8 | 05010103 | PAA | 88.50 | EUR | 1 | IHS 0 AZC 8 NS | 4013364479814 | 1 | 0.183 | 0.183 | 40151900 | IN | 450 | 245 | 25 | MM |
| 2378 | 787485 | 3017961 | Insulating gloves cl.0 cat. AZC | f. live working -1000V, Gr.9 | 05010103 | PAA | 88.50 | EUR | 1 | IHS 0 AZC 9 NS | 4013364479920 | 1 | 0.197 | 0.197 | 40151900 | IN | 450 | 245 | 25 | MM |
| 2379 | 787486 | 3017962 | Insulating gloves cl.0 cat. AZC | f. live working -1000V, size 10 | 05010103 | PAA | 88.50 | EUR | 1 | IHS 0 AZC 10 NS | 4013364479937 | 1 | 0.2 | 0.2 | 40151900 | IN | 450 | 245 | 25 | MM |
| 2380 | 787487 | 3017963 | Insulating gloves cl.0 cat. AZC | f. live working -1000V, size 11 | 05010103 | PAA | 88.50 | EUR | 1 | IHS 0 AZC 11 NS | 4013364479944 | 1 | 0.226 | 0.226 | 40151900 | IN | 450 | 245 | 25 | MM |
| 2381 | 787490 | 3017964 | Insulating gloves cl.00 cat. RC | f. live working -500V, size 8 | 05010103 | PAA | 136.00 | EUR | 1 | IHS 00 RC 8 NS | 4013364479951 | 1 | 0.303 | 0.303 | 40151900 | IN | 450 | 245 | 25 | MM |
| 2382 | 787491 | 3017965 | Insulating gloves cl.00 cat. RC | f. live working -500V, size 9 | 05010103 | PAA | 136.00 | EUR | 1 | IHS 00 RC 9 NS | 4013364479968 | 1 | 0.347 | 0.347 | 40151900 | IN | 450 | 245 | 25 | MM |
| 2383 | 787492 | 3017966 | Insulating gloves cl.00 cat. RC | f. live working -500V, size 10 | 05010103 | PAA | 136.00 | EUR | 1 | IHS 00 RC 10 NS | 4013364479975 | 1 | 0.363 | 0.363 | 40151900 | IN | 450 | 245 | 25 | MM |
| 2384 | 787493 | 3017967 | Insulating gloves cl.00 cat. RC | f. live working -500V, size 11 | 05010103 | PAA | 136.00 | EUR | 1 | IHS 00 RC 11 NS | 4013364479982 | 1 | 0.353 | 0.353 | 40151900 | IN | 450 | 245 | 25 | MM |
| 2385 | 787494 | 3017968 | Insulating gloves cl.0 cat. RC | f. live working -1000V, size 8 | 05010103 | PAA | 149.60 | EUR | 1 | IHS 0 RC 8 NS | 4013364479999 | 1 | 0.427 | 0.427 | 40151900 | IN | 450 | 245 | 25 | MM |
| 2386 | 787495 | 3017969 | Insulating gloves cl.0 cat. RC | f. live working -1000V, size 9 | 05010103 | PAA | 149.60 | EUR | 1 | IHS 0 RC 9 NS | 4013364480001 | 1 | 0.433 | 0.433 | 40151900 | IN | 450 | 245 | 25 | MM |
| 2387 | 787496 | 3017970 | Insulating gloves cl.0 cat. RC | f. live working -1000V, size 10 | 05010103 | PAA | 149.60 | EUR | 1 | IHS 0 RC 10 NS | 4013364480018 | 1 | 0.483 | 0.483 | 40151900 | IN | 450 | 245 | 25 | MM |
| 2388 | 787497 | 3017971 | Insulating gloves cl.0 cat. RC | f. live working -1000V, size 11 | 05010103 | PAA | 149.60 | EUR | 1 | IHS 0 RC 11 NS | 4013364480025 | 1 | 0.487 | 0.487 | 40151900 | IN | 450 | 245 | 25 | MM |
| 2389 | 790150 | 2362 | Earth bushing with ring groove D 16mm | w. connecting bolt M12 for 16-150mm² | 05000409 | ST | 81.50 | EUR | 1 | EAB RN 16 FS | 4013364005365 | 1 | 0.45 | 0.45 | 85389099 | DE | 105 | 80 | 45 | MM |
| 2390 | 790160 | 7691 | Earth bushing with ring groove D 16mm | with tommy bar for 16-150mm² | 05000409 | ST | 383.90 | EUR | 1 | EAB RN 16 SKN | 4013364018693 | 1 | 0.737 | 0.737 | 85389099 | DE | 140 | 125 | 40 | MM |
| 2391 | 790250 | 3007619 | Fixed earthing point with ring groove | D 16mm and female thread M12 | 05000401 | ST | 45.60 | EUR | 1 | EFP 16 RN M12 | 4013364089495 | 1 | 0.193 | 0.193 | 85389099 | DE | 100 | 26 | 22 | MM |
| 2392 | 790251 | 40328 | Fixed earth. point w. ring groove D 16mm | and threaded bolt with nut M12x35mm | 05000401 | ST | 53.20 | EUR | 1 | EFP 16 RN M12 35 SSM | 4013364089501 | 1 | 0.248 | 0.248 | 85389099 | DE | 130 | 26 | 22 | MM |
| 2393 | 790260 | 40327 | Fixed earthing point with ring groove | D 16mm and female thread M16 | 05000401 | ST | 50.20 | EUR | 1 | EFP 16 RN M16 | 4013364089518 | 1 | 0.18 | 0.18 | 85389099 | DE | 100 | 26 | 22 | MM |
| 2394 | 790261 | 40329 | Fixed earthing point with | ring groove M16 | 05000401 | ST | 54.70 | EUR | 1 | EFP 16 RN M16 45 SSM | 4013364089525 | 1 | 0.277 | 0.277 | 85389099 | DE | 130 | 26 | 22 | MM |
| 2395 | 792030 | 48916 | Earth milling clamp for flat profiles | -30mm with tommy bar for PK1 | 05000409 | ST | 108.00 | EUR | 1 | EFK FL30 SKN | 4013364005853 | 1 | 0.61 | 0.61 | 85389099 | DE | 210 | 120 | 35 | MM |
| 2396 | 792190 | 3010164 | Earth milling clamp f. flat profiles | -40mm w. tommy bar f. PK1 cable lug | 05000409 | ST | 193.40 | EUR | 1 | EFK FL40 SKN | 4013364068315 | 1 | 1.315 | 1.215 | 85389099 | DE | 240 | 180 | 150 | MM |
| 2397 | 792450 | 8131 | Clamp f. railw. tracks w. tommy bar | DB Mat. No. 157535 Z. No. 3 Ebgw 01.53 | 05000409 | ST | 424.70 | EUR | 1 | SAK PFE KN | 4013364051744 | 1 | 2.765 | 2.6 | 85389099 | DE | 213 | 157 | 150 | MM |
| 2398 | 792451 | 3000954 | Rail connection clamp with | detachable tommy bar | 05000409 | ST | 416.00 | EUR | 1 | SAK PFE KN AB29 | 4013364230170 | 1 | 2.765 | 2.6 | 85389099 | DE | 213 | 157 | 150 | MM |
| 2399 | 792455 | 3011266 | Rail connection clamp | with detachable ratchet | 05000409 | ST | 597.60 | EUR | 1 | SAK PFE ARA | 4013364376724 | 1 | 3.011 | 2.891 | 85389099 | DE | 213 | 157 | 150 | MM |
| 2400 | 792456 | 3014548 | Rail connection clamp with | detachable ratchet | 05000409 | ST | 624.80 | EUR | 1 | SAK PFE ARA AB29 | 4013364446625 | 1 | 3.147 | 2.94 | 85389099 | DE | 213 | 157 | 150 | MM |
| 2401 | 795001 | 4949 | Earthing cable YM2 95mm² | | 05000402 | M | 105.20 | EUR | 1 | ES YM2 95 | 4013364011816 | 1 | 1 | 1 | 85446010 | DE | 0 | 0 | 0 | |
| 2402 | 795020 | 3013235 | Fixed clamping point f. short-circuiting | bars f.connection to busbars up to 25 mm | 05000410 | ST | 333.40 | EUR | 1 | KLFP M16 KSS | 4013364424296 | 1 | 3.741 | 2.871 | 85389099 | DE | 200 | 120 | 80 | MM |
| 2403 | 795212 | 3013317 | Screw adapter for fixed clamping point | M16, T pin shaft | 05000410 | ST | 245.70 | EUR | 1 | SA KLFP SQ SK | 4013364423237 | 1 | 0.354 | 0.331 | 85389099 | DE | 113 | 102 | 56 | MM |
| 2404 | 799006 | 3007181 | Earthing spike for driving in L 1500mm | with fixture for cables | 05000409 | ST | 218.50 | EUR | 1 | ESP HVS 1500 | 4013364157347 | 1 | 4 | 4 | 85389099 | DE | 1500 | 220 | 120 | MM |
| 2405 | 799009 | 56643 | Earthing kit for overhead line systems | earthing pipe with drilling spiral -KIT- | 05000409 | ST | 653.10 | EUR | 1 | ES 3P FL ER | 4013364123298 | 1 | 5.1 | 5.1 | 85359000 | DE | 0 | 0 | 0 | |
| 2406 | 799019 | 56606 | 3-pole earthing busbar M10 | with wing nut | 05000409 | ST | 74.10 | EUR | 1 | ESS 3P M10 FM | 4013364123304 | 1 | 0.328 | 0.328 | 85389099 | DE | 180 | 45 | 30 | MM |
| 2407 | 799100 | 3001716 | Mobile measuring system f. earthing | and short-circuiting equipment | 05040101 | ST | Price on request | EUR | 1 | MOMS LORE EUK | 4013364237094 | 1 | 16.5 | 12.2 | 90303370 | DE | 430 | 341 | 244 | mm |
| 2408 | 800008 | 18055 | Round wire 8mm St/tZn Z350 | coil length 127m | 02010101 | M | 8.30 | EUR | 1 | RD 8 STTZN R127M | 4013364018716 | 127 | 1 | 1 | 72172030 | QU | 730 | 730 | 100 | MM |
| 2409 | 800010 | 18057 | Round wire 10mm St/tZn | coil length 81m | 02010101 | M | 12.10 | EUR | 1 | RD 10 STTZN R81M | 4013364018723 | 81 | 1 | 1 | 72172030 | QU | 830 | 830 | 100 | MM |
| 2410 | 800108 | 18087 | Round wire 8/11mm St/tZn coil length | approx. 75m plastic sheath black | 02010101 | M | 13.30 | EUR | 1 | RD 8 KM STTZN R75M | 4013364018754 | 75 | 1 | 1 | 72179020 | DE | 730 | 730 | 120 | MM |
| 2411 | 800110 | 19029 | Round wire 10/13mm St/tZn | coil length 50m plastic sheath black | 02010101 | M | 18.60 | EUR | 1 | RD 10 KM STTZN R50M | 4013364018761 | 50 | 1 | 1 | 72179020 | DE | 600 | 600 | 130 | MM |
| 2412 | 800310 | 58274 | Round wire 10mm St/tZn | coil length approx. 30m | 02010101 | M | 12.70 | EUR | 1 | RD 10 STTZN R30M | 4013364131064 | 30 | 1 | 1 | 72172030 | QU | 700 | 700 | 70 | MM |
| 2413 | 800910 | 3003184 | Round wire 10mm St/tZn | L 3000mm (10 pieces/coil) | 02010101 | ST | 40.90 | EUR | 1 | RD 10 STTZN L3000 | 4013364253315 | 10 | 1.85 | 1.85 | 72172030 | IT | 3000 | 10 | 10 | MM |
| 2414 | 800911 | 3003372 | Round wire 10mm St/tZn | L 6000mm | 02010101 | ST | 80.90 | EUR | 1 | RD 10 STTZN L6000 | 4013364273689 | 1 | 1 | 1 | 72172030 | DE | 6000 | 10 | 10 | MM |
| 2415 | 801050 | 10023 | Cable 10mm 42mm² St/gal Zn (114x0.65mm) | coil 100m weight approx. 33kg | 02030101 | M | 25.80 | EUR | 1 | SEIL 10 STGALZN R100M | 4013364018921 | 100 | 0.33 | 0.33 | 73121081 | CN | 460 | 460 | 110 | MM |
| 2416 | 810225 | 10011 | Strip 20x2.5mm St/tZn | coil length approx. 100m | 02020101 | M | 8.90 | EUR | 1 | BA 20X2.5 STTZN R100M | 4013364018815 | 100 | 1 | 1 | 72123000 | QU | 700 | 700 | 25 | MM |
| 2417 | 810304 | 10093 | Strip 30x4mm St/tZn | coil length approx. 52m | 02020101 | M | 17.00 | EUR | 1 | BA 30X4 STTZN R52M | 4013364019232 | 52 | 1 | 1 | 72123000 | QU | 740 | 740 | 33 | MM |
| 2418 | 810335 | 18079 | Strip 30x3.5mm St/tZn | coil length 50m | 02020101 | M | 13.60 | EUR | 1 | BA 30X3.5 STTZN R50M | 4013364032880 | 50 | 1 | 1 | 72123000 | QU | 705 | 705 | 35 | MM |
| 2419 | 810404 | 18089 | Strip 40x4mm St/tZn | coil length approx. 40m | 02020101 | M | 23.10 | EUR | 1 | BA 40X4 STTZN R40M | 4013364048256 | 40 | 1 | 1 | 72123000 | QU | 680 | 680 | 40 | MM |
| 2420 | 810405 | 14932 | Strip 40x5mm St/tZn Z500 | coil length approx. 30m | 02020101 | M | 28.60 | EUR | 1 | BA 40X5 STTZN R30M | 4013364032897 | 30 | 1 | 1 | 72123000 | QU | 700 | 700 | 40 | MM |
| 2421 | 810504 | 3015356 | Strip 50x4mm St/tZn | coil length approx. 30m | 02020101 | M | 29.80 | EUR | 1 | BA 50X4 STTZN R30M | 4013364456303 | 30 | 1 | 1 | 72123000 | QU | 0 | 0 | 0 | MM |
| 2422 | 819110 | 3013949 | HVI-long Conductor D 23mm grey | FIX length on disposable reel 400m | 01070101 | M | 81.30 | EUR | 1 | HVI LO 75 23 L400M GR M | 4013364436008 | 400 | 0.76 | 0.63 | 85446010 | CH | 740 | 740 | 480 | MM |
| 2423 | 819124 | 3014046 | HVI-light Conductor D 20mm grey | FIXED length one-way drum 500m | 01070102 | M | 56.60 | EUR | 1 | HVI LI 45 20 L500M GR M | 4013364329003 | 500 | 0.54 | 0.52 | 85446010 | CH | 1000 | 20 | 20 | MM |
| 2424 | 819125 | 3014045 | HVI-light Conductor D 20mm grey | FIXED length one-way drum 100m | 01070102 | M | 61.20 | EUR | 1 | HVI LI 45 20 L100M GR M | 4013364118416 | 100 | 0.52 | 0.52 | 85446010 | CH | 740 | 740 | 480 | MM |
| 2425 | 819129 | 3016077 | HVI light Conductor D 20mm grey stranded | cut to length: (6000 mm conductor included) | 01070102 | ST | 467.90 | EUR | 1 | HVI LI 45 20 L .. GR M | 4013364223158 | 1 | 4.485 | 3.16 | 85446010 | DE | 705 | 695 | 150 | MM |
| 2426 | 819131 | 3004761 | HVI long Conductor D 20mm black | cut to length: (6000 mm conductor included) | 01070101 | ST | 568.60 | EUR | 1 | HVI LO 75 20 L... SW M | 4013364223189 | 1 | 4.215 | 2.88 | 85446010 | CH | 705 | 695 | 150 | MM |
| 2427 | 819132 | 3014326 | HVI long Conductor D 23mm grey stranded | cut to length: (includes 6000 mm cond.) | 01070101 | ST | 624.20 | EUR | 1 | HVI LO 75 23 L... GR M | 4013364223172 | 1 | 4.95 | 3.78 | 85446010 | DE | 705 | 695 | 150 | MM |
| 2428 | 819135 | 62458 | HVI long Conductor D 20mm black | FIX length on disposable cable reel 100m | 01070101 | M | 73.50 | EUR | 1 | HVI LO 75 20 L100M SW M | 4013364141759 | 100 | 0.66 | 0.488 | 85446010 | CH | 755 | 755 | 475 | MM |
| 2429 | 819136 | 3013948 | HVI-long Conductor D 23mm grey | FIX length on disposable reel 100m | 01070101 | M | 84.40 | EUR | 1 | HVI LO 75 23 L100M GR M | 4013364147140 | 100 | 0.76 | 0.63 | 85446010 | CH | 740 | 740 | 480 | MM |
| 2430 | 819137 | 67464 | HVI power Conductor long D 27mm black | FIX length on disposable reel 100m | 01070103 | M | 98.20 | EUR | 1 | HVI P LO 90 27 L100M SW | 4013364152625 | 100 | 0.854 | 0.854 | 85446010 | CH | 900 | 900 | 474 | MM |
| 2431 | 819138 | 3013782 | HVI-long Conductor D 20mm black | Fixed length on a reel 500m | 01070101 | M | 72.60 | EUR | 1 | HVI LO 75 20 L500M SW M | 4013364434523 | 500 | 0.66 | 0.488 | 85446010 | CH | 1000 | 1000 | 690 | MM |
| 2432 | 819142 | 67469 | Connection kit with moutning material f. | HVI power long Conductor D 27mm black | 01070103 | ST | 123.70 | EUR | 1 | HVI P LO ASS 27 | 4013364152458 | 1 | 0.41 | 0.41 | 85389099 | DE | 110 | 60 | 30 | MM |
| 2433 | 819145 | 67479 | Connecting elements kit | for HVI long conductor D 20mm black | 01070101 | ST | 104.50 | EUR | 1 | HVI LO ASS RIV 20 | 4013364152533 | 1 | 0.377 | 0.377 | 85389099 | DE | 110 | 50 | 30 | MM |
| 2434 | 819146 | 67483 | Connecting elements kit w. install. mat. | for HVI long conductor D 20mm black | 01070101 | ST | 112.30 | EUR | 1 | HVI LO ASS RAV MM 20 | 4013364152540 | 1 | 0.389 | 0.389 | 85389099 | DE | 110 | 50 | 30 | MM |
| 2435 | 819147 | 67480 | Connecting elements kit | for HVI long conductor D 23mm grey | 01070101 | ST | 105.90 | EUR | 1 | HVI LO ASS RIV 23 | 4013364152557 | 1 | 0.394 | 0.394 | 85389099 | DE | 110 | 50 | 30 | MM |
| 2436 | 819148 | 67484 | Connecting elements kit w. install. mat. | for HVI long conductor D 23mm grey | 01070101 | ST | 113.70 | EUR | 1 | HVI LO ASS RAV 23 | 4013364152564 | 1 | 0.419 | 0.419 | 85389099 | DE | 110 | 50 | 30 | MM |
| 2437 | 819149 | 3004209 | Connection kit with mounting material f. | HVI power long Conductor D 27mm black | 01070103 | ST | 358.80 | EUR | 1 | HVI P LO ASS RAV 27 | 4013364272057 | 1 | 0.89 | 0.8 | 85389099 | DE | 200 | 120 | 80 | MM |
| 2438 | 819160 | 67433 | HVI power Conductor w. preassembled | head unit D 27mm Cu L 6,0m black | 01070103 | ST | 874.90 | EUR | 1 | HVI P RIV 90 27 L6M SW | 4013364152298 | 1 | 5.47 | 4.8 | 85446010 | DE | 705 | 695 | 150 | MM |
| 2439 | 819161 | 3005467 | HVI power Conductor D 27mm black | cut to length (36000 mm conductor included) | 01070103 | ST | 4811.80 | EUR | 1 | HVI P LO 90 27 L36...80M SW | 4013364281646 | 1 | 35.4 | 25.97 | 85446010 | CH | 700 | 700 | 486 | MM |
| 2440 | 819163 | 3005403 | HVI power Conductor D 27mm black, cut to length: | (6000 mm conductor included) max. 35m | 01070103 | ST | 772.10 | EUR | 1 | HVI P LO 90 27 L6...35M SW | 4013364280199 | 1 | 5.65 | 4.36 | 85446010 | CH | 705 | 695 | 150 | MM |
| 2441 | 819165 | 3004223 | HVI power Conductor D 27mm Cu black w. | conn. elements min. order L 6.0m | 01070103 | ST | 1249.40 | EUR | 1 | HVI P RAV 90 27 L6M SW | 4013364272224 | 1 | 6.28 | 4.48 | 85446010 | DE | 700 | 700 | 170 | MM |
| 2442 | 819183 | 3002775 | Fixing set for lateral air-term. rods | four air-term. rods Al D=10mm L=530mm | 01070101 | ST | 118.30 | EUR | 1 | BFRS D80 B35 4FSP 10 530 AL | 4013364249325 | 1 | 0.737 | 0.737 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2443 | 819184 | 3002776 | Fixing set for lateral air-term. rods | four air-term. rods StSt D=10mm L=530mm | 01070101 | ST | 201.20 | EUR | 1 | BFRS D80 B35 4FSP 10 530 V2A | 4013364249318 | 1 | 2 | 2 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2444 | 819185 | 3002773 | Fixing set for lateral air-term. rods | four air-term. rods Al D=10mm L=1030mm | 01070101 | ST | 121.70 | EUR | 1 | BFRS D80 B35 4FSP 10 1030 AL | 4013364249288 | 1 | 1.15 | 1.15 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2445 | 819186 | 3002774 | Fixing set for lateral air-term. rods | four air-term. rods StSt D=10mm L=1030mm | 01070101 | ST | 253.00 | EUR | 1 | BFRS D80 B35 4FSP 10 1030 V2A | 4013364249295 | 1 | 3.25 | 3.25 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2446 | 819196 | 3000290 | Connection element with assembly material | for HVI long Conductor D 23mm grey | 01070101 | ST | 67.50 | EUR | 1 | AEA KO HVI 23 GR V2A | 4013364222229 | 1 | 0.214 | 0.203 | 85389099 | DE | 47 | 12 | 2 | MM |
| 2447 | 819197 | 3000292 | Connection element (head piece) | for HVI long Conductor D 20mm black | 01070101 | ST | 61.90 | EUR | 1 | AEA KO HVI 20 SW V2A | 4013364222236 | 1 | 0.208 | 0.195 | 85389099 | DE | 470 | 120 | 20 | MM |
| 2448 | 819198 | 3000293 | Connection element with assembly material | for HVI long Conductor D 23mm grey | 01070101 | ST | 53.10 | EUR | 1 | AE BO10 HVI 23 GR V2A | 4013364222250 | 1 | 0.217 | 0.205 | 85389099 | DE | 470 | 120 | 20 | MM |
| 2449 | 819199 | 3000295 | Connection element with assembly material | for HVI long Conductor D 20mm black | 01070101 | ST | 49.60 | EUR | 1 | AE BO10 HVI 20 SW V2A | 4013364222274 | 1 | 0.209 | 0.198 | 85389099 | DE | 470 | 120 | 20 | MM |
| 2450 | 819220 | 68099 | HVI Cond. f. tube inside, stranded | preassembled D 20mm Cu L 6.0m black | 01070101 | ST | 717.50 | EUR | 1 | HVI RIV 75 20 L6M SW M | 4013364244238 | 1 | 3.1 | 2.8 | 85446010 | DE | 705 | 695 | 150 | MM |
| 2451 | 819223 | 3014794 | HVI Cond., inst. in tube, preassembled | D 23mm Cu grey (6000 mm cond. included) | 01070101 | ST | 770.00 | EUR | 1 | HVI RIV 75 23 L6M GR M | 4013364157675 | 1 | 5.3 | 4 | 85446010 | DE | 705 | 695 | 150 | MM |
| 2452 | 819226 | 68282 | HVI Conductor for tube outside, stranded | preassembled D 20mm Cu L 6.0m black | 01070101 | ST | 725.90 | EUR | 1 | HVI RAV 75 20 L6M SW M | 4013364260528 | 1 | 13.86 | 13.86 | 85446010 | DE | 705 | 695 | 150 | MM |
| 2453 | 819227 | 3014795 | HVI Cond., outside tube, preass. | D 23mm Cu grey (6000 mm cond. included) | 01070101 | ST | 779.40 | EUR | 1 | HVI RAV 75 23 L6M GR M | 4013364157712 | 1 | 5.2 | 3.9 | 85446010 | DE | 705 | 695 | 150 | MM |
| 2454 | 819235 | 3017541 | Mounting set for noise reduction with | internally installed HVI long Conductor | 01070101 | ST | 134.60 | EUR | 1 | SCHIRM HVI SCH RED | 4013364477216 | 1 | 0.11 | 0.077 | 85389099 | DE | 123 | 115 | 91 | MM |
| 2455 | 819243 | 3003132 | DEHNcon-H HVI light Conduc. w. supp. tube | L2875mm w. air-ter. rod L1000mm GRP/Al/V2A | 01070102 | ST | 1060.50 | EUR | 1 | HVI LI 20 L6M SR2875 FSP1000 DSH GFK AL | 4013364255951 | 1 | 9.237 | 7.926 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2456 | 819247 | 3003557 | DEHNcon-H HVI Cond. w. supp. tube -KIT- | L 1950mm w. air-ter. rod 22/10 L 2500mm | 01070101 | ST | 1173.80 | EUR | 1 | HVI 20 M L6M SR1955 FS2500 DSH GFK AL | 4013364260900 | 1 | 7.1 | 6.8 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2457 | 819255 | 3002580 | DEHNcon-H HVI light Cond. L 6.0m w. | supp. tube a. air-term.rod GRP/Al/V2A | 01070102 | ST | 851.80 | EUR | 1 | HVI LI 20 L6M SR1990 FSP500 GFK AL V2A | 4013364255371 | 1 | 6.838 | 5.677 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2458 | 819256 | 3002581 | DEHNcon-H HVI light Cond. L 6.0m w. | supp. tube a. air-term.rod GRP/Al/V2A | 01070102 | ST | 864.40 | EUR | 1 | HVI LI 20 L6M SR1990 FSP1000 GFK AL V2A | 4013364255388 | 1 | 7.138 | 6.027 | 85389099 | DE | 0 | 0 | 0 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 2459 | 819257 | 3002582 | DEHNcon-H HVI light Cond. L 6.0m w. | supp. tube a. air-term.rod GRP/Al/V2A | 01070102 | ST | 914.70 | EUR | 1 | HVI LI 20 L6M SR2640 FSP500 GFK AL V2A | 4013364255395 | 1 | 7.787 | 6.576 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2460 | 819258 | 3002583 | DEHNcon-H HVI light Cond. L 6.0m w. | supp. tube a. air-term. rod GRP/Al/V2A | 01070102 | ST | 926.30 | EUR | 1 | HVI LI 20 L6M SR2640 FSP1000 GFK AL V2A | 4013364255418 | 1 | 8.087 | 6.966 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2461 | 819259 | 3002584 | DEHNcon-H HVI light Cond. L 7.5m w. | supp. tube a. air-term. rod GRP/Al/V2A | 01070102 | ST | 1462.30 | EUR | 1 | HVI LI 20 L7.5M SR5040 FSP500 GFK AL V2A | 4013364256088 | 1 | 12.2 | 10.989 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2462 | 819271 | 3014618 | Connection kit f. HVI light Cond. D 20mm | w. braid band L 1000mm f. tube inside | 01070102 | ST | 95.00 | EUR | 1 | HVI LI ASS RIV KF GFB1000 V2A | 4013364255845 | 1 | 0.321 | 0.316 | 85389099 | DE | 250 | 130 | 25 | MM |
| 2463 | 819272 | 3014619 | Connection kit f. HVI light Cond. D 20mm | w. braid band L 2200mm f. tube inside | 01070102 | ST | 107.80 | EUR | 1 | HVI LI ASS RIV KF GFB2200 V2A | 4013364255876 | 1 | 0.296 | 0.291 | 85389099 | DE | 250 | 130 | 25 | MM |
| 2464 | 819282 | 3003119 | Air-term. mast 30 f. HVI light Cond. | KIT w. tripod L 2300mm | 01070102 | ST | 591.50 | EUR | 1 | FM D30 L2300 DBS R320 GFK AL STTZN | 4013364252073 | 1 | 4.727 | 4.597 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2465 | 819287 | 3003120 | Air-term. mast 30 f. HVI light Cond. | KIT w. tripod L 2800mm | 01070102 | ST | 610.40 | EUR | 1 | FM D30 L2800 DBS R320 GFK AL STTZN | 4013364252097 | 1 | 4.587 | 4.467 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2466 | 819288 | 3001644 | Connection plate StSt for supporting | tubes D 50mm for 4 HVI connection elements | 01070102 | ST | 63.40 | EUR | 1 | AP SR D50 4AE HVI V2A | 4013364236479 | 1 | 0.176 | 0.172 | 85389099 | DE | 250 | 130 | 30 | MM |
| 2467 | 819289 | 3016507 | Fixing kit Al/StSt for supporting tubes | D 50mm for four HVI light Conductors | 01070102 | ST | 176.30 | EUR | 1 | BFS SR D50 4AE HVI LI AL V2A | 4013364236486 | 1 | 0.53 | 0.43 | 85389099 | DE | 200 | 120 | 90 | MM |
| 2468 | 819294 | 67487 | Fixing kit D 61mm 4x D 20mm | f. HVI long conductor f. supporting tube | 01070101 | ST | 177.40 | EUR | 1 | BFS D61 4X20 | 4013364152571 | 1 | 0.781 | 0.701 | 85389099 | DE | 200 | 120 | 80 | MM |
| 2469 | 819299 | 3014620 | Connection element M12 with nut and | heat-shrinkable sleeve for HVI light | 01070102 | ST | 53.50 | EUR | 1 | AE BO10 KF HVI LI V2A | 4013364118911 | 1 | 0.14 | 0.135 | 85389099 | DE | 200 | 120 | 20 | MM |
| 2470 | 819326 | 3002275 | HVI Conductor D 20mm Cu w. support. tube | L 3200mm a. air-term. rod L 1000mm -KIT- | 01070101 | ST | 1227.30 | EUR | 1 | HVI 20 M L6M SR3200 IP FSP1000 GFK AL | 4013364260511 | 1 | 8.7 | 8.4 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2471 | 819328 | 3002277 | HVI Conductor D 20mm Cu w. support. tube | L 3200mm a. air-term. rod L 2500mm -KIT- | 01070101 | ST | 1284.00 | EUR | 1 | HVI 20 M L6M SR3200 IP RFS2500 GFK AL | 4013364260504 | 1 | 9.1 | 8.8 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2472 | 819336 | 3002282 | HVI Conductor D 23mm Cu w. support. tube | L 3200mm a. air-term. rod L 1000mm -KIT- | 01070101 | ST | 1279.80 | EUR | 1 | HVI 23 L6M SR3200 IP FSP1000 GFK AL | 4013364241237 | 1 | 10.9 | 9.6 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2473 | 819338 | 3002281 | HVI Conductor D 23mm Cu w. support. tube | L 3200mm a. air-term. rod L 2500mm -KIT- | 01070101 | ST | 1336.40 | EUR | 1 | HVI 23 L6M SR3200 IP RFS2500 GFK AL | 4013364241244 | 1 | 11.3 | 10 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2474 | 819371 | 3017867 | HVI Con. D 20mm Cu w. supp. tube L 3200mm | air-term. rod L 1000mm a. tripod -KIT- | 01070101 | ST | 2124.20 | EUR | 1 | HVI 20M L6M SR3200 SA FSP1000 AL DBS V2A | 4013364260498 | 1 | 19.1 | 17 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2475 | 819373 | 3017868 | HVI Con. D 20mm Cu w. supp. tube L 3200mm | air-term. rod L 2500mm and tripod -KIT- | 01070101 | ST | 2183.00 | EUR | 1 | HVI 20M L6M SR3200 SA RFS2500 AL DBS V2A | 4013364260481 | 1 | 20.1 | 17.9 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2476 | 819380 | 3002400 | Air-term. mast 50 f. HVI light Cond. | KIT w. tripod L 2900mm | 01070102 | ST | 956.80 | EUR | 1 | FM D50 10 2900 GFK AL DBS KB STTZN | 4013364241916 | 1 | 13.88 | 13.76 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2477 | 819381 | 3017869 | HVI Con. D 23mm Cu w. supp. tube L 3200mm | air-term. rod L 1000mm a. tripod -KIT- | 01070101 | ST | 2176.70 | EUR | 1 | HVI 23 L6M SR3200 SA FSP1000 AL DBS V2A | 4013364241954 | 1 | 21.3 | 18.5 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2478 | 819383 | 3017870 | HVI Con. D 23mm Cu w. supp. tube L 3200mm | air-term. rod L 2500mm and tripod -KIT- | 01070101 | ST | 2235.40 | EUR | 1 | HVI 23 L6M SR3200 SA RFS2500 AL DBS V2A | 4013364241961 | 1 | 22.3 | 19.1 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2479 | 819385 | 3002401 | Air-term. mast 50 f. HVI light Cond. | KIT w. tripod L 3900mm | 01070102 | ST | 977.80 | EUR | 1 | FM D50 16 10 3900 GFK AL DBS KB STTZN | 4013364241923 | 1 | 13.99 | 13.15 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2480 | 819390 | 3002402 | Air-term. mast 50 f. HVI light Cond. | KIT w. tripod L 4900mm | 01070102 | ST | 1008.20 | EUR | 1 | FM D50 22 16 10 4900 GFK AL DBS KB STTZN | 4013364241930 | 1 | 13.27 | 13.15 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2481 | 819426 | 3002279 | HVI Conductor D 20mm Cu w. support. tube | L 4700mm a. air-term. rod L 2500mm -KIT- | 01070101 | ST | 1386.80 | EUR | 1 | HVI 20 M L6M SR4700 IP RFS2500 GFK AL | 4013364260474 | 1 | 11.6 | 11.3 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2482 | 819430 | 67450 | HVI power Conductor D 27mm Cu -KIT- w. | supp.tube L 3500mm w. air-term.rod L 1.0m | 01070103 | ST | 1715.10 | EUR | 1 | HVI P 27 L6M SR3500 FSP1000 GFK V2A | 4013364152236 | 1 | 16 | 15.4 | 85389099 | DE | 0 | 0 | 0 | |
| 2483 | 819431 | 68040 | HVI power Conductor D 27mm Cu L6m-KIT- w. | supp.tube L 3500mm w. air-term.rod 2.5m | 01070103 | ST | 1984.70 | EUR | 1 | HVI P 27 L6M SR3500 FS2500 GFK V2A | 4013364155442 | 1 | 17.6 | 17 | 85389099 | DE | 0 | 0 | 0 | |
| 2484 | 819433 | 68041 | HVI power Conductor D 27mm Cu -KIT- w. | supp.tube L 5000mm w. air-term.rod 2.5m | 01070103 | ST | 2315.10 | EUR | 1 | HVI P 27 L6M SR5000 FS2500 GFK V2A | 4013364155459 | 1 | 21.6 | 21 | 85389099 | DE | 0 | 0 | 0 | |
| 2485 | 819438 | 3002280 | HVI Conductor D 23mm Cu w. support. tube | L 4700mm a. air-term. rod L 2500mm -KIT- | 01070101 | ST | 1439.20 | EUR | 1 | HVI 23 L6M SR4700 IP RFS2500 GFK AL | 4013364241251 | 1 | 13.8 | 12.5 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2486 | 819473 | 3017871 | HVI Con. D 20mm Cu w. supp. tube L 4700mm | air-term. rod L 2500mm and tripod -KIT- | 01070101 | ST | 2798.70 | EUR | 1 | HVI 20M L6M SR4700 SA RFS2500 AL DBS V2A | 4013364260450 | 1 | 37.8 | 37 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2487 | 819483 | 3017872 | HVI Con. D 23mm Cu w. supp. tube L 4700mm | air-term. rod L 2500mm and tripod -KIT- | 01070101 | ST | 2851.20 | EUR | 1 | HVI 23 L6M SR4700 SA RFS2500 AL DBS V2A | 4013364241978 | 1 | 40 | 38.2 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2488 | 819730 | 3002526 | Air-term. mast L 11m w. HVI Conductor | D 20mm Cu L min. 10.0m black -KIT- | 01070101 | ST | 3539.50 | EUR | 1 | FM 60 L11M IP HVI M L10M GFK AL STTZN | 4013364243477 | 1 | 53.54 | 53 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2489 | 819760 | 3002259 | Air-term. mast L 11.0m m. HVI power Cond. | D 27mm Cu L min. 10.0m black -KIT- | 01070103 | ST | 3937.10 | EUR | 1 | FM 60 L11M IP HVIP L10M GFK AL STTZN | 4013364240391 | 1 | 57.89 | 56.64 | 85389099 | DE | 0 | 0 | 0 | MM |
| 2490 | 819999 | 3000482 | Cable tie 546x13.2mm black | UV resistant | 01070101 | ST | 7.10 | EUR | 1 | KB UVB 546X13 SW | 4013364222779 | 50 | 0.016 | 0.015 | 39209200 | DE | 546 | 13 | 13 | MM |
| 2491 | 830008 | 10008 | Round wire 8mm Cu | coil length 100m soft | 02010102 | M | 35.20 | EUR | 1 | RD 8 CU F20 WEI R100M | 4013364018785 | 100 | 1 | 1 | 74081100 | DE | 590 | 590 | 110 | MM |
| 2492 | 830038 | 16757 | Round wire 8mm Cu | coil length 100m semi-rigid | 02010102 | M | 35.20 | EUR | 1 | RD 8 CU F25 HH R100M | 4013364035690 | 100 | 1 | 1 | 74081100 | DE | 620 | 620 | 110 | MM |
| 2493 | 830108 | 19402 | Round wire 8mm Cu | coil length: 20m soft | 02010102 | M | 37.40 | EUR | 1 | RD 8 CU F20 WEI R20M | 4013364080430 | 20 | 0.448 | 0.448 | 74081100 | DE | 0 | 0 | 0 | |
| 2494 | 830208 | 49066 | CUI conductor D 20mm | Cu 8mm prewired L 3.5m | 01070101 | ST | 335.70 | EUR | 1 | CUI L 20 GR 3.5M | 4013364106116 | 1 | 3.27 | 2.6 | 85389099 | DE | 705 | 695 | 150 | MM |
| 2495 | 830218 | 49062 | CUI conductor D 20mm | Cu 8mm prewired L 5.0m | 01070101 | ST | 428.00 | EUR | 1 | CUI L 20 GR 5M | 4013364106123 | 1 | 4.27 | 3.6 | 85389099 | DE | 705 | 695 | 150 | MM |
| 2496 | 831225 | 10020 | Strip 20x2.5mm Cu | coil length approx. 100m | 02020102 | M | 43.00 | EUR | 1 | BA 20X2.5 CU R100M | 4013364018891 | 100 | 1 | 1 | 74091100 | DE | 700 | 700 | 20 | MM |
| 2497 | 832095 | 19412 | Cable 12.5mm 95mm² Cu (19x2.5mm) | coil 50m weight approx. 42kg | 02030102 | M | 74.20 | EUR | 1 | SEIL 12.5 95Q CU R50M | 4013364083124 | 50 | 0.845 | 0.845 | 74130000 | CZ | 350 | 350 | 210 | MM |
| 2498 | 832120 | 19413 | Cable 14.5mm 120mm² Cu (19x2.8mm) | coil 50m weight approx. 53kg | 02030102 | M | 93.70 | EUR | 1 | SEIL 14.5 120Q CU R50M | 4013364129610 | 50 | 1.06 | 1.06 | 74130000 | CZ | 300 | 300 | 210 | MM |
| 2499 | 832192 | 19410 | Cable 10.5mm 70mm² Cu (19x2.1mm) | coil 50m weight approx. 30kg | 02030102 | M | 53.60 | EUR | 1 | SEIL 10.5 70Q CU R50M | 4013364018914 | 50 | 0.597 | 0.597 | 74130000 | CZ | 690 | 690 | 120 | MM |
| 2500 | 832193 | 19411 | Cable 10.5mm 70mm² Cu (19x2.1mm) | coil 100m weight approx. 60kg | 02030102 | M | 53.60 | EUR | 1 | SEIL 10.5 70Q CU R100M | 4013364093430 | 100 | 0.597 | 0.597 | 74130000 | CZ | 320 | 320 | 210 | MM |
| 2501 | 832202 | 19415 | Cable 10.5mm 70mm² Cu/galSn (19x2.1mm) | coil 50m weight approx. 30kg | 02030102 | M | 56.60 | EUR | 1 | SEIL 10.5 70Q CUGALSN R50M | 4013364081048 | 50 | 0.597 | 0.597 | 74130000 | CZ | 270 | 270 | 210 | MM |
| 2502 | 832292 | 19416 | Cable 10.5mm 70mm² Cu/galSn (19x2.1mm) | coil 100m weight approx. 60kg | 02030102 | M | 56.60 | EUR | 1 | SEIL 10.5 70Q CUGALSN R100M | 4013364093171 | 100 | 0.597 | 0.597 | 74130000 | CZ | 360 | 360 | 200 | MM |
| 2503 | 832295 | 19417 | Cable 12.5mm 95mm² Cu/galSn (19x2.5mm) | coil 50m weight approx. 42kg | 02030102 | M | 78.20 | EUR | 1 | SEIL 12.5 95Q CUGALSN R50M | 4013364093447 | 50 | 0.812 | 0.812 | 74130000 | CZ | 280 | 280 | 220 | MM |
| 2504 | 832320 | 19418 | Cable 14.5mm 120mm² Cu/galSn (19x2.8mm) | coil 50m weight approx. 53kg | 02030102 | M | 98.40 | EUR | 1 | SEIL 14.5 120Q CUGALSN R50M | 4013364129641 | 50 | 1.06 | 1.06 | 74130000 | CZ | 320 | 320 | 210 | MM |
| 2505 | 832739 | 19408 | Cable 9mm 50mm² Cu (19x1.8mm) | coil 50m weight approx. 22kg | 02030102 | M | 40.10 | EUR | 1 | SEIL 9 50Q CU R50M | 4013364018907 | 50 | 0.438 | 0.438 | 74130000 | CZ | 300 | 300 | 110 | MM |
| 2506 | 832740 | 19409 | Cable 9mm 50mm² Cu (19x1.8mm) | coil 100m weight approx. 44kg | 02030102 | M | 40.10 | EUR | 1 | SEIL 9 50Q CU R100M | 4013364093454 | 100 | 0.438 | 0.438 | 74130000 | CZ | 280 | 280 | 210 | MM |
| 2507 | 832838 | 3009471 | Cable 7.5mm 35mm² Cu/galSn (7x2.5mm) | Coil length: 100m | 02030102 | M | 35.50 | EUR | 1 | Seil 7.5 CUGALSN 35Q R100M | 4013364335776 | 100 | 0.334 | 0.334 | 74130000 | DE | 380 | 380 | 110 | MM |
| 2508 | 832839 | 19414 | Cable 9mm 50mm² Cu/galSn (19x1.8mm) | coil 100m weight approx. 44kg | 02030102 | M | 42.10 | EUR | 1 | SEIL 9 50Q CUGALSN R100M | 4013364093164 | 100 | 0.438 | 0.438 | 74130000 | CZ | 380 | 380 | 110 | MM |
| 2509 | 833008 | 19403 | Round wire DEHNcup 8mm Al/Cu | coil length 110m soft-torsionable | 02010102 | M | 25.00 | EUR | 1 | RD 8 AL CU WEI R110M | 4013364151987 | 110 | 0.182 | 0.182 | 76051100 | GB | 600 | 600 | 130 | MM |
| 2510 | 840008 | 10003 | Round wire DEHNalu 8mm AlMgSi | coil length 148m semi-rigid | 02010104 | M | 8.10 | EUR | 1 | RD 8 ALMGSI HH R148M | 4013364018730 | 148 | 1 | 1 | 76052100 | QU | 0 | 0 | 0 | |
| 2511 | 840010 | 10004 | Round wire DEHNalu 10mm Al | coil length 100m soft-torsionable | 02010104 | M | 13.40 | EUR | 1 | RD 10 Al WEI R100M | 4013364018747 | 100 | 1 | 1 | 76051100 | QU | 670 | 670 | 110 | MM |
| 2512 | 840018 | 16758 | Round wire DEHNalu 8mm AlMgSi | coil length 148m soft-torsionable | 02010104 | M | 8.10 | EUR | 1 | RD 8 ALMGSI WEI R148M | 4013364035706 | 148 | 1 | 1 | 76052100 | DE | 1070 | 1070 | 140 | MM |
| 2513 | 840028 | 19401 | Round wire DEHNalu 8mm AlMgSi | coil length: 21m soft-torsionable | 02010104 | M | 9.10 | EUR | 1 | RD 8 ALMGSI WEI R21M | 4013364131163 | 21 | 0.135 | 0.135 | 76052100 | DE | 0 | 0 | 0 | |
| 2514 | 840050 | 66119 | Cable 9mm 50mm² Al (19x1.8mm) EN 50182 | coil 100m | 02030104 | M | 11.90 | EUR | 1 | SEIL 9 50Q AL R100M | 4013364070141 | 100 | 0.133 | 0.133 | 76149000 | DE | 630 | 630 | 100 | MM |
| 2515 | 840108 | 19400 | Round wire DEHNalu 8mm AlMgSi | coil length: 21m semi-rigid | 02010104 | M | 8.90 | EUR | 1 | RD 8 ALMGSI HH R21M | 4013364080423 | 21 | 0.135 | 0.135 | 76052100 | QU | 0 | 0 | 0 | |
| 2516 | 840118 | 35502 | Round wire 8mm AlMgSi soft coil length | 100m w. plastic sheath halogen-free | 02010104 | M | 12.10 | EUR | 1 | RD 8 ALMGSI WE KM R100M | 4013364071483 | 100 | 1 | 1 | 76052100 | QU | 570 | 570 | 160 | MM |
| 2517 | 840128 | 66364 | Round wire 8mm Al soft coil length | 100m w. plastic sheath, halogen-free | 02010104 | M | 12.10 | EUR | 1 | RD 8 AL WE KM R100M | 4013364160002 | 100 | 0.2 | 0.2 | 76052100 | FR | 630 | 630 | 140 | MM |
| 2518 | 850008 | 58243 | Cable 8mm 7x19x0.59mm StSt (316/Ti/L) | coil 100m weight approx. 23.5kg | 02030103 | M | 39.80 | EUR | 1 | SEIL 8 V4A R100M | 4013364129627 | 100 | 0.235 | 0.235 | 73121020 | CN | 290 | 290 | 125 | MM |
| 2519 | 850010 | 58244 | Cable 10mm 7x19x0.68mm StSt (316/Ti/L) | coil 100m weight approx. 39.5kg | 02030103 | M | 62.80 | EUR | 1 | SEIL 10 V4A R100M | 4013364129634 | 100 | 0.395 | 0.395 | 73121020 | CN | 695 | 695 | 35 | MM |
| 2520 | 852335 | 16350 | Strip 30x3.5mm St/tZn | coil length of 25m | 02020101 | M | 13.40 | EUR | 1 | BA 30X3.5 STTZN R25M | 4013364031067 | 25 | 1 | 1 | 72123000 | QU | 620 | 620 | 33 | MM |
| 2521 | 860008 | 10010 | Round wire 8mm StSt (V4A) | Coil length approx. 125m | 02010103 | M | 36.10 | EUR | 1 | RD 8 V4A R125M | 4013364018808 | 125 | 1 | 1 | 72210010 | QU | 0 | 0 | 0 | |
| 2522 | 860010 | 10239 | Round wire 10mm StSt (1.4404) | Coil length approx. 80m | 02010103 | M | 56.20 | EUR | 1 | RD 10 V4A R80M | 4013364019997 | 80 | 1 | 1 | 72210010 | QU | 0 | 0 | 0 | |
| 2523 | 860020 | 41779 | Round wire 10mm StSt (V4A) | Coil length approx. 20m | 02010103 | M | 58.80 | EUR | 1 | RD 10 V4A R20M | 4013364092662 | 20 | 1 | 1 | 72210010 | QU | 0 | 0 | 0 | |
| 2524 | 860050 | 60505 | Round wire 10mm StSt (V4A) | Coil length approx. 50m | 02010103 | M | 56.20 | EUR | 1 | RD 10 V4A R50M | 4013364139923 | 50 | 1 | 1 | 72210010 | QU | 0 | 0 | 0 | |
| 2525 | 860110 | 55757 | Terminal lug Rd 10mm StSt (V4A) | L 1000mm | 02010103 | ST | 59.90 | EUR | 1 | AF 10 V4A 1000 | 4013364150256 | 5 | 0.624 | 0.624 | 85389099 | DE | 1000 | 10 | 10 | MM |
| 2526 | 860115 | 46223 | Connection lug Rd 10mm StSt (V4A) | L 1500mm | 02010103 | ST | 86.20 | EUR | 1 | AF 10 V4A 1500 | 4013364101104 | 5 | 0.93 | 0.93 | 85389099 | DE | 1500 | 10 | 10 | MM |
| 2527 | 860130 | 66666 | Terminal lug Rd 10mm StSt (316/Ti/L) | L 3000mm | 02010103 | ST | 167.70 | EUR | 1 | AF 10 V4A 3000 | 4013364101111 | 5 | 1.8 | 1.8 | 85389099 | DE | 3000 | 10 | 10 | MM |
| 2528 | 860210 | 46215 | Connection lug Fl 30x3.5mm StSt V4A | L 1000mm | 02020103 | ST | 69.10 | EUR | 1 | AF 30X3.5 V4A 1000 | 4013364159365 | 5 | 0.83 | 0.83 | 85389099 | DE | 1000 | 30 | 3.5 | MM |
| 2529 | 860215 | 46217 | Terminal lug Fl 30x3.5mm StSt (V4A) | L 1500mm | 02020103 | ST | 100.30 | EUR | 1 | AF 30X3.5 V4A 1500 | 4013364101081 | 5 | 1.25 | 1.25 | 85389099 | DE | 1500 | 30 | 3.5 | MM |
| 2530 | 860230 | 46219 | Terminal lug Fl 30x3.5mm StSt (316/Ti/L) | L 3000mm | 02020103 | ST | 195.50 | EUR | 1 | AF 30X3.5 V4A 3000 | 4013364101098 | 5 | 2.48 | 2.48 | 85389099 | DE | 3000 | 30 | 3.5 | MM |
| 2531 | 860315 | 55745 | Terminal lug angled Fl 30x3.5mm | StSt (V4A) L 1500mm with bore 11mm | 02020103 | ST | 120.90 | EUR | 1 | AF 30X3.5 V4A ZW 1500 | 4013364150058 | 5 | 1.25 | 1.25 | 85389099 | DE | 1500 | 30 | 20 | MM |
| 2532 | 860325 | 3001280 | Strip 30x3.5mm StSt (316/Ti/L) | coil 25m weight approx. 21kg | 02020103 | M | 66.10 | EUR | 1 | BA 30X3.5 V4A R25M | 4013364093157 | 25 | 1 | 1 | 72202021 | QU | 600 | 600 | 30 | MM |
| 2533 | 860330 | 55748 | Terminal lug angled Fl 30x3.5mm | StSt (V4A) L 3000mm with bore 11mm | 02020103 | ST | 221.30 | EUR | 1 | AF 30X3.5 V4A ZW 3000 | 4013364150065 | 5 | 2.5 | 2.5 | 85389099 | DE | 3000 | 30 | 20 | MM |
| 2534 | 860335 | 10240 | Strip 30x3.5mm StSt (316/Ti/L) | coil 60m weight approx. 49kg | 02020103 | M | 63.50 | EUR | 1 | BA 30X3.5 V4A R60M | 4013364143388 | 60 | 1 | 1 | 72202021 | QU | 0 | 0 | 0 | |
| 2535 | 860404 | 3005070 | Strip 40x4mm StSt (V4A) | Coil approx. 40m | 02020103 | M | 96.00 | EUR | 1 | BA 40X4 V4A R40M | 4013364276482 | 40 | 1 | 1 | 72202021 | DE | 700 | 700 | 40 | MM |
| 2536 | 860405 | 3005071 | Strip 40x5mm StSt (V4A) | coil approx. 30m | 02020103 | M | 120.80 | EUR | 1 | BA 40X5 V4A R30M | 4013364276499 | 30 | 1 | 1 | 72202021 | QU | 650 | 650 | 40 | MM |
| 2537 | 860425 | 3001039 | Connection lug Fl 30x3.5 mm StSt | L 3000 mm with 5 bores 6.5x12 mm | 02020103 | ST | 183.30 | EUR | 1 | AF 30X3.5 V2A B6.5X12 3000 | 4013364227774 | 5 | 2.4 | 2.4 | 85389099 | DE | 3000 | 30 | 3.5 | MM |
| 2538 | 860430 | 3001041 | Connection lug Fl 30x3.5 mm StSt (V4A) | L 3000 mm with 5 bores 6.5x12 mm | 02020103 | ST | 212.90 | EUR | 1 | AF 30X3.5 V4A B6.5X12 3000 | 4013364227781 | 5 | 2 | 2 | 85389099 | DE | 3000 | 30 | 3.5 | MM |
| 2539 | 860900 | 60549 | Strip 30x3.5mm StSt (V2A) | ring length approx. 60m | 02020103 | M | 53.60 | EUR | 1 | BA 30X3.5 V2A R60M | 4013364143395 | 60 | 1 | 1 | 72202021 | DE | 730 | 730 | 30 | MM |
| 2540 | 860908 | 10110 | Round wire 8mm StSt (V2A) | Coil length approx. 125m | 02010103 | M | 24.90 | EUR | 1 | RD 8 V2A R125M | 4013364019362 | 125 | 1 | 1 | 72210010 | QU | 0 | 0 | 0 | |
| 2541 | 860910 | 10102 | Round wire 10mm StSt (V2A) | Coil length approx. 80m | 02010103 | M | 38.70 | EUR | 1 | RD 10 V2A R80M | 4013364019300 | 80 | 1 | 1 | 72210010 | QU | 0 | 0 | 0 | |
| 2542 | 860920 | 41780 | Round wire 10mm StSt 1.4301 (V2A) | Coil length approx. 20m | 02010103 | M | 41.10 | EUR | 1 | RD 10 V2A R20M | 4013364092679 | 20 | 1 | 1 | 72210010 | QU | 0 | 0 | 0 | |
| 2543 | 860925 | 41788 | Strip 30x3.5mm StSt (V2A) | coil 25m weight approx. 21kg | 02020103 | M | 55.90 | EUR | 1 | BA 30X3.5 V2A R25M | 4013364093140 | 25 | 1 | 1 | 72202021 | DE | 600 | 600 | 30 | MM |
| 2544 | 860950 | 66227 | Round wire 10mm StSt (V2A) | coil length approx. 50m | 02010103 | M | 38.70 | EUR | 1 | RD 10 V2A R50M | 4013364155596 | 50 | 1 | 1 | 72210010 | QU | 0 | 0 | 0 | |
| 2545 | 900050 | 69428 | DEHNgap Maxi S, N-PE lightning current | arrester | 04010114 | ST | 379.10 | EUR | 1 | DGPM 1 255 S | 4013364107496 | 1 | 0.539 | 0.507 | 85363030 | DE | 110 | 107 | 97 | MM |
| 2546 | 900070 | 3014406 | DEHNcombo YPV combined arrester for | PV systems up to 1200 V DC | 04010105 | ST | 284.70 | EUR | 1 | DCB YPV 1200 | 6942299504521 | 1 | 0.639 | 0.509 | 85354000 | CN | 140 | 115 | 115 | MM |
| 2547 | 900071 | 3014408 | DEHNcombo YPV combined arrester for | PV systems up to 1500 V DC | 04010105 | ST | 342.70 | EUR | 1 | DCB YPV 1500 | 6942299504545 | 1 | 0.636 | 0.562 | 85354000 | CN | 140 | 115 | 115 | MM |
| 2548 | 900075 | 3014407 | DEHNcombo YPV FM combined arrester for | PV systems up to 1200 V DC | 04010105 | ST | 334.70 | EUR | 1 | DCB YPV 1200 FM | 6942299504538 | 1 | 0.588 | 0.511 | 85354000 | CN | 140 | 115 | 115 | MM |
| 2549 | 900076 | 3014409 | DEHNcombo YPV FM combined arrester for | PV systems up to 1500 V DC | 04010105 | ST | 392.60 | EUR | 1 | DCB YPV 1500 FM | 6942299504552 | 1 | 0.639 | 0.564 | 85354000 | CN | 140 | 115 | 115 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 2550 | 900120 | 69142 | DEHNbloc H 3 lightning current arrester | | 04010113 | ST | 594.60 | EUR | 1 | DB 3 255 H | 4013364109377 | 1 | 0.905 | 0.873 | 85363090 | DE | 127 | 107 | 84 | MM |
| 2551 | 900220 | 68726 | Coordin. lightn. current arrester Type 1 | DEHNbloc Maxi S 1-pole 255V AC | 04010111 | ST | 415.40 | EUR | 1 | DBM 1 255 S | 4013364106734 | 1 | 0.731 | 0.699 | 85363090 | DE | 110 | 107 | 97 | MM |
| 2552 | 900222 | 68791 | Lightning current arrester Type 1 | DEHNbloc 1 H 1-pole 255V AC | 04010113 | ST | 222.60 | EUR | 1 | DB 1 255 H | 4013364102521 | 1 | 0.344 | 0.331 | 85363090 | DE | 93 | 67 | 38 | MM |
| 2553 | 900230 | 68129 | Coordinated lightning current arrester | Type 1 DEHNscild single-pole 255 V a.c. | 04010107 | ST | 1441.70 | EUR | 1 | DSO 1 255 | 4013364153783 | 1 | 1.67 | 1.49 | 85363090 | DE | 250 | 232 | 75 | MM |
| 2554 | 900255 | 69146 | Koordinierter Blitzstromableiter Typ 1 | DEHNbloc Maxi NH00 1-polig 255V AC | 04010109 | ST | 241.60 | EUR | 1 | DBM NH00 255 | 4013364125773 | 1 | 0.208 | 0.194 | 85363090 | DE | 95 | 74 | 45 | MM |
| 2555 | 900261 | 67784 | Surge arrester Type 2 / single-pole | 280V a.c. for NH00 fuse holders | 04010216 | ST | 156.20 | EUR | 1 | V NH00 280 | 4013364094352 | 1 | 0.191 | 0.158 | 85363030 | DE | 97 | 75 | 46 | MM |
| 2556 | 900262 | 67786 | Surge arrester Type 2 / single-pole | 280V a.c. for NH00 fuse holders | 04010216 | ST | 167.80 | EUR | 1 | VA NH00 280 | 4013364072572 | 1 | 0.192 | 0.158 | 85363030 | DE | 96 | 78 | 45 | MM |
| 2557 | 900263 | 67783 | Surge arrester Type 2 / single-pole | 280V a.c. for NH00 fuse holders | 04010216 | ST | 163.50 | EUR | 1 | V NH00 280 FM | 4013364094369 | 1 | 0.208 | 0.194 | 85363030 | DE | 95 | 74 | 45 | MM |
| 2558 | 900264 | 67785 | Surge arrester Type 2 / single-pole | 280V a.c. for NH00 fuse holders | 04010216 | ST | 173.40 | EUR | 1 | VA NH00 280 FM | 4013364073661 | 1 | 0.171 | 0.157 | 85363030 | DE | 95 | 74 | 45 | MM |
| 2559 | 900270 | 67787 | Surge arrester Type 2 / single-pole | 280V a.c. for NH1 fuse holders | 04010216 | ST | 167.00 | EUR | 1 | V NH1 280 | 4013364106703 | 1 | 0.243 | 0.223 | 85363030 | DE | 160 | 61 | 55 | MM |
| 2560 | 900271 | 67788 | Surge arrester Type 2 / single-pole | 280V a.c. for NH1 fuse holders | 04010216 | ST | 178.10 | EUR | 1 | VA NH1 280 | 4013364106710 | 1 | 0.244 | 0.224 | 85363030 | DE | 160 | 61 | 55 | MM |
| 2561 | 900385 | 3016089 | Combined arrester DEHNvap | Type 1+2 f.three-phase TT and TN-S systems | 04010116 | ST | 821.90 | EUR | 1 | DVA EMOB 3P 255 FM | 4013364422186 | 1 | 0.5 | 0.472 | 85363090 | DE | 115 | 90 | 90 | MM |
| 2562 | 900390 | 3000549 | Combined arrester type 1 + type 2 | DEHNventil ZP f. three-phase TN-C systems | 04010102 | ST | 1191.60 | EUR | 1 | DV ZP TNC 255 | 4013364105751 | 1 | 0.957 | 0.914 | 85363090 | DE | 217 | 115 | 65 | MM |
| 2563 | 900391 | 3000546 | Combined arrester type 1 + type 2 | DEHNventil ZP f. three-phase TT a. TN-S | 04010102 | ST | 1673.70 | EUR | 1 | DV ZP TT 255 | 4013364105768 | 1 | 1.076 | 1.01 | 85363090 | DE | 217 | 115 | 65 | MM |
| 2564 | 900396 | 3010116 | Comb. arr. Type 1+2 DEHNshield ZP Basic | for three-phase TT and TN-S systems | 04010102 | ST | 476.40 | EUR | 1 | DSH ZP B TT 255 | 4013364306783 | 1 | 0.737 | 0.643 | 85363090 | DE | 217 | 115 | 65 | MM |
| 2565 | 900411 | 48713 | Earthing clip single-phase 3-pole | with terminal up to 25 mm² | 04010150 | ST | 20.20 | EUR | 1 | EB DG 1000 1 3 | 4013364107205 | 1 | 0.054 | 0.054 | 85369095 | DE | 112 | 34 | 20 | MM |
| 2566 | 900417 | 56260 | Earthing clip single-phase 4-pole | with terminal up to 25 mm² | 04010150 | ST | 24.80 | EUR | 1 | EB 1 4 9 | 4013364120419 | 1 | 0.066 | 0.066 | 85369095 | DE | 148 | 34 | 20 | MM |
| 2567 | 900418 | 69093 | Earth. clip single-phase 3-pole 1.5 mods | with terminal up to 25 mm² | 04010250 | ST | 19.30 | EUR | 1 | EB 1 3 1.5 | 4013364159884 | 1 | 0.049 | 0.049 | 85369095 | DE | 85 | 34 | 28 | MM |
| 2568 | 900419 | 56893 | Earthing clip single-phase 2-pole | with terminal up to 25 mm² | 04010250 | ST | 16.60 | EUR | 1 | EB 1 2 5 | 4013364156821 | 1 | 0.039 | 0.039 | 85369095 | DE | 77 | 34 | 28 | MM |
| 2569 | 900429 | 69095 | Earthing clip single-phase 4-pole | 1.5 mods w. terminal up to 25 mm² | 04010250 | ST | 23.50 | EUR | 1 | EB 1 4 1.5 | 4013364159891 | 1 | 0.059 | 0.059 | 85369095 | DE | 112 | 34 | 28 | MM |
| 2570 | 900430 | 3015477 | Surge arrester Type 2 DEHNcord | 2-pole f. electr. installation systems | 04010205 | ST | 81.50 | EUR | 1 | DCOR L 2P 275 | 4013364157286 | 1 | 0.073 | 0.059 | 85363030 | RO | 105 | 75 | 19 | MM |
| 2571 | 900431 | 3015478 | Surge arrester Type 2 DEHNcord | 1-pole f. electr. installation systems | 04010205 | ST | 52.50 | EUR | 1 | DCOR L 1P 275 | 4013364310827 | 1 | 0.06 | 0.046 | 85363030 | RO | 105 | 75 | 19 | MM |
| 2572 | 900432 | 3015479 | Surge arrester Type 2 DEHNcord | 2-pole for elect. installation systems | 04010205 | ST | 87.10 | EUR | 1 | DCOR L 2P 320 | 4013364157309 | 1 | 0.074 | 0.061 | 85363030 | RO | 105 | 75 | 19 | MM |
| 2573 | 900433 | 3015480 | Surge arrester Type 2 DEHNcord | 1-pole for elect. installation systems | 04010205 | ST | 59.30 | EUR | 1 | DCOR L 1P 320 | 4013364157316 | 1 | 0.061 | 0.048 | 85363030 | RO | 105 | 75 | 19 | MM |
| 2574 | 900435 | 3015481 | Surge arrester Type 2 DEHNcord | 2-pole f. electr. installation systems | 04010205 | ST | 74.00 | EUR | 1 | DCOR L 2P 275 SO LT | 4013364292963 | 1 | 0.07 | 0.054 | 85363030 | RO | 105 | 75 | 19 | MM |
| 2575 | 900439 | 3013920 | Type 2+3 surge arrester DEHNcord | 3-phase for electr. inst. systems | 04010205 | ST | 139.00 | EUR | 1 | DCOR 3P TT 275 FM | 4013364436053 | 1 | 0.129 | 0.105 | 85363030 | CN | 112 | 47 | 45 | MM |
| 2576 | 900443 | 3011907 | Fuse box EK480, Langmatz, with | DEHNcord, transparent cover | 04010205 | ST | 158.90 | EUR | 1 | SK EK480 G25-2d LM DCOR | 4013364394322 | 20 | 0.788 | 0.785 | 85362010 | DE | 276 | 81 | 70 | MM |
| 2577 | 900445 | 3015482 | Surge arrester Type 2 DEHNcord | 3-pole f. electr. installation systems | 04010205 | ST | 81.00 | EUR | 1 | DCOR L 3P 275 SO LTG | 4013364280380 | 1 | 0.072 | 0.058 | 85363030 | RO | 105 | 75 | 19 | MM |
| 2578 | 900446 | 3015483 | Surge arrester Type 2 DEHNcord | 2-pole f. electr. installation systems | 04010205 | ST | 66.70 | EUR | 1 | DCOR L 2P 275 SO LTG | 4013364292970 | 1 | 0.063 | 0.049 | 85363030 | RO | 105 | 75 | 19 | MM |
| 2579 | 900447 | 3015484 | Surge arrester Type 2 DEHNcord | 3-pole w. connecting cable IP65 | 04010205 | ST | 89.40 | EUR | 1 | DCOR L 3P 275 SO IP | 4013364282216 | 1 | 0.147 | 0.13 | 85363030 | RO | 168 | 75 | 39 | MM |
| 2580 | 900448 | 3015485 | Surge arrester Type 2 DEHNcord | 2-pole w. connecting cable IP65 | 04010205 | ST | 75.30 | EUR | 1 | DCOR L 2P 275 SO IP | 4013364293007 | 1 | 0.14 | 0.113 | 85363030 | RO | 168 | 75 | 39 | MM |
| 2581 | 900449 | 3015277 | Surge arrester Type 2 DEHNcord | 3-pole f. electric blinds | 04010205 | ST | 192.80 | EUR | 1 | DCOR R 3P 275 | 4013364320031 | 1 | 0.151 | 0.128 | 85363030 | RO | 150 | 38 | 33 | MM |
| 2582 | 900456 | 3002993 | Surge arrester Type 2 DEHNguard | 4-pole for TT and TN-S systems | 04010219 | ST | 441.40 | EUR | 1 | DG TT 20 340 | 6942299502336 | 1 | 0.319 | 0.293 | 85363030 | CN | 95 | 87 | 70 | MM |
| 2583 | 900460 | 3002509 | Earthing clip single-phase 2-pole | 1.5 mods w. terminal up to 25 mm² | 04010250 | ST | 16.00 | EUR | 1 | EB 1 2 1.5 | 4013364244146 | 1 | 0.04 | 0.037 | 85369095 | DE | 60 | 31 | 28 | MM |
| 2584 | 900461 | 3003571 | Earthing clip single-phase 3-pole | 10 mods w. connection clamp up tp 25 mm² | 04010150 | ST | 29.50 | EUR | 1 | EB 1 3 10 | 4013364260559 | 1 | 0.068 | 0.064 | 85369095 | DE | 159 | 31 | 19 | MM |
| 2585 | 900462 | 3003568 | Earthing clip single-phase 4-pole | 13 mods w. connection clamp up to 25 mm² | 04010150 | ST | 30.90 | EUR | 1 | EB 1 4 13 | 4013364260566 | 1 | 0.086 | 0.081 | 85369095 | DE | 213 | 31 | 19 | MM |
| 2586 | 900471 | 37784 | Surge arrester Type 3 / 2-pole w. solder | pins f. inst. into terminal equipment | 04010304 | ST | 43.00 | EUR | 1 | VC 280 2 | 4013364067547 | 1 | 0.028 | 0.023 | 85363010 | DE | 55 | 55 | 18 | MM |
| 2587 | 900588 | 3004033 | Pin-shaped terminal 3x16mm² | for through-wiring | 04010403 | ST | 14.90 | EUR | 1 | STAK 3X16 | 4013364323933 | 4 | 0.04 | 0.031 | 85369010 | DE | 42 | 27 | 18 | MM |
| 2588 | 900589 | 50681 | Pin-shaped terminal 2x16mm² | for through-wiring | 04010403 | ST | 10.40 | EUR | 1 | STAK 2X16 | 4013364109339 | 1 | 0.02 | 0.018 | 85369010 | DE | 35 | 18 | 18 | MM |
| 2589 | 900595 | 65051 | Busbar / Modular wiring system | three-phase, 6-pole for 6 modules | 04010403 | ST | 15.20 | EUR | 1 | MVS 3 6 6 | 4013364078208 | 1 | 0.058 | 0.058 | 85369001 | DE | 223 | 80 | 50 | MM |
| 2590 | 900610 | 36964 | Modular wiring system, single-phase, | 4-pole, Cu 16mm² | 04010403 | ST | 4.50 | EUR | 1 | MVS 1 4 | 4013364048553 | 1 | 0.019 | 0.019 | 85369001 | DE | 223 | 107 | 104 | MM |
| 2591 | 900611 | 36965 | Modular wiring system, single-phase, | 8-pole, Cu/16mm² | 04010403 | ST | 6.70 | EUR | 1 | MVS 1 8 | 4013364048560 | 1 | 0.038 | 0.038 | 85369001 | DE | 330 | 230 | 190 | MM |
| 2592 | 900612 | 30227 | Modular wiring system, single-phase, | 57-pole, Cu/16mm² | 04010403 | ST | 33.90 | EUR | 1 | MVS 1 57 | 4013364069428 | 1 | 0.288 | 0.288 | 85369001 | DE | 1025 | 100 | 100 | MM |
| 2593 | 900615 | 39633 | Busbar / modular wiring system | single-phase, three-pole Cu/16mm² | 04010403 | ST | 4.30 | EUR | 1 | MVS 1 3 | 4013364086562 | 1 | 0.014 | 0.014 | 85369001 | DE | 223 | 107 | 104 | MM |
| 2594 | 900617 | 39632 | Busbar / modular wiring system | single-phase, two-pole, copper 16mm² | 04010403 | ST | 3.40 | EUR | 1 | MVS 1 2 | 4013364086593 | 1 | 0.009 | 0.009 | 85369001 | DE | 223 | 107 | 104 | MM |
| 2595 | 900760 | 68646 | Surge protective devices for | circuit breakers 2-pole C25 A | 04010220 | ST | 109.90 | EUR | 1 | POP 2 255 C25 | 4013364156135 | 1 | 0.297 | 0.274 | 85363030 | FR | 97 | 82 | 58 | MM |
| 2596 | 900761 | 68647 | Surge protective devices for pannungen | circuit breakers 2-pole C32 A | 04010220 | ST | 113.50 | EUR | 1 | POP 2 255 C32 | 4013364156142 | 1 | 0.317 | 0.294 | 85363030 | FR | 97 | 82 | 58 | MM |
| 2597 | 900762 | 68648 | Surge protective devices for | circuit breakers 2-pole C40 A | 04010220 | ST | 121.90 | EUR | 1 | POP 2 255 C40 | 4013364156159 | 1 | 0.317 | 0.294 | 85363030 | FR | 97 | 82 | 58 | MM |
| 2598 | 900765 | 68649 | Surge protective devices for | circuit breakers 4-pole C25 A | 04010220 | ST | 291.90 | EUR | 1 | POP 4 255 C25 | 4013364156166 | 1 | 0.547 | 0.512 | 85363030 | FR | 97 | 93 | 79 | MM |
| 2599 | 900766 | 68650 | Surge protective devices for | circuit breakers 4-pole C32 A | 04010220 | ST | 323.40 | EUR | 1 | POP 4 255 C32 | 4013364156173 | 1 | 0.58 | 0.545 | 85363030 | FR | 97 | 93 | 79 | MM |
| 2600 | 900767 | 68651 | Surge protective devices for | circuit breakers 4-pole C40 A | 04010220 | ST | 329.80 | EUR | 1 | POP 4 255 C40 | 4013364156180 | 1 | 0.586 | 0.551 | 85363030 | FR | 99 | 95 | 79 | MM |
| 2601 | 900768 | 68652 | Surge protective devices for | circuit breakers 4-pole C63 A | 04010220 | ST | 365.90 | EUR | 1 | POP 4 255 C63 | 4013364156197 | 1 | 0.591 | 0.556 | 85363030 | FR | 99 | 95 | 79 | MM |
| 2602 | 900780 | 68653 | Surge protective devices for | circuit breakers 2-pole C25 A | 04010220 | ST | 192.70 | EUR | 1 | SPD+POP 2 255 C25 | 4013364156203 | 1 | 0.404 | 0.368 | 85363030 | FR | 100 | 92 | 81 | MM |
| 2603 | 900781 | 68654 | Surge protective devices for | circuit breakers 2-pole C32 A | 04010220 | ST | 195.30 | EUR | 1 | SPD+POP 2 255 C32 | 4013364156210 | 1 | 0.425 | 0.39 | 85363030 | FR | 100 | 95 | 85 | MM |
| 2604 | 900782 | 68655 | Surge protective devices for | circuit breakers 2-pole C40 A | 04010220 | ST | 197.50 | EUR | 1 | SPD+POP 2 255 C40 | 4013364156227 | 1 | 0.424 | 0.389 | 85363030 | FR | 97 | 93 | 79 | MM |
| 2605 | 900785 | 68656 | Surge protective devices for | circuit breakers 4-pole C25 A | 04010220 | ST | 438.30 | EUR | 1 | SPD+POP 4 255 C25 | 4013364156234 | 1 | 0.73 | 0.693 | 85363030 | FR | 127 | 108 | 87 | MM |
| 2606 | 900786 | 68657 | Surge protective devices for | circuit breakers 4-pole C32 A | 04010220 | ST | 443.80 | EUR | 1 | SPD+POP 4 255 C32 | 4013364156241 | 1 | 0.763 | 0.726 | 85363030 | FR | 127 | 108 | 87 | MM |
| 2607 | 900787 | 68658 | Surge protective devices for | circuit breakers 4-pole C40 A | 04010220 | ST | 467.60 | EUR | 1 | SPD+POP 4 255 C40 | 4013364156258 | 1 | 0.769 | 0.732 | 85363030 | FR | 129 | 110 | 85 | MM |
| 2608 | 900788 | 68659 | Surge protective devices for | circuit breakers 4-pole C63 A | 04010220 | ST | 531.70 | EUR | 1 | SPD+POP 4 255 C63 | 4013364156265 | 1 | 0.773 | 0.736 | 85363030 | FR | 127 | 108 | 87 | MM |
| 2609 | 900815 | 39634 | Busbar, / modular wiring system | single-phase, 6-pole, Cu 16mm² | 04010403 | ST | 5.60 | EUR | 1 | MVS 1 6 | 4013364087996 | 1 | 0.029 | 0.029 | 85369001 | DE | 223 | 107 | 104 | MM |
| 2610 | 900839 | 67779 | Busbar / Modular wiring system | three-phase, 6-pole, 9 modules | 04010403 | ST | 59.50 | EUR | 1 | MVS 3 6 9 | 4013364153059 | 1 | 0.014 | 0.014 | 85369001 | DE | 160 | 42 | 20 | MM |
| 2611 | 900848 | 48801 | Busbar, single-phase, 7-pole, Cu 16mm² | | 04010403 | ST | 5.60 | EUR | 1 | MVS 1 7 | 4013364107816 | 1 | 0.034 | 0.034 | 85369001 | DE | 223 | 107 | 104 | MM |
| 2612 | 900849 | 3017200 | Modular wiring system 1-phase 4-pole | 8 modules with clamp up to 50 mm² | 04010150 | ST | 44.10 | EUR | 1 | MVS 1 4 8 TT | 4013364473348 | 1 | 0.12 | 0.118 | 85369001 | DE | 166 | 38.1 | 22 | MM |
| 2613 | 900850 | 3015825 | Busbar / modular wiring system | four-phase, 8-pole, for 8 DIN modules | 04010403 | ST | 63.60 | EUR | 1 | MVS 4 8 8 | 4013364460379 | 5 | 0.066 | 0.061 | 85369001 | DE | 142 | 27 | 14 | MM |
| 2614 | 900910 | 3017609 | Surge arrester Type 2 DEHNcube in IP65 | enclosure f. PV systems 1MPP at 1000V d.c. | 04010210 | ST | 250.00 | EUR | 1 | DCU YPV SCI 1000 1M | 4013364155046 | 1 | 0.426 | 0.426 | 85363030 | DE | 120 | 103 | 81 | MM |
| 2615 | 900913 | 3019571 | GJB in IP65 enclosure for PV systems | 1MPPT and 2 strings at 1100V d.c. | 04010210 | ST | 245.50 | EUR | 1 | DCU 2 YPV 1100 1M 2S | 4013364492455 | 1 | 1.34 | 1.32 | 85371098 | DE | 182 | 180 | 110 | MM |
| 2616 | 900920 | 3017610 | Surge arrester Type 2 DEHNcube in IP65 | enclosure f. PV systems 2MPP at 1000V d.c. | 04010210 | ST | 441.00 | EUR | 1 | DCU YPV SCI 1000 2M | 4013364155053 | 1 | 0.731 | 0.617 | 85363030 | DE | 200 | 130 | 130 | MM |
| 2617 | 900921 | 3019572 | GJB in IP65 enclosure for PV systems | 2MPPT and 1 string at 1100V d.c. | 04010210 | ST | 310.90 | EUR | 1 | DCU 2 YPV 1100 2M 1S | 4013364492462 | 1 | 1.9 | 1.88 | 85371098 | DE | 254 | 180 | 110 | MM |
| 2618 | 900923 | 3019557 | GJB in IP65 enclosure for PV systems | 2MPPT and 2 strings at 1100V d.c. | 04010210 | ST | 354.60 | EUR | 1 | DCU 2 YPV 1100 2M 2S | 4013364492400 | 1 | 2.02 | 2 | 85371098 | DE | 254 | 180 | 110 | MM |
| 2619 | 900945 | 3013383 | Connecting cable for DEHNcube type Y | 6 mm² Cu L 3 x 1000 mm | 04010210 | ST | 26.50 | EUR | 1 | AL DCU Y PV L3X1000 | 4013364425118 | 1 | 0.23 | 0.23 | 85444991 | DE | 1965 | 20 | 17 | MM |
| 2620 | 902314 | 3005268 | Surface mountable insulating enclosure | IP 54 f. DIN rail mounted dev. 7 mods | 04010402 | ST | 223.20 | EUR | 1 | IGA 7 IP54 | 4013364151031 | 1 | 0.786 | 0.786 | 85381000 | EE | 300 | 200 | 100 | MM |
| 2621 | 902315 | 3005259 | Surface mountable insulating enclosure | IP 54 f. DIN rail mounted dev. 10 mods | 04010402 | ST | 281.20 | EUR | 1 | IGA 10 V2 IP54 | 4013364125759 | 1 | 1.83 | 1.83 | 85381000 | EE | 350 | 240 | 150 | MM |
| 2622 | 902316 | 63977 | Insul. encl. f. surface mounting IP 65 | f. DIN rail mounted devices 12 modules | 04010402 | ST | 252.50 | EUR | 1 | IGA 12 IP65 | 4013364151048 | 1 | 1.92 | 1.92 | 85381000 | DE | 350 | 300 | 150 | MM |
| 2623 | 902317 | 63976 | Sealing device for insulating | enclosure (902471, 902472, 902316) | 04010402 | ST | 18.60 | EUR | 1 | PLOV IGA 12 24 | 4013364151055 | 1 | 0.005 | 0.005 | 85389099 | DE | 5 | 5 | 5 | MM |
| 2624 | 902471 | 3005786 | Surface mountable insulating encl. IP 54 | for DIN rail mounted devices 12 modules | 04010402 | ST | 187.20 | EUR | 1 | IGA 12 IP54 | 4013364108943 | 1 | 2.01 | 1.79 | 85381000 | DE | 335 | 310 | 138 | MM |
| 2625 | 902472 | 3005787 | Surface mountable insul. enclosure IP 54 | for DIN rail mounted devices 24 mods. | 04010402 | ST | 311.90 | EUR | 1 | IGA 24 IP54 | 4013364108950 | 1 | 2.612 | 2.387 | 85381000 | DE | 420 | 312 | 137 | MM |
| 2626 | 902485 | 3005785 | Surface mountable insulating encl. IP 54 | for DIN rail mounted devices 6 modules | 04010402 | ST | 109.90 | EUR | 1 | IGA 6 IP54 | 4013364045767 | 1 | 0.723 | 0.612 | 85381000 | DE | 260 | 170 | 120 | MM |
| 2627 | 906055 | 34744 | Aluminium enclosure AP-IP 65 for DIN | rail mounted devices max. 5 mods. | 04021002 | ST | 249.90 | EUR | 1 | ALGA 5 | 4013364071513 | 1 | 1 | 1 | 85381000 | DE | 245 | 100 | 81 | MM |
| 2628 | 906058 | 40224 | Aluminium enclosure AP-IP 65 for DIN | rail mounted dev. max. 5 mods. f. Ex(i) | 04021002 | ST | 263.90 | EUR | 1 | ALGA 5 X | 4013364091658 | 1 | 0.899 | 0.899 | 85381000 | DE | 160 | 128 | 81 | MM |
| 2629 | 906100 | 48689 | DEHN enclosure for equipotential bonding | for 3 LSA blocks 10/2 | 04020403 | ST | 257.40 | EUR | 1 | DPG LSA 30 P | 4013364106598 | 1 | 3.4 | 3.4 | 85381000 | DE | 260 | 240 | 130 | MM |
| 2630 | 906101 | 48690 | DEHN enclosure for equipotential bonding | for 6 LSA blocks 10/2 | 04020403 | ST | 301.00 | EUR | 1 | DPG LSA 60 P | 4013364106604 | 1 | 4.97 | 4.97 | 85381000 | DE | 350 | 240 | 130 | MM |
| 2631 | 906102 | 48691 | DEHN enclosure for equipotential bonding | for 12 LSA blocks 10/2 | 04020403 | ST | 352.90 | EUR | 1 | DPG LSA 120 P | 4013364106611 | 1 | 5.7 | 5.7 | 85381000 | DE | 350 | 330 | 130 | MM |
| 2632 | 906103 | 48692 | DEHN enclosure for equipotential bonding | for 22 LSA blocks 10/2 | 04020403 | ST | 419.30 | EUR | 1 | DPG LSA 220 P | 4013364106628 | 1 | 7.65 | 7.65 | 85381000 | DE | 500 | 330 | 130 | MM |
| 2633 | 907208 | 48731 | Gas discharge tube 230 V for | DEHNrapid LSA | 04020450 | ST | 10.90 | EUR | 1 | GDT 230 G3 | 4013364107373 | 1 | 0.002 | 0.002 | 85363090 | MY | 15 | 14 | 8 | MM |
| 2634 | 907214 | 46735 | Surge protective block LSA-Plus Techn., | 10 pairs, with 3-electrode arresters | 04020402 | ST | 164.60 | EUR | 1 | DPL 10 G3 110 | 4013364100879 | 1 | 0.071 | 0.066 | 85363010 | DE | 167 | 44 | 39 | MM |
| 2635 | 907216 | 44093 | Protective block LSA-Plus tech. 10 pairs, | 3-elec. arresters fail safe fault ind. | 04020402 | ST | 202.80 | EUR | 1 | DPL 10 G3 110 FSD | 4013364106680 | 1 | 0.071 | 0.066 | 85363010 | DE | 167 | 44 | 39 | MM |
| 2636 | 907217 | 49341 | Gas discharge tube 230 V for | DEHNrapid LSA with fail-safe function | 04020450 | ST | 14.50 | EUR | 1 | GDT 230 G3 FSD | 4013364107342 | 1 | 0.002 | 0.002 | 85363090 | DE | 15 | 14 | 8 | MM |
| 2637 | 907218 | 49306 | Gas discharge tube 230V | for DEHNrapid LSA | 04020450 | ST | 10.50 | EUR | 1 | GDT 230 B3 | 4013364107588 | 1 | 0.002 | 0.002 | 85363090 | MY | 11 | 9 | 5 | MM |
| 2638 | 907219 | 49360 | Gas discharge tube 230 V for | DEHNrapid LSA with fail-safe function | 04020450 | ST | 14.10 | EUR | 1 | GDT 230 B3 FSD | 4013364107595 | 1 | 0.002 | 0.002 | 85363090 | DE | 11 | 9 | 5 | MM |
| 2639 | 907400 | 48384 | DEHNrapid LSA lightning current | arrester for 10 pairs | 04020401 | ST | 160.40 | EUR | 1 | DRL 10 B 180 | 4013364107557 | 1 | 0.07 | 0.065 | 85363010 | DE | 167 | 44 | 39 | MM |
| 2640 | 907401 | 48385 | DEHNrapid lightn. curr. arr. LSA f. 10 | pairs, fail-safe funct., fault indicator | 04020401 | ST | 198.40 | EUR | 1 | DRL 10 B 180 FSD | 4013364107564 | 1 | 0.074 | 0.069 | 85363010 | DE | 167 | 44 | 39 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 2641 | 907421 | 3015511 | DEHNrapid LSA protective plug | | 04020401 | ST | 44.30 | EUR | 1 | DRL RE 12 | 4013364107618 | 10 | 0.005 | 0.004 | 85363010 | RO | 34 | 22 | 10 | MM |
| 2642 | 907422 | 3015512 | DEHNrapid LSA protective plug | | 04020401 | ST | 43.60 | EUR | 1 | DRL RE 24 | 4013364107625 | 10 | 0.005 | 0.004 | 85363010 | RO | 34 | 22 | 10 | MM |
| 2643 | 907423 | 3015513 | DEHNrapid LSA protective plug | | 04020401 | ST | 44.30 | EUR | 1 | DRL RE 48 | 4013364107632 | 10 | 0.005 | 0.004 | 85363010 | RO | 34 | 22 | 10 | MM |
| 2644 | 907424 | 3015514 | DEHNrapid LSA protective plug | | 04020401 | ST | 44.30 | EUR | 1 | DRL RE 60 | 4013364107649 | 10 | 0.005 | 0.004 | 85363010 | RO | 34 | 22 | 10 | MM |
| 2645 | 907425 | 3015515 | DEHNrapid LSA protective plug | | 04020401 | ST | 44.30 | EUR | 1 | DRL RE 180 | 4013364107656 | 10 | 0.005 | 0.003 | 85363010 | RO | 34 | 22 | 10 | MM |
| 2646 | 907430 | 3015516 | DEHNrapid LSA protective plug | | 04020401 | ST | 39.70 | EUR | 1 | DRL PD 180 | 4013364107670 | 10 | 0.004 | 0.004 | 85363010 | RO | 34 | 22 | 10 | MM |
| 2647 | 907441 | 3015517 | DEHNrapid LSA protective plug | | 04020401 | ST | 40.30 | EUR | 1 | DRL RD 12 | 4013364107694 | 10 | 0.005 | 0.004 | 85363010 | RO | 34 | 22 | 10 | MM |
| 2648 | 907442 | 3015518 | DEHNrapid LSA protective plug | | 04020401 | ST | 39.70 | EUR | 1 | DRL RD 24 | 4013364107700 | 10 | 0.005 | 0.003 | 85363010 | RO | 34 | 22 | 10 | MM |
| 2649 | 907443 | 3015519 | DEHNrapid LSA protective plug | | 04020401 | ST | 40.30 | EUR | 1 | DRL RD 48 | 4013364107717 | 10 | 0.005 | 0.004 | 85363010 | RO | 34 | 22 | 10 | MM |
| 2650 | 907444 | 3015520 | DEHNrapid LSA protective plug | | 04020401 | ST | 40.30 | EUR | 1 | DRL RD 60 | 4013364107724 | 10 | 0.005 | 0.003 | 85363010 | RO | 34 | 22 | 10 | MM |
| 2651 | 907445 | 3015521 | DEHNrapid LSA protective plug | | 04020401 | ST | 40.40 | EUR | 1 | DRL RD 110 | 4013364118461 | 10 | 0.003 | 0.003 | 85363010 | RO | 34 | 22 | 10 | MM |
| 2652 | 907470 | 3015522 | DEHNrapid LSA protective plug | | 04020401 | ST | 41.90 | EUR | 1 | DRL HD 24 | 4013364107663 | 10 | 0.005 | 0.004 | 85363010 | RO | 34 | 22 | 10 | MM |
| 2653 | 907496 | 3015523 | Earthing module DEHNrapid LSA | | 04020450 | ST | 11.70 | EUR | 1 | EM 2 DRL | 4013364150683 | 10 | 0.013 | 0.013 | 85369010 | RO | 34 | 22 | 10 | MM |
| 2654 | 907497 | 51449 | Label holder for clear marking of | DEHNrapid LSA technology | 04020450 | ST | 5.30 | EUR | 1 | SR DRL | 4013364112995 | 1 | 0.016 | 0.016 | 83100000 | DE | 120 | 22 | 16 | MM |
| 2655 | 907498 | 48383 | Earthing frame for DEHNrapid LSA | protective plug 10 pairs | 04020450 | ST | 13.20 | EUR | 1 | EF 10 DRL | 4013364107540 | 1 | 0.01 | 0.01 | 85389099 | DE | 113 | 26 | 22 | MM |
| 2656 | 907499 | 48382 | SPD block for gas discharge tube | DEHNrapid LSA 10 pairs | 04020450 | ST | 72.00 | EUR | 1 | BM 10 DRL | 4013364107533 | 1 | 0.05 | 0.045 | 85389099 | DE | 167 | 44 | 39 | MM |
| 2657 | 907991 | 51448 | Disconnect. block/routing module for | DEHNrapid LSA technology 2 | 04020450 | ST | 136.90 | EUR | 1 | TL2 10DA CC | 4013364112988 | 1 | 0.213 | 0.181 | 85389099 | DE | 127 | 107 | 84 | MM |
| 2658 | 907993 | 3008820 | Earth conductor block | LSA-Plus technology 2, 38 wires | 04020450 | ST | 41.60 | EUR | 1 | EL2 38EA LSA | 4013364048584 | 1 | 0.06 | 0.06 | 85369010 | CN | 124 | 31 | 21 | MM |
| 2659 | 907994 | 15637 | Insertion tool LSA-Plus technology 2 | | 04020450 | ST | 123.60 | EUR | 1 | AW2 LSA | 4013364033511 | 1 | 0.105 | 0.105 | 82055980 | CZ | 220 | 50 | 38 | MM |
| 2660 | 907995 | 15638 | Mounting frame LSA-Plus technology 2 | | 04020450 | ST | 63.00 | EUR | 1 | MB2 10 LSA | 4013364033528 | 1 | 0.228 | 0.228 | 85389099 | DE | 222 | 105 | 42 | MM |
| 2661 | 907996 | 15640 | Disconnection block LSA-Plus technology | 2, 10 pairs | 04020450 | ST | 21.50 | EUR | 1 | TL2 10DA LSA | 4013364033535 | 1 | 0.06 | 0.06 | 85369010 | CN | 124 | 31 | 21 | MM |
| 2662 | 907997 | 15642 | Terminal block LSA-Plus technology 2, | 10 pairs | 04020450 | ST | 18.90 | EUR | 1 | AL2 10DA LSA | 4013364033542 | 1 | 0.051 | 0.048 | 85369010 | DE | 124 | 31 | 21 | MM |
| 2663 | 908010 | 3009271 | Surge arrester type 2 varistor | protection module for DEHNguard M and S | 04010217 | ST | 75.50 | EUR | 1 | DG PLU 275 | 4013364148512 | 1 | 0.049 | 0.042 | 85363030 | DE | 65 | 61 | 19 | MM |
| 2664 | 908011 | 3009269 | Surge arrester type 2 varistor | protection module for DEHNguard M and S | 04010217 | ST | 85.30 | EUR | 1 | DG PLU 180 | 4013364148482 | 1 | 0.044 | 0.037 | 85363030 | DE | 65 | 61 | 19 | MM |
| 2665 | 908012 | 3009270 | Surge arrester type 2 varistor | protection module for DEHNguard M and S | 04010217 | ST | 85.30 | EUR | 1 | DG PLU 230 | 4013364148505 | 1 | 0.047 | 0.04 | 85363030 | DE | 65 | 61 | 19 | MM |
| 2666 | 908013 | 3009273 | Surge arrester type 2 varistor | protection module for DEHNguard M and S | 04010217 | ST | 85.30 | EUR | 1 | DG PLU 510 | 4013364148536 | 1 | 0.064 | 0.057 | 85363030 | DE | 65 | 61 | 19 | MM |
| 2667 | 908014 | 3009272 | Surge arrester type 2 varistor | protection module for DEHNguard M and S | 04010217 | ST | 85.30 | EUR | 1 | DG PLU 385 | 4013364148529 | 1 | 0.056 | 0.049 | 85363030 | DE | 65 | 61 | 19 | MM |
| 2668 | 908015 | 3009274 | Surge arrester type 2 varistor | protection module for DEHNguard M and S | 04010217 | ST | 85.30 | EUR | 1 | DG PLU 550 | 4013364148543 | 1 | 0.067 | 0.06 | 85363030 | DE | 65 | 61 | 19 | MM |
| 2669 | 908070 | 3009183 | Surge arrester type 2 DEHNguard S | | 04010217 | ST | 104.80 | EUR | 1 | DG SU 1P 120 | 4013364148499 | 1 | 0.124 | 0.113 | 85363030 | DE | 105 | 75 | 19 | MM |
| 2670 | 908074 | 3015575 | Surge arrester type 2 DEHNguard S | | 04010217 | ST | 104.80 | EUR | 1 | DG SU 1P 240 | 4013364148567 | 1 | 0.133 | 0.123 | 85363030 | DE | 105 | 75 | 19 | MM |
| 2671 | 908076 | 3009187 | Surge arrester type 2 DEHNguard S | | 04010217 | ST | 104.80 | EUR | 1 | DG SU 1P 347 | 4013364148581 | 1 | 0.141 | 0.13 | 85363030 | DE | 105 | 75 | 19 | MM |
| 2672 | 908090 | 3009184 | Surge arrester type 2 DEHNguard S | | 04010217 | ST | 121.70 | EUR | 1 | DG SU 1P 120 R | 4013364148550 | 1 | 0.128 | 0.117 | 85363030 | DE | 105 | 75 | 19 | MM |
| 2673 | 908094 | 3015576 | Surge arrester type 2 DEHNguard S | | 04010217 | ST | 121.70 | EUR | 1 | DG SU 1P 240 R | 4013364148574 | 1 | 0.137 | 0.126 | 85363030 | DE | 105 | 75 | 19 | MM |
| 2674 | 908096 | 3009188 | Surge arrester type 2 DEHNguard S | | 04010217 | ST | 121.70 | EUR | 1 | DG SU 1P 347 R | 4013364148598 | 1 | 0.145 | 0.134 | 85363030 | DE | 105 | 75 | 19 | MM |
| 2675 | 908190 | 3009230 | Surge arrester type 2 DEHNguard M | | 04010217 | ST | 190.00 | EUR | 1 | DG MU SP 240 3W+G | 4013364148604 | 1 | 0.235 | 0.219 | 85363030 | DE | 100 | 74 | 37 | MM |
| 2676 | 908192 | 3009232 | Surge arrester type 2 DEHNguard M | | 04010217 | ST | 190.00 | EUR | 1 | DG MU SP 480 3W+G | 4013364148628 | 1 | 0.254 | 0.238 | 85363030 | DE | 100 | 74 | 37 | MM |
| 2677 | 908195 | 3009231 | Surge arrester type 2 DEHNguard M | | 04010217 | ST | 223.60 | EUR | 1 | DG MU SP 240 3W+G R | 4013364148611 | 1 | 0.241 | 0.225 | 85363030 | DE | 100 | 74 | 37 | MM |
| 2678 | 908197 | 3009233 | Surge arrester type 2 DEHNguard M | | 04010217 | ST | 223.60 | EUR | 1 | DG MU SP 480 3W+G R | 4013364148635 | 1 | 0.259 | 0.243 | 85363030 | DE | 100 | 74 | 37 | MM |
| 2679 | 908203 | 3009234 | Surge arrester type 2 DEHNguard M | | 04010217 | ST | 170.30 | EUR | 1 | DG MU CGD 240 3W+G | 4013364148642 | 1 | 0.241 | 0.225 | 85363030 | DE | 100 | 74 | 37 | MM |
| 2680 | 908204 | 3009236 | Surge arrester type 2 DEHNguard M | | 04010217 | ST | 190.00 | EUR | 1 | DG MU CGD 480 3W+G | 4013364148666 | 1 | 0.275 | 0.259 | 85363030 | DE | 100 | 74 | 37 | MM |
| 2681 | 908208 | 3009235 | Surge arrester type 2 DEHNguard M | f. corner grounded delta | 04010217 | ST | 203.90 | EUR | 1 | DG MU CGD 240 3W+G R | 4013364148659 | 1 | 0.246 | 0.23 | 85363030 | DE | 100 | 74 | 37 | MM |
| 2682 | 908209 | 3009237 | Surge arrester type 2 DEHNguard M | | 04010217 | ST | 223.60 | EUR | 1 | DG MU CGD 480 3W+G R | 4013364148673 | 1 | 0.282 | 0.266 | 85363030 | DE | 100 | 74 | 37 | MM |
| 2683 | 908214 | 3009305 | Surge arrester Type 2 DEHNguard M | | 04010217 | ST | 284.70 | EUR | 1 | DG MU SPN 240 3W+G | 4013364267961 | 1 | 0.331 | 0.304 | 85363030 | DE | 99 | 74 | 55 | MM |
| 2684 | 908219 | 3009306 | Surge arrester Type 2 DEHNguard M | | 04010217 | ST | 335.20 | EUR | 1 | DG MU SPN 240 3W+G R | 4013364267978 | 1 | 0.338 | 0.311 | 85363030 | DE | 99 | 74 | 55 | MM |
| 2685 | 908300 | 3009307 | Surge arrester Type 2 DEHNguard M | | 04010217 | ST | 284.70 | EUR | 1 | DG MU 3PY 208 3W+G | 4013364148680 | 1 | 0.324 | 0.303 | 85363030 | DE | 99 | 74 | 55 | MM |
| 2686 | 908301 | 3009311 | Surge arrester Type 2 DEHNguard M | | 04010217 | ST | 284.70 | EUR | 1 | DG MU 3PY 600 3W+G | 4013364148727 | 1 | 0.384 | 0.363 | 85363030 | DE | 99 | 74 | 55 | MM |
| 2687 | 908305 | 3009308 | Surge arrester Type 2 DEHNguard M | | 04010217 | ST | 335.20 | EUR | 1 | DG MU 3PY 208 3W+G R | 4013364148697 | 1 | 0.331 | 0.31 | 85363030 | DE | 99 | 74 | 55 | MM |
| 2688 | 908306 | 3009312 | Surge arrester Type 2 DEHNguard M | | 04010217 | ST | 335.20 | EUR | 1 | DG MU 3PY 600 3W+G R | 4013364148734 | 1 | 0.391 | 0.37 | 85363030 | DE | 99 | 74 | 55 | MM |
| 2689 | 908314 | 3009309 | Surge arrester Type 2 DEHNguard M | | 04010217 | ST | 284.70 | EUR | 1 | DG MU 3PY 480 3W+G | 4013364148703 | 1 | 0.36 | 0.339 | 85363030 | DE | 99 | 74 | 55 | MM |
| 2690 | 908319 | 3009310 | Surge arrester Type 2 DEHNguard M | | 04010217 | ST | 335.20 | EUR | 1 | DG MU 3PY 480 3W+G R | 4013364148710 | 1 | 0.368 | 0.347 | 85363030 | DE | 99 | 74 | 55 | MM |
| 2691 | 908340 | 3009356 | Surge arrester Type 2 DEHNguard M | | 04010217 | ST | 386.80 | EUR | 1 | DG MU 3PY 208 4W+G | 4013364148840 | 1 | 0.412 | 0.386 | 85363030 | DE | 99 | 74 | 73 | MM |
| 2692 | 908341 | 3009358 | Surge arrester Type 2 DEHNguard M | | 04010217 | ST | 386.80 | EUR | 1 | DG MU 3PY 480 4W+G | 4013364148864 | 1 | 0.449 | 0.423 | 85363030 | DE | 99 | 74 | 73 | MM |
| 2693 | 908342 | 3009360 | Surge arrester Type 2 DEHNguard M | | 04010217 | ST | 386.80 | EUR | 1 | DG MU 3PY 600 4W+G | 4013364148765 | 1 | 0.474 | 0.448 | 85363030 | DE | 99 | 74 | 73 | MM |
| 2694 | 908343 | 3009362 | Surge arrester Type 2 DEHNguard M | | 04010217 | ST | 376.90 | EUR | 1 | DG MU 3PH 240 4W+G | 4013364148789 | 1 | 0.425 | 0.399 | 85363030 | DE | 99 | 74 | 73 | MM |
| 2695 | 908344 | 3009364 | Surge arrester Type 2 DEHNguard M | | 04010217 | ST | 386.80 | EUR | 1 | DG MU 3PH 480 4W+G | 4013364148802 | 1 | 0.457 | 0.431 | 85363030 | DE | 99 | 74 | 73 | MM |
| 2696 | 908345 | 3009357 | Surge arrester Type 2 DEHNguard M | | 04010217 | ST | 436.30 | EUR | 1 | DG MU 3PY 208 4W+G R | 4013364148857 | 1 | 0.42 | 0.394 | 85363030 | DE | 99 | 74 | 73 | MM |
| 2697 | 908346 | 3009359 | Surge arrester Type 2 DEHNguard M | | 04010217 | ST | 436.30 | EUR | 1 | DG MU 3PY 480 4W+G R | 4013364148871 | 1 | 0.458 | 0.432 | 85363030 | DE | 99 | 74 | 73 | MM |
| 2698 | 908347 | 3009361 | Surge arrester Type 2 DEHNguard M | | 04010217 | ST | 436.30 | EUR | 1 | DG MU 3PY 600 4W+G R | 4013364148772 | 1 | 0.482 | 0.456 | 85363030 | DE | 99 | 74 | 73 | MM |
| 2699 | 908348 | 3009363 | Surge arrester Type 2 DEHNguard M | | 04010217 | ST | 426.60 | EUR | 1 | DG MU 3PH 240 4W+G R | 4013364148796 | 1 | 0.433 | 0.407 | 85363030 | DE | 99 | 74 | 73 | MM |
| 2700 | 908349 | 3009365 | Surge arrester Type 2 DEHNguard M | | 04010217 | ST | 436.30 | EUR | 1 | DG MU 3PH 480 4W+G R | 4013364148819 | 1 | 0.464 | 0.438 | 85363030 | DE | 99 | 74 | 73 | MM |
| 2701 | 908350 | 3009315 | Surge arrester Type 2 DEHNguard M | | 04010217 | ST | 284.70 | EUR | 1 | DG MU 3PD 480 3W+G | 4013364148741 | 1 | 0.394 | 0.373 | 85363030 | DE | 99 | 74 | 55 | MM |
| 2702 | 908351 | 3009313 | Surge arrester Type 2 DEHNguard M | | 04010217 | ST | 255.40 | EUR | 1 | DG MU 3PD 240 3W+G | 4013364148826 | 1 | 0.34 | 0.319 | 85363030 | DE | 99 | 74 | 55 | MM |
| 2703 | 908355 | 3009316 | Surge arrester Type 2 DEHNguard M | | 04010217 | ST | 335.20 | EUR | 1 | DG MU 3PD 480 3W+G R | 4013364148758 | 1 | 0.401 | 0.38 | 85363030 | DE | 99 | 74 | 55 | MM |
| 2704 | 908356 | 3009314 | Surge arrester Type 2 DEHNguard M | | 04010217 | ST | 305.80 | EUR | 1 | DG MU 3PD 240 3W+G R | 4013364148833 | 1 | 0.346 | 0.325 | 85363030 | DE | 99 | 74 | 55 | MM |
| 2705 | 908505 | 3000919 | Coordinated lightning current arrester | Type 1 DEHNbloc M | 04010115 | ST | 1270.20 | EUR | 1 | DB MU 3PY 208 3W+G R | 4013364228139 | 1 | 0.938 | 0.861 | 85363030 | DE | 123 | 115 | 95 | MM |
| 2706 | 908506 | 3000920 | Coordinated lightning current arrester | Type 1 DEHNbloc M | 04010115 | ST | 1228.10 | EUR | 1 | DB MU 3PY 480 3W+G R | 4013364228146 | 1 | 0.959 | 0.882 | 85363030 | DE | 123 | 115 | 95 | MM |
| 2707 | 909131 | 3018316 | Type 1+2+3 comb. arr. DEHNshield ZP + LS | Basic 2 LSG for TT and TN-S systems | 04010102 | ST | 573.10 | EUR | 1 | DSH ZP B2 LSG A TT 255 | 4013364449749 | 1 | 0.873 | 0.769 | 85363090 | DE | 225 | 118 | 65 | MM |
| 2708 | 909230 | 3016633 | Surge arrester Type 3 230V a.c. | DEHNprotector w. two-pin earthed plug | 04010303 | ST | 88.30 | EUR | 1 | DPRO 230 | 4013364117686 | 1 | 0.239 | 0.199 | 85363010 | CN | 170 | 90 | 75 | MM |
| 2709 | 909231 | 3018317 | Type 1+2+3 comb. arr. DEHNshield ZP + LS | 2 LSG for TT and TN-S systems | 04010102 | ST | 871.30 | EUR | 1 | DSH ZP 2 LSG A TT 255 | 4013364449756 | 1 | 0.873 | 0.769 | 85363090 | DE | 225 | 118 | 65 | MM |
| 2710 | 909250 | 3016223 | Type 3 surge arrester 230V a.c. | SFL-Protector multiple socket outlet | 04010303 | ST | 232.50 | EUR | 1 | SFL PRO 6X | 4013364132566 | 1 | 0.97 | 0.97 | 85363010 | RO | 1100 | 100 | 90 | MM |
| 2711 | 909251 | 3016225 | SFL-Protector multiple socket outlet for | 482.6mm (19") data cabinets | 04010303 | ST | 268.10 | EUR | 1 | SFL PRO 6X 19" | 4013364132573 | 1 | 0.877 | 0.877 | 85363010 | RO | 480 | 85 | 75 | MM |
| 2712 | 909300 | 3016634 | Surge arrester DEHNprotector combined | adapter for power and antenna side | 04020701 | ST | 123.50 | EUR | 1 | DPRO 230 TV | 4013364117723 | 1 | 0.241 | 0.224 | 85363010 | CN | 170 | 90 | 75 | MM |
| 2713 | 909310 | 3016635 | Surge arrester DEHNprotector combined | adapter for power and data side | 04020701 | ST | 108.20 | EUR | 1 | DPRO 230 NT | 4013364117747 | 1 | 0.259 | 0.212 | 85363010 | CN | 170 | 90 | 75 | MM |
| 2714 | 909321 | 3016636 | Surge arrester DEHNprotector combined | adapter for power and data side | 04020701 | ST | 167.30 | EUR | 1 | DPRO 230 LAN100 | 4013364126152 | 1 | 0.271 | 0.216 | 85363010 | CN | 170 | 90 | 75 | MM |
| 2715 | 909330 | 3015542 | Type1+2+3 combined arrester DEHNshield ZP | Basic 2 for TNC systems | 04010102 | ST | 328.10 | EUR | 1 | DSH ZP B2 TNC 255 | 4013364424852 | 1 | 0.522 | 0.431 | 85363090 | DE | 230 | 120 | 52 | MM |
| 2716 | 909331 | 3015546 | Type1+2+3 combined arrester DEHNshield ZP | Basic 2 for TT and TN-S systems | 04010102 | ST | 456.70 | EUR | 1 | DSH ZP B2 TT 255 | 4013364422728 | 1 | 0.598 | 0.507 | 85363090 | DE | 230 | 120 | 52 | MM |
| 2717 | 909340 | 3015550 | Type 1+2+3 comb. arrester DEHNshield ZP | Basic 2 for TN-S systems | 04010102 | ST | 432.90 | EUR | 1 | DSH ZP B2 TNS 255 | 4013364424876 | 1 | 0.58 | 0.489 | 85363090 | DE | 230 | 120 | 52 | MM |
| 2718 | 909396 | 3015548 | Type 1+2+3 combined arrester DEHNshield ZP | Basic 2 SG for TT and TN-S systems | 04010102 | ST | 548.50 | EUR | 1 | DSH ZP B2 SG TT 255 | 4013364409859 | 1 | 0.646 | 0.548 | 85363090 | DE | 230 | 120 | 52 | MM |
| 2719 | 909430 | 3015544 | Type1+2+3 combined arrester DEHNshield ZP | Basic 2 for TNC systems | 04010102 | ST | 420.00 | EUR | 1 | DSH ZP B2 SG TNC 255 | 4013364409842 | 1 | 0.565 | 0.474 | 85363090 | DE | 230 | 120 | 52 | MM |
| 2720 | 909440 | 3015552 | Type1+2+3 combined arrester DEHNshield ZP | Basic 2 SG for TN-S systems | 04010102 | ST | 524.70 | EUR | 1 | DSH ZP B2 SG TNS 255 | 4013364409866 | 1 | 0.622 | 0.531 | 85363090 | DE | 230 | 120 | 52 | MM |
| 2721 | 909497 | 3014811 | Miniature circuit breaker B char. | 25 kA, 6 A, 1P for ABB type S201P-B6 | 04010150 | ST | 57.40 | EUR | 1 | LS B6 DSH ZP LSG | 4013364453517 | 1 | 0.156 | 0.138 | 85362010 | DE | 97 | 75 | 45 | MM |
| 2722 | 909498 | 3014812 | Transparent sealing cover f. circuit | breakers of DEHNshield ZP LSG | 04010150 | ST | 14.20 | EUR | 1 | PH DSH ZP LSG | 4013364453470 | 1 | 0.022 | 0.006 | 39234090 | DE | 80 | 60 | 40 | MM |
| 2723 | 909499 | 3013165 | Connecting cable, 2-pole, L 750mm 1qmm | blue and black, plug included | 04010102 | ST | 28.00 | EUR | 1 | ASL DSH ZP SMG APL | 4013364421455 | 1 | 0.055 | 0.047 | 85444290 | DE | 280 | 200 | 20 | MM |
| 2724 | 909530 | 3015541 | Type1+2+3 combined arrester DEHNshield ZP | 2 for TNC systems | 04010102 | ST | 531.90 | EUR | 1 | DSH ZP 2 TNC 255 | 4013364424753 | 1 | 0.52 | 0.43 | 85363090 | DE | 230 | 120 | 52 | MM |
| 2725 | 909531 | 3015545 | Type1+2+3 combined arrester DEHNshield ZP | 2 for TT and TN-S systems | 04010102 | ST | 736.50 | EUR | 1 | DSH ZP 2 TT 255 | 4013364424807 | 1 | 0.61 | 0.519 | 85363090 | DE | 230 | 120 | 52 | MM |
| 2726 | 909540 | 3015549 | Type1+2+3 combined arrester DEHNshield ZP | 2 for TN-S systems | 04010102 | ST | 698.70 | EUR | 1 | DSH ZP 2 TNS 255 | 4013364424784 | 1 | 0.577 | 0.486 | 85363090 | DE | 230 | 120 | 52 | MM |
| 2727 | 909630 | 3015543 | Type1+2+3 combined arrester DEHNshield ZP | 2 SG for TNC systems | 04010102 | ST | 610.80 | EUR | 1 | DSH ZP 2 SG TNC 255 | 4013364424692 | 1 | 0.562 | 0.472 | 85363090 | DE | 230 | 120 | 52 | MM |
| 2728 | 909631 | 3015547 | Type1+2+3 combined arrester DEHNshield ZP | 2 SG for TT and TN-S systems | 04010102 | ST | 815.40 | EUR | 1 | DSH ZP 2 SG TT 255 | 4013364424739 | 1 | 0.652 | 0.561 | 85363090 | DE | 230 | 120 | 52 | MM |
| 2729 | 909640 | 3015551 | Type1+2+3 combined arrester DEHNshield ZP | 2 SG for TN-S systems | 04010102 | ST | 777.50 | EUR | 1 | DSH ZP 2 SG TNS 255 | 4013364424715 | 1 | 0.618 | 0.527 | 85363090 | DE | 230 | 120 | 52 | MM |
| 2730 | 909703 | 40570 | DEHNgate surge arrester | | 04020802 | ST | 98.40 | EUR | 1 | DGA FF TV | 4013364085664 | 1 | 0.233 | 0.233 | 85363010 | DE | 90 | 80 | 30 | MM |
| 2731 | 909704 | 52064 | DEHNgate lightning current arrester | | 04020802 | ST | 62.50 | EUR | 1 | DGA GF TV | 4013364105690 | 1 | 0.086 | 0.086 | 85363010 | DE | 50 | 50 | 20 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 2732 | 909705 | 48380 | DEHNgate combined lightning current | and surge arrester set | 04020802 | ST | 141.20 | EUR | 1 | DGA GFF TV | 4013364105706 | 1 | 0.283 | 0.283 | 85363010 | DE | 150 | 80 | 30 | MM |
| 2733 | 909706 | 3010794 | Five-channel surge arrester DEHNgate | for 75 Ohm TV and SAT systems | 04020802 | ST | 257.20 | EUR | 1 | DGA FF5 TV | 4013364362437 | 1 | 0.284 | 0.222 | 85363010 | DE | 150 | 105 | 35 | MM |
| 2734 | 909710 | 60693 | DEHNgate surge arrester | | 04020801 | ST | 189.80 | EUR | 1 | DGA BNC VCD | 4013364118942 | 1 | 0.126 | 0.114 | 85366910 | DE | 100 | 70 | 32 | MM |
| 2735 | 909711 | 60697 | DEHNgate surge arrester | | 04020801 | ST | 194.80 | EUR | 1 | DGA BNC VCID | 4013364118980 | 1 | 0.128 | 0.116 | 85366910 | DE | 100 | 70 | 32 | MM |
| 2736 | 909731 | 3018314 | Type 1+2+3 combined arrester DEHNshield ZP | Basic 2 LSG for TT and TN-S systems | 04010102 | ST | 480.50 | EUR | 1 | DSH ZP B2 LSG TT 255 | 4013364449725 | 1 | 0.765 | 0.661 | 85363090 | DE | 225 | 118 | 65 | MM |
| 2737 | 909831 | 3018315 | Type 1+2+3 combined arrester DEHNshield ZP | 2 LSG for TT and TN-S systems | 04010102 | ST | 779.50 | EUR | 1 | DSH ZP 2 LSG TT 255 | 4013364449732 | 1 | 0.765 | 0.661 | 85363090 | DE | 225 | 118 | 65 | MM |
| 2738 | 910099 | 30403 | Protective conductor terminal 16 mm² | with universal base | 04021002 | ST | 13.60 | EUR | 1 | SLK 16 | 4013364037298 | 1 | 0.038 | 0.038 | 85389099 | FR | 50 | 47 | 12 | MM |
| 2739 | 910200 | 64654 | Surge protection status indication | DEHNpanel with green/red LED f. installation | 04010401 | ST | 223.90 | EUR | 1 | DPAN L | 4013364144019 | 1 | 0.17 | 0.14 | 85389091 | DE | 115 | 90 | 90 | MM |
| 2740 | 910486 | 56980 | USB interface converter | USB-RS485 | 04030150 | ST | 206.30 | EUR | 1 | USB NANO 485 | 4013364124479 | 1 | 0.08 | 0.08 | 85399090 | DE | 190 | 188 | 23 | MM |
| 2741 | 910499 | 69211 | Power supply unit AC 100...240V DC 24V 30W | DIN rail mounting device | 04030150 | ST | 210.80 | EUR | 1 | PSU DC24 30W | 4013364157149 | 1 | 0.2 | 0.18 | 85044082 | DE | 95 | 65 | 58 | MM |
| 2742 | 910508 | 51416 | Test adapter for SPD test device | for BLITZDUCTOR XT / CT | 04030103 | ST | 1261.90 | EUR | 1 | PA BXT | 4013364111363 | 1 | 0.8 | 0.8 | 90309000 | DE | 170 | 165 | 135 | MM |
| 2743 | 910511 | 51431 | Hand-held SPD test device | | 04030101 | ST | 2230.40 | EUR | 1 | PM 20 | 4013364111424 | 1 | 1.471 | 1.32 | 90308900 | DE | 290 | 220 | 150 | MM |
| 2744 | 910631 | 58464 | Remote signaling and receiver module | DEHNsignal E 3 | 04010111 | ST | 191.50 | EUR | 1 | DSI E 3 | 4013364108196 | 1 | 0.126 | 0.114 | 85389091 | DE | 100 | 70 | 32 | MM |
| 2745 | 910641 | 42975 | Optical-fibre plug f. cables, D 2.2 mm | for DEHNsignal | 04010111 | ST | 11.50 | EUR | 1 | LWL ST DSI | 4013364093416 | 20 | 0.001 | 0.001 | 85367000 | DE | 30 | 8 | 8 | MM |
| 2746 | 910642 | 49732 | Optical-fibre cable, plastic, D 2.2mm | L 18m external coating PE f. DEHNsignal | 04010111 | ST | 52.50 | EUR | 1 | LWL DSI 18M | 4013364107878 | 1 | 0.08 | 0.08 | 85389099 | DE | 230 | 230 | 20 | MM |
| 2747 | 910652 | 58129 | LifeCheck sensor for arrester test | device DEHNrecord for BLITZDUCTOR XT | 04030150 | ST | 127.20 | EUR | 1 | LCS DRC BXT | 4013364114531 | 1 | 0.064 | 0.064 | 90309000 | DE | 240 | 130 | 20 | MM |
| 2748 | 910653 | 58091 | Portable test device DEHNrecord LC M3+ | with visual and acoustic indicator | 04030102 | ST | 1241.80 | EUR | 1 | DRC LC M3+ | 4013364113008 | 1 | 1.445 | 1.065 | 90308900 | DE | 400 | 300 | 150 | MM |
| 2749 | 910655 | 66053 | Portable test device DEHNrecord LC M1+ | w. visual and acoustic indication | 04030102 | ST | 889.60 | EUR | 1 | DRC LC M1+ | 4013364149250 | 1 | 1.215 | 0.835 | 90308900 | DE | 400 | 300 | 150 | MM |
| 2750 | 910694 | 3009834 | DEHNrecord Alert f. transmission SPD | status info. via modbus RTU/TCP | 04030103 | ST | 446.60 | EUR | 1 | DRC AL MODBUS | 4013364350212 | 1 | 0.123 | 0.067 | 90308900 | DE | 145 | 100 | 30 | MM |
| 2751 | 910695 | 58035 | DEHNrecord Condition Monitoring system f. | monitoring BLITZDUCTOR XT w. LifeCheck | 04030103 | ST | 424.20 | EUR | 1 | DRC MCM XT | 4013364118959 | 1 | 0.217 | 0.18 | 90308900 | DE | 200 | 125 | 50 | MM |
| 2752 | 910696 | 65233 | DEHNrecord condition monitoring unit | for monitoring BXT with LifeCheck | 04030103 | ST | 292.10 | EUR | 1 | DRC SCM XT | 4013364149359 | 1 | 0.161 | 0.054 | 90308900 | DE | 203 | 134 | 63 | MM |
| 2753 | 910697 | 3016855 | Partition for BLITZDUCTOR Ex (i) | base part and DEHNrecord MCM | 04030150 | PAK | 33.40 | EUR | 1 | TW DRC MCM EX | 4013364123717 | 1 | 0.031 | 0.031 | 85389099 | DE | 137 | 91 | 2.5 | MM |
| 2754 | 910698 | 3009282 | DEHNrecord Condition Monitoring system f. | monitoring BLITZDUCTOR XT w. LifeCheck | 04030103 | ST | 424.20 | EUR | 1 | DRC MCM AL XT | 4013364337053 | 1 | 0.067 | 0.067 | 90308900 | DE | 97 | 60 | 19 | MM |
| 2755 | 910710 | 3012710 | DEHNrecord condition monitoring unit | for monitoring BDC with LifeCheck | 04030103 | ST | 218.40 | EUR | 1 | DRC IRCM | 4013364424678 | 1 | 0.068 | 0.052 | 90308900 | DE | 98 | 90 | 19 | MM |
| 2756 | 910797 | 3016840 | Partition for separating intrinsically | safe and non-intr. safe signal circuits | 04020150 | PAK | 33.40 | EUR | 1 | PARTITION EXI | 4013364428829 | 1 | 0.028 | 0.028 | 85389099 | DE | 200 | 120 | 2.5 | MM |
| 2757 | 910920 | 3013638 | DEHNrecord SD multifunctional measuring and | analysis device voltage supply 230 VAC | 04030103 | ST | 1466.10 | EUR | 1 | DRC SD 1 1 | 4013364460263 | 1 | 0.51 | 0.38 | 90303200 | DE | 180 | 140 | 90 | MM |
| 2758 | 910921 | 3013639 | DEHNrecord SD multifunctional measuring and | analysis device voltage supply 24 VDC | 04030103 | ST | 1311.90 | EUR | 1 | DRC SD 2 1 | 4013364460270 | 1 | 0.51 | 0.38 | 90303200 | DE | 180 | 140 | 90 | MM |
| 2759 | 910935 | 3015852 | Impulse current sensor with connection cable for | detecting impulse currents of up to 100 kA | 04030150 | ST | 83.60 | EUR | 1 | DRC SD ICS 100 | 4013364460676 | 1 | 0.172 | 0.101 | 90303370 | DE | 255 | 125 | 60 | MM |
| 2760 | 910936 | 3013640 | Split-core current transformer for measuring | nominal primary currents up to 100 A | 04030150 | ST | 182.00 | EUR | 1 | DRC SD SCS 100 | 4013364460683 | 1 | 0.149 | 0.111 | 90303370 | CN | 80 | 80 | 40 | MM |
| 2761 | 910937 | 3013641 | Rogowski coil with connecting cable L 3m for | measuring nominal primary currents up to 1000 A | 04030150 | ST | 257.40 | EUR | 1 | DRC SD RCS 1000 3M | 4013364460690 | 1 | 0.21 | 0.193 | 90303370 | IT | 390 | 250 | 30 | MM |
| 2762 | 910938 | 3016350 | Rogowski coil with connecting cable L 1m for | measuring nominal primary currents up to 1000 A | 04030150 | ST | 257.40 | EUR | 1 | DRC SD RCS 1000 1M | 4013364467668 | 1 | 0.147 | 0.131 | 90303370 | IT | 390 | 250 | 30 | MM |
| 2763 | 912253 | 30614 | SPS Protector surge arrester | | 04010301 | ST | 425.60 | EUR | 1 | SPS PRO | 4013364068360 | 1 | 0.604 | 0.563 | 85363010 | DE | 162 | 115 | 92 | MM |
| 2764 | 912254 | 35998 | NF 10 mains filter | | 04010301 | ST | 221.90 | EUR | 1 | NF 10 | 4013364073685 | 1 | 0.3 | 0.3 | 85359000 | DE | 110 | 75 | 45 | MM |
| 2765 | 917900 | 65994 | Disconnection module Disconnect SD2 | | 04020250 | ST | 13.60 | EUR | 1 | DCO SD2 | 4013364150676 | 5 | 0.003 | 0.003 | 85369010 | DE | 28 | 19 | 6 | MM |
| 2766 | 917920 | 3009999 | Surge arrester terminal block | 2-pole DEHNconnect SD2 | 04020202 | ST | 101.80 | EUR | 1 | DCO SD2 ME 12 | 4013364150560 | 1 | 0.042 | 0.031 | 85363010 | DE | 98 | 90 | 19 | MM |
| 2767 | 917921 | 3010000 | Surge arrester terminal block | 2-pole DEHNconnect SD2 | 04020202 | ST | 99.80 | EUR | 1 | DCO SD2 ME 24 | 4013364150577 | 1 | 0.042 | 0.031 | 85363010 | DE | 98 | 90 | 19 | MM |
| 2768 | 917922 | 3010001 | Surge arrester terminal block | 2-pole DEHNconnect SD2 | 04020202 | ST | 104.00 | EUR | 1 | DCO SD2 ME 48 | 4013364150584 | 1 | 0.042 | 0.031 | 85363010 | DE | 98 | 90 | 19 | MM |
| 2769 | 917940 | 3010002 | Surge arrester terminal block | 2-pole DEHNconnect SD2 | 04020202 | ST | 97.00 | EUR | 1 | DCO SD2 MD 12 | 4013364150591 | 1 | 0.042 | 0.031 | 85363010 | DE | 98 | 90 | 19 | MM |
| 2770 | 917941 | 3010003 | Surge arrester terminal block | 2-pole DEHNconnect SD2 | 04020202 | ST | 94.90 | EUR | 1 | DCO SD2 MD 24 | 4013364150607 | 1 | 0.042 | 0.031 | 85363010 | DE | 98 | 90 | 19 | MM |
| 2771 | 917942 | 3010004 | Surge arrester terminal block | 2-pole DEHNconnect SD2 | 04020202 | ST | 101.50 | EUR | 1 | DCO SD2 MD 48 | 4013364150614 | 1 | 0.042 | 0.031 | 85363010 | DE | 98 | 90 | 19 | MM |
| 2772 | 917960 | 3006338 | Surge arrester terminal block | 2-pole DEHNconnect SD2 | 04020202 | ST | 98.10 | EUR | 1 | DCO SD2 MD EX 24 | 4013364150638 | 1 | 0.043 | 0.032 | 85363010 | DE | 98 | 90 | 19 | MM |
| 2773 | 917970 | 3010005 | Surge arrester terminal block | 2-pole DEHNconnect SD2 | 04020202 | ST | 110.40 | EUR | 1 | DCO SD2 MD HF 5 | 4013364150621 | 1 | 0.042 | 0.031 | 85363010 | DE | 98 | 90 | 19 | MM |
| 2774 | 917977 | 67163 | Labelling system for DEHNconnect SD2 | 2x No. 1-50 horizontally printed | 04020250 | ST | 6.70 | EUR | 1 | LS 1 50 H DCO | 4013364151536 | 1 | 0.009 | 0.009 | 39269097 | DE | 200 | 57 | 1 | MM |
| 2775 | 917987 | 3001917 | Surge arrester terminal block | 2-pole DEHNconnect SD2 | 04020202 | ST | 43.60 | EUR | 1 | DCO SD2 E 12 | 4013364150645 | 1 | 0.05 | 0.03 | 85363010 | DE | 98 | 90 | 19 | MM |
| 2776 | 917988 | 3001920 | Surge arrester terminal block | 2-pole DEHNconnect SD2 | 04020202 | ST | 42.70 | EUR | 1 | DCO SD2 E 24 | 4013364150652 | 1 | 0.045 | 0.025 | 85363010 | DE | 98 | 90 | 19 | MM |
| 2777 | 917989 | 3001922 | Surge arrester terminal block | 2-pole DEHNconnect SD2 | 04020202 | ST | 43.60 | EUR | 1 | DCO SD2 E 48 | 4013364150669 | 1 | 0.05 | 0.03 | 85363010 | DE | 98 | 90 | 19 | MM |
| 2778 | 918401 | 3015501 | BLITZDUCTOR VT surge arrester | | 04020301 | ST | 221.40 | EUR | 1 | BVT RS485 5 | 4013364074224 | 1 | 0.199 | 0.182 | 85363010 | RO | 100 | 67 | 57 | MM |
| 2779 | 918408 | 3015502 | BLITZDUCTOR VT combined arrester | | 04020301 | ST | 177.40 | EUR | 1 | BVT ALD 36 | 4013364125292 | 1 | 0.122 | 0.11 | 85363010 | RO | 100 | 70 | 32 | MM |
| 2780 | 918409 | 3015505 | Combined arrester BLITZDUCTOR VT | for d.c. supply systems | 04020301 | ST | 180.60 | EUR | 1 | BVT ALD 60 | 4013364146709 | 1 | 0.122 | 0.11 | 85363010 | RO | 100 | 70 | 32 | MM |
| 2781 | 918411 | 3015506 | BLITZDUCTOR VT surge arrester | | 04020301 | ST | 136.70 | EUR | 1 | BVT TC 1 | 4013364093133 | 1 | 0.111 | 0.099 | 85363010 | RO | 100 | 70 | 32 | MM |
| 2782 | 918420 | 3015507 | BLITZDUCTOR VT combined lightning | current and surge arrester | 04020301 | ST | 314.80 | EUR | 1 | BVT KKS ALD 75 | 4013364094895 | 1 | 0.229 | 0.211 | 85363010 | RO | 100 | 67 | 57 | MM |
| 2783 | 918421 | 3015508 | BLITZDUCTOR VT combined lightning | current and surge arrester | 04020301 | ST | 250.20 | EUR | 1 | BVT KKS APD 36 | 4013364094901 | 1 | 0.13 | 0.118 | 85363010 | RO | 100 | 70 | 32 | MM |
| 2784 | 918422 | 3015509 | Combined arrester BLITZDUCTOR VT | for d.c. voltage supplies | 04020301 | ST | 244.40 | EUR | 1 | BVT AVD 24 | 4013364149267 | 1 | 0.109 | 0.097 | 85363010 | RO | 100 | 70 | 32 | MM |
| 2785 | 919010 | 35180 | Shield terminal D 1.5 - 6.5 mm, nickel- | plated brass, for busbars 18x3 mm | 04021001 | ST | 6.40 | EUR | 1 | SAK 6.5 SN MS | 4013364071612 | 10 | 0.013 | 0.013 | 85369095 | CH | 40 | 25 | 10 | MM |
| 2786 | 919011 | 35181 | Shield terminal D 5.0-11mm nickel- | plated brass, for busbars 18x3 mm | 04021001 | ST | 7.20 | EUR | 1 | SAK 11 SN MS | 4013364071605 | 10 | 0.028 | 0.028 | 85369095 | CH | 47 | 25 | 17 | MM |
| 2787 | 919012 | 35182 | Rail support with one shield terminal, | tin-plated steel, for busbars 18x3 mm | 04021001 | ST | 10.20 | EUR | 1 | SH1 18X3 ST | 4013364071599 | 1 | 0.04 | 0.04 | 85389099 | DE | 100 | 40 | 10 | MM |
| 2788 | 919014 | 35184 | Rail support, plastic, black, for | busbars 18x3 mm | 04021001 | ST | 6.50 | EUR | 1 | SH 18X3 K | 4013364071575 | 10 | 0.005 | 0.005 | 85369095 | CH | 60 | 30 | 12 | MM |
| 2789 | 919015 | 35185 | Terminal for busbars 18x3mm | cross section max. 35mm² green/yellow | 04021001 | ST | 6.50 | EUR | 1 | AK 35 SN 18X3 GG | 4013364071568 | 1 | 0.015 | 0.015 | 85369095 | CH | 37 | 30 | 12 | MM |
| 2790 | 919016 | 35186 | Busbar, 18x3 mm Cu/Sn L 1000 mm | | 04021001 | ST | 48.80 | EUR | 1 | SN 18X3 CU 1000 | 4013364071551 | 1 | 0.481 | 0.481 | 85369095 | CH | 1000 | 18 | 3 | MM |
| 2791 | 919030 | 48014 | Self-bonding rubber tape | W 19mm L 9.0m black | 04021001 | ST | 60.50 | EUR | 1 | SKB 19 9M SW | 4013364103504 | 1 | 0.167 | 0.167 | 40069000 | BR | 110 | 110 | 19 | MM |
| 2792 | 919031 | 48015 | Constant force spring for shield | connection D 4-10mm StSt | 04021001 | ST | 7.20 | EUR | 1 | SA KRF 10 V2A | 4013364103511 | 20 | 0.002 | 0.002 | 73209090 | DE | 10 | 10 | 6 | MM |
| 2793 | 919032 | 48016 | Constant force spring for shield | connection D 9-15mm StSt | 04021001 | ST | 9.30 | EUR | 1 | SA KRF 15 V2A | 4013364103528 | 20 | 0.002 | 0.002 | 73209090 | DE | 15 | 15 | 10 | MM |
| 2794 | 919033 | 48017 | Constant force spring for shield | connection D 14-22mm StSt | 04021001 | ST | 14.90 | EUR | 1 | SA KRF 22 V2A | 4013364103535 | 20 | 0.005 | 0.005 | 73209090 | DE | 20 | 20 | 16 | MM |
| 2795 | 919034 | 48018 | Constant force spring for shield | connection D 18.5-29mm StSt | 04021001 | ST | 17.50 | EUR | 1 | SA KRF 29 V2A | 4013364103542 | 10 | 0.007 | 0.007 | 73209090 | DE | 25 | 25 | 16 | MM |
| 2796 | 919035 | 48019 | Constant force spring for shield | connection D 23.5-37mm StSt | 04021001 | ST | 20.90 | EUR | 1 | SA KRF 37 V2A | 4013364103559 | 10 | 0.012 | 0.012 | 73209090 | DE | 30 | 30 | 16 | MM |
| 2797 | 919036 | 48020 | Constant force spring for shield | connection D 31-50mm StSt | 04021001 | ST | 24.10 | EUR | 1 | SA KRF 50 V2A | 4013364103566 | 25 | 0.023 | 0.023 | 73209090 | DE | 37 | 37 | 16 | MM |
| 2798 | 919037 | 48021 | Constant force spring for shield | connection D 44-70mm StSt | 04021001 | ST | 31.10 | EUR | 1 | SA KRF 70 V2A | 4013364103573 | 20 | 0.05 | 0.05 | 73209090 | DE | 50 | 50 | 20 | MM |
| 2799 | 919038 | 48022 | Constant force spring for shield | connection D 58-94mm StSt | 04021001 | ST | 44.70 | EUR | 1 | SA KRF 94 V2A | 4013364103580 | 10 | 0.082 | 0.082 | 73209090 | DE | 66 | 66 | 20 | MM |
| 2800 | 919880 | 43485 | Jumper bar for DEHNconnect RK, | 10-pole | 04020250 | ST | 5.30 | EUR | 1 | KB 10 DCO RK | 4013364095090 | 25 | 0.005 | 0.005 | 85369010 | DE | 51 | 15 | 2.5 | MM |
| 2801 | 920000 | 33597 | Spark gap for indirect connection of | service entry mast | 04010501 | ST | 26.50 | EUR | 1 | DSFS | 4013364057494 | 1 | 0.127 | 0.127 | 85369095 | DE | 142 | 40 | 40 | MM |
| 2802 | 920211 | 3009077 | Combined 2-pole arrester module | BLITZDUCTOR XT with LifeCheck | 04020102 | ST | 110.70 | EUR | 1 | BXT ML2 B 180 | 4013364120570 | 1 | 0.03 | 0.023 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2803 | 920220 | 3009065 | BLITZDUCTOR XT combined lightn. current | and surge arrester mod., shield earthing | 04020102 | ST | 173.40 | EUR | 1 | BXT ML2 BE S 5 | 4013364118331 | 1 | 0.043 | 0.036 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2804 | 920222 | 3017557 | BLITZDUCTOR XT combined lightn. current | and surge arrester mod., shield earthing | 04020102 | ST | 173.40 | EUR | 1 | BXT ML2 BE S 12 | 4013364118355 | 1 | 0.028 | 0.021 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2805 | 920224 | 3017558 | BLITZDUCTOR XT combined lightn. current | and surge arrester mod., shield earthing | 04020102 | ST | 169.90 | EUR | 1 | BXT ML2 BE S 24 | 4013364117785 | 1 | 0.044 | 0.037 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2806 | 920225 | 3009069 | BLITZDUCTOR XT combined lightn. current | and surge arrester mod., shield earthing | 04020102 | ST | 173.40 | EUR | 1 | BXT ML2 BE S 48 | 4013364118379 | 1 | 0.028 | 0.021 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2807 | 920226 | 3009068 | BLITZDUCTOR XT combined arrester module | with LifeCheck for 2 single lines | 04020102 | ST | 221.40 | EUR | 1 | BXT ML2 BE S 36 | 4013364142121 | 1 | 0.03 | 0.023 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2808 | 920240 | 3009061 | BLITZDUCTOR XT combined lightn. current | and surge arrester mod., shield earthing | 04020102 | ST | 164.10 | EUR | 1 | BXT ML2 BD S 5 | 4013364118348 | 1 | 0.028 | 0.021 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2809 | 920242 | 3009062 | BLITZDUCTOR XT combined lightn. current | and surge arrester mod., shield earthing | 04020102 | ST | 164.10 | EUR | 1 | BXT ML2 BD S 12 | 4013364118362 | 1 | 0.028 | 0.021 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2810 | 920243 | 3009081 | BLITZDUCTOR XT combined lightn. current | and surge arrester mod., shield earthing | 04020102 | ST | 166.00 | EUR | 1 | BXT ML2 BD DL S 15 | 4013364126732 | 1 | 0.028 | 0.021 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2811 | 920244 | 3017555 | BLITZDUCTOR XT combined lightn. current | and surge arrester mod., shield earthing | 04020102 | ST | 160.90 | EUR | 1 | BXT ML2 BD S 24 | 4013364117792 | 1 | 0.028 | 0.021 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2812 | 920245 | 3009064 | BLITZDUCTOR XT combined lightn. current | and surge arrester mod., shield earthing | 04020102 | ST | 164.10 | EUR | 1 | BXT ML2 BD S 48 | 4013364118386 | 1 | 0.043 | 0.036 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2813 | 920247 | 3009078 | Combined arrester module f. 1 pair | BLITZDUCTOR XT with LifeCheck | 04020102 | ST | 151.90 | EUR | 1 | BXT ML2 BD 180 | 4013364116078 | 1 | 0.05 | 0.043 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2814 | 920249 | 3009083 | BLITZDUCTOR XTU combined lightning | current and surge arrester module | 04020103 | ST | 191.10 | EUR | 1 | BXTU ML2 BD S 0-180 | 4013364127845 | 1 | 0.03 | 0.023 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2815 | 920270 | 3017556 | BLITZDUCTOR XT combined lightning | current and surge arrester module | 04020102 | ST | 181.50 | EUR | 1 | BXT ML2 BE HFS 5 | 4013364117549 | 1 | 0.029 | 0.022 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2816 | 920271 | 3017565 | Combined arrester module f. one pair | BLITZDUCTOR XT with LifeCheck function | 04020102 | ST | 181.50 | EUR | 1 | BXT ML2 BD HFS 5 | 4013364117556 | 1 | 0.029 | 0.022 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2817 | 920280 | 3017553 | Surge arrester module for 1 pair | BLITZDUCTOR XT Ex(i) with LifeCheck | 04020105 | ST | 181.50 | EUR | 1 | BXT ML2 BD S EX 24 | 4013364142138 | 1 | 0.029 | 0.022 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2818 | 920288 | 3009086 | BLITZDUCTOR XT surge arrester module | with Y circuit | 04020102 | ST | 178.30 | EUR | 1 | BXT ML2 MY E 110 | 4013364137363 | 1 | 0.032 | 0.025 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2819 | 920289 | 3009084 | BLITZDUCTOR XT surge protection module | | 04020102 | ST | 160.30 | EUR | 1 | BXT ML2 MY 250 | 4013364135840 | 1 | 0.029 | 0.022 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2820 | 920296 | 3009452 | Combined arrester module for | 1 pair BLITZDUCTOR XT | 04020102 | ST | 73.80 | EUR | 1 | BXT M2 BD HCSA 24 | 4013364340015 | 1 | 0.028 | 0.021 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2821 | 920300 | 50649 | Base part for BLITZDUCTOR XT | | 04020101 | ST | 49.20 | EUR | 1 | BXT BAS | 4013364109179 | 1 | 0.046 | 0.035 | 85369010 | DE | 100 | 55 | 18 | MM |
| 2822 | 920301 | 3001637 | Base part for BLITZDUCTOR XT Ex (i) | | 04020101 | ST | 54.10 | EUR | 1 | BXT BAS EX | 4013364109186 | 1 | 0.061 | 0.053 | 85369010 | DE | 100 | 55 | 18 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 2823 | 920308 | 50647 | BLITZDUCTOR XT earthing module | | 04020102 | ST | 19.30 | EUR | 1 | BXT M4 E | 4013364109209 | 1 | 0.029 | 0.022 | 85369010 | DE | 65 | 61 | 19 | MM |
| 2824 | 920309 | 50648 | BLITZDUCTOR XT test module | | 04020102 | ST | 152.00 | EUR | 1 | BXT M4 T | 4013364109193 | 1 | 0.025 | 0.014 | 85369010 | DE | 170 | 105 | 4 | MM |
| 2825 | 920310 | 3009072 | Lightning current arrester module | 4-pole BLITZDUCTOR XT with LifeCheck | 04020102 | ST | 145.20 | EUR | 1 | BXT ML4 B 180 | 4013364109124 | 1 | 0.032 | 0.025 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2826 | 920314 | 3009091 | Combined arrester module for 2 pairs | BLITZDUCTOR XT with LifeCheck | 04020102 | ST | 239.10 | EUR | 1 | BXT ML4 BPD 24 | 4013364261396 | 1 | 0.04 | 0.025 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2827 | 920320 | 3009050 | Combined arrester module for 4 single | lines BLITZDUCTOR XT with LifeCheck | 04020102 | ST | 262.60 | EUR | 1 | BXT ML4 BE 5 | 4013364109032 | 1 | 0.031 | 0.024 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2828 | 920322 | 3009051 | Combined arrester module for 4 single | lines BLITZDUCTOR XT with LifeCheck | 04020102 | ST | 262.60 | EUR | 1 | BXT ML4 BE 12 | 4013364109049 | 1 | 0.031 | 0.024 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2829 | 920324 | 3017559 | Combined arrester module for 4 single | lines BLITZDUCTOR XT with LifeCheck | 04020102 | ST | 257.60 | EUR | 1 | BXT ML4 BE 24 | 4013364109056 | 1 | 0.045 | 0.038 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2830 | 920325 | 3009054 | Combined arrester module for 4 single | lines BLITZDUCTOR XT with LifeCheck | 04020102 | ST | 262.60 | EUR | 1 | BXT ML4 BE 48 | 4013364109063 | 1 | 0.031 | 0.024 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2831 | 920326 | 3009055 | Combined arrester module for 4 single | lines BLITZDUCTOR XT with LifeCheck | 04020102 | ST | 262.60 | EUR | 1 | BXT ML4 BE 60 | 4013364109070 | 1 | 0.031 | 0.024 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2832 | 920327 | 3009056 | Combined arrester module for 4 single | lines BLITZDUCTOR XT with LifeCheck | 04020102 | ST | 262.60 | EUR | 1 | BXT ML4 BE 180 | 4013364109087 | 1 | 0.031 | 0.024 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2833 | 920334 | 3009090 | Combined arrester module for 2 single | lines and 1 pair BLITZDUCTOR XT | 04020102 | ST | 248.60 | EUR | 1 | BXT ML4 BE BD 24 | 4013364152229 | 1 | 0.03 | 0.023 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2834 | 920336 | 3009053 | BLITZDUCTOR XT combined lightning | current and surge arrester module | 04020102 | ST | 302.10 | EUR | 1 | BXT ML4 BE 36 | 4013364118539 | 1 | 0.048 | 0.041 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2835 | 920340 | 3009043 | Combined arrester module for 2 pairs | BLITZDUCTOR XT with LifeCheck | 04020102 | ST | 247.60 | EUR | 1 | BXT ML4 BD 5 | 4013364108967 | 1 | 0.03 | 0.023 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2836 | 920342 | 3009044 | Combined arrester module for 2 pairs | BLITZDUCTOR XT with LifeCheck | 04020102 | ST | 247.60 | EUR | 1 | BXT ML4 BD 12 | 4013364108974 | 1 | 0.03 | 0.023 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2837 | 920344 | 3017568 | Combined arrester module for 2 pairs | BLITZDUCTOR XT with LifeCheck | 04020102 | ST | 242.70 | EUR | 1 | BXT ML4 BD 24 | 4013364108981 | 1 | 0.045 | 0.037 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2838 | 920345 | 3009046 | Combined arrester module for 2 pairs | BLITZDUCTOR XT with LifeCheck | 04020102 | ST | 247.60 | EUR | 1 | BXT ML4 BD 48 | 4013364108998 | 1 | 0.031 | 0.024 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2839 | 920346 | 3009047 | Combined arrester module for 2 pairs | BLITZDUCTOR XT with LifeCheck | 04020102 | ST | 247.60 | EUR | 1 | BXT ML4 BD 60 | 4013364109001 | 1 | 0.031 | 0.024 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2840 | 920347 | 3009048 | Combined arrester module for 2 pairs | BLITZDUCTOR XT with LifeCheck | 04020102 | ST | 247.60 | EUR | 1 | BXT ML4 BD 180 | 4013364109018 | 1 | 0.031 | 0.024 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2841 | 920349 | 3009080 | BLITZDUCTOR XTU combined lightning | current and surge arrester module | 04020103 | ST | 276.90 | EUR | 1 | BXTU ML4 BD 0-180 | 4013364126404 | 1 | 0.032 | 0.025 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2842 | 920350 | 3009073 | Combined arrester module for 4 single | lines BLITZDUCTOR XT with LifeCheck | 04020102 | ST | 262.60 | EUR | 1 | BXT ML4 BC 5 | 4013364109131 | 1 | 0.031 | 0.024 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2843 | 920354 | 3009074 | Combined arrester module for 4 single | lines BLITZDUCTOR XT with LifeCheck | 04020102 | ST | 262.60 | EUR | 1 | BXT ML4 BC 24 | 4013364109148 | 1 | 0.031 | 0.024 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2844 | 920362 | 3009075 | BXT combined lightning current and surge | arrester module | 04020102 | ST | 305.20 | EUR | 1 | BXT ML4 BE C 12 | 4013364120587 | 1 | 0.031 | 0.024 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2845 | 920364 | 3009076 | Combined arrester module for 2 pairs | BLITZDUCTOR XT with LifeCheck | 04020102 | ST | 305.20 | EUR | 1 | BXT ML4 BE C 24 | 4013364109155 | 1 | 0.032 | 0.025 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2846 | 920370 | 3017560 | Combined arrester module for 4 single | lines BLITZDUCTOR XT with LifeCheck | 04020102 | ST | 269.00 | EUR | 1 | BXT ML4 BE HF 5 | 4013364109117 | 1 | 0.031 | 0.024 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2847 | 920371 | 3009058 | Combined arrester module for 2 pairs | BLITZDUCTOR XT with LifeCheck | 04020102 | ST | 269.00 | EUR | 1 | BXT ML4 BD HF 5 | 4013364109094 | 1 | 0.031 | 0.024 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2848 | 920375 | 3017570 | Combined arrester module for 2 pairs | BLITZDUCTOR XT with LifeCheck | 04020102 | ST | 269.00 | EUR | 1 | BXT ML4 BD HF 24 | 4013364109100 | 1 | 0.031 | 0.024 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2849 | 920381 | 3017551 | Surge arrester module for two pairs | BLITZDUCTOR XT Ex(i) with LifeCheck | 04020105 | ST | 257.60 | EUR | 1 | BXT ML4 BD EX 24 | 4013364109025 | 1 | 0.03 | 0.023 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2850 | 920383 | 57056 | Surge arrester module for 1 pair | BLITZDUCTOR XT Ex(i) | 04020105 | ST | 130.60 | EUR | 1 | BXT M2 BD S EX 24 | 4013364126725 | 1 | 0.05 | 0.05 | 85363010 | DE | 79 | 61 | 40 | MM |
| 2851 | 920384 | 3017552 | Surge arrester module for 4 single lines | BLITZDUCTOR XT Ex(I) with LifeCheck | 04020105 | ST | 274.00 | EUR | 1 | BXT ML4 BC EX 24 | 4013364109162 | 1 | 0.029 | 0.022 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2852 | 920388 | 3009085 | Surge arrester module | BLITZDUCTOR XT with Y circuit | 04020102 | ST | 299.20 | EUR | 1 | BXT ML4 MY 110 | 4013364137370 | 1 | 0.035 | 0.028 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2853 | 920389 | 3009079 | BLITZDUCTOR XT surge arrester module | | 04020102 | ST | 262.60 | EUR | 1 | BXT ML4 MY 250 | 4013364118447 | 1 | 0.037 | 0.03 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2854 | 920395 | 3016857 | EMC spring terminals for shield | contact for BLITZDUCTOR XT | 04020150 | PAK | 12.20 | EUR | 1 | SAK BXT LR | 4013364118157 | 1 | 0.012 | 0.012 | 85389099 | DE | 105 | 53 | 10 | MM |
| 2855 | 920398 | 3016856 | Labelling system for BLITZDUCTOR XT | 2x BA1 (1.1-1.10) - BA15 (15.1-15.10) | 04020150 | PAK | 16.50 | EUR | 1 | BS BA1 BA15 BXT | 4013364126572 | 1 | 0.006 | 0.006 | 39190080 | DE | 130 | 68 | 1 | MM |
| 2856 | 920538 | 3017554 | Surge arrester module for intrins. safe | measuring circuits BLITZDUCTOR XT Ex (i) | 04020105 | ST | 151.90 | EUR | 1 | BXT ML2 BD HF EX 6 | 4013364125285 | 1 | 0.027 | 0.02 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2857 | 922020 | 3016078 | Connecting cable ASL DBX TAE F | | 04020750 | ST | 10.20 | EUR | 1 | ASL DBX TAE F | 4013364463561 | 1 | 0.042 | 0.042 | 85444210 | CN | 140 | 90 | 40 | MM |
| 2858 | 922220 | 3013587 | Lightning current arrester DEHNbox | DBX TC B 180 | 04020703 | ST | 142.80 | EUR | 1 | DBX TC B 180 | 4013364433953 | 1 | 0.094 | 0.064 | 85363030 | CN | 117 | 55 | 55 | MM |
| 2859 | 922400 | 67367 | Combined arrester DEHNbox DBX | | 04020703 | ST | 267.50 | EUR | 1 | DBX U4 KT BD S 0-180 | 4013364137349 | 1 | 0.252 | 0.22 | 85363010 | DE | 127 | 107 | 84 | MM |
| 2860 | 923019 | 3006521 | Isolating spark gap for Ex area | w. 2 connecting cables 25mm² L 1500 mm | 04010502 | ST | 600.70 | EUR | 1 | EXFS KU | 4013364033177 | 1 | 1.715 | 1.7 | 85369095 | DE | 360 | 270 | 60 | MM |
| 2861 | 923021 | 35224 | Isolating spark gap | with 2 connections, Rd 10mm, StSt | 04010501 | ST | 127.90 | EUR | 1 | KFSU | 4013364036161 | 1 | 0.205 | 0.185 | 85369095 | DE | 160 | 46 | 46 | MM |
| 2862 | 923023 | 39252 | Isolating spark gap w. plastic sheath | with 2 connections, Rd 10mm, StSt | 04010501 | ST | 146.30 | EUR | 1 | TFS | 4013364074262 | 1 | 0.205 | 0.185 | 85369095 | DE | 160 | 46 | 46 | MM |
| 2863 | 923025 | 50746 | Connecting cable Cu 25mm² L 100 mm | for EXFS 100 isolating spark gap | 04010503 | ST | 38.60 | EUR | 1 | AL EXFS L100 KS | 4013364110397 | 1 | 0.137 | 0.137 | 85369095 | DE | 210 | 35 | 22 | MM |
| 2864 | 923035 | 50747 | Connecting cable Cu 25mm² L 200 mm | for EXFS 100 isolating spark gap | 04010503 | ST | 40.90 | EUR | 1 | AL EXFS L200 KS | 4013364110403 | 1 | 0.163 | 0.163 | 85369095 | DE | 310 | 35 | 22 | MM |
| 2865 | 923045 | 50748 | Connecting cable Cu 25mm² L 300 mm | for EXFS 100 isolating spark gap | 04010503 | ST | 43.80 | EUR | 1 | AL EXFS L300 KS | 4013364110410 | 1 | 0.19 | 0.19 | 85369095 | DE | 410 | 35 | 22 | MM |
| 2866 | 923060 | 3006437 | Isolating spark gap for Ex area | w. connecting cable Cu 25mm² L 100 mm | 04010502 | ST | 285.60 | EUR | 1 | EXFS L100 | 4013364038899 | 1 | 0.805 | 0.725 | 85369095 | DE | 200 | 120 | 80 | MM |
| 2867 | 923061 | 3006438 | Isolating spark gap for Ex area | w. connecting cable Cu 25mm² L 200 mm | 04010502 | ST | 285.60 | EUR | 1 | EXFS L200 | 4013364038905 | 1 | 0.83 | 0.75 | 85369095 | DE | 200 | 120 | 80 | MM |
| 2868 | 923062 | 3006439 | Isolating spark gap for Ex area | w. connecting cable Cu 25mm² L 300 mm | 04010502 | ST | 285.60 | EUR | 1 | EXFS L300 | 4013364038912 | 1 | 0.861 | 0.781 | 85369095 | DE | 200 | 120 | 80 | MM |
| 2869 | 923099 | 69852 | Battery 9V lithium 1300 mAh for | operating temperatures up to 80°Celsius | 04505001 | ST | 83.40 | EUR | 1 | EB 9V LI1300 80 | 4013364274686 | 1 | 0.046 | 0.044 | 85065090 | QU | 48 | 25 | 16 | MM |
| 2870 | 923100 | 3009576 | Isolating spark gap for Ex area | with threaded screws M10 | 04010502 | ST | 346.70 | EUR | 1 | EXFS 100 | 4013364108325 | 1 | 0.309 | 0.289 | 85369095 | DE | 160 | 46 | 46 | MM |
| 2871 | 923101 | 3006523 | Isolating spark gap for Ex area | with connecting cables 2x 2.0m | 04010502 | ST | 606.40 | EUR | 1 | EXFS 100 KU | 4013364108332 | 1 | 2.14 | 1.975 | 85369095 | DE | 360 | 270 | 60 | MM |
| 2872 | 923110 | 37149 | Fuse link for | a.c. sparkover voltage 940V | 05030101 | ST | 70.00 | EUR | 1 | SDS 1 | 4013364092426 | 10 | 0.054 | 0.04 | 85369095 | DE | 131 | 57 | 19 | MM |
| 2873 | 923116 | 39243 | Fuse link for | d.c. sparkover voltage 550V | 05030101 | ST | 86.90 | EUR | 1 | SDS 3 | 4013364085978 | 10 | 0.043 | 0.042 | 85369095 | DE | 131 | 57 | 19 | MM |
| 2874 | 923117 | 39244 | Fuse link for | d.c. sparkover voltage 350V | 05030101 | ST | 86.90 | EUR | 1 | SDS 2 | 4013364093478 | 10 | 0.043 | 0.042 | 85369095 | DE | 131 | 57 | 19 | MM |
| 2875 | 923118 | 47294 | Fuse link SDS 4 D 24mm | d.c. sparkover voltage 230 V | 05030101 | ST | 86.90 | EUR | 1 | SDS 4 | 4013364104969 | 10 | 0.04 | 0.038 | 85369095 | DE | 131 | 57 | 19 | MM |
| 2876 | 923119 | 47295 | Fuse link SDS 5 D 24mm | d.c. sparkover voltage 120 V | 05030101 | ST | 92.40 | EUR | 1 | SDS 5 | 4013364104976 | 10 | 0.04 | 0.038 | 85369095 | DE | 131 | 57 | 19 | MM |
| 2877 | 923211 | 3007517 | Flat connection bracket IF3 | bore diameter d1 11 mm | 04010503 | ST | 6.70 | EUR | 1 | AB EXFS IF3 G 11 | 4013364150904 | 1 | 0.109 | 0.109 | 85369095 | DE | 115 | 40 | 4 | MM |
| 2878 | 923214 | 3007518 | Connection bracket IF3 straight | bore diameter d1 14 mm | 04010503 | ST | 6.70 | EUR | 1 | AB EXFS IF3 G 14 | 4013364150911 | 1 | 0.107 | 0.107 | 85369095 | DE | 115 | 40 | 4 | MM |
| 2879 | 923218 | 3007519 | Connection bracket IF3 straight | bore diameter d1 18 mm | 04010503 | ST | 6.70 | EUR | 1 | AB EXFS IF3 G 18 | 4013364150928 | 1 | 0.099 | 0.099 | 85369095 | DE | 115 | 40 | 4 | MM |
| 2880 | 923222 | 3007482 | Connection bracket IF3 straight | bore diameter d1 22 mm | 04010503 | ST | 6.70 | EUR | 1 | AB EXFS IF3 G 22 | 4013364150935 | 1 | 0.095 | 0.095 | 85369095 | DE | 115 | 40 | 4 | MM |
| 2881 | 923226 | 3007520 | Connection bracket IF3 straight | bore diameter d1 26 mm | 04010503 | ST | 6.70 | EUR | 1 | AB EXFS IF3 G 26 | 4013364150942 | 1 | 0.092 | 0.092 | 85369095 | DE | 115 | 40 | 4 | MM |
| 2882 | 923230 | 3007483 | Flat connection bracket IF3 | bore diameter d1 30 mm | 04010503 | ST | 6.70 | EUR | 1 | AB EXFS IF3 G 30 | 4013364150959 | 1 | 0.18 | 0.18 | 85369095 | DE | 136 | 70 | 4 | MM |
| 2883 | 923233 | 3007484 | Connection bracket IF3 straight | bore diameter d1 33 mm | 04010503 | ST | 6.70 | EUR | 1 | AB EXFS IF3 G 33 | 4013364150966 | 1 | 0.174 | 0.174 | 85369095 | DE | 136 | 70 | 4 | MM |
| 2884 | 923236 | 3007521 | Connection bracket IF3 straight | bore diameter d1 36 mm | 04010503 | ST | 6.70 | EUR | 1 | AB EXFS IF3 G 36 | 4013364150973 | 1 | 0.167 | 0.167 | 85369095 | DE | 136 | 70 | 4 | MM |
| 2885 | 923239 | 3007485 | Flat connection bracket IF3 | bore diameter d1 39 mm | 04010503 | ST | 6.70 | EUR | 1 | AB EXFS IF3 G 39 | 4013364150980 | 1 | 0.162 | 0.162 | 85369095 | DE | 136 | 70 | 4 | MM |
| 2886 | 923242 | 3007486 | Connection bracket IF3 straight | bore diameter d1 42 mm | 04010503 | ST | 6.70 | EUR | 1 | AB EXFS IF3 G 42 | 4013364150997 | 1 | 0.158 | 0.158 | 85369095 | DE | 136 | 70 | 4 | MM |
| 2887 | 923311 | 3007487 | Connection bracket IF1 angled | bore diameter d1 11 mm | 04010503 | ST | 13.00 | EUR | 1 | AB EXFS IF1 W 11 | 4013364150775 | 1 | 0.105 | 0.105 | 85369095 | DE | 86 | 42 | 40 | MM |
| 2888 | 923314 | 3007488 | Connection bracket IF1 angled | bore diameter d1 14 mm | 04010503 | ST | 13.00 | EUR | 1 | AB EXFS IF1 W 14 | 4013364150782 | 1 | 0.103 | 0.103 | 85369095 | DE | 86 | 42 | 40 | MM |
| 2889 | 923318 | 3007522 | Connection bracket IF1 angled | bore diameter d1 18 mm | 04010503 | ST | 13.00 | EUR | 1 | AB EXFS IF1 W 18 | 4013364150799 | 1 | 0.101 | 0.101 | 85369095 | DE | 86 | 42 | 40 | MM |
| 2890 | 923322 | 3007489 | Connection bracket IF1 angled | bore diameter d1 22 mm | 04010503 | ST | 13.00 | EUR | 1 | AB EXFS IF1 W 22 | 4013364150805 | 1 | 0.096 | 0.096 | 85369095 | DE | 86 | 42 | 40 | MM |
| 2891 | 923326 | 3007523 | Connection bracket IF1 angled | bore diameter d1 26 mm | 04010503 | ST | 13.00 | EUR | 1 | AB EXFS IF1 W 26 | 4013364150812 | 1 | 0.091 | 0.091 | 85369095 | DE | 86 | 42 | 40 | MM |
| 2892 | 923330 | 3007490 | Connection bracket IF1 angled | bore diameter d1 30 mm | 04010503 | ST | 13.00 | EUR | 1 | AB EXFS IF1 W 30 | 4013364150829 | 1 | 0.178 | 0.178 | 85369095 | DE | 111 | 70 | 42 | MM |
| 2893 | 923333 | 3007524 | Connection bracket IF1 angled | bore diameter d1 33 mm | 04010503 | ST | 13.00 | EUR | 1 | AB EXFS IF1 W 33 | 4013364150836 | 1 | 0.172 | 0.172 | 85369095 | DE | 111 | 70 | 42 | MM |
| 2894 | 923336 | 3007491 | Connection bracket IF1 angled | bore diameter d1 36 mm | 04010503 | ST | 13.00 | EUR | 1 | AB EXFS IF1 W 36 | 4013364150843 | 1 | 0.168 | 0.168 | 85369095 | DE | 111 | 70 | 42 | MM |
| 2895 | 923339 | 3007492 | Connection bracket IF1 angled | bore diameter d1 39 mm | 04010503 | ST | 13.00 | EUR | 1 | AB EXFS IF1 W 39 | 4013364150850 | 1 | 0.159 | 0.159 | 85369095 | DE | 111 | 70 | 42 | MM |
| 2896 | 923342 | 3007493 | Connection bracket IF1 angled | bore diameter d1 42 mm | 04010503 | ST | 13.00 | EUR | 1 | AB EXFS IF1 W 42 | 4013364150867 | 1 | 0.158 | 0.158 | 85369095 | DE | 111 | 70 | 42 | MM |
| 2897 | 923348 | 3007495 | Connection bracket IF1 angled | bore diameter d1 48 mm | 04010503 | ST | 13.00 | EUR | 1 | AB EXFS IF1 W 48 | 4013364150874 | 1 | 0.144 | 0.144 | 85369095 | DE | 111 | 70 | 42 | MM |
| 2898 | 923356 | 3007496 | Connection bracket IF1 angled | bore diameter d1 56 mm | 04010503 | ST | 13.00 | EUR | 1 | AB EXFS IF1 W 56 | 4013364150881 | 1 | 0.262 | 0.262 | 85369095 | DE | 150 | 90 | 42 | MM |
| 2899 | 923362 | 3007497 | Connection bracket IF1 angled | bore diameter d1 62 mm | 04010503 | ST | 13.00 | EUR | 1 | AB EXFS IF1 W 62 | 4013364150898 | 1 | 0.244 | 0.244 | 85369095 | DE | 150 | 90 | 42 | MM |
| 2900 | 923401 | 3011808 | Voltage-controlled decoupler | | 04010604 | ST | 5798.00 | EUR | 1 | VCSD 40 IP65 | 4013364237766 | 1 | 13.761 | 12.155 | 85363030 | DE | 580 | 390 | 300 | MM |
| 2901 | 923402 | 3014179 | Decoupler | DASD 45 LP 100 T | 04010604 | ST | 3759.10 | EUR | 1 | DASD 45 LP 100 T | 4013364442269 | 1 | 3.69 | 3.59 | 85363030 | DE | 530 | 125 | 125 | MM |
| 2902 | 923403 | 3014345 | Mounting bracket and 2 straps for | mounting the DASD decoupler | 04010604 | ST | 117.40 | EUR | 1 | HA SB DASD 45 D110 | 4013364442962 | 1 | 0.207 | 0.207 | 73181900 | DE | 365 | 177 | 31 | MM |
| 2903 | 924017 | 34103 | Surge arrester, D-Sub, 9-pole | | 04020901 | ST | 237.50 | EUR | 1 | FS 9E PB 6 | 4013364045934 | 1 | 0.038 | 0.03 | 85363010 | DE | 100 | 55 | 18 | MM |
| 2904 | 924328 | 46633 | Covering frame, single unit, for | DEHNsafe, studio white | 04010350 | ST | 7.40 | EUR | 1 | AR1 STW | 4013364100008 | 1 | 0.015 | 0.015 | 85389099 | DE | 80 | 80 | 10 | MM |
| 2905 | 924329 | 45521 | Central covering plate for DEHNsafe | studio white | 04010350 | ST | 12.20 | EUR | 1 | ZAP STW | 4013364099234 | 1 | 0.012 | 0.012 | 85389099 | DE | 55 | 40 | 6 | MM |
| 2906 | 924335 | 35234 | NSM Protector, surge protective socket | outlet, titanium white | 04010302 | ST | 186.10 | EUR | 1 | NSM PRO TW | 4013364071773 | 1 | 0.123 | 0.123 | 85363010 | DE | 75 | 75 | 40 | MM |
| 2907 | 924336 | 35226 | Covering frame f. NSM Protector, | titanium white | 04010350 | ST | 9.80 | EUR | 1 | AR1 TW | 4013364071681 | 1 | 0.013 | 0.013 | 85389099 | DE | 80 | 80 | 10 | MM |
| 2908 | 924338 | 35227 | Covering frame f. NSM Protector, silver | | 04010350 | ST | 14.80 | EUR | 1 | AR1 SI | 4013364071674 | 1 | 0.013 | 0.013 | 85389099 | DE | 80 | 80 | 10 | MM |
| 2909 | 924350 | 54789 | Surge protection module | for earthed outlets | 04010304 | ST | 126.00 | EUR | 1 | STC 230 | 4013364076709 | 1 | 0.051 | 0.034 | 85363010 | DE | 70 | 69 | 53 | MM |
| 2910 | 924370 | 41320 | DEHNsafe surge arrester | | 04010302 | ST | 135.50 | EUR | 1 | DSA 230 LA | 4013364081321 | 1 | 0.088 | 0.071 | 85363010 | DE | 70 | 69 | 53 | MM |
| 2911 | 924389 | 3015534 | DEHNflex A surge arrester | | 04010302 | ST | 129.70 | EUR | 1 | DFL A 255 | 4013364073692 | 1 | 0.045 | 0.036 | 85363010 | RO | 93 | 67 | 20 | MM |
| 2912 | 924395 | 3015535 | DEHNflex D surge arrester | | 04010302 | ST | 158.40 | EUR | 1 | DFL D 255 | 4013364076334 | 1 | 0.079 | 0.067 | 85363010 | RO | 93 | 67 | 38 | MM |
| 2913 | 924396 | 3015536 | DEHNflex M surge arrester | | 04010302 | ST | 115.00 | EUR | 1 | DFL M 255 | 4013364091016 | 1 | 0.041 | 0.032 | 85363010 | RO | 93 | 67 | 20 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 2914 | 925001 | 3010038 | BUStector surge arrester for EIB/KNX | with connecting wires | 04020702 | ST | 98.70 | EUR | 1 | BT 24 | 4013364047365 | 1 | 0.01 | 0.01 | 85363010 | DE | 200 | 12 | 11 | MM |
| 2915 | 926220 | 3001547 | Surge arrester module for 2 single lines | BLITZDUCTOR SP | 04020104 | ST | 126.20 | EUR | 1 | BSP M2 BE 5 | 4013364127012 | 1 | 0.028 | 0.021 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2916 | 926222 | 3001548 | Surge arrester module for 2 single lines | BLITZDUCTOR SP | 04020104 | ST | 126.20 | EUR | 1 | BSP M2 BE 12 | 4013364127029 | 1 | 0.028 | 0.021 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2917 | 926224 | 3001549 | Surge arrester module for 2 single lines | BLITZDUCTOR SP | 04020104 | ST | 126.20 | EUR | 1 | BSP M2 BE 24 | 4013364127036 | 1 | 0.028 | 0.021 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2918 | 926225 | 3001535 | Surge arrester module for 2 single wires | BLITZDUCTOR SP | 04020104 | ST | 126.20 | EUR | 1 | BSP M2 BE 48 | 4013364127043 | 1 | 0.028 | 0.021 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2919 | 926227 | 3001551 | Surge arrester module for 2 single lines | BLITZDUCTOR SP | 04020104 | ST | 126.20 | EUR | 1 | BSP M2 BE 180 | 4013364127067 | 1 | 0.028 | 0.021 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2920 | 926240 | 3001552 | Surge arrester module for 1 pair | BLITZDUCTOR SP | 04020104 | ST | 119.30 | EUR | 1 | BSP M2 BD 5 | 4013364127074 | 1 | 0.028 | 0.021 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2921 | 926242 | 3001553 | Surge arrester module for 1 pair | BLITZDUCTOR SP | 04020104 | ST | 119.30 | EUR | 1 | BSP M2 BD 12 | 4013364127081 | 1 | 0.028 | 0.021 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2922 | 926244 | 3001554 | Surge arrester module for 1 pair | BLITZDUCTOR SP | 04020104 | ST | 119.30 | EUR | 1 | BSP M2 BD 24 | 4013364127098 | 1 | 0.028 | 0.021 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2923 | 926245 | 3001562 | Surge arrester module for 1 pair | BLITZDUCTOR SP | 04020104 | ST | 119.30 | EUR | 1 | BSP M2 BD 48 | 4013364127104 | 1 | 0.028 | 0.021 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2924 | 926246 | 3001555 | Surge arrester module for 1 pair | BLITZDUCTOR SP | 04020104 | ST | 119.30 | EUR | 1 | BSP M2 BD 60 | 4013364127111 | 1 | 0.028 | 0.021 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2925 | 926247 | 3001556 | Surge arrester module for 1 pair | BLITZDUCTOR SP | 04020104 | ST | 111.00 | EUR | 1 | BSP M2 BD 180 | 4013364127128 | 1 | 0.028 | 0.021 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2926 | 926270 | 3001557 | Surge arrester module for 2 single lines | BLITZDUCTOR SP | 04020104 | ST | 134.50 | EUR | 1 | BSP M2 BE HF 5 | 4013364127135 | 1 | 0.028 | 0.021 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2927 | 926271 | 3001558 | Surge arrester module for 1 pair | BLITZDUCTOR SP | 04020104 | ST | 134.50 | EUR | 1 | BSP M2 BD HF 5 | 4013364127142 | 1 | 0.028 | 0.021 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2928 | 926275 | 3001560 | Surge arrester module for 1 pair | BLITZDUCTOR SP | 04020104 | ST | 134.50 | EUR | 1 | BSP M2 BD HF 24 | 4013364129351 | 1 | 0.028 | 0.021 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2929 | 926304 | 69333 | Base part 4-pole for inserting an | arrester module BLITZDUCTOR XT/SP | 04020101 | ST | 50.10 | EUR | 1 | BSP BAS 4 | 4013364157125 | 1 | 0.054 | 0.045 | 85369010 | DE | 100 | 55 | 18 | MM |
| 2930 | 926320 | 3001532 | Surge arrester module for 4 single lines | BLITZDUCTOR SP | 04020104 | ST | 191.00 | EUR | 1 | BSP M4 BE 5 | 4013364127159 | 1 | 0.029 | 0.022 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2931 | 926322 | 3001533 | Surge arrester module for 4 single lines | BLITZDUCTOR SP | 04020104 | ST | 191.00 | EUR | 1 | BSP M4 BE 12 | 4013364127166 | 1 | 0.037 | 0.022 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2932 | 926324 | 3001534 | Surge arrester module for 4 single lines | BLITZDUCTOR SP | 04020104 | ST | 191.00 | EUR | 1 | BSP M4 BE 24 | 4013364127173 | 1 | 0.028 | 0.021 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2933 | 926325 | 3001614 | Surge arrester module for 4 single lines | BLITZDUCTOR SP | 04020104 | ST | 191.00 | EUR | 1 | BSP M4 BE 48 | 4013364127180 | 1 | 0.029 | 0.022 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2934 | 926327 | 3001537 | Surge arrester module for 4 single lines | BLITZDUCTOR SP | 04020104 | ST | 191.00 | EUR | 1 | BSP M4 BE 180 | 4013364127203 | 1 | 0.029 | 0.022 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2935 | 926340 | 3001538 | Surge arrester module for 2 pairs | BLITZDUCTOR SP | 04020104 | ST | 179.90 | EUR | 1 | BSP M4 BD 5 | 4013364127210 | 1 | 0.029 | 0.022 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2936 | 926342 | 3001539 | Surge arrester module for 2 pairs | BLITZDUCTOR SP | 04020104 | ST | 179.90 | EUR | 1 | BSP M4 BD 12 | 4013364127227 | 1 | 0.029 | 0.022 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2937 | 926344 | 3001540 | Surge arrester module for 2 pairs | BLITZDUCTOR SP | 04020104 | ST | 179.90 | EUR | 1 | BSP M4 BD 24 | 4013364127234 | 1 | 0.029 | 0.022 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2938 | 926345 | 3001541 | Surge arrester module for 2 pairs | BLITZDUCTOR SP | 04020104 | ST | 179.90 | EUR | 1 | BSP M4 BD 48 | 4013364127241 | 1 | 0.029 | 0.022 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2939 | 926347 | 3001543 | Surge arrester module for 2 pairs | BLITZDUCTOR SP | 04020104 | ST | 179.90 | EUR | 1 | BSP M4 BD 180 | 4013364127265 | 1 | 0.028 | 0.021 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2940 | 926370 | 3001544 | Surge arrester module for 4 single lines | BLITZDUCTOR SP | 04020104 | ST | 199.20 | EUR | 1 | BSP M4 BE HF 5 | 4013364127272 | 1 | 0.029 | 0.022 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2941 | 926371 | 3001545 | Surge arrester module for 2 pairs | BLITZDUCTOR SP | 04020104 | ST | 199.20 | EUR | 1 | BSP M4 BD HF 5 | 4013364127289 | 1 | 0.029 | 0.022 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2942 | 926375 | 3001546 | Surge arrester module for 2 pairs | BLITZDUCTOR SP | 04020104 | ST | 199.20 | EUR | 1 | BSP M4 BD HF 24 | 4013364129382 | 1 | 0.029 | 0.022 | 85363010 | DE | 65 | 61 | 19 | MM |
| 2943 | 927010 | 3017016 | Protection module for 2 single cores | BLITZDUCTORconnect w. fault indication | 04020106 | ST | 70.20 | EUR | 1 | BCO MOD ML2 B 180 | 4013364410114 | 1 | 0.039 | 0.014 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2944 | 927014 | 3016671 | Combined arrester protection module for 1 pair | BLITZDUCTORconnect with fault indication | 04020106 | ST | 102.60 | EUR | 1 | BCO MOD ML2 BPD 24 | 4013364473010 | 1 | 0.039 | 0.014 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2945 | 927022 | 3017017 | Protection module for 2 single cores | BLITZDUCTORconnect w. fault indication | 04020106 | ST | 102.60 | EUR | 1 | BCO MOD ML2 BE 12 | 4013364410121 | 1 | 0.039 | 0.014 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2946 | 927024 | 3017018 | Modular arrester for 2 single cores | BLITZDUCTORconnect w. fault indication | 04020106 | ST | 102.60 | EUR | 1 | BCO MOD ML2 BE 24 | 4013364410138 | 1 | 0.039 | 0.014 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2947 | 927025 | 3017019 | Protection module for 2 single cores | BLITZDUCTORconnect w. fault indication | 04020106 | ST | 102.60 | EUR | 1 | BCO MOD ML2 BE 48 | 4013364410145 | 1 | 0.039 | 0.014 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2948 | 927027 | 3016386 | Combined arrester protection module for 2 single lines | BLITZDUCTORconnect with status indication | 04020106 | ST | 102.60 | EUR | 1 | BCO MOD ML2 BE 180 | 4013364468689 | 1 | 0.039 | 0.014 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2949 | 927042 | 3017020 | Protection module for 1 pair | BLITZDUCTORconnect w. fault indication | 04020106 | ST | 102.60 | EUR | 1 | BCO MOD ML2 BD 12 | 4013364410152 | 1 | 0.039 | 0.014 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2950 | 927044 | 3017021 | Protection module for 1 pair | BLITZDUCTORconnect w. fault indication | 04020106 | ST | 102.60 | EUR | 1 | BCO MOD ML2 BD 24 | 4013364410169 | 1 | 0.039 | 0.014 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2951 | 927045 | 3017022 | Protection module for 1 pair | BLITZDUCTORconnect w. fault indication | 04020106 | ST | 102.60 | EUR | 1 | BCO MOD ML2 BD 48 | 4013364410176 | 1 | 0.039 | 0.014 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2952 | 927047 | 3016393 | Combined arrester protection module for 1 pair | BLITZDUCTORconnect with status indication | 04020106 | ST | 102.60 | EUR | 1 | BCO MOD ML2 BD 180 | 4013364468672 | 1 | 0.039 | 0.014 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2953 | 927070 | 3017023 | Protection module for 2 single cores | BLITZDUCTORconnect w. fault indication | 04020106 | ST | 111.70 | EUR | 1 | BCO MOD ML2 BE HF 5 | 4013364410183 | 1 | 0.039 | 0.014 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2954 | 927071 | 3017024 | Protection module for 1 pair | BLITZDUCTORconnect w. fault indication | 04020106 | ST | 111.70 | EUR | 1 | BCO MOD ML2 BD HF 5 | 4013364410190 | 1 | 0.039 | 0.014 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2955 | 927074 | 3016383 | Combined arrester protection module for 2 single lines | BLITZDUCTORconnectwith status indication | 04020106 | ST | 111.70 | EUR | 1 | BCO MOD ML2 BE HF 24 | 4013364468573 | 1 | 0.039 | 0.014 | 85363010 | DE | 120 | 84 | 15 | MM |
| 2956 | 927075 | 3016382 | Combined arrester protection module for 1 pair | BLITZDUCTORconnect with status indication | 04020106 | ST | 111.70 | EUR | 1 | BCO MOD ML2 BD HF 24 | 4013364468580 | 1 | 0.039 | 0.014 | 85363010 | DE | 120 | 84 | 15 | MM |
| 2957 | 927084 | 3016279 | Protection module for 1 pair | BLITZDUCTORconnect w. fault indication | 04020106 | ST | 109.10 | EUR | 1 | BCO MOD ML2 BD EX 24 | 4013364410206 | 1 | 0.039 | 0.014 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2958 | 927090 | 3016066 | Surge arrester protection module for 2 single lines | BLITZDUCTORconnect with status indication | 04020106 | ST | 148.40 | EUR | 1 | BCO MOD ML2 MVG 230 | 4013364466531 | 1 | 0.039 | 0.014 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2959 | 927210 | 3017025 | Arrester for 2 single cores | BLITZDUCTORconnect w. fault indication | 04020106 | ST | 103.20 | EUR | 1 | BCO ML2 B 180 | 4013364405585 | 1 | 0.058 | 0.033 | 85363010 | DE | 120 | 84 | 15 | MM |
| 2960 | 927214 | 3016669 | Modular combined arrester for 1 pair | BLITZDUCTORconnect with fault indication | 04020106 | ST | 159.10 | EUR | 1 | BCO ML2 BPD 24 | 4013364473003 | 1 | 0.058 | 0.033 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2961 | 927222 | 3017026 | Modular arrester for 2 single cores | BLITZDUCTORconnect w. fault indication | 04020106 | ST | 159.10 | EUR | 1 | BCO ML2 BE 12 | 4013364405592 | 1 | 0.059 | 0.034 | 85363010 | DE | 120 | 84 | 15 | MM |
| 2962 | 927224 | 3017027 | Modular arrester f. 2 single cores | BLITZDUCTORconnect w. fault indication | 04020106 | ST | 159.10 | EUR | 1 | BCO ML2 BE 24 | 4013364405608 | 1 | 0.059 | 0.034 | 85363010 | DE | 120 | 84 | 15 | MM |
| 2963 | 927225 | 3017028 | Modular arrester for 2 single cores | BLITZDUCTORconnect w. fault indication | 04020106 | ST | 159.10 | EUR | 1 | BCO ML2 BE 48 | 4013364405615 | 1 | 0.058 | 0.034 | 85363010 | DE | 120 | 84 | 15 | MM |
| 2964 | 927227 | 3016385 | Modular combined arrester for 2 single lines | BLITZDUCTORconnect with status indication | 04020106 | ST | 159.10 | EUR | 1 | BCO ML2 BE 180 | 4013364468658 | 1 | 0.059 | 0.034 | 85363010 | DE | 120 | 84 | 15 | MM |
| 2965 | 927242 | 3017029 | Modular combined arrester for 1 pair | BLITZDUCTORconnect w. fault indication | 04020106 | ST | 159.10 | EUR | 1 | BCO ML2 BD 12 | 4013364405622 | 1 | 0.058 | 0.034 | 85363010 | DE | 120 | 84 | 15 | MM |
| 2966 | 927244 | 3017030 | Modular combined arrester for 1 pair | BLITZDUCTORconnect w. fault indication | 04020106 | ST | 159.10 | EUR | 1 | BCO ML2 BD 24 | 4013364405639 | 1 | 0.059 | 0.034 | 85363010 | DE | 120 | 84 | 15 | MM |
| 2967 | 927245 | 3017031 | Modular combined arrester for 1 pair | BLITZDUCTORconnect w. fault indication | 04020106 | ST | 159.10 | EUR | 1 | BCO ML2 BD 48 | 4013364405646 | 1 | 0.058 | 0.034 | 85363010 | DE | 120 | 84 | 15 | MM |
| 2968 | 927247 | 3016391 | Modular combined arrester for 1 pair | BLITZDUCTORconnect with status indication | 04020106 | ST | 159.10 | EUR | 1 | BCO ML2 BD 180 | 4013364468665 | 1 | 0.059 | 0.034 | 85363010 | DE | 120 | 84 | 15 | MM |
| 2969 | 927270 | 3017032 | Modular arrester for 2 single cores | BLITZDUCTORconnect w. fault indication | 04020106 | ST | 171.90 | EUR | 1 | BCO ML2 BE HF 5 | 4013364405653 | 1 | 0.059 | 0.034 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2970 | 927271 | 3017033 | Modular combined arrester for 1 pair | BLITZDUCTORconnect with fault indication | 04020106 | ST | 171.90 | EUR | 1 | BCO ML2 BD HF 5 | 4013364405660 | 1 | 0.058 | 0.034 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2971 | 927274 | 3016371 | Modular combined arrester for 2 single lines | BLITZDUCTORconnect with status indication | 04020106 | ST | 171.90 | EUR | 1 | BCO ML2 BE HF 24 | 4013364468559 | 1 | 0.058 | 0.034 | 85363010 | DE | 120 | 84 | 15 | MM |
| 2972 | 927275 | 3016376 | Modular combined arrester for 1 pair | BLITZDUCTORconnect with status indication | 04020106 | ST | 171.90 | EUR | 1 | BCO ML2 BD HF 24 | 4013364468566 | 1 | 0.059 | 0.034 | 85363010 | DE | 120 | 84 | 15 | MM |
| 2973 | 927284 | 3016222 | Modular combined arrester for 1 pair | BLITZDUCTORconnect w. fault indication | 04020106 | ST | 166.80 | EUR | 1 | BCO ML2 BD EX 24 | 4013364405677 | 1 | 0.065 | 0.035 | 85363010 | DE | 120 | 81 | 14 | MM |
| 2974 | 927290 | 3016065 | Modular surge arrester for 2 single lines | BLITZDUCTORconnect with status indication | 04020106 | ST | 185.60 | EUR | 1 | BCO ML2 MVG 230 | 4013364466524 | 1 | 0.06 | 0.036 | 85363010 | DE | 120 | 84 | 15 | MM |
| 2975 | 927305 | 3014898 | PCB-mounted 2-pole base for | BLITZDUCTORconnect prot. modules | 04020150 | ST | 30.90 | EUR | 1 | BCO BAS PCB FM | 4013364454699 | 10 | 0.014 | 0.012 | 85369010 | RO | 67 | 52 | 7 | MM |
| 2976 | 927318 | 3016714 | Earthing module with base part | BLITZDUCTORconnect | 04020150 | ST | 53.00 | EUR | 1 | BCO M2 E | 4013364470644 | 1 | 0.056 | 0.032 | 85369010 | DE | 120 | 84 | 14 | MM |
| 2977 | 927408 | 3015757 | Compact combined arrester for DC power supply systems | BLITZDUCTORconnect with status indication | 04020306 | ST | 179.20 | EUR | 1 | BCO CL2 BD HC10A 24 | 4013364463653 | 1 | 0.068 | 0.052 | 85363010 | DE | 98 | 90 | 19 | MM |
| 2978 | 927910 | 3016978 | Compact arrester for 2 single cores | BLITZDUCTORconnect w. fault indication | 04020206 | ST | 54.80 | EUR | 1 | BCO CL2 B 180 | 4013364411739 | 1 | 0.058 | 0.033 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2979 | 927922 | 3016974 | Compact arrester for 2 single cores | BLITZDUCTORconnect w. fault indication | 04020206 | ST | 101.90 | EUR | 1 | BCO CL2 BE 12 | 4013364411951 | 1 | 0.058 | 0.033 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2980 | 927924 | 3016838 | Compact arrester for 2 single cores | BLITZDUCTORconnect w. fault indication | 04020206 | ST | 101.90 | EUR | 1 | BCO CL2 BE 24 | 4013364411968 | 1 | 0.058 | 0.033 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2981 | 927925 | 3016975 | Compact arrester for 2 single cores | BLITZDUCTORconnect w. fault indication | 04020206 | ST | 101.90 | EUR | 1 | BCO CL2 BE 48 | 4013364411975 | 1 | 0.058 | 0.033 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2982 | 927942 | 3016976 | Compact combined arrester for 1 pair | BLITZDUCTORconnect w. fault indication | 04020206 | ST | 101.90 | EUR | 1 | BCO CL2 BD 12 | 4013364411777 | 1 | 0.058 | 0.033 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2983 | 927944 | 3016294 | Compact combined arrester for 1 pair | BLITZDUCTORconnect w. fault indication | 04020206 | ST | 101.90 | EUR | 1 | BCO CL2 BD 24 | 4013364411784 | 1 | 0.058 | 0.033 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2984 | 927945 | 3016977 | Compact combined arrester for 1 pair | BLITZDUCTORconnect w. fault indication | 04020206 | ST | 101.90 | EUR | 1 | BCO CL2 BD 48 | 4013364411807 | 1 | 0.058 | 0.033 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2985 | 927970 | 3016970 | Compact arrester for 2 single cores | BLITZDUCTORconnect w. fault indication | 04020206 | ST | 118.20 | EUR | 1 | BCO CL2 BE HF 5 | 4013364411982 | 1 | 0.058 | 0.033 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2986 | 927971 | 3016757 | Compact combined arrester for 1 pair | BLITZDUCTORconnect w. fault indication | 04020206 | ST | 118.20 | EUR | 1 | BCO CL2 BD HF 5 | 4013364411999 | 1 | 0.058 | 0.033 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2987 | 927984 | 3016281 | Compact combined arrester for 1 pair | BLITZDUCTORconnect w. fault indication | 04020206 | ST | 116.00 | EUR | 1 | BCO CL2 BD EX 24 | 4013364412002 | 1 | 0.058 | 0.033 | 85363010 | DE | 120 | 81 | 9 | MM |
| 2988 | 927987 | 3018503 | Compact surge arrester for 2 single lines | BLITZDUCTORconnect with status indication | 04020206 | ST | 57.70 | EUR | 1 | BCO CL2 E 12 | 4013364485754 | 1 | 0 | 0 | 85363010 | DE | 0 | 0 | 0 | MM |
| 2989 | 927988 | 3018504 | Compact surge arrester for 2 single lines | BLITZDUCTORconnect with status indication | 04020206 | ST | 57.70 | EUR | 1 | BCO CL2 E 24 | 4013364485747 | 1 | 0 | 0 | 85363010 | DE | 0 | 0 | 0 | MM |
| 2990 | 927989 | 3018505 | Compact surge arrester for 2 single lines | BLITZDUCTORconnect with status indication | 04020206 | ST | 57.70 | EUR | 1 | BCO CL2 E 48 | 4013364485761 | 1 | 0 | 0 | 85363010 | DE | 0 | 0 | 0 | MM |
| 2991 | 928430 | 3005598 | Combined arrester DEHNvario | for electroacoustic systems | 04020302 | ST | 232.60 | EUR | 1 | DVR 2 BY S 150 FM | 4013364261389 | 1 | 0.161 | 0.11 | 85363010 | DE | 170 | 115 | 40 | MM |
| 2992 | 928440 | 3005032 | Surge arrester DEHNvario 3in1 | solution for analogue camera systems | 04020302 | ST | 298.00 | EUR | 1 | DVR BNC RS485 230 | 4013364280809 | 1 | 0.186 | 0.135 | 85363010 | DE | 170 | 115 | 40 | MM |
| 2993 | 929010 | 23047 | Surge arrester with BNC connection, | socket and connector | 04020801 | ST | 188.50 | EUR | 1 | UGKF BNC | 4013364039940 | 1 | 0.068 | 0.068 | 85363010 | DE | 72 | 24 | 24 | MM |
| 2994 | 929039 | 61777 | DEHNgate surge arrester | with SMA connection | 04020803 | ST | 190.50 | EUR | 1 | DGA G SMA | 4013364135185 | 1 | 0.024 | 0.024 | 85366910 | CN | 38 | 17 | 17 | MM |
| 2995 | 929042 | 41920 | DEHNgate surge arrester | | 04020803 | ST | 186.90 | EUR | 1 | DGA G BNC | 4013364091030 | 1 | 0.039 | 0.039 | 85366910 | CN | 45 | 20 | 20 | MM |
| 2996 | 929043 | 41919 | DEHNgate lightning current arrester | | 04020803 | ST | 213.90 | EUR | 1 | DGA AG BNC | 4013364091047 | 1 | 0.09 | 0.09 | 85366910 | CN | 62 | 32 | 26 | MM |
| 2997 | 929044 | 41922 | DEHNgate surge arrester | | 04020803 | ST | 204.80 | EUR | 1 | DGA G N | 4013364091054 | 1 | 0.086 | 0.086 | 85366910 | CN | 50 | 23 | 23 | MM |
| 2998 | 929045 | 41921 | DEHNgate lightning current arrester | | 04020803 | ST | 266.10 | EUR | 1 | DGA AG N | 4013364091061 | 1 | 0.266 | 0.266 | 85366910 | CN | 93 | 63 | 26 | MM |
| 2999 | 929047 | 52034 | DEHNgate combined lightning current | and surge arrester | 04020803 | ST | 316.70 | EUR | 1 | DGA LA 7 16 S | 4013364091085 | 1 | 0.467 | 0.467 | 85366910 | CN | 121 | 92 | 36 | MM |
| 3000 | 929095 | 51476 | Earthing block 4-fold for F sockets f. | equipotential bonding of coax. systems | 04020850 | ST | 14.40 | EUR | 1 | EB 4 F | 4013364113398 | 1 | 0.09 | 0.09 | 85389099 | CN | 160 | 140 | 20 | MM |
| 3001 | 929096 | 48715 | Earth conductor Cu 16mm² L 1000mm | with ring cable lug W 17mm | 04020850 | ST | 25.30 | EUR | 1 | EL 16 B17 | 4013364107212 | 1 | 0.203 | 0.203 | 85444991 | DE | 1015 | 30 | 10 | MM |
| 3002 | 929100 | 3015524 | Surge arrester DEHNpatch | with patch cable and Stewart plug | 04020601 | ST | 191.10 | EUR | 1 | DPA M CAT6 RJ45S 48 | 4013364102710 | 1 | 0.244 | 0.244 | 85363010 | RO | 240 | 240 | 40 | MM |
| 3003 | 929121 | 3015527 | DEHNpatch M CLE RJ45B 48 | | 04020601 | ST | 176.80 | EUR | 1 | DPA M CLE RJ45B 48 | 4013364118935 | 1 | 0.122 | 0.109 | 85363010 | RO | 79 | 61 | 40 | MM |
| 3004 | 929126 | 3015528 | Surge arrester DEHNpatch | with 2 RJ45 sockets | 04020601 | ST | 85.20 | EUR | 1 | DPA M CLD RJ45B 48 | 4013364242258 | 1 | 0.102 | 0.096 | 85363010 | RO | 79 | 61 | 40 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 3005 | 929146 | 68787 | Lightning current arrester DEHNgate | with 7/16 terminal | 04020803 | ST | 353.80 | EUR | 1 | DGA LG 7 16 MFA | 4013364157156 | 1 | 0.493 | 0.471 | 85366910 | CN | 160 | 135 | 30 | MM |
| 3006 | 929148 | 68788 | Combined arrester DEHNgate | with 7/16 terminal | 04020803 | ST | 299.40 | EUR | 1 | DGA L4 7 16 MFA | 4013364157163 | 1 | 0.476 | 0.448 | 85366910 | CN | 160 | 135 | 30 | MM |
| 3007 | 929161 | 3016752 | DEHNpatch combined arrester to 10 Gbit | with RJ45 sockets and status indication | 04020601 | ST | 187.70 | EUR | 1 | DPA CL8 EA 4PPOE | 4013364472921 | 1 | 0.189 | 0.18 | 85363010 | RO | 85 | 58 | 25 | MM |
| 3008 | 929166 | 3016753 | DEHNpatch lightning current arrester | up to 1 Gbit with RJ45 sockets | 04020601 | ST | 90.50 | EUR | 1 | DPA CB 0 4PPOE | 4013364472914 | 1 | 0.178 | 0.167 | 85363010 | RO | 85 | 58 | 25 | MM |
| 3009 | 929199 | 44494 | Mounting set f. DEHNpatch surge arrester | consist. of a DIN rail and rigid screws | 04020650 | ST | 48.70 | EUR | 1 | MS DPA | 4013364103313 | 1 | 0.35 | 0.35 | 85389099 | DE | 490 | 35 | 20 | MM |
| 3010 | 929200 | 3009951 | Installation kit for | DEHNpatch and DEHNgate | 04020650 | ST | 7.00 | EUR | 1 | MS EB DPA DGA | 4013364344082 | 1 | 0.008 | 0.007 | 85389099 | DE | 100 | 70 | 10 | MM |
| 3011 | 929221 | 3015529 | Surge arrester DEHNpatch | IP66 box, with 2 RJ45 sockets | 04020601 | ST | 315.70 | EUR | 1 | DPA CLE IP66 | 4013364342866 | 1 | 0.745 | 0.606 | 85363010 | RO | 209 | 182 | 47 | MM |
| 3012 | 929309 | 3016755 | DEHNpatch MOD IRCM install. accessories | for DEHNpatch CL8 EA 4PPOE | 04020601 | ST | 6.50 | EUR | 1 | DPA MOD IRCM | 4013364472938 | 1 | 0.013 | 0.013 | 85389099 | DE | 65 | 61 | 19 | MM |
| 3013 | 929335 | 3000377 | Universal DIN rail carrier for 482.6 mm | (19") 3 rack units or wall mounting | 04020650 | ST | 210.30 | EUR | 1 | MF DR 3RU 19" | 4013364228672 | 1 | 1.42 | 1.38 | 73089098 | SI | 480 | 100 | 60 | MM |
| 3014 | 929497 | 47246 | Gas discharge tube f. DEHNgate | | 04020850 | ST | 36.70 | EUR | 1 | GDT DGA 90 | 4013364104143 | 1 | 0.002 | 0.002 | 85363090 | CN | 8 | 8 | 6 | MM |
| 3015 | 929498 | 47245 | Gas discharge tube f. DEHNgate | | 04020850 | ST | 39.40 | EUR | 1 | GDT DGA 230 | 4013364104136 | 1 | 0.002 | 0.002 | 85363090 | CN | 8 | 8 | 6 | MM |
| 3016 | 929499 | 47244 | Gas discharge tube for DEHNgate | | 04020850 | ST | 39.40 | EUR | 1 | GDT DGA 470 | 4013364104129 | 1 | 0.002 | 0.002 | 85363090 | CH | 8 | 8 | 6 | MM |
| 3017 | 929921 | 44179 | DEHNpipe surge arrester | | 04020501 | ST | 228.40 | EUR | 1 | DPI ME 24 N A2G | 4013364098169 | 1 | 0.255 | 0.218 | 85363010 | DE | 164 | 107 | 84 | MM |
| 3018 | 929941 | 44178 | DEHNpipe surge arrester | | 04020501 | ST | 206.00 | EUR | 1 | DPI MD 24 M 2S | 4013364098152 | 1 | 0.187 | 0.173 | 85363010 | DE | 95 | 74 | 45 | MM |
| 3019 | 929950 | 3016195 | Surge arrester DEHNpipe Ex (i) (d) | with M20x1.5 external thread | 04020503 | ST | 244.60 | EUR | 1 | DPI CD EXI+D 2X24 M | 4013364137387 | 1 | 0.247 | 0.222 | 85363010 | DE | 168 | 75 | 39 | MM |
| 3020 | 929951 | 3016196 | Surge arrester DEHNpipe Ex (i) (d) | with 1/2 -14 NPT male thread | 04020503 | ST | 244.60 | EUR | 1 | DPI CD EXI+D 2X24 N | 4013364137394 | 1 | 0.247 | 0.222 | 85363010 | DE | 168 | 75 | 39 | MM |
| 3021 | 929960 | 3016159 | Surge arrester DEHNpipe Ex (i) | with M20x1.5 female and male thread | 04020501 | ST | 209.70 | EUR | 1 | DPI MD EX 24 M 2 | 4013364098145 | 1 | 0.186 | 0.172 | 85363010 | DE | 95 | 74 | 45 | MM |
| 3022 | 929961 | 3016184 | Surge arrester DEHNpipe Ex (i) | with M20x1.5 external thread | 04020502 | ST | 188.50 | EUR | 1 | DPI CD EXI 24 M | 4013364101784 | 1 | 0.183 | 0.169 | 85363010 | DE | 95 | 74 | 45 | MM |
| 3023 | 929962 | 3016186 | Surge arrester DEHNpipe Ex (d) | with M20x1.5 male thread | 04020502 | ST | 188.50 | EUR | 1 | DPI CD EXD 24 M | 4013364101791 | 1 | 0.183 | 0.169 | 85363010 | DE | 95 | 74 | 45 | MM |
| 3024 | 929963 | 3016185 | Surge arrester DEHNpipe Ex (i) | with 1/2 -14 NPT male thread | 04020502 | ST | 188.50 | EUR | 1 | DPI CD EXI 24 N | 4013364101807 | 1 | 0.196 | 0.172 | 85363010 | DE | 95 | 74 | 45 | MM |
| 3025 | 929964 | 3016191 | Surge arrester DEHNpipe Ex (d) | with 1/2 -14 NPT male thread | 04020502 | ST | 188.50 | EUR | 1 | DPI CD EXD 24 N | 4013364101814 | 1 | 0.183 | 0.169 | 85363010 | DE | 95 | 74 | 45 | MM |
| 3026 | 929965 | 3016183 | Surge arrester DEHNpipe Ex (i) | with 1/2 -14 NPT female and male thread | 04020501 | ST | 209.70 | EUR | 1 | DPI MD EX 24 N 2 | 4013364360778 | 1 | 0.185 | 0.171 | 85363010 | DE | 168 | 75 | 39 | MM |
| 3027 | 929969 | 3016193 | Surge arrester DEHNpipe Ex (d) | with M20x1.5 male thread | 04020503 | ST | 347.20 | EUR | 1 | DPI CD EXD 230 24 M | 4013364127418 | 1 | 0.28 | 0.255 | 85363010 | DE | 168 | 75 | 39 | MM |
| 3028 | 929970 | 3016194 | Surge arrester DEHNpipe Ex (d) | with 1/2 -14 NPT male thread | 04020503 | ST | 347.20 | EUR | 1 | DPI CD EXD 230 24 N | 4013364127425 | 1 | 0.273 | 0.248 | 85363010 | DE | 168 | 75 | 39 | MM |
| 3029 | 929971 | 3016192 | Surge arrester DEHNpipe Ex (d) | with M20x1.5 male thread | 04020501 | ST | 182.90 | EUR | 1 | DPI CD HF EXD 5 M | 4013364120761 | 1 | 0.286 | 0.272 | 85363010 | DE | 95 | 74 | 45 | MM |
| 3030 | 929982 | 45446 | Cable gland M20, brass, shielded | sealing range 6.5-9.5 mm | 04020550 | ST | 25.40 | EUR | 1 | KV S M20 MS 9.5 | 4013364098695 | 1 | 0.036 | 0.036 | 74122000 | DE | 30 | 30 | 27 | MM |
| 3031 | 929984 | 45445 | Cable gland M20, brass | sealing range 7-10.5mm | 04020550 | ST | 19.50 | EUR | 1 | KV M20 MS 10.5 | 4013364098688 | 1 | 0.03 | 0.03 | 74122000 | DE | 30 | 30 | 27 | MM |
| 3032 | 929996 | 44237 | Earthing ring set M20 for DEHNpipe with | counter nut and 6.3mm flat connector | 04020550 | ST | 17.40 | EUR | 1 | ER DPI M20 | 4013364098244 | 1 | 0.013 | 0.013 | 85369010 | DE | 70 | 70 | 15 | MM |
| 3033 | 941110 | 69411 | Appl.-opt. combined arrester DEHNshield | type 1+2 for single-phase TT a. TN systems | 04010104 | ST | 422.60 | EUR | 1 | DSH TT 2P 255 | 4013364137899 | 1 | 0.291 | 0.275 | 85363090 | DE | 100 | 74 | 37 | MM |
| 3034 | 941115 | 3005801 | Appl.-opt. combined arrester DEHNshield | type 1+2 for single-phase TT a. TN systems | 04010104 | ST | 456.60 | EUR | 1 | DSH TT 2P 255 FM | 4013364289208 | 1 | 0.301 | 0.285 | 85363090 | DE | 100 | 74 | 37 | MM |
| 3035 | 941116 | 3011173 | Appl.-opt. combined arrester DEHNshield B | type 1+2 f. single-phase TT a. TN systems | 04010104 | ST | 266.80 | EUR | 1 | DSH B TT 2P 255 FM | 4013364373235 | 1 | 0.301 | 0.285 | 85363090 | DE | 100 | 74 | 37 | MM |
| 3036 | 941200 | 69410 | Appl.-opt. combined arrester DEHNshield | type 1+2 for single-phase TN systems | 04010104 | ST | 376.40 | EUR | 1 | DSH TN 255 | 4013364138209 | 1 | 0.266 | 0.25 | 85363090 | DE | 100 | 74 | 37 | MM |
| 3037 | 941205 | 3005802 | Appl.-opt. combined arrester DEHNshield | type 1+2 for single-phase TN systems | 04010104 | ST | 410.40 | EUR | 1 | DSH TN 255 FM | 4013364289185 | 1 | 0.276 | 0.26 | 85363090 | DE | 100 | 74 | 37 | MM |
| 3038 | 941206 | 3011174 | Appl.-opt. combined arrester DEHNshield B | type 1+2 for single-phase TN systems | 04010104 | ST | 267.40 | EUR | 1 | DSH B TN 255 FM | 4013364373839 | 1 | 0.276 | 0.26 | 85363090 | DE | 100 | 74 | 37 | MM |
| 3039 | 941300 | 69407 | Appl.-opt. combined arrester DEHNshield | type 1+2 for three-phase TN-C systems | 04010104 | ST | 543.50 | EUR | 1 | DSH TNC 255 | 4013364133556 | 1 | 0.416 | 0.386 | 85363090 | DE | 115 | 90 | 90 | MM |
| 3040 | 941305 | 3004342 | Appl.-opt. combined arrester DEHNshield | type 1+2 for three-phase TN-C systems | 04010104 | ST | 593.70 | EUR | 1 | DSH TNC 255 FM | 4013364275317 | 1 | 0.421 | 0.361 | 85363090 | DE | 115 | 90 | 90 | MM |
| 3041 | 941306 | 3009018 | Appl.-opt. combined arrester DEHNshield B | type 1+2 for three-phase TN-S systems | 04010104 | ST | 396.70 | EUR | 1 | DSH B TNC 255 FM | 4013364328068 | 1 | 0.422 | 0.362 | 85363090 | DE | 115 | 90 | 90 | MM |
| 3042 | 941310 | 69409 | Appl.-opt. combined arrester DEHNshield | type 1+2 f. 3-phase TT a. TN-S systems | 04010104 | ST | 752.60 | EUR | 1 | DSH TT 255 | 4013364131798 | 1 | 0.51 | 0.48 | 85363090 | DE | 115 | 90 | 90 | MM |
| 3043 | 941315 | 3004339 | Appl.-opt. combined arrester DEHNshield | type 1+2 f. 3-phase TT a. TN-S systems | 04010104 | ST | 821.90 | EUR | 1 | DSH TT 255 FM | 4013364275324 | 1 | 0.509 | 0.448 | 85363090 | DE | 115 | 90 | 90 | MM |
| 3044 | 941316 | 3009022 | Appl.-opt. combined arrester DEHNshield B | type 1+2 for three-phase TT-and TN-S systems | 04010104 | ST | 538.00 | EUR | 1 | DSH B TT 255 FM | 4013364328075 | 1 | 0.51 | 0.45 | 85363090 | DE | 115 | 90 | 90 | MM |
| 3045 | 941400 | 69408 | Appl.-opt. combined arrester DEHNshield | type 1+2 for three-phase TN-S systems | 04010104 | ST | 705.20 | EUR | 1 | DSH TNS 255 | 4013364133563 | 1 | 0.555 | 0.525 | 85363090 | DE | 115 | 90 | 90 | MM |
| 3046 | 941405 | 3004340 | Appl.-opt. combined arrester DEHNshield | type 1+2 for three-phase TN-S systems | 04010104 | ST | 772.90 | EUR | 1 | DSH TNS 255 FM | 4013364275331 | 1 | 0.488 | 0.428 | 85363090 | DE | 115 | 90 | 90 | MM |
| 3047 | 941406 | 3009024 | Appl.-opt. combined arrester DEHNshield B | type 1+2 for three-phase TN-S systems | 04010104 | ST | 494.50 | EUR | 1 | DSH B TNS 255 FM | 4013364328082 | 1 | 0.489 | 0.429 | 85363090 | DE | 115 | 90 | 90 | MM |
| 3048 | 950102 | 68720 | Surge arrester Type 2 DEHNguard | 1-pole Uc 1000V AC | 04010213 | ST | 171.10 | EUR | 1 | DG 1000 | 4013364105621 | 1 | 0.205 | 0.184 | 85363030 | DE | 99 | 74 | 55 | MM |
| 3049 | 950112 | 68721 | Surge arrester Type 2 DEHNguard | 1-pole Uc 1000V AC w. remote sign. contact | 04010213 | ST | 188.90 | EUR | 1 | DG 1000 FM | 4013364105638 | 1 | 0.217 | 0.196 | 85363030 | DE | 99 | 74 | 55 | MM |
| 3050 | 950530 | 3017611 | Surge arrester Type 2 DEHNguard | multi-pole f. PV systems up to 1000V d.c. | 04010209 | ST | 199.20 | EUR | 1 | DG YPV SCI 1000 | 4013364152960 | 1 | 0.321 | 0.3 | 85363030 | DE | 99 | 74 | 55 | MM |
| 3051 | 950531 | 3017612 | Surge arrester Type 2 DEHNguard | multi-pole f. PV systems up to 600V d.c. | 04010209 | ST | 193.80 | EUR | 1 | DG YPV SCI 600 | 4013364152953 | 1 | 0.296 | 0.275 | 85363030 | DE | 99 | 74 | 55 | MM |
| 3052 | 950535 | 3017613 | Surge arrest. Type 2 DEHNguard multi-pole | f. PV syst. up to 1000V DC remote sign. | 04010209 | ST | 249.20 | EUR | 1 | DG YPV SCI 1000 FM | 4013364154988 | 1 | 0.331 | 0.31 | 85363030 | DE | 99 | 74 | 55 | MM |
| 3053 | 950536 | 3017615 | Surge arrester Type 2 DEHNguard M multi- | pole f. PV systems up to 600V d.c. FM | 04010209 | ST | 243.80 | EUR | 1 | DG YPV SCI 600 FM | 4013364154995 | 1 | 0.306 | 0.285 | 85363030 | DE | 99 | 74 | 55 | MM |
| 3054 | 951001 | 68969 | Spark-gap-based protection module | Type 1 + Type 2 for DEHNventil M | 04010101 | ST | 382.50 | EUR | 1 | DV MOD 255 | 4013364108066 | 1 | 0.204 | 0.192 | 85363090 | DE | 79 | 61 | 40 | MM |
| 3055 | 951050 | 68971 | N-PE spark-gap-based protection module | Type 1 + Type 2 for DEHNventil M | 04010101 | ST | 452.10 | EUR | 1 | DV MOD NPE 50 | 4013364108073 | 1 | 0.183 | 0.171 | 85363030 | DE | 79 | 61 | 40 | MM |
| 3056 | 951100 | 68972 | N-PE spark-gap-based protection module | Type 1 + Type 2 for DEHNventil M | 04010101 | ST | 476.40 | EUR | 1 | DV MOD NPE 100 | 4013364108080 | 1 | 0.183 | 0.171 | 85363030 | DE | 79 | 61 | 40 | MM |
| 3057 | 951110 | 68973 | DEHNventil M combined lightning current | and surge arrester Type 1 + Type 2 | 04010101 | ST | 899.90 | EUR | 1 | DV M TT 2P 255 | 4013364108110 | 1 | 0.689 | 0.659 | 85363090 | DE | 115 | 90 | 90 | MM |
| 3058 | 951115 | 68974 | DEHNventil M combined lightning current | and surge arrester Type 1 + Type 2 | 04010101 | ST | 966.80 | EUR | 1 | DV M TT 2P 255 FM | 4013364108127 | 1 | 0.694 | 0.664 | 85363090 | DE | 115 | 90 | 90 | MM |
| 3059 | 951200 | 68982 | DEHNventil M combined lightning current | and surge arrester Type 1 + Type 2 | 04010101 | ST | 830.10 | EUR | 1 | DV M TN 255 | 4013364108097 | 1 | 0.754 | 0.724 | 85363090 | DE | 115 | 90 | 90 | MM |
| 3060 | 951205 | 68983 | Combined arrester Type 1 + Type 2 | DEHNventil M f. single-phase TN systems | 04010101 | ST | 897.10 | EUR | 1 | DV M TN 255 FM | 4013364108103 | 1 | 0.699 | 0.669 | 85363090 | DE | 115 | 90 | 90 | MM |
| 3061 | 951300 | 68985 | DEHNventil M combined lightning current | and surge arrester Type 1 + Type 2 | 04010101 | ST | 1212.10 | EUR | 1 | DV M TNC 255 | 4013364108134 | 1 | 1.004 | 0.97 | 85363090 | DE | 123 | 115 | 91 | MM |
| 3062 | 951305 | 68986 | Combined arrester Type 1 + Type 2 | DEHNventil M f. three-phase TN-C systems | 04010101 | ST | 1312.00 | EUR | 1 | DV M TNC 255 FM | 4013364108141 | 1 | 1.02 | 0.962 | 85363090 | DE | 123 | 115 | 91 | MM |
| 3063 | 951310 | 68987 | DEHNventil M combined lightning current | and surge arrester Type 1 + Type 2 | 04010101 | ST | 1694.00 | EUR | 1 | DV M TT 255 | 4013364108172 | 1 | 1.312 | 1.272 | 85363090 | DE | 162 | 115 | 92 | MM |
| 3064 | 951315 | 68988 | Comb. arr. Type 1 + Type 2 DEHNventil M | f. three-phase TT and TN-S systems | 04010101 | ST | 1828.20 | EUR | 1 | DV M TT 255 FM | 4013364108189 | 1 | 1.32 | 1.279 | 85363090 | DE | 162 | 115 | 92 | MM |
| 3065 | 951400 | 68996 | DEHNventil M combined lightning current | and surge arrester Type 1 + Type 2 | 04010101 | ST | 1600.00 | EUR | 1 | DV M TNS 255 | 4013364108158 | 1 | 1.395 | 1.354 | 85363090 | DE | 162 | 115 | 92 | MM |
| 3066 | 951405 | 68997 | DEHNventil M combined lightning current | and surge arrester Type 1 + Type 2 | 04010101 | ST | 1732.50 | EUR | 1 | DV M TNS 255 FM | 4013364108165 | 1 | 1.399 | 1.358 | 85363090 | DE | 162 | 115 | 92 | MM |
| 3067 | 952010 | 69522 | Varistor-based protection | module for DEHNguard M...S | 04010201 | ST | 75.50 | EUR | 1 | DG MOD 275 | 4013364108356 | 1 | 0.05 | 0.043 | 85363030 | DE | 65 | 61 | 19 | MM |
| 3068 | 952011 | 69520 | Varistor-based protection module | for DEHNguard M ... S | 04010201 | ST | 85.30 | EUR | 1 | DG MOD 75 | 4013364109773 | 1 | 0.039 | 0.032 | 85363030 | DE | 65 | 61 | 19 | MM |
| 3069 | 952012 | 69521 | Varistor-based protection module | for DEHNguard M...S | 04010201 | ST | 85.30 | EUR | 1 | DG MOD 150 | 4013364109780 | 1 | 0.042 | 0.035 | 85363030 | DE | 65 | 61 | 19 | MM |
| 3070 | 952013 | 69523 | Varistor-based protection | module for DEHNguard M...S | 04010201 | ST | 85.30 | EUR | 1 | DG MOD 320 | 4013364109797 | 1 | 0.053 | 0.046 | 85363030 | DE | 65 | 61 | 19 | MM |
| 3071 | 952014 | 69524 | Surge arrester Type 2 varistor-based | protection module f. DEHNguard M and S | 04010201 | ST | 85.30 | EUR | 1 | DG MOD 385 | 4013364108363 | 1 | 0.057 | 0.05 | 85363030 | DE | 65 | 61 | 19 | MM |
| 3072 | 952015 | 69525 | Varistor-based protection module | for DEHNguard M...S | 04010201 | ST | 85.30 | EUR | 1 | DG MOD 440 | 4013364109803 | 1 | 0.06 | 0.053 | 85363030 | DE | 65 | 61 | 19 | MM |
| 3073 | 952016 | 69526 | Varistor-based protection module | for DEHNguard M...S | 04010201 | ST | 85.30 | EUR | 1 | DG MOD 600 | 4013364109810 | 1 | 0.071 | 0.064 | 85363030 | DE | 65 | 61 | 19 | MM |
| 3074 | 952017 | 69527 | Varistor-based protection module | for DEHNguard M...S | 04010201 | ST | 105.40 | EUR | 1 | DG MOD 750 | 4013364113329 | 1 | 0.07 | 0.063 | 85363030 | DE | 65 | 61 | 19 | MM |
| 3075 | 952018 | 69519 | SPD Type 2 varistor-based protection | module for DEHNguard M and S | 04010201 | ST | 85.30 | EUR | 1 | DG MOD 48 | 4013364119482 | 1 | 0.044 | 0.037 | 85363030 | DE | 65 | 61 | 19 | MM |
| 3076 | 952022 | 3013177 | Surge arrester type 2 varistor-based | protection module for DEHNguard ACI | 04010224 | ST | 127.00 | EUR | 1 | DG MOD A NPE | 4013364376533 | 1 | 0.046 | 0.043 | 85363030 | DE | 68 | 61 | 19 | MM |
| 3077 | 952024 | 3011059 | Surge arrester type 2 switch / spark gap | prot. module f. DEHNguard ACI | 04010224 | ST | 127.00 | EUR | 1 | DG MOD ACI 275 | 4013364377356 | 1 | 0.055 | 0.052 | 85363030 | DE | 68 | 61 | 19 | MM |
| 3078 | 952025 | 69530 | Varistor-based protection module | f. DEHNguard S | 04010204 | ST | 110.70 | EUR | 1 | DG MOD 75 VA | 4013364127357 | 1 | 0.041 | 0.034 | 85363030 | DE | 65 | 61 | 19 | MM |
| 3079 | 952027 | 69531 | Varistor-based protection module | f. DEHNguard S | 04010204 | ST | 104.50 | EUR | 1 | DG MOD 275 VA | 4013364127364 | 1 | 0.047 | 0.04 | 85363030 | DE | 65 | 61 | 19 | MM |
| 3080 | 952028 | 3011475 | Surge arrester type 2 switch / spark gap | protection module f. DEHNguard ACI | 04010224 | ST | 136.90 | EUR | 1 | DG MOD ACI 385 | 4013364387843 | 1 | 0.055 | 0.051 | 85363030 | DE | 68 | 61 | 19 | MM |
| 3081 | 952029 | 69532 | Varistor-based protection module | f. DEHNguard S | 04010204 | ST | 110.70 | EUR | 1 | DG MOD 385 VA | 4013364127371 | 1 | 0.051 | 0.044 | 85363030 | DE | 65 | 61 | 19 | MM |
| 3082 | 952030 | 69504 | DEHNgap C S, N-PE surge arrester | | 04010206 | ST | 114.30 | EUR | 1 | DGP C S | 4013364108530 | 1 | 0.121 | 0.111 | 85363030 | DE | 105 | 75 | 19 | MM |
| 3083 | 952035 | 69505 | DEHNgap C S FM, N-PE surge arrester | | 04010206 | ST | 131.10 | EUR | 1 | DGP C S FM | 4013364108547 | 1 | 0.125 | 0.114 | 85363030 | DE | 105 | 75 | 19 | MM |
| 3084 | 952041 | 3017616 | Varistor-based protection module for | DEHNguard M and S | 04010207 | ST | 82.20 | EUR | 1 | DG MOD PV 500 | 4013364141841 | 1 | 0.06 | 0.053 | 85363030 | DE | 65 | 61 | 19 | MM |
| 3085 | 952044 | 3017617 | Varistor-based protection module | for DEHNguard M and S | 04010207 | ST | 82.20 | EUR | 1 | DG MOD PV 600 | 4013364141858 | 1 | 0.069 | 0.062 | 85363030 | DE | 65 | 61 | 19 | MM |
| 3086 | 952045 | 3017618 | Type 2 surge arrester varistor-based | protection module for DEHNguard M and S | 04010207 | ST | 82.20 | EUR | 1 | DG MOD PV 75 | 4013364141827 | 1 | 0.04 | 0.033 | 85363030 | DE | 65 | 61 | 19 | MM |
| 3087 | 952048 | 3012336 | Surge arrester Type 2 varistor-based | protection module f. DEHNguard M YPV | 04010222 | ST | 79.90 | EUR | 1 | DG MOD H PV 600 | 4013364327733 | 1 | 0.061 | 0.051 | 85363030 | DE | 65 | 61 | 19 | MM |
| 3088 | 952049 | 3012337 | Surge arrester Type 2 varistor-based | protection module f. DEHNguard M YPV | 04010222 | ST | 90.30 | EUR | 1 | DG MOD H PV 750 | 4013364327740 | 1 | 0.071 | 0.06 | 85363030 | DE | 65 | 61 | 19 | MM |
| 3089 | 952050 | 69528 | N-PE protection module | for DEHNguard M TT ... | 04010201 | ST | 96.00 | EUR | 1 | DG MOD NPE | 4013364108370 | 1 | 0.045 | 0.038 | 85363030 | DE | 65 | 61 | 19 | MM |
| 3090 | 952051 | 3017619 | Varistor-based protection module | f. DEHNguard M PV | 04010207 | ST | 88.40 | EUR | 1 | DG MOD PV SCI 500 | 4013364126442 | 1 | 0.056 | 0.049 | 85363030 | DE | 65 | 61 | 19 | MM |
| 3091 | 952054 | 3017620 | Varistor-based-protection module for | DEHNguard M PV (type 2 surge arrester) | 04010207 | ST | 108.60 | EUR | 1 | DG MOD PV SCI 600 | 4013364127975 | 1 | 0.059 | 0.052 | 85363030 | DE | 65 | 61 | 19 | MM |
| 3092 | 952055 | 3017621 | Varistor-based protection module for | DEHNguard M PV | 04010207 | ST | 88.40 | EUR | 1 | DG MOD PV SCI 75 | 4013364136700 | 1 | 0.043 | 0.036 | 85363030 | DE | 65 | 61 | 19 | MM |
| 3093 | 952056 | 3010861 | Surge arrester type 2 varistor-based | protection module for DEHNguard ME/SE | 04010208 | ST | 137.30 | EUR | 1 | DG MOD E PV SCI 750 | 4013364149106 | 1 | 0.083 | 0.071 | 85363030 | DE | 79 | 61 | 40 | MM |
| 3094 | 952060 | 69529 | N-PE protection module | for DEHNgap C S | 04010206 | ST | 96.10 | EUR | 1 | DGP C MOD | 4013364108387 | 1 | 0.044 | 0.037 | 85363030 | DE | 65 | 61 | 19 | MM |
| 3095 | 952070 | 69483 | DEHNguard S surge arrester | | 04010202 | ST | 95.10 | EUR | 1 | DG S 275 | 4013364108493 | 1 | 0.14 | 0.13 | 85363030 | DE | 105 | 75 | 19 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 3096 | 952071 | 69481 | Surge arrester Type 2 DEHNguard S | 1-pole Uc 75V AC | 04010202 | ST | 104.80 | EUR | 1 | DG S 75 | 4013364109834 | 1 | 0.118 | 0.107 | 85363030 | DE | 105 | 75 | 19 | MM |
| 3097 | 952072 | 69482 | DEHNguard S surge arrester | | 04010202 | ST | 104.80 | EUR | 1 | DG S 150 | 4013364109858 | 1 | 0.12 | 0.109 | 85363030 | DE | 105 | 75 | 19 | MM |
| 3098 | 952073 | 69484 | DEHNguard S surge arrester | | 04010202 | ST | 104.80 | EUR | 1 | DG S 320 | 4013364109872 | 1 | 0.13 | 0.119 | 85363030 | DE | 105 | 75 | 19 | MM |
| 3099 | 952074 | 69485 | DEHNguard S surge arrester | | 04010202 | ST | 104.80 | EUR | 1 | DG S 385 | 4013364108516 | 1 | 0.134 | 0.123 | 85363030 | DE | 105 | 75 | 19 | MM |
| 3100 | 952075 | 69486 | DEHNguard S surge arrester | | 04010202 | ST | 104.80 | EUR | 1 | DG S 440 | 4013364109896 | 1 | 0.153 | 0.142 | 85363030 | DE | 105 | 75 | 19 | MM |
| 3101 | 952076 | 69487 | DEHNguard S surge arrester | | 04010202 | ST | 104.80 | EUR | 1 | DG S 600 | 4013364109919 | 1 | 0.147 | 0.136 | 85363030 | DE | 105 | 75 | 19 | MM |
| 3102 | 952077 | 69496 | DEHNguard S surge arrester | | 04010202 | ST | 125.50 | EUR | 1 | DG S WE 600 | 4013364119680 | 1 | 0.147 | 0.137 | 85363030 | DE | 105 | 75 | 19 | MM |
| 3103 | 952078 | 69480 | DEHNguard S surge arrester Type 2 | single-pole Uc 48V AC | 04010202 | ST | 104.80 | EUR | 1 | DG S 48 | 4013364119468 | 1 | 0.12 | 0.109 | 85363030 | DE | 105 | 75 | 19 | MM |
| 3104 | 952080 | 69498 | DEHNguard S surge arrester | | 04010204 | ST | 130.30 | EUR | 1 | DG S 75 VA | 4013364127296 | 1 | 0.118 | 0.107 | 85363030 | DE | 105 | 75 | 19 | MM |
| 3105 | 952081 | 3006148 | Surge arrester Type 2 N-PE spark gap | protection module f. DEHNguard M H TT .. | 04010201 | ST | 103.20 | EUR | 1 | DG MOD H NPE | 4013364318182 | 1 | 0.045 | 0.038 | 85363030 | DE | 65 | 61 | 19 | MM |
| 3106 | 952082 | 69499 | DEHNguard S surge arrester | | 04010204 | ST | 124.20 | EUR | 1 | DG S 275 VA | 4013364127319 | 1 | 0.123 | 0.113 | 85363030 | DE | 105 | 75 | 19 | MM |
| 3107 | 952083 | 3011067 | Surge arrester type 2 N-PE spark-gap | based prot. module f. DEHNguard ACI | 04010224 | ST | 103.10 | EUR | 1 | DG MOD H A NPE | 4013364376540 | 1 | 0.055 | 0.051 | 85363030 | DE | 68 | 61 | 19 | MM |
| 3108 | 952084 | 69500 | DEHNguard S surge arrester | | 04010204 | ST | 130.30 | EUR | 1 | DG S 385 VA | 4013364127333 | 1 | 0.128 | 0.117 | 85363030 | DE | 105 | 75 | 19 | MM |
| 3109 | 952085 | 69501 | DEHNguard S FM surge arrester | | 04010204 | ST | 147.20 | EUR | 1 | DG S 75 VA FM | 4013364127302 | 1 | 0.122 | 0.111 | 85363030 | DE | 105 | 75 | 19 | MM |
| 3110 | 952087 | 69502 | DEHNguard S FM surge arrester | | 04010204 | ST | 141.00 | EUR | 1 | DG S 275 VA FM | 4013364127326 | 1 | 0.127 | 0.116 | 85363030 | DE | 105 | 75 | 19 | MM |
| 3111 | 952089 | 69503 | DEHNguard S FM surge arrester | | 04010204 | ST | 147.20 | EUR | 1 | DG S 385 VA FM | 4013364127340 | 1 | 0.132 | 0.121 | 85363030 | DE | 105 | 75 | 19 | MM |
| 3112 | 952090 | 69491 | Surge arrester Type 2 DEHNguard S | 1-pole Uc 275V AC w. rem. sign. contact | 04010202 | ST | 111.80 | EUR | 1 | DG S 275 FM | 4013364108509 | 1 | 0.133 | 0.119 | 85363030 | DE | 105 | 75 | 19 | MM |
| 3113 | 952091 | 69489 | DEHNguard S FM surge arrester | | 04010202 | ST | 121.70 | EUR | 1 | DG S 75 FM | 4013364109841 | 1 | 0.12 | 0.11 | 85363030 | DE | 105 | 75 | 19 | MM |
| 3114 | 952092 | 69490 | DEHNguard S FM surge arrester | | 04010202 | ST | 121.70 | EUR | 1 | DG S 150 FM | 4013364109865 | 1 | 0.124 | 0.113 | 85363030 | DE | 105 | 75 | 19 | MM |
| 3115 | 952093 | 69492 | Surge arrester Type 2 DEHNguard S | 1-pole Uc 320V AC w. rem. sign. contact | 04010202 | ST | 121.70 | EUR | 1 | DG S 320 FM | 4013364109889 | 1 | 0.148 | 0.137 | 85363030 | DE | 105 | 75 | 19 | MM |
| 3116 | 952094 | 69493 | DEHNguard S FM surge arrester | | 04010202 | ST | 121.70 | EUR | 1 | DG S 385 FM | 4013364108523 | 1 | 0.15 | 0.14 | 85363030 | DE | 105 | 75 | 19 | MM |
| 3117 | 952095 | 69494 | Surge arrester Type 2 DEHNguard S | 1-pole Uc 440V AC w. rem. sign. contact | 04010202 | ST | 121.70 | EUR | 1 | DG S 440 FM | 4013364109902 | 1 | 0.151 | 0.14 | 85363030 | DE | 105 | 75 | 19 | MM |
| 3118 | 952096 | 69579 | Surge arrester Type 2 DEHNguard S | 1-pole Uc 600V AC w. rem. sign. contact | 04010202 | ST | 121.70 | EUR | 1 | DG S 600 FM | 4013364109926 | 1 | 0.171 | 0.16 | 85363030 | DE | 105 | 75 | 19 | MM |
| 3119 | 952097 | 69497 | DEHNguard S surge arrester | | 04010202 | ST | 142.30 | EUR | 1 | DG S WE 600 FM | 4013364119697 | 1 | 0.151 | 0.14 | 85363030 | DE | 105 | 75 | 19 | MM |
| 3120 | 952098 | 69488 | DEHNguard S FM surge arrester Type 2 | 1-pole Uc 48V AC w. remote sign. contact | 04010202 | ST | 121.70 | EUR | 1 | DG S 48 FM | 4013364119475 | 1 | 0.134 | 0.123 | 85363030 | DE | 105 | 75 | 19 | MM |
| 3121 | 952100 | 3011068 | DEHNguard S surge arrester type 2 | 1-pole Uc 275V w. ACI technology | 04010224 | ST | 163.70 | EUR | 1 | DG S ACI 275 FM | 4013364376526 | 1 | 0.142 | 0.128 | 85363030 | DE | 105 | 78 | 19 | MM |
| 3122 | 952110 | 69472 | Surge arrester type 2 DEHNguard M | for single-phase TT and TN systems | 04010201 | ST | 197.90 | EUR | 1 | DG M TT 2P 275 | 4013364108417 | 1 | 0.258 | 0.242 | 85363030 | DE | 100 | 74 | 37 | MM |
| 3123 | 952111 | 69474 | DEHNguard M surge arrester | | 04010201 | ST | 207.60 | EUR | 1 | DG M TT 2P 385 | 4013364119420 | 1 | 0.248 | 0.232 | 85363030 | DE | 100 | 74 | 37 | MM |
| 3124 | 952113 | 3011677 | DEHNguard S surge arrester type 2 | 1-pole Uc 385V w. ACI technology | 04010224 | ST | 173.70 | EUR | 1 | DG S ACI 385 FM | 4013364387874 | 1 | 0.13 | 0.128 | 85363030 | DE | 105 | 78 | 19 | MM |
| 3125 | 952115 | 69475 | DEHNguard M FM surge arrester | | 04010201 | ST | 214.60 | EUR | 1 | DG M TT 2P 275 FM | 4013364108424 | 1 | 0.244 | 0.228 | 85363030 | DE | 100 | 74 | 37 | MM |
| 3126 | 952116 | 69477 | DEHNguard M FM surge arrester | | 04010201 | ST | 224.50 | EUR | 1 | DG M TT 2P 385 FM | 4013364119413 | 1 | 0.252 | 0.236 | 85363030 | DE | 100 | 74 | 37 | MM |
| 3127 | 952121 | 3011073 | DEHNguard M surge arrester type 2 | 2-pole Uc 275V w. ACI technology | 04010224 | ST | 267.50 | EUR | 1 | DG M TT 2P ACI 275 FM | 4013364376663 | 1 | 0.255 | 0.25 | 85363030 | DE | 100 | 79 | 37 | MM |
| 3128 | 952122 | 3011477 | Surge arrester type 2 DEHNguard M | 2-pole Uc 385V w. ACI technology | 04010224 | ST | 260.40 | EUR | 1 | DG M TT 2P ACI 385 FM | 4013364387867 | 1 | 0.255 | 0.25 | 85363030 | DE | 100 | 79 | 37 | MM |
| 3129 | 952130 | 69473 | DEHNguard M surge arrester | | 04010201 | ST | 207.60 | EUR | 1 | DG M TT 2P 320 | 4013364128521 | 1 | 0.263 | 0.247 | 85363030 | DE | 100 | 74 | 37 | MM |
| 3130 | 952135 | 69476 | DEHNguard M surge arrester | | 04010201 | ST | 224.50 | EUR | 1 | DG M TT 2P 320 FM | 4013364128538 | 1 | 0.269 | 0.253 | 85363030 | DE | 100 | 74 | 37 | MM |
| 3131 | 952181 | 3006158 | Surge arrester Type 2 DEHNguard M H | for single-phase TT and TN systems | 04010201 | ST | 204.80 | EUR | 1 | DG M H TT 2P 275 | 4013364318175 | 1 | 0.244 | 0.228 | 85363030 | DE | 100 | 74 | 37 | MM |
| 3132 | 952185 | 3006159 | Surge arrester Type 2 DEHNguard M H | for single-phase TT and TN systems | 04010201 | ST | 221.50 | EUR | 1 | DG M H TT 2P 275 FM | 4013364318151 | 1 | 0.244 | 0.228 | 85363030 | DE | 100 | 74 | 37 | MM |
| 3133 | 952200 | 69469 | DEHNguard M surge arrester | | 04010201 | ST | 170.30 | EUR | 1 | DG M TN 275 | 4013364108394 | 1 | 0.245 | 0.229 | 85363030 | DE | 100 | 74 | 37 | MM |
| 3134 | 952201 | 69468 | DEHNguard M surge arrester | | 04010201 | ST | 190.00 | EUR | 1 | DG M TN 150 | 4013364123915 | 1 | 0.227 | 0.211 | 85363030 | DE | 100 | 74 | 37 | MM |
| 3135 | 952205 | 69471 | DEHNguard M FM surge arrester | | 04010201 | ST | 203.90 | EUR | 1 | DG M TN 275 FM | 4013364108400 | 1 | 0.248 | 0.232 | 85363030 | DE | 100 | 74 | 37 | MM |
| 3136 | 952206 | 69470 | DEHNguard M FM surge arrester | | 04010201 | ST | 223.50 | EUR | 1 | DG M TN 150 FM | 4013364123922 | 1 | 0.233 | 0.217 | 85363030 | DE | 100 | 74 | 37 | MM |
| 3137 | 952220 | 3013380 | DEHNguard M surge arrester type 2 | 2-pole Uc 275V w. ACI technology | 04010224 | ST | 243.30 | EUR | 1 | DG M TN ACI 275 FM | 4013364376656 | 1 | 0.245 | 0.241 | 85363030 | DE | 100 | 79 | 37 | MM |
| 3138 | 952300 | 69447 | DEHNguard M surge arrester | | 04010201 | ST | 261.00 | EUR | 1 | DG M TNC 275 | 4013364108431 | 1 | 0.355 | 0.334 | 85363030 | DE | 99 | 74 | 55 | MM |
| 3139 | 952302 | 69478 | DEHNguard M surge arrester | | 04010201 | ST | 349.90 | EUR | 1 | DG M WE 600 | 4013364113305 | 1 | 0.407 | 0.386 | 85363030 | DE | 99 | 74 | 55 | MM |
| 3140 | 952303 | 69449 | DEHNguard M surge arrester | | 04010201 | ST | 287.40 | EUR | 1 | DG M TNC 440 | 4013364120709 | 1 | 0.376 | 0.355 | 85363030 | DE | 99 | 74 | 55 | MM |
| 3141 | 952305 | 69451 | DEHNguard M FM surge arrester | | 04010201 | ST | 308.60 | EUR | 1 | DG M TNC 275 FM | 4013364108448 | 1 | 0.349 | 0.328 | 85363030 | DE | 99 | 74 | 55 | MM |
| 3142 | 952307 | 69479 | DEHNguard M surge arrester | | 04010201 | ST | 400.30 | EUR | 1 | DG M WE 600 FM | 4013364113312 | 1 | 0.41 | 0.389 | 85363030 | DE | 99 | 74 | 55 | MM |
| 3143 | 952308 | 69453 | DEHNguard M type 2 surge arrester | 3-pole for TN-C systems | 04010201 | ST | 338.10 | EUR | 1 | DG M TNC 440 FM | 4013364120716 | 1 | 0.383 | 0.362 | 85363030 | DE | 99 | 74 | 55 | MM |
| 3144 | 952310 | 69461 | DEHNguard M surge arrester | | 04010201 | ST | 368.00 | EUR | 1 | DG M TT 275 | 4013364108479 | 1 | 0.435 | 0.405 | 85363030 | DE | 99 | 74 | 73 | MM |
| 3145 | 952311 | 69463 | DEHNguard M surge arrester | | 04010201 | ST | 397.50 | EUR | 1 | DG M TT 385 | 4013364119390 | 1 | 0.458 | 0.432 | 85363030 | DE | 99 | 74 | 73 | MM |
| 3146 | 952313 | 69446 | DEHNguard M surge arrester | | 04010201 | ST | 287.40 | EUR | 1 | DG M TNC 150 | 4013364123939 | 1 | 0.32 | 0.299 | 85363030 | DE | 99 | 74 | 55 | MM |
| 3147 | 952314 | 69448 | DEHNguard M surge arrester | | 04010201 | ST | 287.40 | EUR | 1 | DG M TNC 385 | 4013364124028 | 1 | 0.363 | 0.342 | 85363030 | DE | 99 | 74 | 55 | MM |
| 3148 | 952315 | 69465 | DEHNguard M surge arrester | | 04010201 | ST | 418.60 | EUR | 1 | DG M TT 275 FM | 4013364108486 | 1 | 0.441 | 0.415 | 85363030 | DE | 99 | 74 | 73 | MM |
| 3149 | 952316 | 69467 | DEHNguard M FM surge arrester | | 04010201 | ST | 446.60 | EUR | 1 | DG M TT 385 FM | 4013364119406 | 1 | 0.462 | 0.436 | 85363030 | DE | 99 | 74 | 73 | MM |
| 3150 | 952318 | 69450 | DEHNguard M FM surge arrester | | 04010201 | ST | 338.10 | EUR | 1 | DG M TNC 150 FM | 4013364124011 | 1 | 0.327 | 0.306 | 85363030 | DE | 99 | 74 | 55 | MM |
| 3151 | 952319 | 69452 | DEHNguard M type 2 surge arrester | 3-pole for TN-C systems | 04010201 | ST | 338.10 | EUR | 1 | DG M TNC 385 FM | 4013364124035 | 1 | 0.371 | 0.35 | 85363030 | DE | 99 | 74 | 55 | MM |
| 3152 | 952320 | 69462 | DEHNguard M surge arrester | | 04010201 | ST | 397.50 | EUR | 1 | DG M TT 320 | 4013364126794 | 1 | 0.442 | 0.416 | 85363030 | DE | 99 | 74 | 73 | MM |
| 3153 | 952323 | 69460 | DEHNguard M surge arrester | | 04010201 | ST | 397.50 | EUR | 1 | DG M TT 150 | 4013364133235 | 1 | 0.407 | 0.381 | 85363030 | DE | 99 | 74 | 73 | MM |
| 3154 | 952325 | 69466 | DEHNguard M type 2 surge arrester | 4-pole for TT and TN-S systems | 04010201 | ST | 446.70 | EUR | 1 | DG M TT 320 FM | 4013364126800 | 1 | 0.451 | 0.425 | 85363030 | DE | 99 | 74 | 73 | MM |
| 3155 | 952328 | 69464 | DEHNguard M surge arrester | | 04010201 | ST | 446.60 | EUR | 1 | DG M TT 150 FM | 4013364133242 | 1 | 0.416 | 0.39 | 85363030 | DE | 99 | 74 | 73 | MM |
| 3156 | 952330 | 3011077 | DEHNguard M surge arrester type 2 | 3-pole Uc 275V w. ACI technology | 04010224 | ST | 464.00 | EUR | 1 | DG M TNC ACI 275 FM | 4013364376649 | 1 | 0.36 | 0.354 | 85363030 | DE | 100 | 79 | 55 | MM |
| 3157 | 952332 | 3016213 | Type 2 surge arrester DEHNguard M | 4-pole for TT and TN-S systems | 04010201 | ST | 446.60 | EUR | 1 | DG M TT 385/305 FM | 4013364469945 | 1 | 0.464 | 0.433 | 85363030 | DE | 99 | 74 | 73 | MM |
| 3158 | 952341 | 3011079 | DEHNguard M surge arrester type 2 | 4-pole Uc 275V w. ACI technology | 04010224 | ST | 574.00 | EUR | 1 | DG M TT ACI 275 FM | 4013364376632 | 1 | 0.455 | 0.452 | 85363030 | DE | 99 | 79 | 73 | MM |
| 3159 | 952342 | 3011476 | Surge arrester type 2 DEHNguard M | 4-pole Uc 385V w. ACI technology | 04010224 | ST | 603.60 | EUR | 1 | DG M TT ACI 385 FM | 4013364387850 | 1 | 0.455 | 0.452 | 85363030 | DE | 99 | 79 | 73 | MM |
| 3160 | 952381 | 3006156 | Surge arrester Type 2 DEHNguard M H | 4-pole for TT and TN-S systems | 04010201 | ST | 375.20 | EUR | 1 | DG M H TT 275 | 4013364318144 | 1 | 0.435 | 0.405 | 85363030 | DE | 99 | 74 | 73 | MM |
| 3161 | 952385 | 3006157 | Surge arrester Type 2 DEHNguard M H | 4-pole for TT and TN-S systems | 04010201 | ST | 424.60 | EUR | 1 | DG M H TT 275 FM | 4013364318137 | 1 | 0.441 | 0.415 | 85363030 | DE | 99 | 74 | 73 | MM |
| 3162 | 952400 | 69455 | DEHNguard M surge arrester | | 04010201 | ST | 340.50 | EUR | 1 | DG M TNS 275 | 4013364108455 | 1 | 0.444 | 0.414 | 85363030 | DE | 99 | 74 | 73 | MM |
| 3163 | 952403 | 69454 | DEHNguard M surge arrester | | 04010201 | ST | 379.70 | EUR | 1 | DG M TNS 150 | 4013364128569 | 1 | 0.443 | 0.417 | 85363030 | DE | 99 | 74 | 73 | MM |
| 3164 | 952404 | 69456 | DEHNguard M surge arrester | | 04010201 | ST | 379.70 | EUR | 1 | DG M TNS 385 | 4013364128545 | 1 | 0.5 | 0.474 | 85363030 | DE | 99 | 74 | 73 | MM |
| 3165 | 952405 | 69458 | DEHNguard M FM surge arrester | | 04010201 | ST | 407.60 | EUR | 1 | DG M TNS 275 FM | 4013364108462 | 1 | 0.479 | 0.453 | 85363030 | DE | 99 | 74 | 73 | MM |
| 3166 | 952408 | 69457 | DEHNguard M surge arrester | | 04010201 | ST | 446.70 | EUR | 1 | DG M TNS 150 FM | 4013364128576 | 1 | 0.452 | 0.426 | 85363030 | DE | 99 | 74 | 73 | MM |
| 3167 | 952409 | 69459 | DEHNguard M surge arrester | | 04010201 | ST | 446.70 | EUR | 1 | DG M TNS 385 FM | 4013364128552 | 1 | 0.508 | 0.482 | 85363030 | DE | 99 | 74 | 73 | MM |
| 3168 | 952440 | 3013381 | DEHNguard M surge arrester type 2 | 4-pole Uc 275V w. ACI technology | 04010224 | ST | 539.20 | EUR | 1 | DG M TNS ACI 275 FM | 4013364376625 | 1 | 0.45 | 0.449 | 85363030 | DE | 99 | 79 | 73 | MM |
| 3169 | 952510 | 3017622 | DEHNguard M multipole type 2 surge | arrester for PV systems up to 1000V d.c. | 04010207 | ST | 288.30 | EUR | 1 | DG M YPV SCI 1000 | 4013364126428 | 1 | 0.361 | 0.34 | 85363030 | DE | 99 | 74 | 55 | MM |
| 3170 | 952512 | 3017624 | Multipole type 2 DEHNguard M surge | arrester for PV systems up to 1200V d.c. | 04010207 | ST | 328.20 | EUR | 1 | DG M YPV SCI 1200 | 4013364127951 | 1 | 0.357 | 0.336 | 85363030 | DE | 99 | 74 | 55 | MM |
| 3171 | 952513 | 3017625 | Multipole DEHNguard M type 2 surge | arrester for PV systems up to 150V d.c. | 04010207 | ST | 288.30 | EUR | 1 | DG M YPV SCI 150 | 4013364136663 | 1 | 0.29 | 0.269 | 85363030 | DE | 99 | 74 | 55 | MM |
| 3172 | 952514 | 3017634 | DEHNguard M multipole type 2 surge | arrester for PV systems up to 1000V d.c. | 04010207 | ST | 430.20 | EUR | 1 | DG M PV2 SCI 1000 | 4013364224964 | 1 | 0.588 | 0.499 | 85363030 | DE | 125 | 115 | 95 | MM |
| 3173 | 952515 | 3017626 | DEHNguard M multipole type 2 surge | arrester for PV systems up to 1000V d.c. | 04010207 | ST | 338.60 | EUR | 1 | DG M YPV SCI 1000 FM | 4013364126435 | 1 | 0.344 | 0.323 | 85363030 | DE | 99 | 74 | 55 | MM |
| 3174 | 952517 | 3017628 | Multipole type 2 DEHNguard M surge | arrester for PV systems up to 1200V d.c. | 04010207 | ST | 378.70 | EUR | 1 | DG M YPV SCI 1200 FM | 4013364127968 | 1 | 0.359 | 0.338 | 85363030 | DE | 99 | 74 | 55 | MM |
| 3175 | 952518 | 3017629 | Multipole DEHNguard M type 2 surge | arrester for PV systems up to 150V d.c. | 04010207 | ST | 338.60 | EUR | 1 | DG M YPV SCI 150 FM | 4013364136670 | 1 | 0.297 | 0.276 | 85363030 | DE | 99 | 74 | 55 | MM |
| 3176 | 952519 | 3017635 | DEHNguard M multipole type 2 surge | arrester for PV systems up to 1000V d.c. | 04010207 | ST | 514.00 | EUR | 1 | DG M PV2 SCI 1000 FM | 4013364224971 | 1 | 0.599 | 0.509 | 85363030 | DE | 125 | 115 | 95 | MM |
| 3177 | 952525 | 3010858 | Surge arrester type 2 DEHNguard ME multi- | pole f. PV systems up to 1500V d.c. FM | 04010208 | ST | 529.00 | EUR | 1 | DG ME YPV SCI1500 FM | 4013364149076 | 1 | 0.556 | 0.521 | 85354000 | DE | 123 | 115 | 91 | MM |
| 3178 | 952565 | 3012334 | Surge arrester Type 2 DEHNguard M | multipole for PV systems up to 1170V DC | 04010222 | ST | 316.80 | EUR | 1 | DG M YPV 1200 FM | 4013364327719 | 1 | 0.382 | 0.322 | 85363030 | DE | 116 | 86 | 69 | MM |
| 3179 | 952567 | 3012335 | Surge arrester Type 2 DEHNguard M | multipole for PV systems up to 1500V DC | 04010222 | ST | 348.60 | EUR | 1 | DG M YPV 1500 FM | 4013364327726 | 1 | 0.411 | 0.35 | 85363030 | DE | 116 | 90 | 70 | MM |
| 3180 | 952589 | 60666 | Pin-shaped terminal f. series connection | to surge protective devices -25mm² | 04010403 | ST | 10.60 | EUR | 1 | STAK 25 | 4013364132306 | 4 | 0.017 | 0.017 | 85369010 | DE | 46 | 35 | 18 | MM |
| 3181 | 952610 | 66914 | Base 1-pole for mounting on PCBs | for DEHNguard modules 275 | 04010212 | ST | 7.80 | EUR | 1 | DG PCB 275 | 4013364149816 | 72 | 0.02 | 0.018 | 85366930 | DE | 62 | 43 | 21 | MM |
| 3182 | 952614 | 66918 | Base 1-pole for mounting on PCBs | for DEHNguard modules 385 | 04010212 | ST | 7.80 | EUR | 1 | DG PCB 385 | 4013364149847 | 72 | 0.02 | 0.018 | 85366930 | DE | 62 | 43 | 21 | MM |
| 3183 | 952641 | 65002 | Base 1-pole for mounting on PCBs | for DEHNguard modules PV 500 | 04010212 | ST | 7.80 | EUR | 1 | DG PCB PV 500 | 4013364146334 | 72 | 0.02 | 0.018 | 85366930 | DE | 62 | 43 | 21 | MM |
| 3184 | 952643 | 67351 | Base 1-pole for mounting on PCBs | for DEHNguard modules PV 300 | 04010212 | ST | 7.80 | EUR | 1 | DG PCB PV 300 | 4013364150737 | 72 | 0.02 | 0.018 | 85366930 | DE | 62 | 43 | 21 | MM |
| 3185 | 952644 | 66930 | Base 1-pole for mounting on PCBs | for DEHNguard modules PV 600 | 04010212 | ST | 7.80 | EUR | 1 | DG PCB PV 600 | 4013364149892 | 72 | 0.02 | 0.018 | 85366930 | DE | 62 | 43 | 21 | MM |
| 3186 | 952650 | 66922 | Base 1-pole for mounting on PCBs | for DEHNguard modules NPE | 04010212 | ST | 7.80 | EUR | 1 | DG PCB NPE | 4013364149823 | 72 | 0.02 | 0.018 | 85366930 | DE | 62 | 43 | 21 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 3187 | 952651 | 65000 | Base 1-pole for mounting on PCBs | for DEHNguard modules PV SCI 500 | 04010212 | ST | 7.80 | EUR | 1 | DG PCB PV SCI 500 | 4013364146310 | 72 | 0.02 | 0.018 | 85366930 | DE | 62 | 43 | 21 | MM |
| 3188 | 952653 | 67349 | Base 1-pole for mounting on PCBs | for DEHNguard modules PV SCI 300 | 04010212 | ST | 7.80 | EUR | 1 | DG PCB PV SCI 300 | 4013364150713 | 72 | 0.02 | 0.018 | 85366930 | DE | 62 | 43 | 21 | MM |
| 3189 | 952654 | 66926 | Base 1-pole for mounting on PCBs | for DEHNguard modules PV SCI 600 | 04010212 | ST | 7.80 | EUR | 1 | DG PCB PV SCI 600 | 4013364149878 | 72 | 0.02 | 0.018 | 85366930 | DE | 62 | 43 | 21 | MM |
| 3190 | 952699 | 58753 | Feed-through terminal DK | | 04010403 | ST | 46.60 | EUR | 1 | DK 25 | 4013364127906 | 1 | 0.114 | 0.103 | 85369095 | DE | 105 | 75 | 19 | MM |
| 3191 | 952710 | 66916 | Base 1-pole for mounting on PCBs | for DEHNguard modules 275 FM | 04010212 | ST | 10.60 | EUR | 1 | DG PCB 275 FM | 4013364149830 | 72 | 0.021 | 0.018 | 85366930 | DE | 62 | 43 | 21 | MM |
| 3192 | 952714 | 66920 | Base 1-pole for mounting on PCBs | for DEHNguard modules 385 FM | 04010212 | ST | 10.60 | EUR | 1 | DG PCB 385 FM | 4013364149854 | 72 | 0.021 | 0.018 | 85366930 | DE | 62 | 43 | 21 | MM |
| 3193 | 952741 | 65003 | Base 1-pole for mounting on PCBs | for DEHNguard modules PV 500 FM | 04010212 | ST | 10.60 | EUR | 1 | DG PCB PV 500 FM | 4013364146341 | 72 | 0.02 | 0.018 | 85366930 | DE | 62 | 43 | 21 | MM |
| 3194 | 952743 | 67352 | Base 1-pole for mounting on PCBs | for DEHNguard modules PV 300 FM | 04010212 | ST | 10.60 | EUR | 1 | DG PCB PV 300 FM | 4013364150744 | 72 | 0.02 | 0.018 | 85366930 | DE | 62 | 43 | 21 | MM |
| 3195 | 952744 | 66932 | Base 1-pole for mounting on PCBs | for DEHNguard modules PV 600 FM | 04010212 | ST | 10.60 | EUR | 1 | DG PCB PV 600 FM | 4013364149908 | 72 | 0.02 | 0.018 | 85366930 | DE | 62 | 43 | 21 | MM |
| 3196 | 952750 | 66924 | Base 1-pole for mounting on PCBs | for DEHNguard modules NPE FM | 04010212 | ST | 10.60 | EUR | 1 | DG PCB NPE FM | 4013364149861 | 72 | 0.02 | 0.018 | 85366930 | DE | 62 | 43 | 21 | MM |
| 3197 | 952751 | 65001 | Base 1-pole for mounting on PCBs | for DEHNguard modules PV SCI 500 FM | 04010212 | ST | 10.60 | EUR | 1 | DG PCB PV SCI 500 FM | 4013364146327 | 72 | 0.02 | 0.018 | 85366930 | DE | 62 | 43 | 21 | MM |
| 3198 | 952753 | 67350 | Base 1-pole for mounting on PCBs | for DEHNguard modules PV SCI 300 FM | 04010212 | ST | 10.60 | EUR | 1 | DG PCB PV SCI 300 FM | 4013364150720 | 72 | 0.02 | 0.018 | 85366930 | DE | 62 | 43 | 21 | MM |
| 3199 | 952754 | 66928 | Base 1-pole for mounting on PCBs | for DEHNguard modules PV SCI 600 FM | 04010212 | ST | 10.60 | EUR | 1 | DG PCB PV SCI 600 FM | 4013364149885 | 72 | 0.02 | 0.018 | 85366930 | DE | 62 | 43 | 21 | MM |
| 3200 | 952908 | 3003778 | Surge arrester Type 2 varistor-based | protection module for DEHNguard SE | 04010214 | ST | 119.20 | EUR | 1 | DG MOD E H 1000 | 4013364264526 | 1 | 0.123 | 0.112 | 85363030 | DE | 79 | 61 | 40 | MM |
| 3201 | 952910 | 3004012 | Base 1-pole for mounting on PCBs | for DEHNguard modules I 275 FM | 04010212 | ST | 10.60 | EUR | 1 | DG PCB I 275 FM | 4013364266865 | 72 | 0.02 | 0.018 | 85366930 | DE | 62 | 43 | 21 | MM |
| 3202 | 952918 | 3006267 | Surge arrester Type 2 protect. module | for DG SE H 1000 VA FM | 04010214 | ST | 147.50 | EUR | 1 | DG MOD E H 1000 VA | 4013364308336 | 1 | 0.13 | 0.112 | 85363030 | DE | 79 | 61 | 40 | MM |
| 3203 | 952920 | 3007192 | Surge arrester Type 2 DEHNguard SE CI | 1-pole Uc 440V AC w. rem. sign. contact | 04010223 | ST | 174.70 | EUR | 1 | DG SE CI 440 FM | 4013364322622 | 1 | 0.178 | 0.161 | 85363030 | DE | 105 | 86 | 30 | MM |
| 3204 | 952923 | 3007193 | Surge arrester Type 2 DEHNguard SE CI | 1-pole Uc 440V AC w. rem. sign. contact | 04010223 | ST | 194.40 | EUR | 1 | DG SE CI WE 440 FM | 4013364322639 | 1 | 0.184 | 0.167 | 85363030 | DE | 105 | 86 | 30 | MM |
| 3205 | 952926 | 3007201 | Surge arrester Type 2 varistor-based | protection module for DEHNguard SE CI | 04010223 | ST | 138.00 | EUR | 1 | DG MOD E CI 440 | 4013364322646 | 1 | 0.083 | 0.072 | 85363030 | DE | 79 | 61 | 40 | MM |
| 3206 | 952927 | 3007202 | Surge arrester Type 2 varistor-based | protection module for DEHNguard SE CI | 04010223 | ST | 157.60 | EUR | 1 | DG MOD E CI WE 440 | 4013364322653 | 1 | 0.082 | 0.078 | 85363030 | DE | 79 | 61 | 40 | MM |
| 3207 | 952938 | 3003781 | Surge arrester Type 2 DEHNguard SE | 1-pole Uc 1000V AC w. remote sign. cont. | 04010214 | ST | 157.00 | EUR | 1 | DG SE H 1000 FM | 4013364264014 | 1 | 0.229 | 0.207 | 85363030 | DE | 105 | 86 | 30 | MM |
| 3208 | 952940 | 3006268 | Surge arrester Type 2 DEHNguard SE | 1-pole Uc 1000V AC, varistor + GDT | 04010214 | ST | 185.50 | EUR | 1 | DG SE H 1000 VA FM | 4013364308329 | 1 | 0.229 | 0.207 | 85363030 | DE | 105 | 86 | 30 | MM |
| 3209 | 952941 | 3000990 | Base 1-pole for mounting on PCBs | for DEHNguard modules PV 500 | 04010212 | ST | 10.60 | EUR | 1 | DG PCB PV I 500 FM | 4013364228177 | 72 | 0.02 | 0.018 | 85366930 | DE | 60 | 43 | 20 | MM |
| 3210 | 952948 | 3007913 | Base 1-pole for mounting on PCBs | for DEHNguard modules H PV 600 | 04010212 | ST | 10.60 | EUR | 1 | DG PCB PV I 600 FM | 4013364323919 | 72 | 0.02 | 0.018 | 85366930 | DE | 60 | 43 | 20 | MM |
| 3211 | 952949 | 3007917 | Base 1-pole for mounting on PCBs | for DEHNguard modules H PV 750 | 04010212 | ST | 10.60 | EUR | 1 | DG PCB PV I 750 FM | 4013364323926 | 72 | 0.02 | 0.018 | 85366930 | DE | 60 | 43 | 20 | MM |
| 3212 | 952951 | 3000991 | Base 1-pole for mounting PCBs | for DEHNguard modules PV SCI 500 | 04010212 | ST | 10.60 | EUR | 1 | DG PCB PVSCI I 500FM | 4013364228184 | 72 | 0.02 | 0.018 | 85366930 | DE | 60 | 43 | 20 | MM |
| 3213 | 953010 | 3015418 | 2-pole protection module 255V | for DEHNrail M surge arrester | 04010301 | ST | 96.90 | EUR | 1 | DR MOD 255 | 4013364108295 | 1 | 0.035 | 0.028 | 85363030 | RO | 65 | 61 | 19 | MM |
| 3214 | 953011 | 3015416 | Protection module for DEHNrail M | surge arrester | 04010301 | ST | 96.90 | EUR | 1 | DR MOD 30 | 4013364109636 | 1 | 0.034 | 0.027 | 85363030 | RO | 65 | 61 | 19 | MM |
| 3215 | 953012 | 3015419 | Protection module for DEHNrail M | surge arrester | 04010301 | ST | 96.90 | EUR | 1 | DR MOD 60 | 4013364109643 | 1 | 0.034 | 0.027 | 85363030 | RO | 65 | 61 | 19 | MM |
| 3216 | 953013 | 3015420 | Protection module for DEHNrail M | surge arrester | 04010301 | ST | 96.90 | EUR | 1 | DR MOD 75 | 4013364109650 | 1 | 0.032 | 0.025 | 85363030 | RO | 65 | 61 | 19 | MM |
| 3217 | 953014 | 3015421 | Protection module for DEHNrail M | surge arrester | 04010301 | ST | 96.90 | EUR | 1 | DR MOD 150 | 4013364109667 | 1 | 0.033 | 0.026 | 85363030 | RO | 65 | 61 | 19 | MM |
| 3218 | 953020 | 3015434 | Protection module for DEHNrail M | surge arrester | 04010301 | ST | 183.30 | EUR | 1 | DR MOD 4P 255 | 4013364117440 | 1 | 0.076 | 0.059 | 85363030 | RO | 79 | 61 | 40 | MM |
| 3219 | 953021 | 3015440 | Surge arrester Type 3 protection module | 4-pole 255V for DEHNrail M 32A | 04010301 | ST | 183.30 | EUR | 1 | DR MOD 4P 255 SN1871 | 4013364353077 | 1 | 0.061 | 0.049 | 85363030 | RO | 78 | 61 | 40 | MM |
| 3220 | 953200 | 3015430 | DEHNrail M surge arrester | | 04010301 | ST | 119.80 | EUR | 1 | DR M 2P 255 | 4013364108301 | 1 | 0.092 | 0.081 | 85363030 | RO | 105 | 75 | 19 | MM |
| 3221 | 953201 | 3015422 | DEHNrail M surge arrester | | 04010301 | ST | 119.80 | EUR | 1 | DR M 2P 30 | 4013364109674 | 1 | 0.091 | 0.08 | 85363030 | RO | 105 | 75 | 19 | MM |
| 3222 | 953202 | 3015424 | DEHNrail M surge arrester | | 04010301 | ST | 119.80 | EUR | 1 | DR M 2P 60 | 4013364109681 | 1 | 0.092 | 0.081 | 85363030 | RO | 105 | 75 | 19 | MM |
| 3223 | 953203 | 3015426 | DEHNrail M surge arrester | | 04010301 | ST | 119.80 | EUR | 1 | DR M 2P 75 | 4013364109698 | 1 | 0.09 | 0.079 | 85363030 | RO | 105 | 75 | 19 | MM |
| 3224 | 953204 | 3015428 | DEHNrail M surge arrester | | 04010301 | ST | 119.80 | EUR | 1 | DR M 2P 150 | 4013364109704 | 1 | 0.09 | 0.079 | 85363030 | RO | 105 | 75 | 19 | MM |
| 3225 | 953205 | 3015431 | Surge arrester Type 3 DEHNrail M | 2-pole 255V for industry electronics | 04010301 | ST | 137.30 | EUR | 1 | DR M 2P 255 FM | 4013364108318 | 1 | 0.099 | 0.084 | 85363030 | RO | 105 | 75 | 19 | MM |
| 3226 | 953206 | 3015423 | DEHNrail M FM surge arrester | | 04010301 | ST | 137.30 | EUR | 1 | DR M 2P 30 FM | 4013364109711 | 1 | 0.095 | 0.084 | 85363030 | RO | 105 | 75 | 19 | MM |
| 3227 | 953207 | 3015425 | DEHNrail M FM surge arrester | | 04010301 | ST | 137.30 | EUR | 1 | DR M 2P 60 FM | 4013364109728 | 1 | 0.095 | 0.085 | 85363030 | RO | 105 | 75 | 19 | MM |
| 3228 | 953208 | 3015427 | DEHNrail M FM surge arrester | | 04010301 | ST | 137.30 | EUR | 1 | DR M 2P 75 FM | 4013364109735 | 1 | 0.094 | 0.083 | 85363030 | RO | 105 | 75 | 19 | MM |
| 3229 | 953209 | 3015429 | DEHNrail M FM surge arrester | | 04010301 | ST | 137.30 | EUR | 1 | DR M 2P 150 FM | 4013364109742 | 1 | 0.093 | 0.082 | 85363030 | RO | 105 | 75 | 19 | MM |
| 3230 | 953228 | 3015437 | Surge arrester Type 3 DEHNrail M | 2-pole 255V f. industr. electr. equip. | 04010301 | ST | 119.90 | EUR | 1 | DR M 2P 255 SN1802 | 4013364158986 | 1 | 0.09 | 0.079 | 85363030 | RO | 105 | 75 | 19 | MM |
| 3231 | 953229 | 3015438 | Surge arrester Type 3 DEHNrail M | 2-pole 255V f. industr. electr. equip. | 04010301 | ST | 137.30 | EUR | 1 | DR M 2P 255 SN1803FM | 4013364158993 | 1 | 0.093 | 0.083 | 85363030 | RO | 105 | 75 | 19 | MM |
| 3232 | 953400 | 3015432 | DEHNrail M surge arrester | | 04010301 | ST | 217.80 | EUR | 1 | DR M 4P 255 | 4013364115767 | 1 | 0.168 | 0.147 | 85363030 | RO | 100 | 74 | 37 | MM |
| 3233 | 953405 | 3015433 | DEHNrail M FM surge arrester | | 04010301 | ST | 234.60 | EUR | 1 | DR M 4P 255 FM | 4013364115774 | 1 | 0.172 | 0.151 | 85363030 | RO | 100 | 74 | 37 | MM |
| 3234 | 953406 | 3015439 | Surge arrester Type 3 DEHNrail M | 4-pole 255V f. industry electronics | 04010301 | ST | 234.60 | EUR | 1 | DR M 4P 255 SN1872 FM | 4013364353060 | 1 | 0.172 | 0.151 | 85363030 | RO | 100 | 74 | 37 | MM |
| 3235 | 954011 | 3010034 | Protection module combined arrester Type 1+2+3 | two-pole for DV M2 TT 2P 255 FM | 04010101 | ST | 695.30 | EUR | 1 | DV MOD TT 2P 255 | 4013364400887 | 1 | 0.192 | 0.167 | 85363090 | DE | 79 | 61 | 40 | MM |
| 3236 | 954020 | 3010033 | Protection module combined arrester Type 1+2+3 | two-pole for DV M2 TN 255 FM | 04010101 | ST | 619.00 | EUR | 1 | DV MOD TN 255 | 4013364400870 | 1 | 0.173 | 0.148 | 85363090 | DE | 79 | 61 | 40 | MM |
| 3237 | 954030 | 3010031 | Protection module combined arrester Type 1+2+3 | three-pole for DV M2 TNC 255 FM | 04010101 | ST | 928.50 | EUR | 1 | DV MOD TNC 255 | 4013364410282 | 1 | 0.269 | 0.223 | 85363090 | DE | 76 | 70 | 61 | MM |
| 3238 | 954031 | 3010032 | Schutzmodul Kombi-Ableiter Typ1+2+3 | vierpolig für DV M2 TT 255 FM | 04010101 | ST | 1314.20 | EUR | 1 | DV MOD TT 255 | 4013364410275 | 1 | 0.347 | 0.307 | 85363090 | DE | 76 | 70 | 61 | MM |
| 3239 | 954040 | 3010030 | Protection module combined arrester Type 1+2+3 | four-pole for DV M2 TNS 255 FM | 04010101 | ST | 1238.10 | EUR | 1 | DV MOD TNS 255 | 4013364410299 | 1 | 0.334 | 0.294 | 85363090 | DE | 76 | 70 | 61 | MM |
| 3240 | 954115 | 3017587 | Combined arrester Type 1+2+3 DEHNventil M2 | f. single-phase TT a. TN systems w. remote signal. contact | 04010101 | ST | 921.00 | EUR | 1 | DV M2 TT 2P 255 FM | 4013364400924 | 1 | 0.32 | 0.28 | 85363090 | DE | 115 | 90 | 48 | MM |
| 3241 | 954205 | 3017586 | Combined arrester Type 1+2+3 DEHNventil M2 | for single-phase TN systems w. remote signalling contact | 04010101 | ST | 854.40 | EUR | 1 | DV M2 TN 255 FM | 4013364398023 | 1 | 0.311 | 0.271 | 85363090 | DE | 115 | 90 | 48 | MM |
| 3242 | 954305 | 3017672 | Combined arrester Type 1+2+3 DEHNventil M2 | three-pole f. TN-C systems w. remote signalling contact | 04010101 | ST | 1249.80 | EUR | 1 | DV M2 TNC 255 FM | 4013364400900 | 1 | 0.519 | 0.459 | 85363090 | DE | 115 | 90 | 90 | MM |
| 3243 | 954315 | 3017673 | Combined arrester Type 1+2+3 DEHNventil M2 | four-pole f. TT a. TN-S systems w. remote signal. contact | 04010101 | ST | 1741.50 | EUR | 1 | DV M2 TT 255 FM | 4013364400917 | 1 | 0.597 | 0.537 | 85363090 | DE | 115 | 90 | 90 | MM |
| 3244 | 954405 | 3017671 | Combined arrester Type 1+2+3 DEHNventil M2 | four-pole f. TN-S systems w. remote signalling contact | 04010101 | ST | 1650.60 | EUR | 1 | DV M2 TNS 255 FM | 4013364400894 | 1 | 0.584 | 0.524 | 85363090 | DE | 115 | 90 | 90 | MM |
| 3245 | 961001 | 69192 | Spark-gap-based protection module | for DEHNbloc M | 04010108 | ST | 294.90 | EUR | 1 | DB M MOD 150 | 4013364118584 | 1 | 0.185 | 0.173 | 85363090 | DE | 79 | 61 | 40 | MM |
| 3246 | 961002 | 69188 | Koordinierter Blitzstromableiter Typ 1 | Funkenstrecken-Schutzmodul DEHNbloc M | 04010108 | ST | 307.00 | EUR | 1 | DB M MOD 255 | 4013364118591 | 1 | 0.207 | 0.195 | 85363090 | DE | 79 | 61 | 40 | MM |
| 3247 | 961003 | 69195 | Spark-gap-based protection module | for DEHNbloc M | 04010108 | ST | 311.00 | EUR | 1 | DB M MOD 320 | 4013364118607 | 1 | 0.192 | 0.18 | 85363090 | DE | 79 | 61 | 40 | MM |
| 3248 | 961010 | 69432 | N-PE spark-gap-based protection | module for DEHNgap M | 04010114 | ST | 313.90 | EUR | 1 | DGP M MOD 255 | 4013364118744 | 1 | 0.182 | 0.17 | 85363030 | DE | 79 | 61 | 40 | MM |
| 3249 | 961020 | 69433 | N-PE spark-gap-based protection module | f. DEHNgap H M | 04010114 | ST | 214.80 | EUR | 1 | DGPH MOD 255 | 4013364118706 | 1 | 0.151 | 0.139 | 85363030 | DE | 79 | 61 | 40 | MM |
| 3250 | 961022 | 69198 | Spark-gap-based protection module | for DEHNbloc H M | 04010108 | ST | 206.00 | EUR | 1 | DBH MOD 255 | 4013364118669 | 1 | 0.207 | 0.195 | 85363090 | DE | 79 | 61 | 40 | MM |
| 3251 | 961101 | 69426 | DEHNgap M, N-PE lightning current | arrester | 04010114 | ST | 346.50 | EUR | 1 | DGP M 255 | 4013364118676 | 1 | 0.331 | 0.315 | 85363030 | DE | 100 | 74 | 37 | MM |
| 3252 | 961102 | 69431 | DEHNgap H M, N-PE lightning current | arrester | 04010114 | ST | 244.60 | EUR | 1 | DGPH M 255 | 4013364118690 | 1 | 0.3 | 0.284 | 85363030 | DE | 100 | 74 | 37 | MM |
| 3253 | 961105 | 69427 | DEHNgap M FM, N-PE lightning current | arrester | 04010114 | ST | 377.60 | EUR | 1 | DGP M 255 FM | 4013364118683 | 1 | 0.336 | 0.32 | 85363030 | DE | 100 | 74 | 37 | MM |
| 3254 | 961110 | 69189 | DEHNbloc M lightning current arrester | | 04010108 | ST | 323.40 | EUR | 1 | DB M 1 150 | 4013364118560 | 1 | 0.333 | 0.317 | 85363090 | DE | 100 | 74 | 37 | MM |
| 3255 | 961115 | 69190 | DEHNbloc M FM lightning current arrester | | 04010108 | ST | 354.70 | EUR | 1 | DB M 1 150 FM | 4013364118577 | 1 | 0.337 | 0.321 | 85363090 | DE | 100 | 74 | 37 | MM |
| 3256 | 961120 | 69184 | Coordin. lightn. current arrest. Type 1 | DEHNbloc M high follow curr. ext. cap. | 04010108 | ST | 335.60 | EUR | 1 | DB M 1 255 | 4013364118614 | 1 | 0.356 | 0.34 | 85363090 | DE | 100 | 74 | 37 | MM |
| 3257 | 961122 | 69197 | DEHNbloc H M lightning current arrester | | 04010108 | ST | 234.60 | EUR | 1 | DBH M 1 255 | 4013364118652 | 1 | 0.374 | 0.358 | 85363090 | DE | 100 | 74 | 37 | MM |
| 3258 | 961125 | 69186 | DEHNbloc M FM lightning current arrester | | 04010108 | ST | 366.90 | EUR | 1 | DB M 1 255 FM | 4013364118621 | 1 | 0.359 | 0.343 | 85363090 | DE | 100 | 74 | 37 | MM |
| 3259 | 961130 | 69193 | DEHNbloc M coordinated type 1 lightning | current arr. w. high follow curr. limit. | 04010108 | ST | 339.80 | EUR | 1 | DB M 1 320 | 4013364118638 | 1 | 0.341 | 0.325 | 85363090 | DE | 100 | 74 | 37 | MM |
| 3260 | 961135 | 69194 | Coordin. lightning current arr. Type 1 | DEHNbloc M w. high follow current limit. | 04010108 | ST | 371.00 | EUR | 1 | DB M 1 320 FM | 4013364118645 | 1 | 0.346 | 0.33 | 85363090 | DE | 100 | 74 | 37 | MM |
| 3261 | 961140 | 69102 | Coord. lightn. current arrester Type 1 | DEHNbloc Maxi 440 V AC | 04010109 | ST | 467.20 | EUR | 1 | DBM 1 440 | 4013364116269 | 1 | 0.592 | 0.516 | 85363090 | DE | 207 | 115 | 75 | MM |
| 3262 | 961145 | 3002498 | Coord. lightn. current arrester Type 1 | DEHNbloc Maxi 440 V AC | 04010109 | ST | 486.40 | EUR | 1 | DBM 1 440 FM | 4013364116276 | 1 | 0.602 | 0.52 | 85363090 | DE | 207 | 115 | 75 | MM |
| 3263 | 961146 | 3002238 | Coord. lightn. current arrester Type 1 | DEHNbloc Maxi CI 440 V AC w. backup fuse | 04010110 | ST | 608.50 | EUR | 1 | DBM 1 CI 440 FM | 4013364250062 | 1 | 1.175 | 0.946 | 85363090 | DE | 265 | 195 | 75 | MM |
| 3264 | 961160 | 69429 | DEHNgap Maxi, N-PE lightning current | arrester | 04010114 | ST | 445.60 | EUR | 1 | DGPM 440 | 4013364116290 | 1 | 0.415 | 0.369 | 85363030 | DE | 207 | 115 | 75 | MM |
| 3265 | 961165 | 69430 | DEHNgap Maxi FM, N-PE lightning current | arrester | 04010114 | ST | 466.10 | EUR | 1 | DGPM 440 FM | 4013364116306 | 1 | 0.418 | 0.372 | 85363030 | DE | 207 | 115 | 75 | MM |
| 3266 | 961175 | 69148 | Coord. lightn. current arrester Type 1 | DEHNbloc DBM 1 760 FM, vp, IEC | 04010109 | ST | 577.50 | EUR | 1 | DBM 1 760 FM | 4013364116283 | 1 | 0.59 | 0.507 | 85363090 | DE | 207 | 115 | 75 | MM |
| 3267 | 961176 | 3002239 | Coord. lightn. current arrester Type 1 | DEHNbloc Maxi CI 760 V AC w. backup fuse | 04010110 | ST | 657.40 | EUR | 1 | DBM 1 CI 760 FM | 4013364250123 | 1 | 1.17 | 0.908 | 85363090 | DE | 235 | 183 | 69 | MM |
| 3268 | 961180 | 69221 | N-PE lightning current arrester | DEHNgap Maxi 1 for use in TT systems | 04010114 | ST | 417.20 | EUR | 1 | DGPM 1 255 | 4013364157323 | 1 | 0.46 | 0.37 | 85363090 | DE | 205 | 113 | 80 | MM |
| 3269 | 961185 | 69222 | N-PE lightning current arrester | DEHNgap Maxi 1 for use in TT systems | 04010114 | ST | 437.40 | EUR | 1 | DGPM 1 255 FM | 4013364157330 | 1 | 0.46 | 0.37 | 85363090 | DE | 205 | 113 | 80 | MM |
| 3270 | 961200 | 67560 | Combined arrester Type 1 + Type 2 DEHNvenCI | 1-pole 255V a.c. with backup fuse | 04010103 | ST | 430.00 | EUR | 1 | DVCI 1 255 | 4013364145108 | 1 | 0.477 | 0.432 | 85363090 | DE | 207 | 115 | 75 | MM |
| 3271 | 961205 | 67559 | Combined arrester Type 1 + Type 2 DEHNvenCI | 1-pole 255V a.c. with backup fuse | 04010103 | ST | 450.20 | EUR | 1 | DVCI 1 255 FM | 4013364145115 | 1 | 0.481 | 0.435 | 85363090 | DE | 207 | 115 | 75 | MM |
| 3272 | 971001 | 62872 | Spark-gap-based protection module | for DEHNsecure M | 04010112 | ST | 297.60 | EUR | 1 | DSE MOD 60 | 4013364138605 | 1 | 0.151 | 0.139 | 85363090 | DE | 79 | 61 | 40 | MM |
| 3273 | 971002 | 60871 | Spark-gap-based protection module | f. DEHNsecure M | 04010112 | ST | 335.60 | EUR | 1 | DSE MOD 220 | 4013364133655 | 1 | 0.118 | 0.106 | 85363090 | DE | 79 | 61 | 40 | MM |
| 3274 | 971003 | 64633 | Spark-gap-based protection module | for DEHNsecure M | 04010112 | ST | 373.70 | EUR | 1 | DSE MOD 242 | 4013364144491 | 1 | 0.121 | 0.109 | 85363090 | DE | 79 | 61 | 40 | MM |
| 3275 | 971010 | 62885 | PE spark-gap-based protection module | for DEHNsecure M | 04010112 | ST | 417.20 | EUR | 1 | DSE MOD PE 60 | 4013364138636 | 1 | 0.183 | 0.171 | 85363090 | DE | 79 | 61 | 40 | MM |
| 3276 | 971120 | 3001260 | Coord. lightn. current arrester Type 1 | DEHNsecure M for d.c. circuits | 04010112 | ST | 364.20 | EUR | 1 | DSE M 1 220 | 4013364133631 | 1 | 0.268 | 0.252 | 85363090 | DE | 100 | 74 | 37 | MM |
| 3277 | 971121 | 62873 | Coord. lightn. current arrester Type 1 | DEHNsecure M for d.c. circuits | 04010112 | ST | 326.10 | EUR | 1 | DSE M 1 60 | 4013364138582 | 1 | 0.3 | 0.284 | 85363090 | DE | 100 | 74 | 37 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 3278 | 971122 | 3001255 | Coord. lightn. current arrester Type 1 | DEHNsecure M for d.c. circuits | 04010112 | ST | 402.20 | EUR | 1 | DSE M 1 242 | 4013364144477 | 1 | 0.274 | 0.258 | 85363090 | DE | 100 | 74 | 37 | MM |
| 3279 | 971125 | 3001261 | DEHNsecure M coordinated type 1 lightn. | current arrester for d.c. circuits | 04010112 | ST | 395.40 | EUR | 1 | DSE M 1 220 FM | 4013364133648 | 1 | 0.242 | 0.226 | 85363090 | DE | 100 | 74 | 37 | MM |
| 3280 | 971126 | 62874 | Coordin. DEHNsecure M type 1 lightning | current arrester for d.c. circuits | 04010112 | ST | 358.80 | EUR | 1 | DSE M 1 60 FM | 4013364138599 | 1 | 0.304 | 0.288 | 85363090 | DE | 100 | 74 | 37 | MM |
| 3281 | 971127 | 3001256 | Coord. lightn. current arrester Type 1 | DEHNsecure M for d.c. circuits | 04010112 | ST | 433.40 | EUR | 1 | DSE M 1 242 FM | 4013364144484 | 1 | 0.27 | 0.254 | 85363090 | DE | 100 | 74 | 37 | MM |
| 3282 | 971221 | 62883 | Coord. lightn. current arrester Type 1 | DEHNsecure M for d.c. circuits | 04010112 | ST | 778.60 | EUR | 1 | DSE M 2P 60 | 4013364138612 | 1 | 0.638 | 0.608 | 85363090 | DE | 115 | 90 | 90 | MM |
| 3283 | 971226 | 62884 | Coord. lightn. current arrester Type 1 | DEHNsecure M for d.c. circuits | 04010112 | ST | 842.50 | EUR | 1 | DSE M 2P 60 FM | 4013364138629 | 1 | 0.675 | 0.614 | 85363090 | DE | 115 | 90 | 90 | MM |
| 3284 | 972010 | 68918 | Surge arrester Type 2 varistor-based | protection module for DEHNguard SE DC | 04010215 | ST | 126.00 | EUR | 1 | DG MOD E DC 60 | 4013364158672 | 1 | 0.065 | 0.048 | 85363030 | DE | 79 | 61 | 40 | MM |
| 3285 | 972020 | 68919 | Surge arrester Type 2 varistor-based | protection module for DEHNguard SE DC | 04010215 | ST | 120.50 | EUR | 1 | DG MOD E DC 242 | 4013364158702 | 1 | 0.075 | 0.057 | 85363030 | DE | 79 | 61 | 40 | MM |
| 3286 | 972030 | 68920 | Surge arrester Type 2 varistor-based | protection module for DEHNguard SE DC | 04010215 | ST | 120.50 | EUR | 1 | DG MOD E DC 550 | 4013364158719 | 1 | 0.089 | 0.071 | 85363030 | DE | 79 | 61 | 40 | MM |
| 3287 | 972040 | 68921 | Surge arrester Type 2 varistor-based | protection module for DEHNguard SE DC | 04010215 | ST | 126.00 | EUR | 1 | DG MOD E DC 900 | 4013364158764 | 1 | 0.095 | 0.077 | 85363030 | DE | 79 | 61 | 40 | MM |
| 3288 | 972050 | 3010725 | Combined arrester Type 1+2 | Varistor-based protection module | 04010215 | ST | 126.00 | EUR | 1 | DG MOD DC Y 500 | 4013364343825 | 1 | 0.105 | 0.089 | 85363030 | DE | 79 | 61 | 40 | MM |
| 3289 | 9720S1 | 3010729 | N-PE combined arrester DEHNgap module | for higher voltages | 04010215 | ST | 97.20 | EUR | 1 | DGP MOD DC Y 500 | 4013364347977 | 1 | 0.056 | 0.04 | 85363030 | DE | 79 | 61 | 40 | MM |
| 3290 | 972110 | 68910 | Surge arrester Type 2 DEHNguard SE DC | single-pole Uc 60V d.c. | 04010215 | ST | 142.90 | EUR | 1 | DG SE DC 60 | 4013364158504 | 1 | 0.16 | 0.138 | 85363030 | DE | 105 | 88 | 31 | MM |
| 3291 | 972115 | 68911 | Surge arrester Type 2 DEHNguard SE DC | 1-pole Uc 60V DC | 04010215 | ST | 165.30 | EUR | 1 | DG SE DC 60 FM | 4013364158511 | 1 | 0.164 | 0.142 | 85363030 | DE | 105 | 88 | 31 | MM |
| 3292 | 972120 | 68912 | Surge arrester Type 2 DEHNguard SE DC | single-pole Uc 242V d.c. | 04010215 | ST | 137.30 | EUR | 1 | DG SE DC 242 | 4013364158528 | 1 | 0.17 | 0.148 | 85363030 | DE | 105 | 86 | 30 | MM |
| 3293 | 972125 | 68913 | Surge arrester Type 2 DEHNguard SE DC | 1-pole Uc 242V DC | 04010215 | ST | 159.80 | EUR | 1 | DG SE DC 242 FM | 4013364158610 | 1 | 0.174 | 0.152 | 85363030 | DE | 105 | 86 | 30 | MM |
| 3294 | 972130 | 68914 | Surge arrester Type 2 DEHNguard SE DC | 1-pole Uc 550V DC | 04010215 | ST | 137.30 | EUR | 1 | DG SE DC 550 | 4013364158627 | 1 | 0.184 | 0.162 | 85363030 | DE | 105 | 86 | 30 | MM |
| 3295 | 972135 | 68915 | Surge arrester Type 2 DEHNguard SE DC | 1-pole Uc 550V DC | 04010215 | ST | 159.80 | EUR | 1 | DG SE DC 550 FM | 4013364158634 | 1 | 0.189 | 0.167 | 85363030 | DE | 105 | 86 | 30 | MM |
| 3296 | 972140 | 68916 | Surge arrester Type 2 DEHNguard SE DC | 1-pole Uc 900V DC | 04010215 | ST | 142.90 | EUR | 1 | DG SE DC 900 | 4013364158641 | 1 | 0.19 | 0.168 | 85363030 | DE | 105 | 86 | 30 | MM |
| 3297 | 972145 | 68917 | Surge arrester Type 2 DEHNguard SE DC | 1-pole Uc 900V DC | 04010215 | ST | 165.30 | EUR | 1 | DG SE DC 900 FM | 4013364158658 | 1 | 0.194 | 0.172 | 85363030 | DE | 105 | 86 | 30 | MM |
| 3298 | 972146 | 3010592 | Combined arrester Type 1+2 | DEHNguard ME DC Uc 950V DC | 04010215 | ST | 484.40 | EUR | 1 | DG ME DC Y 950 FM | 4013364347960 | 1 | 0.53 | 0.497 | 85363030 | DE | 115 | 90 | 90 | MM |
| 3299 | 989408 | 56259 | Terminal box for information | technology systems | 04021101 | ST | 737.60 | EUR | 1 | ITAK EXI BXT 24 | 4013364120396 | 1 | 1 | 1 | 85371098 | DE | 160 | 135 | 81 | MM |
| 3300 | 990001 | 47508 | DEHNmid medium voltage arrester Ur: 3kV | In: 10kA line discharge class 1 indoor | 04100101 | ST | Price on request | EUR | 1 | DMI 3 10 1 L | 4013364102583 | 1 | 0.7 | 0.7 | 85354000 | DE | 182 | 50 | 50 | MM |
| 3301 | 990002 | 47509 | DEHNmid medium voltage arrester Ur: 6kV | In: 10kA line discharge class 1 indoor | 04100101 | ST | Price on request | EUR | 1 | DMI 6 10 1 L | 4013364102590 | 1 | 0.9 | 0.9 | 85354000 | DE | 202 | 50 | 50 | MM |
| 3302 | 990003 | 47510 | DEHNmid medium voltage arrester Ur: 9kV | In: 10kA line discharge class 1 indoor | 04100101 | ST | Price on request | EUR | 1 | DMI 9 10 1 L | 4013364102606 | 1 | 1 | 1 | 85354000 | DE | 222 | 50 | 50 | MM |
| 3303 | 990004 | 47511 | DEHNmid medium voltage arrester Ur: 12kV | In: 10kA line discharge class 1 indoor | 04100101 | ST | Price on request | EUR | 1 | DMI 12 10 1 L | 4013364102613 | 1 | 1.2 | 1.2 | 85354000 | DE | 242 | 50 | 50 | MM |
| 3304 | 990005 | 47512 | DEHNmid medium voltage arrester Ur: 15kV | In: 10kA line discharge class 1 indoor | 04100101 | ST | Price on request | EUR | 1 | DMI 15 10 1 L | 4013364102620 | 1 | 1.3 | 1.3 | 85354000 | DE | 252 | 50 | 50 | MM |
| 3305 | 990006 | 47513 | DEHNmid medium voltage arrester Ur: 18kV | In: 10kA line discharge class 1 indoor | 04100101 | ST | Price on request | EUR | 1 | DMI 18 10 1 L | 4013364102637 | 1 | 1.5 | 1.5 | 85354000 | DE | 272 | 50 | 50 | MM |
| 3306 | 990007 | 47514 | DEHNmid medium voltage arrester Ur: 21kV | In: 10kA line discharge class 1 indoor | 04100101 | ST | Price on request | EUR | 1 | DMI 21 10 1 L | 4013364102644 | 1 | 1.7 | 1.7 | 85354000 | DE | 294 | 50 | 50 | MM |
| 3307 | 990008 | 47515 | DEHNmid medium voltage arrester Ur: 24kV | In: 10kA line discharge class 1 indoor | 04100101 | ST | Price on request | EUR | 1 | DMI 24 10 1 L | 4013364102651 | 1 | 1.8 | 1.8 | 85354000 | DE | 314 | 50 | 50 | MM |
| 3308 | 990009 | 47516 | DEHNmid medium voltage arrester Ur: 27kV | In: 10kA line discharge class 1 indoor | 04100101 | ST | Price on request | EUR | 1 | DMI 27 10 1 L | 4013364102668 | 1 | 2 | 2 | 85354000 | DE | 334 | 50 | 50 | MM |
| 3309 | 990010 | 47517 | DEHNmid medium voltage arrester Ur: 30kV | In: 10kA line discharge class 1 indoor | 04100101 | ST | Price on request | EUR | 1 | DMI 30 10 1 L | 4013364102675 | 1 | 2.1 | 2.1 | 85354000 | DE | 344 | 50 | 50 | MM |
| 3310 | 990011 | 47518 | DEHNmid medium voltage arrester Ur: 31kV | In: 10kA line discharge class 1 indoor | 04100101 | ST | Price on request | EUR | 1 | DMI 31 10 1 L | 4013364102682 | 1 | 2.2 | 2.2 | 85354000 | DE | 364 | 50 | 50 | MM |
| 3311 | 990012 | 47519 | DEHNmid medium voltage arrester Ur: 33kV | In: 10kA line discharge class 1 indoor | 04100101 | ST | Price on request | EUR | 1 | DMI 33 10 1 L | 4013364102699 | 1 | 2.4 | 2.4 | 85354000 | DE | 364 | 50 | 50 | MM |
| 3312 | 990013 | 47520 | DEHNmid medium voltage arrester Ur: 36kV | In: 10kA line discharge class 1 indoor | 04100101 | ST | Price on request | EUR | 1 | DMI 36 10 1 L | 4013364102705 | 1 | 3 | 3 | 85354000 | DE | 452 | 50 | 50 | MM |
| 3313 | 990014 | 47521 | DEHNmid medium voltage arrester Ur: 39kV | In: 10kA line discharge class 1 indoor | 04100101 | ST | Price on request | EUR | 1 | DMI 39 10 1 L | 4013364102712 | 1 | 3.2 | 3.2 | 85354000 | DE | 474 | 50 | 50 | MM |
| 3314 | 990015 | 47522 | DEHNmid medium voltage arrester Ur: 42kV | In: 10kA line discharge class 1 indoor | 04100101 | ST | Price on request | EUR | 1 | DMI 42 10 1 L | 4013364102729 | 1 | 3.4 | 3.4 | 85354000 | DE | 496 | 50 | 50 | MM |
| 3315 | 990016 | 47523 | DEHNmid medium voltage arrester Ur: 45kV | In: 10kA line discharge class 1 indoor | 04100101 | ST | Price on request | EUR | 1 | DMI 45 10 1 L | 4013364102736 | 1 | 3.6 | 3.6 | 85354000 | DE | 504 | 50 | 50 | MM |
| 3316 | 990017 | 47524 | DEHNmid medium voltage arrester Ur: 48kV | In: 10kA line discharge class 1 indoor | 04100101 | ST | Price on request | EUR | 1 | DMI 48 10 1 L | 4013364102743 | 1 | 3.8 | 3.8 | 85354000 | DE | 536 | 50 | 50 | MM |
| 3317 | 990018 | 47525 | DEHNmid medium voltage arrester Ur: 51kV | In: 10kA line discharge class 1 indoor | 04100101 | ST | Price on request | EUR | 1 | DMI 51 10 1 L | 4013364102750 | 1 | 4 | 4 | 85354000 | DE | 546 | 50 | 50 | MM |
| 3318 | 990101 | 47526 | DEHNmid MV arrester Ur: 3kV In: 10kA | line disch. class 1 normal creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 3 10 1 N | 4013364102767 | 1 | 0.7 | 0.7 | 85354000 | DE | 182 | 120 | 120 | MM |
| 3319 | 990102 | 47527 | DEHNmid MV arrester Ur: 6kV In: 10kA | line disch. class 1 normal creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 6 10 1 N | 4013364102774 | 1 | 0.9 | 0.9 | 85354000 | DE | 202 | 120 | 120 | MM |
| 3320 | 990103 | 47528 | DEHNmid MV arrester Ur: 9kV In: 10kA | line disch. class 1 normal creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 9 10 1 N | 4013364102781 | 1 | 1 | 1 | 85354000 | DE | 222 | 120 | 120 | MM |
| 3321 | 990104 | 47529 | DEHNmid MV arrester Ur: 12kV In: 10kA | line disch. class 1 normal creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 12 10 1 N | 4013364102798 | 1 | 1.2 | 1.2 | 85354000 | DE | 242 | 120 | 120 | MM |
| 3322 | 990105 | 47530 | DEHNmid MV arrester Ur: 15kV In: 10kA | line disch. class 1 normal creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 15 10 1 N | 4013364102804 | 1 | 1.3 | 1.3 | 85354000 | DE | 252 | 120 | 120 | MM |
| 3323 | 990106 | 47531 | DEHNmid MV arrester Ur: 18kV In: 10kA | line disch. class 1 normal creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 18 10 1 N | 4013364102811 | 1 | 1.5 | 1.5 | 85354000 | DE | 272 | 120 | 120 | MM |
| 3324 | 990107 | 47532 | DEHNmid MV arrester Ur: 21kV In: 10kA | line disch. class 1 normal creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 21 10 1 N | 4013364102828 | 1 | 1.7 | 1.7 | 85354000 | DE | 294 | 120 | 120 | MM |
| 3325 | 990108 | 47533 | DEHNmid MV arrester Ur: 24kV In: 10kA | line disch. class 1 normal creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 24 10 1 N | 4013364102835 | 1 | 1.8 | 1.8 | 85354000 | DE | 314 | 120 | 120 | MM |
| 3326 | 990109 | 47534 | DEHNmid MV arrester Ur: 27kV In: 10kA | line disch. class 1 normal creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 27 10 1 N | 4013364102842 | 1 | 2 | 2 | 85354000 | DE | 334 | 120 | 120 | MM |
| 3327 | 990110 | 47535 | DEHNmid MV arrester Ur: 30kV In: 10kA | line disch. class 1 normal creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 30 10 1 N | 4013364102859 | 1 | 2.1 | 2.1 | 85354000 | DE | 344 | 120 | 120 | MM |
| 3328 | 990111 | 47536 | DEHNmid MV arrester Ur: 31kV In: 10kA | line disch. class 1 normal creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 31 10 1 N | 4013364102866 | 1 | 2.2 | 2.2 | 85354000 | DE | 364 | 120 | 120 | MM |
| 3329 | 990112 | 47537 | DEHNmid MV arrester Ur: 33kV In: 10kA | line disch. class 1 normal creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 33 10 1 N | 4013364102873 | 1 | 2.4 | 2.4 | 85354000 | DE | 364 | 120 | 120 | MM |
| 3330 | 990113 | 47538 | DEHNmid MV arrester Ur: 36kV In: 10kA | line disch. class 1 normal creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 36 10 1 N | 4013364102880 | 1 | 3 | 3 | 85354000 | DE | 452 | 120 | 120 | MM |
| 3331 | 990114 | 47539 | DEHNmid MV arrester Ur: 39kV In: 10kA | line disch. class 1 normal creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 39 10 1 N | 4013364102897 | 1 | 3.2 | 3.2 | 85354000 | DE | 474 | 120 | 120 | MM |
| 3332 | 990115 | 47540 | DEHNmid MV arrester Ur: 42kV In: 10kA | line disch. class 1 normal creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 42 10 1 N | 4013364102903 | 1 | 3.4 | 3.4 | 85354000 | DE | 496 | 120 | 120 | MM |
| 3333 | 990116 | 47541 | DEHNmid MV arrester Ur: 45kV In: 10kA | line disch. class 1 normal creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 45 10 1 N | 4013364102910 | 1 | 3.6 | 3.6 | 85354000 | DE | 504 | 120 | 120 | MM |
| 3334 | 990117 | 47542 | DEHNmid MV arrester Ur: 48kV In: 10kA | line disch. class 1 normal creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 48 10 1 N | 4013364102927 | 1 | 3.8 | 3.8 | 85354000 | DE | 536 | 120 | 120 | MM |
| 3335 | 990118 | 47543 | DEHNmid MV arrester Ur: 51kV In: 10kA | line disch. class 1 normal creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 51 10 1 N | 4013364102934 | 1 | 4 | 4 | 85354000 | DE | 546 | 120 | 120 | MM |
| 3336 | 990201 | 47544 | DEHNmid MV arrester Ur: 15kV In: 10kA | line disch. class 1 incr. creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 15 10 1 H | 4013364102941 | 1 | 1.3 | 1.3 | 85354000 | DE | 252 | 120 | 120 | MM |
| 3337 | 990202 | 47545 | DEHNmid MV arrester Ur: 18kV In: 10kA | line disch. class 1 incr. creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 18 10 1 H | 4013364102958 | 1 | 1.5 | 1.5 | 85354000 | DE | 272 | 120 | 120 | MM |
| 3338 | 990203 | 47546 | DEHNmid MV arrester Ur: 21kV In: 10kA | line disch. class 1 incr. creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 21 10 1 H | 4013364102965 | 1 | 1.7 | 1.7 | 85354000 | DE | 294 | 120 | 120 | MM |
| 3339 | 990204 | 47547 | DEHNmid MV arrester Ur: 24kV In: 10kA | line disch. class 1 incr. creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 24 10 1 H | 4013364102972 | 1 | 1.8 | 1.8 | 85354000 | DE | 314 | 120 | 120 | MM |
| 3340 | 990205 | 47548 | DEHNmid MV arrester Ur: 27kV In: 10kA | line disch. class 1 incr. creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 27 10 1 H | 4013364102989 | 1 | 2 | 2 | 85354000 | DE | 334 | 120 | 120 | MM |
| 3341 | 990206 | 47549 | DEHNmid MV arrester Ur: 30kV In: 10kA | line disch. class 1 incr. creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 30 10 1 H | 4013364102996 | 1 | 2.1 | 2.1 | 85354000 | DE | 344 | 120 | 120 | MM |
| 3342 | 990207 | 47550 | DEHNmid MV arrester Ur: 31kV In: 10kA | line disch. class 1 incr. creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 31 10 1 H | 4013364103009 | 1 | 2.2 | 2.2 | 85354000 | DE | 364 | 120 | 120 | MM |
| 3343 | 990208 | 47551 | DEHNmid MV arrester Ur: 33kV In: 10kA | line disch. class 1 incr. creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 33 10 1 H | 4013364103016 | 1 | 2.4 | 2.4 | 85354000 | DE | 384 | 120 | 120 | MM |
| 3344 | 990209 | 47552 | DEHNmid MV arrester Ur: 36kV In: 10kA | line disch. class 1 incr. creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 36 10 1 H | 4013364103023 | 1 | 3 | 3 | 85354000 | DE | 452 | 120 | 120 | MM |
| 3345 | 990210 | 47553 | DEHNmid MV arrester Ur: 39kV In: 10kA | line disch. class 1 incr. creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 39 10 1 H | 4013364103030 | 1 | 3.2 | 3.2 | 85354000 | DE | 474 | 120 | 120 | MM |
| 3346 | 990211 | 47554 | DEHNmid MV arrester Ur: 42kV In: 10kA | line disch. class 1 incr. creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 42 10 1 H | 4013364103047 | 1 | 3.4 | 3.4 | 85354000 | DE | 496 | 120 | 120 | MM |
| 3347 | 990212 | 47555 | DEHNmid MV arrester Ur: 45kV In: 10kA | line disch. class 1 incr. creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 45 10 1 H | 4013364103054 | 1 | 3.6 | 3.6 | 85354000 | DE | 504 | 120 | 120 | MM |
| 3348 | 990213 | 47556 | DEHNmid MV arrester Ur: 48kV In: 10kA | line disch. class 1 incr. creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 48 10 1 H | 4013364103061 | 1 | 3.8 | 3.8 | 85354000 | DE | 536 | 120 | 120 | MM |
| 3349 | 990214 | 47557 | DEHNmid MV arrester Ur: 51kV In: 10kA | line disch. class 1 incr. creepage path | 04100101 | ST | Price on request | EUR | 1 | DMI 51 10 1 H | 4013364103078 | 1 | 4 | 4 | 85354000 | DE | 546 | 120 | 120 | MM |
| 3350 | 990301 | 47558 | DEHNtrack surge arrester Ur: 1.2kV In: | 10kA line discharge class 3, d.c. type | 04100102 | ST | Price on request | EUR | 1 | DTR 1.2 10 3 | 4013364103085 | 1 | 3 | 3 | 85354000 | DE | 283 | 185 | 185 | MM |
| 3351 | 990302 | 47559 | DEHNtrack surge arrester Ur: 2.4kV In: | 10kA line discharge class 3, d.c. type | 04100102 | ST | Price on request | EUR | 1 | DTR 2.4 10 3 | 4013364103092 | 1 | 3 | 3 | 85354000 | DE | 290 | 185 | 185 | MM |
| 3352 | 990303 | 47560 | DEHNtrack surge arrester Ur: 3.6kV In: | 10kA line discharge class 3, d.c. type | 04100102 | ST | Price on request | EUR | 1 | DTR 3.6 10 3 | 4013364103108 | 1 | 3 | 3 | 85354000 | DE | 287 | 185 | 185 | MM |
| 3353 | 990304 | 47561 | DEHNtrack surge arrester Ur: 4.8kV In: | 10kA line discharge class 3, d.c. type | 04100102 | ST | Price on request | EUR | 1 | DTR 4.8 10 3 | 4013364103115 | 1 | 3 | 3 | 85354000 | DE | 303 | 185 | 185 | MM |
| 3354 | 994001 | 47562 | Impulse meter for MV arrester without | measuring scale | 04100103 | ST | Price on request | EUR | 1 | IZ 100 | 4013364103122 | 1 | 3.1 | 3.1 | 90303900 | DE | 190 | 152 | 145 | MM |
| 3355 | 994002 | 47563 | Impulse meter for MV arrester with | measuring scale | 04100103 | ST | Price on request | EUR | 1 | IZM 100 | 4013364103139 | 1 | 3.4 | 3.4 | 90303900 | DE | 270 | 260 | 145 | MM |
| 3356 | 994003 | 47564 | Disconnector 10kA f. MV arrester | | 04100103 | ST | Price on request | EUR | 1 | DIC 10 | 4013364103146 | 1 | 0.18 | 0.18 | 85389099 | BR | 115 | 67 | 67 | MM |
| 3357 | 994004 | 3005017 | Impulse meter for MV arrester without | measuring scale, with remote signaling | 04100103 | ST | Price on request | EUR | 1 | IZ 100 FM | 4013364122574 | 1 | 1.8 | 1.8 | 90303900 | DE | 190 | 152 | 145 | MM |
| 3358 | 994050 | 47566 | Terminal connection for surge arrester | for cable lug fixing | 04100150 | ST | Price on request | EUR | 1 | KA KS | 4013364103153 | 1 | 0.1 | 0.1 | 85389099 | DE | 60 | 20 | 20 | MM |
| 3359 | 994051 | 47567 | Terminal connection f. surge arrester | f. conductor cable clamping up to D 9mm | 04100150 | ST | Price on request | EUR | 1 | KA LS 9 | 4013364103160 | 1 | 0.1 | 0.1 | 85389099 | DE | 60 | 50 | 50 | MM |
| 3360 | 994052 | 47568 | Terminal connection f. surge arrester | f. conductor cable clamping up to D 16mm | 04100150 | ST | Price on request | EUR | 1 | KA LS 16 | 4013364103177 | 1 | 0.109 | 0.109 | 85389099 | DE | 60 | 40 | 40 | MM |
| 3361 | 994053 | 47569 | Terminal connection for surge arrester | f. conductor cable clamping D9...16mm | 04100150 | ST | Price on request | EUR | 1 | KA LS 9.16 | 4013364103184 | 1 | 0.289 | 0.289 | 85389099 | DE | 65 | 60 | 40 | MM |
| 3362 | 994054 | 47570 | DIN fixing for surge arresters | | 04100150 | ST | Price on request | EUR | 1 | BF DIN | 4013364103191 | 1 | 0.4 | 0.4 | 85389099 | DE | 160 | 60 | 40 | MM |
| 3363 | 994055 | 47571 | Angle bracket for surge arresters | | 04100150 | ST | Price on request | EUR | 1 | BF WI | 4013364103207 | 1 | 0.2 | 0.2 | 85389099 | DE | 95 | 75 | 40 | MM |
| 3364 | 994056 | 47572 | NEMA fixing for surge arresters | | 04100150 | ST | Price on request | EUR | 1 | BF NEMA | 4013364103214 | 1 | 0.3 | 0.3 | 85389099 | DE | 170 | 40 | 5 | MM |
| 3365 | 994057 | 47573 | Wall fixing for surge arresters | | 04100150 | ST | Price on request | EUR | 1 | BF WA | 4013364103221 | 1 | 0.3 | 0.3 | 85389099 | DE | 193 | 46 | 40 | MM |
| 3366 | 994058 | 47574 | TGL fixing for surge arresters | | 04100150 | ST | Price on request | EUR | 1 | BF TGL | 4013364103238 | 1 | 0.6 | 0.6 | 85389099 | DE | 193 | 170 | 47 | MM |
| 3367 | 994059 | 47575 | Traverse fixing for surge arrester | | 04100150 | ST | Price on request | EUR | 1 | BF TRA | 4013364103245 | 1 | 0.9 | 0.9 | 85389099 | DE | 250 | 210 | 40 | MM |
| 3368 | 994060 | 47576 | Insulating support for surge arrester | | 04100150 | ST | Price on request | EUR | 1 | BF IH | 4013364103252 | 1 | 0.325 | 0.325 | 85389099 | DE | 170 | 85 | 50 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 3369 | 999799 | 3017636 | Surge arrest. Type 2 DEHNguard M multip. | f. PV systems up to 1000V DC/SN 1868 | 04010207 | ST | 514.00 | EUR | 1 | DG M PV2 SCI SN1868 FM | 4013364328723 | 1 | 0.598 | 0.509 | 85363030 | DE | 123 | 115 | 91 | MM |
| 3370 | 999906 | 3015486 | Surge arrester Type 2 DEHNcord | 2-pole f. electr. installation systems | 04010205 | ST | 82.20 | EUR | 1 | DCOR L 2P SN1864 | 4013364310926 | 1 | 0.071 | 0.054 | 85363030 | RO | 105 | 75 | 19 | MM |
| 3371 | 999937 | 3015487 | Surge arrester Type 2 DEHNcord | 2-pole for electrical install. systems | 04010205 | ST | 69.00 | EUR | 1 | DCOR L 2P SN1860 | 4013364303195 | 1 | 0.086 | 0.056 | 85363030 | RO | 168 | 75 | 39 | MM |
| 3372 | 999990 | 3011292 | Mains connection box | for Red / Line products | 04010601 | ST | 2560.20 | EUR | 1 | NAK SN4631 | 4013364153776 | 1 | 5.52 | 5.07 | 85371098 | DE | 160 | 360 | 91 | MM |
| 3373 | V11E77B | K11E77B | | | 05000402 | ST | 808.10 | EUR | 1 | EKV3+0 150 R V11E77B | 4013364163515 | 1 | 5.681 | 5.516 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3374 | V162LDM | K162LDM | | | 05000412 | ST | 559.60 | EUR | 1 | EKV3 25VI DG V162LDM | 4013364162655 | 1 | 1.549 | 1.384 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3375 | V18JQHQ | K18JQHQ | | | 05000402 | ST | 374.40 | EUR | 1 | EKV3+0 35 G V18JQHQ | 4013364163546 | 1 | 2.075 | 1.91 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3376 | V1KPXFR | K1KPXFR | | | 05000404 | ST | 1490.00 | EUR | 1 | EKV3+1 150 G V1KPXFR | 4013364165427 | 1 | 10.23 | 9.85 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3377 | V1RC3P2 | K1RC3P2 | | | 05000413 | ST | 554.20 | EUR | 1 | EKV3 NH00 TI V1RC3P2 | 4013364163737 | 1 | 0.667 | 0.587 | 85359000 | DE | 200 | 120 | 80 | MM |
| 3378 | V27E2GP | K27E2GP | | | 05000402 | ST | 1135.00 | EUR | 1 | EKV4U0 120 G V27E2GP | 4013364163980 | 1 | 8.378 | 7.893 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3379 | V291ZZT | K291ZZT | | | 05000402 | ST | 1332.90 | EUR | 1 | EKV4U0 150 G V291ZZT | 4013364163997 | 1 | 9.858 | 9.388 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3380 | V2KWXUL | K2KWXUL | | | 05000404 | ST | 837.40 | EUR | 1 | EKV1+1 50 V2KWXUL | 4013364165588 | 1 | 5.461 | 4.991 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3381 | V2WPYVF | K2WPYVF | | | 05000404 | ST | 1200.40 | EUR | 1 | EKV1+1 95 V2WPYVF | 4013364165601 | 1 | 8.442 | 8.062 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3382 | V3CM9FR | K3CM9FR | | | 05000404 | ST | 1124.50 | EUR | 1 | EKV1+1 120 V3CM9FR | 4013364165687 | 1 | 8.8 | 8.315 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3383 | V3NCSHX | K3NCSHX | | | 05000402 | ST | 635.90 | EUR | 1 | EKV4U0 50 G V3NCSHX | 4013364164031 | 1 | 3.923 | 3.438 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3384 | V3RQASE | K3RQASE | | | 05000413 | ST | 373.00 | EUR | 1 | EKV3 16TI HK V3RQASE | 4013364163744 | 1 | 1.194 | 1.094 | 85359000 | DE | 200 | 130 | 130 | MM |
| 3385 | V3WJMYY | K3WJMYY | | | 05000404 | ST | 758.40 | EUR | 1 | EKV3+1 35 G V3WJMYY | 4013364163676 | 1 | 3.814 | 3.649 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3386 | V43FCV8 | K43FCV8 | | | 05000404 | ST | 790.40 | EUR | 1 | EKV1+1 35 V43FCV8 | 4013364165571 | 1 | 10 | 10 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3387 | V4RJ7A2 | K4RJ7A2 | | | 05000404 | ST | 981.70 | EUR | 1 | EKV3+1 70 R V4RJ7A2 | 4013364165526 | 1 | 5.924 | 5.759 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3388 | V4YPRGE | K4YPRGE | | | 05000402 | ST | 252.20 | EUR | 1 | EKV1+0 16 V4YPRGE | 4013364165243 | 1 | 1.256 | 1.141 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3389 | V593RWM | K593RWM | | | 05000410 | ST | 1678.90 | EUR | 1 | KSX SQ C MS V593RWM | 4013364450851 | 1 | 10 | 10 | 85359000 | DE | 1050 | 105 | 105 | MM |
| 3390 | V5SVXPH | K5SVXPH | | | 05000404 | ST | 997.60 | EUR | 1 | EKV3+1 95 R V5SVXPH | 4013364164727 | 1 | 6.71 | 6.33 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3391 | V5VN56Z | K5VN56Z | | | 05000404 | ST | 922.40 | EUR | 1 | EKV3+1 35 G V5VN56Z | 4013364165465 | 1 | 4.976 | 4.811 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3392 | V6VE249 | K6VE249 | | | 05000402 | ST | 712.50 | EUR | 1 | EKV5+0 50 G V6VE249 | 4013364164185 | 1 | 10 | 10 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3393 | V7265NS | K7265NS | | | 05000402 | ST | 292.60 | EUR | 1 | EKV2+0 16 G V7265NS | 4013364163355 | 1 | 1.164 | 1.044 | 85359000 | DE | 240 | 180 | 150 | MM |
| 3394 | V76D5TH | K76D5TH | | | 05000402 | ST | 628.90 | EUR | 1 | EKV5+0 35 G V76D5TH | 4013364164178 | 1 | 10 | 10 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3395 | V797FE6 | K797FE6 | | | 05000402 | ST | 845.50 | EUR | 1 | EKV1+0 120 V797FE6 | 4013364163188 | 1 | 7.031 | 6.651 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3396 | V7GN8WU | K7GN8WU | | | 05000402 | ST | 753.90 | EUR | 1 | EKV4U0 70 G V7GN8WU | 4013364162389 | 1 | 4.783 | 4.618 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3397 | V8115WA | K8115WA | | | 05000402 | ST | 734.60 | EUR | 1 | EKV3+0 120 R V8115WA | 4013364163508 | 1 | 4.982 | 4.602 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3398 | V8D4AQ2 | K8D4AQ2 | | | 05000402 | ST | 852.40 | EUR | 1 | EKV3+0 120 G V8D4AQ2 | 4013364163485 | 1 | 6.418 | 6.038 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3399 | V8MCNWM | K8MCNWM | | | 05000404 | ST | 874.20 | EUR | 1 | EKV3+1 16 G V8MCNWM | 4013364165441 | 1 | 4.609 | 4.139 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3400 | V8PPJEF | K8PPJEF | | | 05000404 | ST | 610.50 | EUR | 1 | EKV1+1 35 V8PPJEF | 4013364165649 | 1 | 4.138 | 3.668 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3401 | V8VF7CP | K8VF7CP | | | 05000404 | ST | 900.60 | EUR | 1 | EKV3+1 25 G V8VF7CP | 4013364165458 | 1 | 4.656 | 4.656 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3402 | V93UVAP | K93UVAP | | | 05000402 | ST | 560.50 | EUR | 1 | EKV4U0 35 G V93UVAP | 4013364164024 | 1 | 2.566 | 2.415 | 85359000 | DE | 290 | 220 | 150 | MM |
| 3403 | V9JF26K | K9JF26K | | | 05000402 | ST | 331.50 | EUR | 1 | EKV1+0 35 V9JF26K | 4013364163294 | 1 | 2.257 | 2.092 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3404 | VA3926U | KA3926U | | | 05000404 | ST | 1105.50 | EUR | 1 | EKV3+1 95 G VA3926U | 4013364165403 | 1 | 7.193 | 6.813 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3405 | VAB3PJV | KAB3PJV | | | 05000404 | ST | 1236.50 | EUR | 1 | EKV3+1 120 G VAB3PJV | 4013364165410 | 1 | 8.176 | 7.796 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3406 | VABRSSE | KABRSSE | | | 05000402 | ST | 974.90 | EUR | 1 | EKV4U0 95 G VABRSSE | 4013364164048 | 1 | 7.124 | 6.654 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3407 | VACNLP8 | KACNLP8 | | | 05000404 | ST | 1282.60 | EUR | 1 | EKV3+1 150 R VACNLP8 | 4013364165740 | 1 | 7.893 | 7.513 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3408 | VAM7M6H | KAM7M6H | | | 05000402 | ST | 616.80 | EUR | 1 | EKV2+0 95 G VAM7M6H | 4013364165267 | 1 | 4.627 | 4.247 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3409 | VB1DETL | KB1DETL | | | 05000404 | ST | 570.60 | EUR | 1 | EKV1+1 25 VB1DETL | 4013364165632 | 1 | 3.188 | 1.528 | 85359000 | DE | 600 | 400 | 400 | MM |
| 3410 | VB53TC9 | KB53TC9 | | | 05000402 | ST | 1033.30 | EUR | 1 | EKV1+0 150 VB53TC9 | 4013364163270 | 1 | 8.719 | 8.234 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3411 | VCEY1U6 | KCEY1U6 | | | 05000404 | ST | 880.50 | EUR | 1 | EKV3+1 70 G VCEY1U6 | 4013364165397 | 1 | 5.496 | 5.331 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3412 | VD28FAD | KD28FAD | | | 05000404 | ST | 790.20 | EUR | 1 | EKV3+1 50 R VD28FAD | 4013364165434 | 1 | 4.108 | 3.943 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3413 | VDXTBGF | KDXTBGF | | | 05000402 | ST | 823.00 | EUR | 1 | EKV5+0 70 G VDXTBGF | 4013364164192 | 1 | 10 | 10 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3414 | VDZ2VDX | KDZ2VDX | | | 05000413 | ST | 400.90 | EUR | 1 | EKV3 35TI HK VDZ2VDX | 4013364163843 | 1 | 1.542 | 1.377 | 85359000 | DE | 360 | 270 | 60 | MM |
| 3415 | VE5E8FZ | KE5E8FZ | | | 05000404 | ST | 711.10 | EUR | 1 | EKV1+1 16 VE5E8FZ | 4013364165557 | 1 | 3.672 | 3.202 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3416 | VE5K3HM | KE5K3HM | | | 05000412 | ST | 566.40 | EUR | 1 | EKV3 35VI DG VE5K3HM | 4013364162679 | 1 | 1.692 | 1.527 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3417 | VE5MT89 | KE5MT89 | | | 05000402 | ST | 326.20 | EUR | 1 | EKV3+0 16 G VE5MT89 | 4013364163522 | 1 | 1.359 | 1.239 | 85359000 | DE | 240 | 180 | 150 | MM |
| 3418 | VE9HQHJ | KE9HQHJ | | | 05000404 | ST | 1269.50 | EUR | 1 | EKV3+1 95 G VE9HQHJ | 4013364165496 | 1 | 8.286 | 7.906 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3419 | VEH4JQY | KEH4JQY | | | 05000412 | ST | 593.70 | EUR | 1 | EKV3 35VI EK VEH4JQY | 4013364163850 | 1 | 1.417 | 1.252 | 85359000 | DE | 360 | 270 | 60 | MM |
| 3420 | VF33XR2 | KF33XR2 | | | 05000404 | ST | 750.50 | EUR | 1 | EKV1+1 25 VF33XR2 | 4013364165564 | 1 | 10 | 10 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3421 | VFV1Z7K | KFV1Z7K | | | 05000402 | ST | 730.40 | EUR | 1 | EKV2+0 120 G VFV1Z7K | 4013364163331 | 1 | 5.538 | 5.068 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3422 | VFZ17TJ | KFZ17TJ | | | 05000404 | ST | 749.80 | EUR | 1 | EKV1+1 70 VFZ17TJ | 4013364165663 | 1 | 6.149 | 5.679 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3423 | VG3V6T2 | KG3V6T2 | | | 05000402 | ST | 994.90 | EUR | 1 | EKV3+0 150 G VG3V6T2 | 4013364165298 | 1 | 7.7 | 7.32 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3424 | VG4GXHQ | KG4GXHQ | | | 05000404 | ST | 1337.00 | EUR | 1 | EKV1+1 120 VG4GXHQ | 4013364165618 | 1 | 10 | 10 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3425 | VGCMAA5 | KGCMAA5 | | | 05000402 | ST | 1089.90 | EUR | 1 | EKV5+0 95 G VGCMAA5 | 4013364162518 | 1 | 10 | 10 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3426 | VGHVBP5 | KGHVBP5 | | | 05000405 | ST | 438.40 | EUR | 1 | EKV1+0 35 VGHVBP5 | 4013364360389 | 1 | 2.165 | 1.123 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3427 | VGJD2QX | KGJD2QX | | | 05000404 | ST | 710.30 | EUR | 1 | EKV3+1 16 G VGJD2QX | 4013364165373 | 1 | 3.121 | 3.001 | 85359000 | DE | 290 | 220 | 150 | MM |
| 3428 | VGM214B | KGM214B | | | 05000402 | ST | 513.70 | EUR | 1 | EKV4U0 25 G VGM214B | 4013364164017 | 1 | 2.165 | 2.014 | 85359000 | DE | 290 | 220 | 150 | MM |
| 3429 | VGMYJJB | KGMYJJB | | | 05000410 | ST | 1106.60 | EUR | 1 | KSX SK A MS VGMYJJB | 4013364450882 | 1 | 10 | 10 | 85359000 | DE | 1050 | 105 | 105 | MM |
| 3430 | VGUVRRG | KGUVRRG | | | 05000402 | ST | 478.90 | EUR | 1 | EKV4U0 16 G VGUVRRG | 4013364164000 | 1 | 1.835 | 1.67 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3431 | VH8QTCZ | KH8QTCZ | | | 05000414 | ST | 1602.20 | EUR | 1 | EKV3 25IS ZK VH8QTCZ | 4013364163775 | 1 | 5.593 | 5.428 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3432 | VH95BZZ | KH95BZZ | | | 05000402 | ST | 496.50 | EUR | 1 | EKV3+0 70 G VH95BZZ | 4013364165274 | 1 | 3.703 | 3.538 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3433 | VHBWUNH | KHBWUNH | | | 05000404 | ST | 1303.30 | EUR | 1 | EKV3+1 150 R VHBWUNH | 4013364163645 | 1 | 8.237 | 7.857 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3434 | VHNEFQE | KHNEFQE | | | 05000410 | ST | 660.50 | EUR | 1 | KS SK C NS VHNEFQE | 4013364450837 | 1 | 10 | 10 | 85359000 | DE | 1050 | 105 | 105 | MM |
| 3435 | VHV1NKR | KHV1NKR | | | 05000402 | ST | 1484.00 | EUR | 1 | EKV5+0 150 G VHV1NKR | 4013364164147 | 1 | 10 | 10 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3436 | VJ13VWW | KJ13VWW | | | 05000402 | ST | 397.50 | EUR | 1 | EKV2+0 50 G VJ13VWW | 4013364162136 | 1 | 2.43 | 2.265 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3437 | VJ6NX72 | KJ6NX72 | | | 05000410 | ST | 1678.90 | EUR | 1 | KSX SK C MS VJ6NX72 | 4013364450844 | 1 | 10 | 10 | 85359000 | DE | 1050 | 105 | 105 | MM |
| 3438 | VJ7VGZD | KJ7VGZD | | | 05000402 | ST | 445.30 | EUR | 1 | EKV3+0 50 G VJ7VGZD | 4013364163553 | 1 | 2.834 | 2.669 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3439 | VKB2Q6J | KKB2Q6J | | | 05000414 | ST | 1609.40 | EUR | 1 | EKV3 35IS ZK VKB2Q6J | 4013364163829 | 1 | 5.749 | 5.584 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3440 | VKVBG8W | KKVBG8W | | | 05000405 | ST | 489.60 | EUR | 1 | EKV1+0 50 VKVBG8W | 4013364360136 | 1 | 2.553 | 1.511 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3441 | VKZLVU3 | KKZLVU3 | | | 05000404 | ST | 1400.40 | EUR | 1 | EKV3+1 120 G VKZLVU3 | 4013364165502 | 1 | 9.284 | 7.904 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3442 | VL2FG28 | KL2FG28 | | | 05000410 | ST | 660.50 | EUR | 1 | KS SQ C NS VL2FG28 | 4013364450820 | 1 | 6.18 | 5.68 | 85359000 | DE | 1050 | 105 | 105 | MM |
| 3443 | VLB2F3G | KLB2F3G | | | 05000402 | ST | 613.60 | EUR | 1 | EKV3+0 95 R VLB2F3G | 4013364163607 | 1 | 4.214 | 3.834 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3444 | VLL6JWS | KLL6JWS | | | 05000402 | ST | 855.40 | EUR | 1 | EKV2+0 150 G VLL6JWS | 4013364163348 | 1 | 6.455 | 6.075 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3445 | VM2J7S3 | KM2J7S3 | | | 05000402 | ST | 721.50 | EUR | 1 | EKV3+0 95 G VM2J7S3 | 4013364165281 | 1 | 5.43 | 5.05 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3446 | VMBDCM1 | KMBDCM1 | | | 05000404 | ST | 954.20 | EUR | 1 | EKV3+1 50 R VMBDCM1 | 4013364165519 | 1 | 5.252 | 5.087 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3447 | VMLM2BZ | KMLM2BZ | | | 05000404 | ST | 1044.50 | EUR | 1 | EKV3+1 70 G VMLM2BZ | 4013364165489 | 1 | 6.91 | 6.44 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3448 | VMRSJWD | KMRSJWD | | | 05000412 | ST | 559.60 | EUR | 1 | EKV3 25VI EK VMRSJWD | 4013364163805 | 1 | 1.27 | 1.105 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3449 | VMZDL8N | KMZDL8N | | | 05000404 | ST | 531.20 | EUR | 1 | EKV1+1 16 VMZDL8N | 4013364165625 | 1 | 2.871 | 2.751 | 85359000 | DE | 240 | 180 | 150 | MM |
| 3450 | VN35H5D | KN35H5D | | | 05000402 | ST | 406.20 | EUR | 1 | EKV3+0 50 R VN35H5D | 4013364163560 | 1 | 2.354 | 2.189 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3451 | VN63A91 | KN63A91 | | | 05000414 | ST | 1609.40 | EUR | 1 | EKV3 35BS ZK VN63A91 | 4013364163812 | 1 | 5.564 | 5.399 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3452 | VNC159W | KNC159W | | | 05000402 | ST | 352.60 | EUR | 1 | EKV3+0 25 G VNC159W | 4013364163539 | 1 | 1.726 | 1.561 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3453 | VNRLBXU | KNRLBXU | | | 05000410 | ST | 564.90 | EUR | 1 | KS SQ A NS VNRLBXU | 4013364450868 | 1 | 10 | 10 | 85359000 | DE | 1050 | 105 | 105 | MM |
| 3454 | VP33KYL | KP33KYL | | | 05000410 | ST | 564.90 | EUR | 1 | KS SK A NS VP33KYL | 4013364450875 | 1 | 10 | 10 | 85359000 | DE | 1050 | 105 | 105 | MM |
| 3455 | VP6YV4T | KP6YV4T | | | 05000414 | ST | 1662.70 | EUR | 1 | EKV3 50IS ZK VP6YV4T | 4013364162686 | 1 | 6.298 | 6.133 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3456 | VPH98CT | KPH98CT | | | 05000404 | ST | 993.30 | EUR | 1 | EKV3+1 50 G VPH98CT | 4013364165472 | 1 | 5.745 | 5.745 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3457 | VPHPZV2 | KPHPZV2 | | | 05000402 | ST | 347.70 | EUR | 1 | EKV2+0 35 G VPHPZV2 | 4013364163379 | 1 | 1.667 | 1.547 | 85359000 | DE | 240 | 180 | 150 | MM |
| 3458 | VPZBBSL | KPZBBSL | | | 05000402 | ST | 470.80 | EUR | 1 | EKV1+0 70 VPZBBSL | 4013364163317 | 1 | 4.504 | 4.034 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3459 | VQ7PF5A | KQ7PF5A | | | 05000402 | ST | 537.60 | EUR | 1 | EKV5+0 16 G VQ7PF5A | 4013364164154 | 1 | 1.977 | 1.857 | 85359000 | DE | 400 | 300 | 150 | MM |

| | A | B | C | D | E | F | G | H | K | L | M | N | O | P | Q | R | S | T | U | V |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Part-no. | Mat.-no. | Invoice-text 1 | Invoice-text 2 | PG | Selling QU | List price valid from 01.10.2022 NL | Currency | Pricing unit | Type | GTIN (EAN) | Packing unit quantity | Gross weight in kg | Net weight in kg | Customs tariff number | Country of origin | Length | Width | Height | Quantity unit dimension |
| 3460 | VQKTK4T | KQKTK4T | | | 05000414 | ST | 1602.20 | EUR | 1 | EKV3 25BS ZK VQKTK4T | 4013364163768 | 1 | 5.399 | 5.234 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3461 | VQY44GL | KQY44GL | | | 05000404 | ST | 657.50 | EUR | 1 | EKV1+1 50 VQY44GL | 4013364165656 | 1 | 4.661 | 4.51 | 85359000 | DE | 290 | 220 | 150 | MM |
| 3462 | VQYP8B2 | KQYP8B2 | | | 05000404 | ST | 817.70 | EUR | 1 | EKV3+1 70 R VQYP8B2 | 4013364163195 | 1 | 7.631 | 7.146 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3463 | VRAB9WB | KRAB9WB | | | 05000404 | ST | 1161.60 | EUR | 1 | EKV3+1 95 R VRAB9WB | 4013364165533 | 1 | 7.096 | 6.716 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3464 | VRDSN66 | KRDSN66 | | | 05000404 | ST | 736.60 | EUR | 1 | EKV3+1 25 G VRDSN66 | 4013364163669 | 1 | 3.439 | 3.288 | 85359000 | DE | 290 | 220 | 150 | MM |
| 3465 | VRJG23Y | KRJG23Y | | | 05000402 | ST | 378.50 | EUR | 1 | EKV1+0 50 VRJG23Y | 4013364163300 | 1 | 3.096 | 2.931 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3466 | VRP32FL | KRP32FL | | | 05000404 | ST | 929.70 | EUR | 1 | EKV1+1 70 VRP32FL | 4013364165595 | 1 | 10 | 10 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3467 | VSB29AH | KSB29AH | | | 05000413 | ST | 460.60 | EUR | 1 | EKV3 16TI EK VSB29AH | 4013364162662 | 1 | 0.97 | 0.805 | 85359000 | DE | 360 | 270 | 60 | MM |
| 3468 | VSHDQZB | KSHDQZB | | | 05000413 | ST | 512.60 | EUR | 1 | EKV3 35TI DG VSHDQZB | 4013364163836 | 1 | 1.875 | 1.71 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3469 | VSUN6NV | KSUN6NV | | | 05000413 | ST | 500.00 | EUR | 1 | EKV3 25TI DG VSUN6NV | 4013364163782 | 1 | 1.728 | 1.563 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3470 | VSY71K4 | KSY71K4 | | | 05000402 | ST | 291.50 | EUR | 1 | EKV1+0 25 VSY71K4 | 4013364163287 | 1 | 1.147 | 0.982 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3471 | VTCS2XV | KTCS2XV | | | 05000402 | ST | 433.70 | EUR | 1 | EKV3+0 70 R VTCS2XV | 4013364163584 | 1 | 3 | 2.835 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3472 | VTJKEZU | KTJKEZU | | | 05000402 | ST | 477.40 | EUR | 1 | EKV2+0 70 G VTJKEZU | 4013364165250 | 1 | 3.463 | 2.993 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3473 | VTSY9XH | KTSY9XH | | | 05000404 | ST | 1118.70 | EUR | 1 | EKV3+1 120 R VTSY9XH | 4013364163621 | 1 | 6.776 | 6.396 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3474 | VU8P6LE | KU8P6LE | | | 05000404 | ST | 829.30 | EUR | 1 | EKV3+1 50 G VU8P6LE | 4013364165380 | 1 | 4.53 | 4.379 | 85359000 | DE | 290 | 220 | 150 | MM |
| 3475 | VUKMT58 | KUKMT58 | | | 05000413 | ST | 372.30 | EUR | 1 | EKV3 25TI HK VUKMT58 | 4013364163799 | 1 | 1.416 | 1.251 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3476 | VVL7AKP | KVL7AKP | | | 05000402 | ST | 1262.20 | EUR | 1 | EKV5+0 120 G VVL7AKP | 4013364164130 | 1 | 10 | 10 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3477 | VWBDMPS | KWBDMPS | | | 05000404 | ST | 987.90 | EUR | 1 | EKV1+1 95 VWBDMPS | 4013364165670 | 1 | 7.592 | 7.122 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3478 | VZC3FST | KZC3FST | | | 05000402 | ST | 708.90 | EUR | 1 | EKV1+0 95 VZC3FST | 4013364163324 | 1 | 5.64 | 5.475 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3479 | VZE91CX | KZE91CX | | | 05000410 | ST | 1106.60 | EUR | 1 | KSX SQ A MS VZE91CX | 4013364450899 | 1 | 10 | 10 | 85359000 | DE | 1050 | 105 | 105 | MM |
| 3480 | VZKQZB5 | KZKQZB5 | | | 05000402 | ST | 578.60 | EUR | 1 | EKV5+0 25 G VZKQZB5 | 4013364164161 | 1 | 2.397 | 2.277 | 85359000 | DE | 240 | 180 | 150 | MM |
| 3481 | VZL6TGH | KZL6TGH | | | 05000402 | ST | 318.80 | EUR | 1 | EKV2+0 25 G VZL6TGH | 4013364163362 | 1 | 1.473 | 1.308 | 85359000 | DE | 400 | 300 | 150 | MM |
| 3482 | VZPW9LG | KZPW9LG | | | 05000412 | ST | 496.20 | EUR | 1 | EKV3 16VI EK VZPW9LG | 4013364163751 | 1 | 0.755 | 0.675 | 85359000 | DE | 400 | 300 | 150 | MM |